

AFX

2020 CATALOG



ADULT FULL-FACE



FX-99 PAGE 4-11



FX-90E PAGE 12-15



FX-105 PAGE 16-19



FX-78 PAGE 20-23

ADULT MODULAR / FLIP-UP



FX-111 PAGE 24-29

ADULT DUAL SPORT / ADVENTURE



FX-39DS PAGE 30-33



FX-41DS PAGE 34-37

ADULT & YOUTH OFF-ROAD / ATV



FX-17 PAGE 38-43



FX-21 PAGE 44-47



FX-17YE PAGE 48-53

ADULT OPEN-FACE / JET, WITH FACE SHIELD



FX-60 PAGE 54-57



FX-50 PAGE 58-61



FX-143 PAGE 62-65

ADULT OPEN-FACE / JET WITH INNER SHIELD



FX-142 PAGE 66-69

YOUTH OPEN-FACE / JET WITH INNER SHIELD



FX-142Y PAGE 70-73

ADULT OPEN-FACE / JET, VINTAGE



FX-76 PAGE 74-81

SNOW HELMETS AND ACCESSORIES




FX-41DS SNOW PAGE 82-85 REPLACEMENT PARTS PAGE 85, 101

VINTAGE SHIELDS, PEAKS AND REPLACEMENT PARTS



**VINTAGE SHIELDS
PAGE 88-90**



AFX VINTAGE PEAKS PAGE 91



REPLACEMENT PARTS PAGE 94-101


FX-99



NOTE: SEE PAGE 86 & 94 FOR PINLOCK® 70 ANTI-FOG INSERT

HELMET TECHNOLOGY

- 1 SHELL DESIGN**
An aerodynamic shell design constructed using an advanced ultra light weight polly-alloy for light weight and strength
- 2 FACE SHIELD**
A flush-fit, side-coverless face shield that is optically correct, compound-curved, scratch-resistant and Pinlock® 70 Prepared that protects against UV-rays.
- 3 COLD WEATHER VERSION**
Available with the edition of double lens or double lens electric shields and snap in winter breath guard
- 4 QUICK RELEASE RATCHET**
Quick release shield ratchet system
- 5 VENTILATION**
10 points of ventilation with chin, forehead, top and rear vent. 4 intake vents and 6 exhaust vents



3 COLD WEATHER VERSION





MAIN SPECIFICATIONS

- This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- Retention system is a race approved Titanium Double D-RING
- Provides ample ear cavity space for most speaker systems
- There are 3 tinted shields available for this model
- A clear coat finish to protect paint & graphics
- A large-size FX-99 weighs 1.37 kg or 3.00 lbs.
- Available size: XS-XXL

NOTE: SEE PAGE 86 & 94 FOR THE PINLOCK® SHIELDS

NOTE: SEE PAGE 101 FOR THE COLD WEATHER SHIELDS, BREATH GUARDS AND CHIN CURTAINS


REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial moisture wicking nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

HELMET SHELL & EPS SIZE	XS	S	M	L	XL	XXL
CHEEK PAD THICKNESS (MM)	40	30	25	45	40	30
COMFORT LINER THICKNESS (MM)	18	16	14	16	14	12



REPLACEMENT PARTS
PAGE # 94

FX-99



MATTE BLACK / GREY

	S	M	L	XL	XXL
0101-	11136	11137	11138	11139	11140



FX-99



MATTE NEON ORANGE / WHITE

	S	M	L	XL	XXL
0101-	11165	11166	11167	11168	11169



MATTE NEON YELLOW / WHITE

	XS	S	M	L	XL	XXL
0101-	11170	11171	11172	11173	11174	11175



FX-99



BLACK / ORANGE

	S	M	L	XL	XXL
0101-	11106	11107	11108	11109	11110



BLACK / WHITE

	S	M	L	XL	XXL
0101-	11116	11117	11118	11119	11120

FX-99



NAVY BLUE / GREEN / LIGHT BLUE

	XS	S	M	L	XL	XXL
0101-	11176	11177	11178	11179	11180	11181



RED / WHITE / BLUE

	S	M	L	XL	XXL
0101-	11131	11132	11133	11134	11135



FX-99



MATTE BLACK						
	XS	S	M	L	XL	XXL
0101-	11042	11043	11044	11045	11046	11047



GLOSS BLACK						
	XS	S	M	L	XL	XXL
0101	11048	11049	11050	11051	11052	11053



FROST GREY						
	XS	S	M	L	XL	XXL
0101-	11060	11061	11062	11063	11064	11065

FX-99



	XS	S	M	L	XL	SILVER XXL
0101-	11066	11067	11068	11069	11070	11071



	XS	S	M	L	XL	MAGNETIC XXL
0101-	11054	11055	11056	11057	11058	11059




	XS	S	M	L	XL	PEARL WHITE XXL
0101-	11077	11078	11079	11080	11081	11082

FX-90E



HELMET TECHNOLOGY

- 1 SHELL DESIGN**
An aerodynamic shell design constructed using an advanced lightweight composite poly-alloy
- 2 FACE SHIELD**
A flush-fit, side-coverless face shield that is optically correct, compound-curved, scratch-resistant and protects against UV-rays
- 3 QUICK RELEASE RATCHET**
Quick release shield ratchet system
- 4 VENTILATION**
7 points of ventilation with chin, side, forehead, top and rear vent. 5 intake vents and 2 exhaust vents





MAIN SPECIFICATIONS

- This helmet model meets or exceeds ECE 22.05 motorcycle helmet safety standards
- Retention system is a race approved Double D-RING
- Provides ample ear cavity space for most speaker systems
- There are 3 tinted shields available for this model
- A clear coat finish to protect paint & graphics
- A large-size FX-90E weighs 1.30 kg or 2.86 lbs.
- Available size: XS-XXL

NOTE: SEE PAGE 15 AND 101 FOR THE COLD WEATHER SHIELDS, BREATH GUARDS AND CHIN CURTAINS

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

HELMET SHELL & EPS SIZE	XS	S	M	L	XL	XXL
CHEEK PAD THICKNESS (MM)	45	40	35	30	25	20
COMFORT LINER THICKNESS (MM)	12	10	8	10	8	6



REPLACEMENT PARTS
PAGE # 94

FX-90E



MATTE BLACK						
	XS	S	M	L	XL	XXL
0101-	10306	10307	10308	10309	10310	10311



PEARL WHITE						
	XS	S	M	L	XL	XXL
0101-	10312	10313	10314	10315	10316	10317




FROST GREY						
	XS	S	M	L	XL	XXL
0101-	10318	10319	10320	10321	10322	10323

FX-90E

NOTE:

TO CONVERT EXISTING FX-90E HELMETS TO SNOW HELMETS: CHOOSE SHIELD TYPE AND BREATH GUARD.

SNOW SHIELDS



**FX-90E AMPD
DOUBLE LENS SNOW SHIELD
PART NUMBER: 0130-0354**



**FX-90E
ELECTRIC DOUBLE LENS SNOW
SHIELD
PART NUMBER: 0130-0355**

ELECTRIC CORDS



**12 VOLT POWER PLUG UNIVERSAL
ADAPTER TO RCA CONNECTION
PART NUMBER: 2130-0053**



**REPLACEMENT THREE PEICE
ELECTRIC CORD SET FOR ALL RCA
CONNECTION AFX ELECTRIC SHIELD
HELMETS AND SHIELD KITS.
PART NUMBER: 0133-0518**

FX-105



HELMET TECHNOLOGY

1 SHELL DESIGN

An aerodynamic shell design constructed using advanced fiberglass reinforced plastic (FRP) for light weight and strength

2 CONE-HEAD EPS

Advanced Cone-Head® ultra light weight EPS protection system, allows helmets to be Engineered, lighter and fit closer to the head

3 FACE SHIELD

A flush-fit, side-coverless face shield that is optically correct, compound-curved, scratch-resistant and protects against UV-rays

4 QUICK RELEASE RATCHET

Quick release shield ratchet system

5 VENTILATION

9 points of ventilation with chin, side, forehead, top and rear vent. 3 intake vents and 6 exhaust vents

6 INNER SUN SHIELD

Flip down inner smoke shield with easy to use side actuation lever





MAIN SPECIFICATIONS

- This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- Retention system is a race approved Double D-RING
- Provides ample ear cavity space for most speaker systems
- There are 3 tinted shields available for this model
- A clear coat finish to protect paint & graphics
- A large-size FX-105 weighs 1.59 kg or 3.50 lbs.
- Available size: XS-XXL

NOTE: SEE PAGE 86 FOR THE PINLOCK® SHIELDS

NOTE: SEE PAGE 101 FOR THE COLD WEATHER SHIELDS, BREATH GUARDS AND CHIN CURTAINS

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial moisture wicking nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

HELMET SHELL & EPS SIZE	XS	S	M	L	XL	XXL
CHEEK PAD THICKNESS (MM)	47	42	37	42	37	27
COMFORT LINER THICKNESS (MM)	16	14	12	14	12	10



REPLACEMENT PARTS

PAGE # 94

FX-105



RED / WHITE / BLUE						
	XS	S	M	L	XL	XXL
0101-	9743	9744	9745	9746	9747	9748



BLUE						
	XS	S	M	L	XL	XXL
0101-	9726	9727	9728	9729	9730	9731



RED						
	XS	S	M	L	XL	XXL
0101-	9732	9733	9734	9735	9736	9737



ORANGE						
	XS	S	M	L	XL	XXL
0101-	9755	9756	9757	9758	9759	9760



GREEN						
	XS	S	M	L	XL	XXL
0101-	9761	9762	9763	9764	9765	9766



YELLOW						
	XS	S	M	L	XL	XXL
0101-	9767	9768	9769	9770	9771	9772

FX-105



FLAT BLACK						
	XS	S	M	L	XL	XXL
0101-	N/A	N/A	9686	9687	9688	9689



GLOSS BLACK						
	XS	S	M	L	XL	XXL
0101-	9690	9691	9692	9693	9694	9695



FROST GREY						
	XS	S	M	L	XL	XXL
0101-	9696	9697	9698	9699	9700	9701



PEARL WHITE						
	XS	S	M	L	XL	XXL
0101-	9708	9709	9710	9711	9712	9713



SILVER						
	XS	S	M	L	XL	XXL
0101-	9702	9703	9704	9705	9706	9707

FX-78



HELMET TECHNOLOGY

- 1 SHELL DESIGN**
An aerodynamic shell design constructed using advanced fiberglass reinforced plastic (FRP) for light weight and strength
- 2 INTERIOR**
A quilted helmet liner and cheek pads made with hypo-allergenic and anti-microbial nylon and perforated leather combination
- 3 CONE-HEAD EPS**
Advanced Cone-Head® ultra light weight EPS protection system, allows helmets to be Engineered, lighter and fit closer to the head
- 4 Universal 5 snap placement for accesory shieds**



SEE PAGE 90 FOR 5-Snap Flat Shields



A INTERIOR (LINER AND CHEEK PADS)



1



2



3



4

MAIN SPECIFICATIONS

- This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- 3 snap shield/visor compatible. shield/visor not included with helmet
- Retention system is a race approved Double D-RING
- Provides ample ear cavity space for most speaker systems
- A clear coat finish to protect paint & graphics
- A XS size FX-78 weighs 1.0 kg or 2.20 lbs, A XL size FX-78 weighs 1.1 kg or 2.42 lbs
- Available size: XS-XXL

HELMET SHELL & EPS SIZE	XS	S	M	L	XL	XXL
CHEEK PAD THICKNESS (MM)	25	20	15	25	20	15



REPLACEMENT PARTS

PAGE # 95

FX-78



GLOSS BLACK					
	S	M	L	XL	XXL
0101-	11398	11399	11400	11401	11402



FX-78



MATTE BLACK					
	S	M	L	XL	XXL
0101-	11393	11394	11395	11396	11397




FROST GREY					
	S	M	L	XL	XXL
0101-	11403	11404	11405	11406	11407

FX-111



HELMET TECHNOLOGY

- 1 SHELL DESIGN**
An aerodynamic shell design constructed using an advanced ultra light weight polly-alloy for light weight and strength
- 2 CHIN BAR**
Cam pivot, chin bar linkage system with latches for ease of movement and security
- 3 FACE SHIELD**
A flush-fit, side-coverless face shield that is optically correct, compound-curved, scratch-resistant
- 4 QUICK RELEASE RATCHET**
Quick release shield ratchet system
- 5 INNER SUN SHIELD**
Flip down inner smoke shield with easy to use side actuation lever
- 6 VENTILATION**
4 points of aerodynamically designed flush fit ventilation with chin, top (left and right) and unique rear exhaust vents. 3 intake vents and 1 exhaust vents





MAIN SPECIFICATIONS

- This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- Retention system is Microlock (quick release)
- Provides ample ear cavity space for most speaker systems
- There are 3 tinted shields available for this model
- A clear coat finish to protect paint & graphics
- A large-size FX-111 weighs 1.60 kg or 3.50 lbs.
- Available size: XS-XXL

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial moisture wicking nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.



HELMET SHELL & EPS SIZE	XS	S	M	L	XL	XXL
CHEEK PAD THICKNESS (MM)	35	30	25	35	30	25
COMFORT LINER THICKNESS (MM)	16	14	12	14	12	10



REPLACEMENT PARTS
PAGE # 95

FX-111

2020
new
GRAPHIC



MATTE BLACK / WHITE

	S	M	L	XL	XXL
0100-	1881	1882	1883	1884	1885



FX-111

2020
new
GRAPHIC



MATTE BLACK / RED

	S	M	L	XL	XXL
0100-	1886	1887	1888	1889	1890



MATTE BLACK / YELLOW

	S	M	L	XL	XXL
0100-	1891	1892	1893	1894	1895



FX-111



MATTE BLACK

	S	M	L	XL	XXL
0100-	1779	1780	1781	1782	1783



INNER SUN SHIELD

Flip down inner smoke shield with easy to use side actuation lever

FX-111



GLOSS BLACK

	S	M	L	XL	XXL
0100-	1784	1785	1786	1787	1788



FROST GREY

	S	M	L	XL	XXL
0100-	1789	1790	1791	1792	1793



FX-39DS



HELMET TECHNOLOGY

1 SHELL DESIGN

An aerodynamic shell design constructed using an advanced lightweight composite poly-alloy



A

(see page #96)

2 FACE SHIELD

A flush-fit, built in side-cover style face shield that is optically correct, compound-curved, scratch-resistant and protects against UV-rays. Shield can be removed to allow open face riding or for use with most goggles. Optional outer shield, **A** 3 position 9cm (3.5") long shield mounted on outside of the clear shield and moving independently from the clear shield. Will also work with the visor removed and the street side covers installed

3 VENTILATION

9 points of ventilation with chin, side, forehead, top and rear vent. 3 intake vents and 6 exhaust vents

4 VISOR

A removable and adjustable (30mm) screw-on visor. Shield can also be used without the visor. Side cover kit included **B**



BEFORE

AFTER



B




SHELL SIZES



EPS SIZES



MICROLOCK
QUICK
RELEASE



POLY
ALLOY



MAIN SPECIFICATIONS

- This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- Retention system is Microlock (quick release)
- Provides ample ear cavity space for most speaker systems
- There are 4 tinted shields available for this model
- A clear coat finish to protect paint & graphics
- A large-size FX-39DS weighs 1.59 kg or 3.50 lbs.
- Available size: XS-XXL

NOTE: SEE PAGE 101 FOR THE COLD WEATHER SNOW BREATH GUARD & CHIN CURTAIN

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.



HELMET SHELL & EPS SIZE	XS	S	M	L	XL	XXL
CHEEK PAD THICKNESS (MM)	32	28	20	32	24	20
COMFORT LINER THICKNESS (MM)	14	12	8	12	8	6



REPLACEMENT PARTS
PAGE # 96

FX-39DS



ORANGE						
	XS	S	M	L	XL	XXL
0110-	4930	4931	4932	4933	4934	4935



FX-39DS



FX-41DS



HELMET TECHNOLOGY

1 SHELL DESIGN

An aerodynamic shell design constructed using an advanced lightweight composite poly-alloy

2 FACE SHIELD

A flush-fit, quick release screw on face shield that is optically correct, compound-curved, scratch-resistant and protects against UV-rays. Shield can be removed to allow open face riding or for use with most goggles

3 VISOR

A removable and adjustable (40mm) screw-on visor. Shield can also be used without the visor. Side cover kit included **A**

4 VENTILATION

17 points of ventilation with chin, side, forehead, top and rear vent. 7 intake vents and 10 exhaust vents

5 INNER SUN SHIELD

Smoke tinted inner flip down sun shield system with left side slide lever





MAIN SPECIFICATIONS

- This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- Retention system is Microlock (quick release)
- Provides ample ear cavity space for most speaker systems
- There are 4 tinted shields available for this model
- A clear coat finish to protect paint & graphics
- A large-size FX-41DS weighs 1.68 kg or 3.69 lbs.
- Available size: XS-XXL

NOTE: SEE PAGE 87 FOR THE PINLOCK® SHIELDS

NOTE: SEE PAGE 85 & 101 FOR THE COLD WEATHER SNOW BREATH GUARD & CHIN CURTAIN

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.



HELMET SHELL & EPS SIZE	XS	S	M	L	XL	XXL
CHEEK PAD THICKNESS (MM)	38	34	28	30	24	22
COMFORT LINER THICKNESS (MM)	8	4	8	8	10	6



REPLACEMENT PARTS
PAGE # 96

FX-41DS



FROST GREY / NEON ORANGE

	S	M	L	XL	XXL
0110-	5355	5356	5357	5358	5359



FX-41DS



FROST GREY						
	XS	S	M	L	XL	XXL
0110-	3760	3761	3762	3763	3764	3765



FLAT BLACK						
	XS	S	M	L	XL	XXL
0110-	3736	3737	3738	3739	3740	3741



GLOSS BLACK						
	XS	S	M	L	XL	XXL
0110-	3742	3743	3744	3745	3746	3747



PEARL WHITE						
	XS	S	M	L	XL	XXL
0110-	3748	3749	3750	3751	3752	3753

FX-17



HELMET TECHNOLOGY

- 1 SHELL DESIGN**
An aerodynamic shell design constructed using an advanced lightweight composite poly-alloy. This helmet is specifically designed to fit adolescents and small adults
- 2 VENTILATION**
11 points of ventilation with chin, side, forehead, top and rear vent. 3 intake vents and 8 exhaust vents
- 3 GOGGLE GUIDE ON EYEPORT TRIM**
Goggle strap grabbers
- 4 VISOR**
A removable and adjustable (50mm) screw-on visor





MAIN SPECIFICATIONS

- This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- Retention system is a race approved Double D-RING
- A clear coat finish to protect paint & graphics
- A large-size FX-17 weighs 1.55 kg or 3.42 lbs.
- Available size: XS-XXL

NOTE: SEE PAGE 101 FOR THE COLD WEATHER SNOW BREATH GUARD & CHIN CURTAIN

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

HELMET SHELL & EPS SIZE	XS	S	M	L	XL	XXL
CHEEK PAD THICKNESS (MM)	28	24	20	28	24	20
COMFORT LINER THICKNESS (MM)	10	8	6	10	8	6



REPLACEMENT PARTS
PAGE # 97-98

FX-17

2020
new
GRAPHIC



MATTE BLACK / ORANGE						
	XS	S	M	L	XL	XXL
0110-	6518	6504	6505	6506	6507	6508



MATTE BLACK / HOT PINK					
	XS	S	M	L	XL
0110-	6509	6510	6511	6512	6513



MATTE WHITE / WHITE						
	XS	S	M	L	XL	XXL
0110-	6516	6494	6495	6496	6497	6498

FX-17

2020
new
GRAPHIC



MATTE BLACK / WHITE

	XS	S	M	L	XL	XXL
0110-	6515	6489	6490	6491	6492	6493



MATTE BLACK / RED

	XS	S	M	L	XL	XXL
0110-	6514	6484	6485	6486	6487	6488



MULTI BLUE / LIME

	XS	S	M	L	XL	XXL
0110-	6517	6499	6500	6501	6502	6503

FX-17



NAVY BLUE / GREEN / BLUE

	XS	S	M	L	XL	XXL
0110-	5291	5292	5293	5294	5295	5296



RED / BLACK / WHITE

	XS	S	M	L	XL	XXL
0110-	5297	5298	5299	5300	5301	5302



MATTE BLACK / RED / WHITE / BLUE

	XS	S	M	L	XL	XXL
0110-	5279	5280	5281	5282	5283	5284



FROST GREY / BLACK / WHITE

	XS	S	M	L	XL	XXL
0110-	5285	5286	5287	5288	5289	5290



MATTE NEON ORANGE / BLACK / WHITE

	XS	S	M	L	XL	XXL
0110-	5303	5304	5305	5306	5307	5308

FX-17



MATTE BLACK / ORANGE / BLUE

	XS	S	M	L	XL
0110-	5219	5220	5221	5222	5223



MATTE NEON YELLOW / SILVER

	XS	S	M	L	XL	XXL
0110-	5231	5232	5233	5234	5235	5236



MATTE BLACK / GREEN / BLUE

	XS	S	M	L	XL	XXL
0110-	5213	5214	5215	5216	5217	5218



RED / WHITE / BLUE

	XS	S	M	L	XL	XXL
0110-	5267	5268	5269	5270	5271	5272

SOLID COLOR

FX-17



FLAT BLACK

	XS	S	M	L	XL	XXL
0110-	1750	1751	1752	1753	1754	1755

FX-21



HELMET TECHNOLOGY

1 SHELL DESIGN

An aerodynamic shell design constructed using an advanced lightweight composite poly-alloy

2 VENTILATION

11 points of ventilation with chin, side, forehead, top and rear vent. 3 intake vents and 8 exhaust vents

3 CONE-HEAD EPS

Advanced in-molded® cone-head® ultra light weight EPS protection system. In-mold construction fuses the helmet's outer shell with the impact-absorbing EPS liner. The two materials are fused together, and one is reinforced by the other. This 'exoskeleton' allows helmets to be engineered that are lighter, more durable and better ventilated



4 VISOR

A removable and adjustable (40mm) screw-on visor





MAIN SPECIFICATIONS

- This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- Retention system is a race approved Double D-RING
- Provides ample ear cavity space for most speaker systems
- A clear coat finish to protect paint & graphics
- A large-size FX-21 weighs 1.34 kg or 2.96 lbs.
- Available size: XS-XXL

NOTE: SEE PAGE 101 FOR THE COLD WEATHER SNOW BREATH GUARD & CHIN CURTAIN

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness, and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.



HELMET SHELL & EPS SIZE	XS	S	M	L	XL	XXL
CHEEK PAD THICKNESS (MM)	40	35	35	30	30	25
COMFORT LINER THICKNESS (MM)	20	18	16	14	14	10



REPLACEMENT PARTS
PAGE # 97

FX-21



RED / WHITE / BLUE						
	XS	S	M	L	XL	XXL
0110-	5375	5320	5321	5322	5323	5324



BLUE / GREEN / WHITE						
	XS	S	M	L	XL	XXL
0110-	5376	5325	5326	5327	5328	5329

FX-21



GLOSS BLACK / YELLOW / BLUE						
	XS	S	M	L	XL	XXL
0110-	5379	5335	5336	5337	5338	5339



MATTE BLACK / ORANGE / TURQUOISE						
	XS	S	M	L	XL	XXL
0110-	5377	5340	5341	5342	5343	5344



FX-17YE



HELMET TECHNOLOGY

1 SHELL DESIGN

An aerodynamic shell design constructed using an advanced lightweight composite poly-alloy. This helmet is specifically designed to fit youth and small adults **A**

2 VENTILATION

11 points of ventilation with chin, side, forehead, top and rear vent. 3 intake vents and 8 exhaust vents

3 GOGGLE GUIDE ON EYEPORT TRIM

Goggle strap grabbers.

4 VISOR

A removable and adjustable (50mm) screw-on visor

5 YLS (YOUTH LINER SYSTEM)


This helmet can be converted to any of three youth helmet sizes through the simple swapping of comfort liners and cheek pads

ADULT SIZE

YOUTH SIZE

A

ECE 22.05





SPECIFICATIONS & FEATURES

- This helmet model meets or exceeds ECE 22.05 motorcycle helmet safety standards
- Retention system is a race approved Double D-RING
- A clear coat finish to protect paint & graphics
- A youth large-size FX-17YE weighs 1.24 kg or 2.73 lbs
- Available size: YS, YM AND YL

NOTE: SEE PAGE 101 FOR THE COLD WEATHER SNOW BREATH GUARD & CHIN CURTAIN REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR


AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

FX-17YE YOUTH FITTING GUIDE

HELMET SHELL & EPS SIZE	YS	YM	YL
CHEEK PAD THICKNESS (MM)	24	20	16
COMFORT LINER THICKNESS (MM)	10	8	6



REPLACEMENT PARTS
PAGE # 97-98

FX-17YE

2020
new
GRAPHIC



YOUTH MATTE BLACK / ORANGE

	YS	YM	YL
0111-	1304	1305	1306



YOUTH MULTI BLUE / LIME

	YS	YM	YL
0111-	1301	1302	1303



FX-17YE



FROST GREY / SAFETY ORANGE
YS YM YL
0111- 1050 1051 1052



FROST GREY / RED
YS YM YL
0111- 1053 1054 1055



FX-17YE



	ROCKET GIRL		
	YS	YM	YL
0111-	1216	1217	1218



FX-17YE



	FLAT BLACK		
	YS	YM	YL
0111-	1047	1048	1049



FX-60



HELMET TECHNOLOGY

1 SHELL DESIGN

A sleek European influenced shell design constructed using an advanced lightweight composite poly-alloy. Raised front shell section to accommodate inner drop down shield without reducing fit and comfort

2 FACE SHIELD

A flush-fit, side-coverless OPTICAL CLASS 1 face shield with integrated air dam is also HYDROPHOBIC coated to disperse and repel water

3 VENTILATION

10 points of aerodynamically designed flush fit ventilation. Large dual air intake designed for easy one handed use with gloves. Eight exhaust vents positioned to maximize negative pressure suction

4 INNER SUN SHIELD

Smoke tinted dual cable activated drop down inner flip sun shield system with left side slide lever

5 COM SYSTEM PREPARED

Oversized ear cavity for optimized communication mounting

ECE 22.05



DOT FMVSS No.218





MAIN SPECIFICATIONS

- This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- Full 3D fit comfort liner and cheek pad system
- Dual lip wiper style full perimeter rain gasket for the ultimate in leak proof shield sealing
- Retention system is D-Ring
- Features a metal ring for secure lock ability
- A clear coat finish to protect paint & graphics
- A large-size FX-60 weighs 1.36 kg or 2.98 lbs.
- Available size: XS-XXXL

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR


AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.



HELMET SHELL & EPS SIZE	XS	S	M	L	XL	XXL	XXXL
CHEEK PAD THICKNESS (MM)	40	35	30	40	35	30	25
COMFORT LINER THICKNESS (MM)	15	12	9	15	12	9	6



REPLACEMENT PARTS
PAGE # 98

FX-60

2020
new
HELMET



MATTE BLACK

	S	M	L	XL	XXL	XXXL
0104-	2555	2556	2557	2558	2559	2560



FROST GREY

	S	M	L	XL	XXL	XXXL
0104-	2567	2568	2569	2570	2571	2572

FX-60

2020
new
HELMET



GLOSS BLACK						
	S	M	L	XL	XXL	XXXL
0104-	2561	2562	2563	2564	2565	2566



DARK WINE RED						
	S	M	L	XL	XXL	XXXL
0104-	2586	2587	2588	2589	2590	2591




WHITE						
	S	M	L	XL	XXL	XXXL
0104-	2574	2575	2576	2577	2578	2579

FX-50



HELMET TECHNOLOGY

- 1 SHELL DESIGN**
A sleek European influenced shell design constructed using an advanced lightweight composite poly-alloy
- 2 FACE SHIELD**
A flush-fit, built in side-cover style face shield that is optically correct, compound-curved, scratch-resistant and protects against UV-rays
- 3 VENTILATION**
4 points of aerodynamically designed flush fit ventilation with chin, top, rear, and unique side extraction vents. 1 intake vents and 3 exhaust vents
- 4 INNER SUN SHIELD**
Smoke tinted inner flip down sun shield system with center slide lever
- 5 4 IN 1 A**
Helmet can be configured one of four different ways.
Ships with all parts included



A 4 IN 1

Includes visor colored side-covers for shield use without the visor



1. Helmet with visor and shield
(standard configuration)



2. Helmet with visor



INCLUDES VISOR COLORED
SIDE-COVERS AND SCREW PLUG FOR
SHIELD USE WITHOUT THE VISOR



3. Helmet with shield



4. Helmet only

MAIN SPECIFICATIONS

- This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- Retention system is Microlock (quick release)
- A clear coat finish to protect paint & graphics
- A large-size FX-50 weighs 1.30 kg or 2.80 lbs.
- Available size: XS-XXL

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.



HELMET SHELL & EPS SIZE	XS	S	M	L	XL	XXL
CHEEK PAD THICKNESS (MM)	48	44	40	36	32	28
COMFORT LINER THICKNESS (MM)	12	10	12	8	8	4



REPLACEMENT PARTS
PAGE # 99

FX-50



MATTE BLACK / WHITE						
	XS	S	M	L	XL	XXL
0104-	2312	2313	2314	2315	2316	2317



FX-50



GLOSS BLACK						
	XS	S	M	L	XL	XXL
0104-	1363	1364	1365	1366	1367	1368



FLAT BLACK						
	XS	S	M	L	XL	XXL
0104-	1369	1370	1371	1372	1373	1374



WINE RED						
	XS	S	M	L	XL	XXL
0104-	1387	1388	1389	1390	1391	1392

FX-143



HELMET TECHNOLOGY

1 SHELL DESIGN


A sleek European influenced shell design constructed using an advanced lightweight composite poly-alloy.

2 FACE SHIELD

OPTICAL CLASS 1 face shield with HYDROPHOBIC coated to disperse and repel water

3 INNER SUN SHIELD

OPTICAL CLASS 1 drop down inner smoke sun shield with HYDROPHOBIC coated





MAIN SPECIFICATIONS

- This helmet model meets or exceeds ECE 22.05 motorcycle helmet safety standards
- Retention system is D-Ring
- A clear coat finish to protect paint & graphics
- A large-size FX-143 weighs 1.14 kg or 2.50 lbs.
- Available size: XS-XXL

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.



HELMET SHELL & EPS SIZE	XS	S	M	L	XL	XXL
CHEEK PAD THICKNESS (MM)	30	30	30	25	25	25
COMFORT LINER THICKNESS (MM)	9	6	9	6	6	4



REPLACEMENT PARTS
PAGE # 98

FX-143

2020
new
HELMET



MATTE BLACK

	S	M	L	XL	XXL
0104-	2654	2655	2656	2657	2658



GLOSS BLACK

	S	M	L	XL	XXL
0104-	2672	2673	2674	2675	2676

FX-143

2020
new
HELMET



0104-	FROST GREY				
	S	M	L	XL	XXL
	2660	2661	2662	2663	2664



0104-	WHITE				
	S	M	L	XL	XXL
	2666	2667	2668	2669	2670

ADULT OPEN-FACE / JET, WITH INNER SHIELD

FX-142

AVAILABLE IN YOUTH SIZING, SEE PAGES 70-73



HELMET TECHNOLOGY

1 SHELL DESIGN

A sleek European influenced shell design constructed using an advanced lightweight composite poly-alloy.

2 INNER SUN SHIELD ^A


OPTICAL CLASS 1 drop down inner sun shield includes BOTH HI-DEF day/night yellow (FITTED) and smoke daytime only shield in the box. These shields are also HYDROPHOBIC coated



OPTICAL CLASS 1
DROP DOWN INNER SUN SHIELD
HI-DEF DAY/YELLOW (FITTED)



^A
OPTICAL CLASS 1
DROP DOWN INNER SUN SHIELD
SMOKE DAYTIME
ONLY SHIELD IN THE BOX





MAIN SPECIFICATIONS

- This helmet model meets or exceeds ECE 22.05 motorcycle helmet safety standards
- Retention system is D-Ring
- A clear coat finish to protect paint & graphics
- A large-size FX-142 weighs 1.10 kg or 2.20 lbs.
- Available size: XS-XXL

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.



HELMET SHELL & EPS SIZE	XS	S	M	L	XL	XXL
CHEEK PAD THICKNESS (MM)	30	30	30	25	25	25
COMFORT LINER THICKNESS (MM)	9	6	9	6	6	4



REPLACEMENT PARTS
PAGE # 98

SOLID COLOR

FX-142

2020
new
HELMET



MATTE BLACK					
	S	M	L	XL	XXL
0104-	2636	2637	2638	2639	2640



FX-142



FROST GREY					
	S	M	L	XL	XXL
0104-	2642	2643	2644	2645	2646



WHITE					
	S	M	L	XL	XXL
0104-	2648	2649	2650	2651	2652

FX-142Y




HELMET TECHNOLOGY

1 SHELL DESIGN

A sleek European influenced shell design constructed using an advanced lightweight composite poly-alloy.

2 INNER SUN SHIELD ^A

OPTICAL CLASS 1 drop down inner sun shield includes BOTH HI-DEF day/night yellow (FITTED) and smoke daytime only shield in the box. These shields are also HYDROPHOBIC coated



OPTICAL CLASS 1
DROP DOWN INNER SUN SHIELD
HI-DEF DAY/YELLOW (FITTED)



^A
OPTICAL CLASS 1
DROP DOWN INNER SUN SHIELD
SMOKE DAYTIME
ONLY SHIELD IN THE BOX





MAIN SPECIFICATIONS

- This helmet model meets or exceeds ECE 22.05 motorcycle helmet safety standards
- Retention system is D-Ring
- A clear coat finish to protect paint & graphics
- A youth large-size FX-142Y weighs 1.10 kg or 2.20 lbs.
- Available size: YS-YL

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.



HELMET SHELL & EPS SIZE	YS	YM	YL
CHEEK PAD THICKNESS (MM)	30	30	30
COMFORT LINER THICKNESS (MM)	18	15	12



REPLACEMENT PARTS
PAGE # 98

FX-142Y

2020
new
HELMET



YOUTH ROCKET BOY			
	YS	YM	YL
0105-	0044	0045	0046



FX-142Y



YOUTH ROCKET GIRL

	YS	YM	YL
0105-	0047	0048	0049



FX-76



HELMET TECHNOLOGY

1 SHELL DESIGN

An aerodynamic shell design constructed using advanced fiberglass reinforced plastic (FRP) for light weight and strength

2 INTERIOR **A**

A quilted helmet liner and cheek pads made with hypo-allergenic and anti-microbial nylon and perforated leather combination

3 CONE-HEAD EPS

Advanced Cone-Head® ultra light weight EPS protection system, allows helmets to be Engineered, lighter and fit closer to the head



A INTERIOR (LINER AND CHEEK PADS)



1



2



3



4



5



5

MAIN SPECIFICATIONS

- This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- 3 snap shield/visor compatible. shield/visor not included with helmet
- Retention system is a race approved Double D-RING
- Provides ample ear cavity space for most speaker systems
- A clear coat finish to protect paint & graphics
- A XS size FX-76 weighs 0.8 kg or 1.76 lbs, A XL size FX-76 weighs 1.0 kg or 2.2 lbs
- Available size: XS-XXL

Vintage 3-Snap Shields see page 88-90

Vintage 3-Snap Visors (Peaks) see page 91



FX-76



MATTE BLACK / ORANGE					
	XS	S	M	L	XL
0104-	2330	2331	2332	2333	2334



GLOSS WHITE / GREY						
	XS	S	M	L	XL	XXL
0104-	2336	2337	2338	2339	2340	2341



GLOSS BLUE / GREY							
	XS	S	M	L	XL	XXL	
0104-	2342	2343	2344	2345	2346	2347	

FX-76



MATTE WHITE / GOLD / SILVER

	XS	S	M	L	XL	XXL
0104-	2318	2319	2320	2321	2322	2323



GLOSS ORANGE / BLUE / BEIGE

	XS	S	M	L	XL	XXL
0104-	2324	2325	2326	2327	2328	2329



FX-76



	FLAT RUST / GOLD						
	XS	S	M	L	XL	XXL	
0104-	2072	2073	2074	2075	2076	2077	



	FLAT BLACK / GOLD						
	XS	S	M	L	XL	XXL	
0104-	2120	2121	2122	2123	2124	2125	



	GLOSS MAGNETIC / SILVER						
	XS	S	M	L	XL	XXL	
0104-	2078	2079	2080	2081	2082	2083	



	GLOSS DARK GREEN / GOLD						
	XS	S	M	L	XL	XXL	
0104-	2132	2133	2134	2135	2136	2137	

FX-76



FLAT WHITE / GREY						
	XS	S	M	L	XL	XXL
0104-	2060	2061	2062	2063	2064	2065



FLAT BLACK / GOLD						
	XS	S	M	L	XL	XXL
0104-	2108	2109	2110	2111	2112	2113



GLOSS DENIM / BONE						
	XS	S	M	L	XL	XXL
0104-	2114	2115	2116	2117	2118	2119

FX-76



	SHELBY®					
	XS	S	M	L	XL	XXL
0104-	1837	1838	1839	1840	1841	1842

The brand name, used herein remain the property of their respective owners. This listing of any brand names is not intended to imply any endorsement or direct affiliation by such brand names and AFX North America Inc.



FX-76



ROUTE 66 FLAT BLACK

	XS	S	M	L	XL	XXL
0104-	1145	1146	1147	1148	1149	1150



GLOSS BLACK WITH CHROME TRIM

	XS	S	M	L	XL	XXL
0104-	1129	1130	1131	1132	1133	1134

FLAT BLACK W/ NO CHROME TRIM

	XS	S	M	L	XL	XXL
0104-	1137	1138	1139	1140	1141	1142



FROST GREY W/ NO CHROME TRIM

	XS	S	M	L	XL	XXL
0104-	1203	1204	1205	1206	1207	1208

GLOSS MAGNETIC W/ NO CHROME TRIM

	XS	S	M	L	XL	XXL
0104-	2096	2097	2098	2099	2100	2101

FX-41DS

SNOW DOUBLE LENS



HELMET TECHNOLOGY

1 SHELL DESIGN

An aerodynamic shell design constructed using an advanced lightweight composite poly-alloy

2 FACE SHIELD

A flush-fit, quick release screw on face shield

AFX DESIGNED AMPD™ FRAMELESS DOUBLE LENS SNOW SHIELD **A** that is optically correct, compound-curved, scratch-resistant and protects against UV-rays. Shield can be removed to allow open face riding or for use with most goggles

3 VISOR

A removable and adjustable (40mm) screw-on visor. Shield can also be used without the visor. Side cover kit included **B**

4 VENTILATION

17 points of ventilation with chin, side, forehead, top and rear vent. 7 intake vents and 10 exhaust vents

5 INNER SUN SHIELD

Smoke tinted inner flip down sun shield system with left side slide lever



DOUBLE LENS

A



B

ECE 22.05

DOT FMVSS No.218





MAIN SPECIFICATIONS

- This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- Retention system is Microlock (quick release)
- Provides ample ear cavity space for most speaker systems
- A clear coat finish to protect paint & graphics
- A large-size FX-41DS weighs 1.68 kg or 3.69 lbs.
- Available size: SM-XXL

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.



HELMET SHELL & EPS SIZE	S	M	L	XL	XXL
CHEEK PAD THICKNESS (MM)	34	28	30	24	22
COMFORT LINER THICKNESS (MM)	4	8	8	10	6



REPLACEMENT PARTS
PAGE #85, 96, 101

SOLID COLOR

FX-41DS

SNOW DOUBLE LENS



GLOSS BLACK W/ DOUBLE LENS SHIELD

	S	M	L	XL	XXL
0121-	0833	0834	0835	0836	0837



FX-41DS **SNOW DOUBLE LENS**



FX-41DS DOUBLE LENS SNOW SHIELD
PART NUMBER: 0130-0603



FX-41DS EXTREME BREATH GUARD
SIZE: XS-M
PART NUMBER: 0134-1362



FX-41DS EXTREME BREATH GUARD
SIZE: L-XXL
PART NUMBER: 0134-1214



FX-41DS WINTER CHIN CURTAIN
PART NUMBER: 0134-2376

FX-99 & 105 PINLOCK®

FX-99 & FX-105 OUTER LENS SHIELD WITH PINLOCK® PINS



CLEAR	0130-0787
DARK SMOKE	0130-0788
SILVER MIRROR	0130-0789
BLUE MIRROR	0130-0790

FX-99 & 105 PINLOCK® 70 MAX CUSTOM FIT ANTI-FOG INSERT



CLEAR	0130-0791
LIGHT SMOKE	0130-0792
DARK SMOKE	0130-0793
YELLOW	0130-0794

FX-41DS PINLOCK®

FX-41DS OUTER LENS SHIELD WITH PINLOCK® PINS



CLEAR	0130-0828
DARK SMOKE	0130-0829
SILVER MIRROR	0130-0830
GOLD MIRROR	0130-0831

FX-41DS PINLOCK® 70 MAX CUSTOM FIT ANTI-FOG INSERT



CLEAR	0130-0832
DARK SMOKE	0130-0833
YELLOW	0130-0834

VINTAGE SHIELD

AFX VINTAGE 3-SNAP FLIP SHIELD

SPECIFICATIONS & FEATURES

• UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED



16cm (6 1/4")



HELMET IS NOT INCLUDED



15cm (6")



HELMET IS NOT INCLUDED



CLEAR
PART NUMBER: 0131-0075



DARK SMOKE
PART NUMBER: 0131-0076



YELLOW SOLID
PART NUMBER: 0131-0077



BLUE SOLID
PART NUMBER: 0131-0078



SMOKE GRADIENT
PART NUMBER: 0131-0079



SILVER MIRROR
PART NUMBER: 0131-0080



GOLD MIRROR
PART NUMBER: 0131-0081



SHORT SHIELD CLEAR
PART NUMBER: 0131-0089



SHORT SHIELD DARK SMOKE
PART NUMBER: 0131-0090



SHORT SHIELD SILVER MIRROR
PART NUMBER: 0131-0091

VINTAGE SHIELD

AFX VINTAGE 3-SNAP FLIP SHIELD

SPECIFICATIONS & FEATURES

- UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED



18.5cm (7 1/4")



CLEAR SHIELD
PART NUMBER: 0131-0096



SMOKE SHIELD
PART NUMBER: 0131-0097



HELMET IS NOT INCLUDED

AFX VINTAGE 3-SNAP FLIP BUBBLE SHIELD

SPECIFICATIONS & FEATURES

- UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED



21.5cm (8 1/2")



CLEAR SHIELD
PART NUMBER: 0131-0094



SMOKE SHIELD
PART NUMBER: 0131-0095



HELMET IS NOT INCLUDED

VINTAGE 5-SNAP FLAT SHIELD

SPECIFICATIONS & FEATURES

• UNIVERSAL 5-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED



CLEAR
PART NUMBER: 0131-0121



DARK SMOKE
PART NUMBER: 0131-0073



YELLOW SOLID
PART NUMBER: 0131-0074



VINTAGE SNAP ON VISORS (PEAKS)

3-SNAP SHORT WITH LIP



DARK SMOKE
PART NUMBER: 0132-1016



GLOSS WHITE
PART NUMBER: 0132-1017



AMBER
PART NUMBER: 0132-1018

3-SNAP VINTAGE BUBBLE



GLOSS BLACK
PART NUMBER: 0132-1062



DARK SMOKE
PART NUMBER: 0132-1063



GLOSS WHITE
PART NUMBER: 0132-1064

3-SNAP VINTAGE MX WITH 3 VENTS



GLOSS BLACK
PART NUMBER: 0132-1019



DARK SMOKE
PART NUMBER: 0132-1020



GLOSS WHITE
PART NUMBER: 0132-1021



AMBER
PART NUMBER: 0132-1022

3-SNAP VINTAGE MX WITH 4 VENTS



GLOSS BLACK
PART NUMBER: 0132-1023



DARK SMOKE
PART NUMBER: 0132-1024



GLOSS WHITE
PART NUMBER: 0132-1025

3-SNAP VINTAGE MX WITH 6 VENTS



GLOSS BLACK
PART NUMBER: 0132-1026



DARK SMOKE
PART NUMBER: 0132-1027



GLOSS WHITE
PART NUMBER: 0132-1028



AMBER
PART NUMBER: 0132-1029

3-SNAP VINTAGE MX NON VENTED



GLOSS BLACK
PART NUMBER: 0132-1030



DARK SMOKE
PART NUMBER: 0132-1031



GLOSS WHITE
PART NUMBER: 0132-1032



AMBER
PART NUMBER: 0132-1033

HELMET & SHIELD BAG

AFX HELMET BAG

SPECIFICATIONS & FEATURES

- Rip Stop Cordura Nylon
- Plush Anti Scratch Micro Fiber Lining
- Heavy Duty Carrying Handle
- Two Way Self Healing Coil Zipper
- Inside Storage Pocket
- Anti Slip Waterproof Bottom
- 4 Moisture Vents
- Size 35cm x 30cm x 25cm (14" x 12" x 10")

AFX HELMET BAG
PART NUMBER: 3514-0016



AFX HELMET & FACE-SHIELD DRAWSTRING STORAGE BAG



AFX HELMET DRAWSTRING BAG
44CM X 54CM (17" X 21")
PART NUMBER: 3514-0030



AFX SHIELD DRAWSTRING BAG
FITS ALL FULLFACE HELMET SHIELDS
48CM X 18CM (19" X 7")
PART NUMBER: 3514-0031

AFX HELMET HOLDER

SPECIFICATIONS & FEATURES

- FITS ALL STANDARD SLAT-WALL TYPES
- PACKAGED 6PCS. PER BOX, PER ITEM NUMBER
- MADE FROM IMPACT RESISTANT PLASTIC ALLOY WITH SILVER AFX LOGO
- DESIGNED TO FIT ALL HELMET TYPES

AFX HELMET HOLDER
PART NUMBER: 9903-0324




AFX WALL STICKER



AFX WALL STICKER
PART NUMBER: 9904-1237
80cm (31.5") x 23cm (9")



AFX HEAD MEASUREMENT TOOL






AFX HEAD MEASUREMENT TOOL
PART NUMBER: 9904-1238


FX-99 REPLACEMENT PARTS

OUTER SHIELD	CLEAR	SMOKE	SILVER MIRROR	SHIELD RATCHET KIT		SHIELD RATCHET KIT	
	0130-0488	0130-0489	0130-0490		0133-0698		0133-1168



OUTER SHIELD W/ PINLOCK PINS	CLEAR	SMOKE	SILVER MIRROR	BLUE MIRROR	CHIN CURTAIN	XS-M	L-XXL
	0130-0787	0130-0788	0130-0789	0130-0790		0134-2371	0134-2372

PINLOCK 70 ANTI-FOG INSERT	CLEAR	LIGHT SMOKE	DARK SMOKE	YELLOW	COLD WEATHER BREATH GUARD	XS-M	L-XXL
	0130-0791	0130-0792	0130-0793	0130-0794		0134-2373	0134-2374



FX-99 CHEEK PAD SET	XS	S	M	L	XL	XXL
	0134-2359	0134-2360	0134-2361	0134-2362	0134-2363	0134-2364

FX-99 COMFORT LINER	XS	S	M	L	XL	XXL
	0134-2365	0134-2366	0134-2367	0134-2368	0134-2369	0134-2370


FX-90E REPLACEMENT PARTS

OUTER SHIELD	CLEAR	SMOKE	SILVER MIRROR	SHIELD RATCHET KIT	
	0130-0288	0130-0289	0130-0290		0133-0386

FX-105 REPLACEMENT PARTS


OUTER SHIELD	CLEAR	SMOKE	SILVER MIRROR	BLUE MIRROR	SHIELD RATCHET KIT	
	0130-0488	0130-0489	0130-0490	0130-0491		0133-0698

FX-78 REPLACEMENT PARTS

CHEEK PAD SET	XS	S	M	L	XL	XXL
	0134-2486	0134-2487	0134-2488	0134-2489	0134-2490	0134-2491


FX-111 REPLACEMENT PARTS


OUTER SHIELD	CLEAR	SMOKE	SILVER MIRROR	BLUE MIRROR	INNER FLIP DOWN SHIELD	SMOKE
	0130-0835	0130-0836	0130-0837	0130-0838		0130-0839

CHEEK PAD SET	XS	S	M	L	XL	XXL
	0134-2511	0134-2512	0134-2513	0134-2514	0134-2515	0134-2516

SHIELD RATCHET KIT		CHIN BAR PIVOT KIT		CHIN CURTAIN		BREATH DEFLECTOR	
	0133-1111		0133-1112		0134-2518		0134-2517

FX-95 REPLACEMENT PARTS

OUTER SHIELD	CLEAR	SMOKE	DARK SMOKE	SILVER MIRROR	BLUE MIRROR	GOLD MIRROR
	0130-0233	0130-0234	0130-0235	0130-0236	0130-0237	0130-0238




CHEEK PAD SET	XS	S	M	L	XL	XXL
	0134-0629	0134-0630	0134-0631	0134-0632	0134-0633	0134-0634

SHIELD RATCHET KIT	
	0133-0335



FX-36 REPLACEMENT PARTS



SHIELD RATCHET KIT	
	0133-1004




FX-39DS REPLACEMENT PARTS


	OUTER SHIELD	OPTIONAL OUTER SUN SHIELD	SHIELD RATCHET KIT
			
CLEAR STANDARD	0130-0400		0133-0602
LIGHT SMOKE	0130-0401	0130-0442	
DARK SMOKE	0130-0402	0130-0443	
SILVER MIRROR	0130-0403	0130-0444	
GOLD MIRROR		0130-0445	

FX-41DS REPLACEMENT PARTS

REPLACEMENT PEAK	SOLID COLOR	EIGER	AT
			
FLAT BLACK			
GLOSS BLACK	0132-0777		
PEARL WHITE	0132-0778		
BLK/WHITE/RED			0132-1059
FROST GREY/NEON ORANGE		0132-1193	


	OUTER SHIELD	INNER FLIP DOWN SHIELD
		
CLEAR STANDARD	0130-0501	0130-0665
LIGHT SMOKE	0130-0502	0130-0507
DARK SMOKE	0130-0503	0130-0506
SILVER MIRROR	0130-0504	
GOLD MIRROR	0130-0505	

PEAK SCREW SET	SHIELD RATCHET KIT	CHIN CURTAIN
		
0133-0751	0133-0752	0134-1838

	CHEEK PAD SET
	
XS	0134-1516
S	0134-1517
M	0134-1518
L	0134-1519
XL	0134-1520
XXL	0134-1521

FX-21 REPLACEMENT PARTS

REPLACEMENT PEAK	SOLID COLOR
	
FLAT BLACK	0132-0764
WHITE	0132-0875
RED/WHITE/BLUE	
BLACK/YELLOW/BLUE	

	CHEEK PAD SET
	
XS	0134-1510
S	0134-1511
M	0134-1512
L	0134-1513
XL	0134-1514
XXL	0134-1515

PEAK SCREW SET

0133-0750

FX-17/FX-17YE REPLACEMENT PARTS

CHEEK PAD SET		
	STANDARD BLACK	MAINLINE BLUE
		
XS	0134-0805	0134-1988
S	0134-0806	0134-1989
M	0134-0807	0134-1990
L	0134-0808	0134-1991
XL	0134-0809	0134-1992
XXL	0134-0810	0134-1993
YOUTH S	0134-0811	
YOUTH M	0134-0812	
YOUTH L	0134-0813	

COMFORT LINER		
	STANDARD BLACK	MAINLINE BLUE
		
XS	0134-1909	0134-2018
S	0134-1910	0134-2019
M	0134-1911	0134-2020
L	0134-1912	0134-2021
XL	0134-1913	0134-2022
XXL	0134-1914	0134-2023
YOUTH S	0134-0814	
YOUTH M	0134-0815	
YOUTH L	0134-0816	

PEAK SCREW SET

0133-0388

FX-17/FX-17YE REPLACEMENT PARTS - REPLACEMENT PEAK

FORCE

MATTE BLACK / GREEN/BLUE	MATTE BLACK/ ORANGE / BLUE	MATTE NEON YELLOW / SILVER	RED / WHITE / BLUE
			
0132-1174	0132-1175	0132-1177	0132-1183




HOLESHOT

MATTE BLACK / RED / WHITE / BLUE	FROST GREY / BLACK / WHITE	NAVY BLUE / GREEN / BLUE	RED / BLACK / WHITE	MATTE NEON ORANGE / BLACK / WHITE
				
0132-1185	0132-1186	0132-1187	0132-1188	0132-1189

ROCKET

ROCKET GIRL	ROCKET BOY
	
0132-0430	0132-0431

FX-60 REPLACEMENT PARTS

OUTER SHIELD	CLEAR	DARK SMOKE	INNER FLIP DOWN SHIELD - SMOKE	SHIELD RATCHET KIT
	0130-0895	0130-0896		
			0130-0898	0133-1235

FX-142 REPLACEMENT PARTS

INNER FLIP DOWN SHIELD - SMOKE	INNER FLIP DOWN SHIELD - SMOKE
	
0130-0902	0130-0901


FX-143 REPLACEMENT PARTS

OUTER SHIELD	CLEAR	DARK SMOKE	INNER FLIP DOWN SHIELD - SMOKE	INNER FLIP DOWN SHIELD - SMOKE	SHIELD RATCHET KIT
	0130-0899	0130-0900			
			0130-0902	0130-0901	0133-1236

FX-50 REPLACEMENT PARTS

	PEAK SOLID COLOR	PEAK SIGNAL
		
FLAT BLACK	0132-0553	
GLOSS BLACK	0132-0552	
PEARL WHITE	0132-0554	
SILVER		0132-1052
WINE RED	0132-0556	
RED		0132-1054
BRIGHT GREEN		0132-1056
WHITE/GREEN/RED		0132-1057
ORANGE		0132-1061


	SIDE COVER KIT
	
FLAT BLACK	0133-0580
GLOSS BLACK	0133-0579
PEARL WHITE	0133-0581
WINE RED	0133-0583

	CHEEK PAD SET
	
XS	0134-1215
S	0134-1216
M	0134-1217
L	0134-1218
XL	0134-1219
XXL	0134-1220


	OUTER SHIELD	INNER FLIP DOWN SHIELD
		
CLEAR STANDARD	0130-0395	
LIGHT SMOKE	0130-0396	
DARK SMOKE	0130-0397	0130-0399
SILVER MIRROR	0130-0398	

RATCHET KIT


0133-0578

SIDE COVER REFLECTOR SET

0133-0585



FX-33 REPLACEMENT PARTS

OUTER SHIELD	CLEAR
	0130-0641

CHIN STRAP CUSHION COVER	SHIELD RATCHET KIT (METAL)
	
0134-1961	0133-0936

CHEEK PAD SET	XS	S	M	L	XL	XXL
	0134-1964	0134-1965	0134-1966	0134-1967	0134-1968	0134-1969

FX-33Y REPLACEMENT PARTS

OUTER SHIELD	CLEAR	SHIELD RATCHET KIT (METAL)
	0130-0600	
		0133-0873

SNOW SHIELDS BREATH GUARD & CHIN CURTAIN

**NOTE: TO CONVERT EXISTING FX-99, FX-90E, FX-105, FX-41DS AND FX-39DS HELMETS TO SNOW HELMETS:
CHOOSE SHIELD TYPE AND BREATH GUARD.**


FOR FX-90E



**FX-90E AMPD
DOUBLE LENS SNOW SHIELD
PART NUMBER: 0130-0354**



**FX-90E
ELECTRIC DOUBLE LENS SNOW SHIELD
PART NUMBER: 0130-0355**




FOR FX-99, FX-105



**FX-99, FX-105 AMPD DOUBLE LENS
SNOW SHIELD
PART NUMBER: 0130-0494**



**FX-99, FX-105 AMPD ELECTRIC
DOUBLE LENS SNOW SHIELD
PART NUMBER: 0130-0496**



FOR FX-39DS



**FX-39DS AMPD DOUBLE LENS
SNOW SHIELD
PART NUMBER: 0130-0459**



**FX-39DS AMPD ELECTRIC
DOUBLE LENS SNOW SHIELD
PART NUMBER: 0130-0460**



FOR FX-41DS



**FX-41DS DOUBLE LENS SNOW SHIELD
PART NUMBER: 0130-0603**



FOR FX-90E



**HI-FLOW BREATH GUARD
PART NUMBER: 0134-1061**

FOR FX-105



**EXTREME BREATH GUARD (XS-M)
PART NUMBER: 0134-1785**

FOR FX-17, FX-17YE



**HI-FLOW BREATH GUARD
PART NUMBER: 0134-1060**

FOR FX-21, FX-39DS & FX-41DS (XS-M)



**EXTREME BREATH GUARD
PART NUMBER: 0134-1362**

FOR FX-17, FX-17YE FX-19, FX-21 & FX-39DS



**VENTED CHIN CURTAIN
PART NUMBER: 0134-1363**

FOR FX-17, FX-17YE & FX-41DS (L-XXL)



**EXTREME BREATH GUARD
PART NUMBER: 0134-1214**



**REPLACEMENT THREE PIECE
ELECTRIC CORD SET FOR ALL RCA
CONNECTION AFX ELECTRIC SHIELD
HELMETS AND SHIELD KITS.
PART NUMBER: 0133-0518**



**12 VOLT POWER PLUG UNIVERSAL
ADAPTER TO RCA CONNECTION
PART NUMBER: 2130-0053**

AFX HELMET FEATURE ICONS



Helmet Retention System Is Race Approved Double D- Ring



This Youth Off-Road / ATV Helmet Features A Smaller Size Outer Shell Designed For Superior Fit And Comfort For Smaller Head Sizes



Helmet Retention System Is Race Approved Ultra Lightweight Strength Titanium Double D-Ring



This Open Face / JET Helmet Features Two Outer Shell Sizes For Superior Fit And Comfort



Helmet Retention System Is Microlock Quick Release



This Youth Helmet Features A Smaller Size Outer Shell Designed For Superior Fit And Comfort For Smaller Head Sizes



Helmet Shell Is Made From Advanced Lightweight Composite Poly Alloy



Helmet Features Patented Advanced In-Molded & Cone-Head Ultra Lightweight Shell & EPS Exoskeleton Protection System



Helmet Shell Is Made From Lightweight Fiberglass Reinforced Polymer



Helmet Features Patented Advanced Ultra Lightweight Cone-Head EPS Protection System



This Full Face Street Helmet Features Two Outer Shell Sizes For Superior Fit And Comfort



This Helmet Features Four Inner EPS Sizes For Superior Fit And Comfort



This Dual Sport / Adventure Helmet Features Two Outer Shell Sizes For Superior Fit And Comfort



This Helmet Features Three Inner EPS Sizes For Superior Fit And Comfort



This Off-Road / ATV Helmet Features Two Outer Shell Sizes For Superior Fit And Comfort



This Helmet Features Two Inner EPS Sizes For Superior Fit And Comfort



This Youth Helmet Features A Smaller Size EPS Designed For Superior Fit And Comfort For Smaller Head Sizes



This Dual / Adventure Helmet Features A Drop Down Inner Sun Shield



This Full Face Helmet Features A Drop Down Inner Sun Shield



This Open Face / JET Helmet Features A Drop Down Inner Sun Shield



This Open Face Helmet Features A Drop Down Inner Sun Shield



This Helmet Features an Optical Clarity Level One Pull Down Inner and Outer Face Shield



This Helmet Features an Optical Clarity Level One Pull Down Inner Face Shield



This Helmet Features an Optical Clarity Level One Inner and Outer Face Shield. The Outer Face Shield Also Incorporates an Integrated Air Dam for More Efficient Airflow With Enhanced Quietness and Less Wind Turbulence



This Helmet Features Specific Cheek Pad and or Comfort Liner Relief That Makes It More Compatible to Riders That Wear Glasses




This Helmet Features Specific Design Details That Allow for Easy Installation of Most Communication Systems With out any Modification to the Helmets Protection Liner or Ear Cavity Area.



This Helmet Features The Ability To Custom Size The Final Fit With Removable Interchangeable Cheek Pads And Comfort Liners




This Helmet Features Specific Design Details in the Cheek Pad and Comfort Liner for Unparalleled Secure and Comfortable Fit for a Diversity of Head Shapes and Sizes.



AFX 1=3 Youth Liner / Cheek Pad Custom Fit System



This Helmet Features A Hand Washable Cheek Pad And Comfort Liner



AFX X-Flow High Volume Air Flow Ventilation System



There Are Replaceable And Optional Parts Available For This Helmet



Face Shield Is A Dual Lens Thermal Pane Design, For Use In Cold Weather Conditions



Face Shield Is A Electrically Heated Dual Lens Thermal Pane Design, For Use In Extreeme Cold And Freezing Weather Conditions

AFX HELMET FIT AND SIZE GUIDE

HOW TO FIND THE RIGHT FITTING HELMET FOR YOUR HEAD SHAPE

To properly choose a helmet fit, there are three important points of criteria that need to be examined in order for you to choose the helmet that fits you best.

1. Head Shape

The shape of the riders head is more important than the measured size of the riders head. Head shape can be determined by many factors including genetics and ethnic origin. However its important to note that there is no universal perfect head shape that is used for all models of helmets. Some helmets are designed for a functionality that dictates the final shape and fit of the helmet in question.

AFX helmets can be grouped into these three main fit categories: slightly narrow fit, neutral fit, and slightly round fit.

- Slightly Narrow Fit, helmets in this head shape may feel a little tighter on the left and right sides of the riders head.
- Neutral Fit, helmets in this head shape tend to fit a majority of riders.
- Slightly Round Fit, helmets in this head shape may feel a little tighter on the front and back sides of the head for some riders.

Please refer to the AFX helmet fit shape explanation

2. Size Measurement

Determine the circumference of the widest part of your head by using a flexible tape measure. Generally, the widest part of a person's head is the area 2.5 cm (1") above the eyes and ears. However, we suggest measuring at a few points both above and below that line to determine the greatest measurement before referring to our size table. We also suggest testing the fit of a helmet one size smaller and one size larger than what the chart recommends. No helmet can provide protection if it's too uncomfortable to wear.


Please refer to the AFX helmet sizing chart

3. Comfort and Fit

Helmets must fit snugly, but not painfully tight. While holding the chinstraps outside of the helmet, pull it down over your head, taking care that the chinstraps do not go up inside the helmet. A proper-fitting helmet will feel snug with fairly even pressure around the sides and top of your head. On most modern helmets the liner and cheek pads are designed to be a little extra snug at first, but will break-in after several hours of riding to match the particular shape of your head. If you are not familiar with how a helmet should fit and feel, be sure to ask for assistance from a more experienced rider. As a rule, the helmet should not be able to move around on your head without pulling on your skin. A loose fitting helmet is not only dangerous, but may also be noisy and tiring to wear. Most people make the mistake of buying a helmet that's too large. **IMPORTANT:** Make sure that you fasten the chinstrap securely beneath your chin when trying-on a helmet and then test to see that the helmet cannot be removed from your head when fastened in that manner.

Note: Most AFX helmets offer some degree of comfort and fit customization by being able to interchange combinations of comfort liners and cheek pads within the helmet shell size range. For a more detailed explanation of this feature please refer to the owners manual included with your helmet or visit afxhelmets.com.

AFX HELMET HEAD FIT SHAPE




SLIGHTLY NARROW FIT

HELMETS IN THIS HEAD SHAPE
MAY FEEL A LITTLE TIGHTER ON
THE LEFT AND RIGHT SIDES OF
THE HEAD FOR SOME PEOPLE

SLIGHTLY NARROW FIT AFX HELMETS

FX-105




NEUTRAL FIT

HELMETS IN THIS HEAD SHAPE
WILL FIT A MAJORITY OF PEOPLE

NEUTRAL FIT AFX HELMETS

FX-17, FX-21, FX-39DS, FX-41DS,
FX-76, FX-90E, FX-99, FX-78,
FX-111, FX-79.



SLIGHTLY ROUND FIT

HELMETS IN THIS HEAD SHAPE
MAY FEEL A LITTLE TIGHTER ON
THE FRONT AND BACK SIDES OF
THE HEAD FOR SOME PEOPLE

SLIGHTLY ROUND FIT AFX HELMETS

FX-33, FX-33Y, FX-46, FX-50

AFX HELMET SIZING FIT CHART

NOTE: THIS CHART IS FOR REFERENCE ONLY

Determine the circumference of the widest part of your head by using a flexible tape measure. Generally, the widest part of a person's head is the area 2.5 cm (1") above the eyes and ears. However, we suggest measuring at a few points both above and below that line to determine the greatest measurement before referring to our size table. We also suggest testing the fit of a helmet one size smaller and one size larger than what the chart recommends. No helmet can provide protection if it's too uncomfortable to wear. Please note the size measurements noted on these charts are meant as an approximation for fit. Helmet style (street vs off-road) and physical head shape may determine what size actually fits independent of the measurements listed below.

Centimeters	Inches	Hat Size	Letter size	Youth AFX Size
48 - 49	19 - 19 3/8	6 - 6 1/8	Youth Small	Y-S
50 - 51	19 3/4 - 20 1/8	6 1/4 - 6 3/8	Youth Medium	Y-M
52 - 53	20 1/2 - 20 7/8	6 1/2 - 6 2/3	Youth large	Y-L

Centimeters	Inches	Hat Size	Letter size	Adult AFX Size
53	20 7/8	6 2/3	Adult XS*	XS*
54	21 1/4	6 3/4	Adult XS	XS
55	21 5/8	6 7/8	Adult Small	S
56	22	7	Adult Small	S
57	22 3/8	7 1/8	Adult Medium	M
58	22 3/4	7 1/4	Adult Medium	M
59	23 1/8	7 3/8	Adult Large	L
60	23 1/2	7 1/2	Adult Large	L
61	24	7 5/8	Adult X-Large	XL
62	24 3/8	7 3/4	Adult X-Large	XL
63	24 3/4	7 7/8	Adult XX-Large	XXL
64	25 1/8	8	Adult XX-Large	XXL
65	25 5/8	8 3/8	Adult XXX-Large	XXXL
66	26	8 1/2	Adult XXX-Large	XXXL
67	26 3/8	8 5/8	Adult XXXX-Large	XXXXL
68	26 3/4	8 3/4	Adult XXXX-Large	XXXXL

Note: Due to size and fit similarities between some Youth Large and Adult X-Small Helmets in the size chart noted above, It is the Parents /Guardians responsibility to determine if a Youth Rider may safely and comfortably wear an Adult sized helmet. Under no circumstances should a Youth Rider ever wear a helmet thats too large or too heavy to wear comfortably.

SAFETY

WHEN TO REPLACE A HELMET

The expected lifespan of any helmet is 4-5 years of seasonal use, and decreases accordingly as the frequency of use increases. As you would expect, helmets used for competition such as road racing and motocross tend to have a much shorter life span. The more exposure a helmet endures to the elements, body oils, and perspiration, the faster it will wear out. In most cases the helmet liner will be the first component to wear out and, as such, functions as a good indicator that a helmet should be replaced.

We at AFX recommend that any helmet suffering a significant impact to the shell be removed from use immediately, whether there is visible physical damage or not. A helmet is designed to deform in an accident in order to absorb the energy of the impact, and should never be reused afterwards for its ability to protect the rider further could be compromised.

SAFETY REMINDER

No helmet can protect the wearer against all possible or foreseeable impacts. A helmet can only protect the portion of the head that is covered by the helmet. For maximum protection, the helmet must be well fitted with the chinstrap securely fastened. Failure to follow these instructions, the instructions printed on the helmet, and those contained in the owner's manual may result in the possibility of the helmet coming off during an accident - possibly resulting in a severe head injury or even death. While riding motorcycles, scooters, ATVs and snowmobiles is fun, it can also be a dangerous pastime. At AFX, we encourage you to enjoy riding responsibly, and to always ride within the limits of your abilities.

AFX

AFX North America Inc.

Distributed exclusively by:

**PARTS
EUROPE**

www.partseurope.eu

AFXHELMETS.COM



© Copyright 2019-2020, AFX North America Inc.
Helmet specifications subject to change without notice. Please
consult our web site (afxhelmets.com) for the most current
product information.
PRINTED IN GERMANY