





NEW BRAKE ROTORS AND PADS WITH ABE

PRODUCT INFORMATION 2019





1710-3338

TYPE FTK DISC

- Stainless steel fully floating brake rotors
- Outer brake ring features machined and painted rotor slots
- Innovative design improves brake performance and helps cool the rotor faster during extreme use
- Design gives maximum resistance to fade/warp from heat and mechanical stresses
- Rotor design allows for better heat exchange
- Rotor bobbins are stainless steel for efficient rotor "float" so the rotor will not warp and distort under extreme stress/heat
- Stainless steel outer rotor rings are machined and the surfaces finished using a bi-lateral cross-textured grinding process that keeps rotor runout to no more than 0,01 mm
- Rotor weight and inertia are not increased compared to other brake rotor disc types; do not impede the motorcycle's steering/handling characteristics
- Very original style, great for customizers or to enhance the look on older stock bikes
- Manufactured in Europe to ISO/TS 16949 certified standards that meet or exceed OEM specifications
- ABE approved



FITS MODEL	MODEL YEAR	OUTER/INNER Ø	SPOKES	PART#
FTK TYPE FRONT ROTORS				
FL, FX	71-99	292/50,5 mm	10	1710-3338
	00-14	292/56 mm	10	1710-3341
	15-18	300/56 mm	7	1710-3344
FXD	91-99	292/50,5 mm	10	1710-3338
	00-05	292/56 mm	10	1710-3341
	06-09	300/56 mm	7	1710-3344
	10-17	300/56 mm	7	1710-3348
FXDWG	06-10	300/56 mm	7	1710-3344
	11-17	300/56 mm	7	1710-3348
XL 1200/883	14-18	300/56 mm	7	1710-3344
XL/XLH 1000/1100/1200/883	83-99	292/50,5 mm	10	1710-3338
XL/XLH 1200/883	00-13	292/56 mm	10	1710-3341

FITS MODEL	MODEL YEAR	OUTER/INNER Ø	SPOKES	PART#
FTK TYPE FRONT ROTORS (CONT.)				
FLH, FLT (exc. CVO)	00-07	292/56 mm	10	1710-3341
FLHR, FLHT, FLT (exc. CVO)	08-13	300/56 mm	10	1710-3351
FLHR, FLHRC (exc. CVO)	14-16	300/56 mm	10	1710-3351
FLHRC	17-18	300/56 mm	10	1710-3351
FLHTCUTG, FLHXXX	09-13	300/56 mm	10	1710-3351
FLHTCUTG, FLRT	14-18	300/56 mm	7	1710-3344
FTK TYPE REAR ROTORS				
FL, FX	00-17	292/56 mm	10	1710-3343
FLH, FLT	00-07	292/56 mm	10	1710-3343
FLHR, FLHT, FLT	08-18	300/56 mm	10	1710-3353
FXD	00-17	292/56 mm	10	1710-3343
XL/XLH 1200/883	00-10	292/56 mm	10	1710-3343



1710-3352

TYPE FT DISC


- Stainless steel fully floating brake rotors
- Design provides enhanced braking performance and eliminates rotor fade/warp even during extreme use
- Rotors with aluminum rotor carriers feature carrier rings fully machined from aluminum and given an anodized finish for durability and protection from the elements
- Rotors with stainless steel rotor carriers feature carrier rings ground and machined from stainless steel, non-machined surfaces are finished using anti-corrosive paint for durability and protection from the elements
- Rotor bobbins are stainless steel for efficient rotor "float" so the rotor will not warp and distort under extreme stress/heat
- Stainless steel outer rotor rings are machined and the surfaces finished using a bi-lateral cross-textured grinding process that keeps rotor runout to no more than 0,01 mm
- Manufactured in Europe to ISO/TS 16949 certified standards that meet or exceed OEM specifications
- ABE approved



FITS MODEL	MODEL YEAR	OUTER/INNER Ø	SPOKES	PART#
FLOATING FRONT ROTORS				
FLS, FLSTC, FLSTN, FXST	15-18	300/56 mm	7	1710-3345
FLHR, FLHT, FLT (exc.CVO)	08-13	300/56 mm	10	1710-3350
FLHR, FLHRC (exc.CVO)	14-16	300/56 mm	10	1710-3350
FLHRC	17-18	300/56 mm	10	1710-3350
FLHTCUTG, FLHXXX	09-13	300/56 mm	10	1710-3350
XL1200/883 (exc.1200R/S, 883R/S)	14-18	300/56 mm	7	1710-3345
FLOATING REAR ROTORS				
FLHR, FLHT, FLT	08-18	300/56 mm	10	1710-3352



BRAKE ROTORS



TYPE 1 CLASSIC
1710-3346



TYPE 1 CLASSIC
1710-3339



TYPE 1 CLASSIC
1710-3349



TYPE 2 T-BONE
1710-3412

TYPE F DISC

- Stainless steel brake rotors
- Proprietary heat treatment ensures homogeneity and consistency of the rotor design
- Machined surfaces are finished using a bi-lateral cross-textured grinding process that keeps rotor runout to no more than 0,01 mm
- All non-machined surfaces are finished using anti-corrosive paint for durability and protection from the elements
- Manufactured in Europe to ISO/TS 16949 certified standards that meet or exceed OEM specifications
- ABE approved



FITS MODEL	MODEL YEAR	OUTER/INNER Ø	TYPE 1 CLASSIC PART #	TYPE 2 T-BONE PART #
SOLID FRONT ROTORS				
FXD	91-99	292/50,5 mm	1710-3355	1710-3417
	00-05	292/56 mm	1710-3340	1710-3412
FLD, FXD	06-17	292/172 mm	1710-3346	-
FL, FX	71-99	292/50,5 mm	1710-3355	1710-3417
	00-14	292/56 mm	1710-3340	1710-3412
FLH, FLT	00-07	292/56 mm	1710-3340	1710-3412
FLH CVO, FLT CVO	08-09	292/172 mm	1710-3346	-

FITS MODEL	MODEL YEAR	OUTER/INNER Ø	TYPE 1 CLASSIC PART #	TYPE 2 T-BONE PART #
SOLID REAR ROTORS				
FX	91-94	292/50,5 mm	1710-3339	1710-3411
FXD	91-99	292/50,5 mm	1710-3339	1710-3411
FLD, FXD	06-17	292/56 mm	1710-3342	1710-3413
FL, FX	91-99	292/50,5 mm	1710-3339	1710-3411
	00-18	292/56 mm	1710-3342	1710-3413
FLH, FLT	86-99	292/102 mm	1710-3349	1710-3415
	00-07	292/56 mm	1710-3342	1710-3413
XL/XLH 1200/883	91-99	292/50,5 mm	1710-3339	1710-3411



BRAKE PADS

- Sintered metal brake pads are the OEM-type replacement pads for most bikes from the late 1970s to the present
- Sintered metal brake pads are second-to-none in their stopping abilities and wear characteristics while still providing excellent reduction in noise and dust
- Organic Aramid pads are OEM type replacement brake pads for 1970s and earlier models
- Organic Aramid pads are the perfect choice for polished or chromed rotors and Billet Steel Rotors
- Both compounds of Drag Specialties brake pads are asbestos, nickel, and lead free

NOTE: If you are using aftermarket billet steel rotors it is recommended you use our Organic Aramid brake pads to avoid damage to them. Sintered pads are not recommended for billet steel rotors as the pad material is too aggressive for those rotors.



Sintered Metal



Organic Aramid Fiber

DESCRIPTION	OEM PART#	SINTERED METAL PART#	ORGANIC ARAMID FIBER PART#
FRONT BRAKE PADS FOR HARLEY-DAVIDSON® (SOLD IN PAIRS)			
For 08-17 FLHT/FLHR/FLHX/FLTR, 09-13 H-D FL Trike	41854-08	1721-1366	1720-0214
For 08-17 FXD/FXDC/FXDB/FXDL/FXDF/FLD/FXDWG; 08-14 FXS/FXSTB/FXSTC/FLS/FLSTC/FLSTF/FLSTN/FXCW/FXCWC/FLSTFB	44082-08/46363-11	1721-1434 ¹	1720-0217 ¹
For 14-17 FLHTCUTG, 15-17 FLRT	41300027	1721-2295 ²	1720-0546 ²
For all 00-07 Big Twin (except FXSTS/I and FLSTSC/I)	44082-00C/D	1721-1365	1720-0213
For 05-07 FLSTSC/I, 99-03 FLSTS, 99-06 FXSTS/I, 08-11 FLSTSB	44063-83A/C	1721-1355	1720-0204
For 14-17 XL	41300004	1721-1953 ²	1720-0281 ²
For 04-13 XL	42831-04/04A	1721-1363	1720-0211
For 00-03 XL	44082-00C/D	1721-1365	1720-0213
For 86-99 XL	44063-83A/C	1721-1355	1720-0204
For 08-12 XR1200, XR1200X	42739-08	1721-2293 ²	-
For 16-17 XG500/750	41300169	1721-2445 ²	1720-0568 ²
For 15 XG500/750	41300072	1721-1954 ²	1720-0282 ²
For 06-17 V-Rod	42897-06A/08	1721-1366	1720-0214
For 02-05 V-Rod	44082-00C/D	1721-1365	1720-0213
For 86-87 FLHT, 86-99 FLHTC, 95-99 FLHTC I, 87-93 FLHS, 99 FLHT, 89-99 FLHTCU, 95-99 FLHTCU I		1721-1358 ²	-
For 74-77 XLCH/XLH/FX, 77 XLCR/XLT		-	1720-0196
For 86-87 FLHT, 86-99 FLHTC, 95-99 FLHTC I, 97-93 FLHS, 99 FLHT, 89-99 FLHTCU, 95-99 FLHTCU I, 98-99 FLTR/FLTR-I/FLHRC I, 94-99 FLHR, 96-99 FLHR-I, 86-94 FLTC, 88-96 FLTCU, 96 FLTCU I		-	1720-0207 ²
BUELL			
For all 03-09 XB9/XB12 (6-piston)	H0300.02A8	1721-1362	-
For 95-00 M2, S1, S3/S3T, X1	-	1721-1367	1720-0215
For 94-97 S2/S3, M2, S1	42386-84Y	-	1720-0548 ²

¹ OEM insulator shims not required on 11-14 Softails.

² Not ABE/TÜV approved.

DESCRIPTION	OEM PART#	SINTERED METAL PART#	ORGANIC ARAMID FIBER PART#
REAR BRAKE PADS FOR HARLEY-DAVIDSON® (SOLD IN PAIRS)			
For 14-17 FLHTCUTG, 15-17 FLRT	41300033	1721-2296 ²	1720-0547 ²
For 09-13 FLHTCUTG, 10-11 FLHXXX	83911-09/A	1721-1435 ^{1,2}	1720-0219 ^{1,2}
For 08-16 FLHT/FLHR/FLHX/FLTR (except H-D FL Trike)	42850-06B	1721-1366	1720-0214
For 08-17 FXD/FXDC/FXDB/FXDL/FLD/FXDWG; 08-17 FXS/FXSTB/FXSTC/FLS/FLSTF/FLSTN/FLSTC/FXCW/FXCWC/FLSTFB/FLSTSB	42298-08	1721-1369	1720-0218
For all 00-07 Big Twin models (except 06-07 FXST, 07 FLSTF)	44082-00C	1721-1365	1720-0213
For 06-07 FXSTB/C, 07 FLSTF	46721-06	1721-1368	1720-0216
For 14-17 XL	41300053	1721-2132 ²	1720-0469 ²
For 04-13 XL	42836-04/42029-07	1721-1364	1720-0212
For 00-03 XL	44082-00	1721-1365	1720-0213
For L87-99 XL	44213-87, 44209-87	-	1720-0206
For 15 XG500/750	41300072	1721-1954 ²	1720-0282 ²
For 06-17 V-Rod	42850-06B	1721-1366	1720-0214
For 02-05 V-Rod	44082-00C	1721-1365	1720-0213
BUELL			
98-02 All (except Blast), 02-09 XB9/XB12 (all)	H0301.T	1721-2294 ²	1720-0545 ¹

¹ Kit includes two sets of brake pads, replacement clips and bolts.

² Not ABE/TÜV approved.

DESCRIPTION	SINTERED METAL PART#	ORGANIC ARAMID FIBER PART#
GMA CUSTOM CALIPERS		
"B" caliper	-	1720-0201 ²
"F" caliper	1721-1356	1720-0205
"A" caliper	-	1720-0200 ³
J-BRAKE CUSTOM CALIPERS		
2-piston (small)	1721-1356	1720-0205
2-piston (large)	-	1720-0201
6-piston (J-SIX)	1721-1361	1720-0210
PERFORMANCE MACHINE		
162 X 2 (0056-1600)	-	1720-0197
125 X 4R (0052-1602)	1721-1360 ¹	1720-0209 ¹
125 X 2 (0052-1601)	1721-1356	1720-0205

DESCRIPTION	SINTERED METAL PART#	ORGANIC ARAMID FIBER PART#
PERFORMANCE MACHINE (CONT.)		
137 X 4B (0052-1602)	1721-1360 ¹	1720-0209 ¹
125 X 4RSPH (0052-1602)	1721-1360 ¹	1720-0209 ¹
137 X 4 (0053-2901/2902)	1721-1359 ²	1720-0208 ²
125 X 4 (0052-1601)	1721-1356	1720-0205
125 X 4S (0052-1601)	1721-1356	1720-0205
125 X 4SL (0052-1601)	1721-1356	1720-0205
125 x 6	-	1720-0548
137 X 4R (0053-2901/2902)	1721-1359 ²	1720-0208 ²
137 x 6	-	1720-0548
125 X 4HR (0053-2901/2902)	1721-1359 ²	1720-0208 ²

¹ Pads are 8 mm thick.


² Pads are 10,5 mm thick.

³ ABE/TÜV approved.




DRAG Specialties

BRAKE PADS




57,8 x 65,3 x 11 mm

1720-0197



43,95 x 59 x 7,1 mm

1720-0201




74,2 x 49 x 12 mm

1720-0202

1721-1354

44209-82


44209-82A



174 x 73,2 x 9,3 mm

1720-0203

43957-80



60 x 63 x 13 mm

1720-0204

1721-1355


43063-83

43063-83A

43063-83C

43063-839


44247-98A



36 x 45 x 6 mm


1720-0205

1721-1356



White Abutment
Shims (2 per set)

86,2 mm



104 x 62,4 x 11,2 mm


1720-0206

1721-1357

44209-87B


44209-87C

44213-87



White Abutment
Shims (2 per set)

86,2 mm



104 x 62,4 x 11,4 mm

1720-0207


1721-1358

43957-86

43957-86A

43957-86B


43957-86D



98 x 49,5 x 8,5 mm

1720-0210

1721-1361




103 x 48 x 10,9 mm

1720-0211

1721-1363

42831-04




87 x 50 x 10,4 mm

1720-0212

1721-1364

42836-04




97,54 x 64,2 x 8,1 mm

1720-0213

1721-1365

44082-00C

44082-00D




69,2 x 48,8 x 7,8 mm

1720-0209

1721-1360


1720-0208

1721-1359




69,2 x 48,8 x 10,5 mm

BRAKE PADS




91,95 x 56 x 7,05 mm

1720-0214	1721-1366
41852-08	41854-08
42850-06A	42850-06B
42897-06A	42897-08




91,6 x 51,5 x 8,2 mm

1720-0215	1721-1367
43082-1181	H0300-F




97,54 x 64,2 x 8 mm

1720-0216	1721-1368
46721-06	




90,6 x 62,1 x 8,1 mm

1720-0217	1721-1434
44082-08	46363-11




130 x 56,5 x 8 mm

1720-0218	1721-1369
42298-08	




97,95 x 46,95 x 7,8 mm

1720-0219	1721-1435
83911-09	83911-09B




117,9 x 47,5 x 9,25 mm

1720-0281	1721-1953
41300004	




94 x 37,3 x 8,95 mm

1720-0282	1721-1954
-----------	-----------




59,75 x 57 x 8 mm

1720-0469	1721-2132
413000053	




86 x 40 x 10,2 mm

1720-0545	1721-2294
H0301.T	




174 x 50 x 7 mm

1720-0546	1721-2295
41300027	




88 x 43 x 7,65 mm

1720-0547	1721-2296
41300033	



112,1 x 56,3 x 10 mm

1720-0548	42386-84Y
0053-1604	H0300-8A



91,7 x 49,3 x 8,1 mm

1721-1362	H0300-02A8
-----------	------------



74,75 x 55,4 x 7,6 mm

1721-2293	41300102
-----------	----------





DISTRIBUTED BY

PARTS
EUROPE

Tel.: +49 (0) 6501 9695 - 2000
Fax: +49 (0) 6501 9695 - 2650
E-Mail: sales@partseurope.eu
Web: www.partseurope.eu