



MICHELIN

CRUISER / CHOPPER TIRES

24/7 Onlineshop
www.partseurope.eu

E-Mail sales@partseurope.eu
Phone +49(0) 6501 9695-2000
Fax +49(0) 6501 9695-2650

**PARTS
EUROPE**

MICHELIN CRUISER

▶ all MICHELIN Scorchers Tires are Harley-Davidson® co-branded



MICHELIN *Scorchers* 11

Original equipment on select Harley-Davidson® Street®, Sportster®, Softail® and V-Rod® models

- ▶ Outstanding Grip: Semi-slick tread pattern maximizes the contact patch for excellent adhesion on dry roads. Optimized tread groove design efficiently evacuates water for dependable wet grip.
- ▶ Excellent Tread Life: Rubber compounds derived from Michelin's race tires combine durability and high performance.
- ▶ Precise Handling: The latest generation of Michelin radial* technology allows for easy maneuverability and impressive agility.

* 100/80-17 and 130/60-21 sizes are bias tires.



MICHELIN *Scorchers* 21

The MICHELIN radial tyre designed from the ground up as original equipment on the new Harley-Davidson® Street Rod®

- ▶ Traditional Cruiser Design: Features exclusive co-branded tread design from the popular MICHELIN Scorchers 31 tyre.
- ▶ Sporty Feel and Urban Agility: Inspired by our hypersport tires, this tyre provides a lightweight feel and exceptional handling at all speeds.
- ▶ Silica Rain Technology: Mix of silica-rich rubber compounds provide excellent grip on wet surfaces and ensure long, even wear.



MICHELIN *Scorchers* 31

Original equipment on select Harley-Davidson® Dyna® Sportster® and Softail® models; approved replacement for most Touring models

- ▶ Cruise With Confidence: Innovative rubber compounds reflecting Michelin's racing experience, provide remarkable grip on wet and dry roads.
- ▶ Exceptional Comfort and Handling: The supple casing design and tyre profile promote nimble handling on winding roads.
- ▶ Long Mileage: Michelin carbon black-enriched rubber compounds promote excellent durability without compromising performance.



MICHELIN *Scorchers* 32

The MICHELIN tyre for Harley-Davidson® Fat Bob® motorcycles

- ▶ Impressive Durability: Innovative "reverse" tread design and rubber compounds help deliver superb tread life and even wear patterns.
- ▶ Agile Handling and Smooth Ride: Scorchers 32 tires are designed to maximize the ride and handling of your Fat Bob® motorcycle.
- ▶ Dependable Grip: Excellent traction on wet or dry roads, thanks to generously grooved tread patterns and advanced rubber chemistry.



MICHELIN *COMMANDER II*

A tyre for all brands of cruisers, for a longer life with no compromise on handling or stability

- ▶ Long-lasting: Can last up to 25.000 miles for the rear 1. A new standard in longevity!
- ▶ No Compromise on Handling Stability: Thanks to their high-density, more rigid carcass (MICHELIN Amplified Density Technology), MICHELIN Commander II tires are geared towards

handling and feedback. The upper layers are made from aramid fibres on the rear, bringing together durability and lightweight materials for perfect stability even at high speeds.

- ▶ Grips on Wet Surfaces: Their lengthwise treads cut through water and increase grip on wet surfaces.
- ▶ Innovative Look: A radically different design for an explosive look. A premium finish on the sides for a seriously good-looking motorcycle tyre.

/ CHOPPER TIRES



Original Equipment Harley-Davidson® 2019

as per 15.01.2019

Model	Code	Type	Dimension front		Tread front	Dimension rear		Tread rear	Share
FXDR 114 from 2019	new	new	120/70 ZR 19	M/C 60W TL/TT	Scorch'er 11 Front	240/40 R 18	M/C 79V TL	Scorch'er 11 Rear	100 %
Softail Fat Boy from 2018	FLFB	ST1	160/60 R 18	M/C 70V TL	Scorch'er 11 Front	240/40 R 18	M/C 79V TL	Scorch'er 11 Rear	100 %
Softail Breakout from 2018	FXBR	ST1	130/60 B 21	M/C 63H TL	Scorch'er 11 Front	240/40 R 18	M/C 79V TL	Scorch'er 11 Rear	100 %
Softail Sport Glide from 2018	FLSB	ST1	130/70 B 18	M/C 63H TL/TT	Scorch'er 31 Front	180/70 B 16	M/C 77H TL	Scorch'er 31 Rear	100 %
Low Rider from 2018	FXLR	ST1	110/90 B 19	M/C 62H TL	Scorch'er 31 Front	180/70 B 16	M/C 77H TL	Scorch'er 31 Rear	100 %
Dyna Street Bob up to 2017	FXDB	FD2	100/90 B 19	M/C 57H TL/TT	Scorch'er 31 Front	160/70 B 17	M/C 73V TL/TT	Scorch'er 31 Rear	100 %
Dyna Low Rider up to 2017	FXDLR	FD2	100/90 B 19	M/C 57H TL/TT	Scorch'er 31 Front	160/70 B 17	M/C 73V TL/TT	Scorch'er 31 Rear	100 %
Dyna Low Rider S 2017	FXDLRS	FD2	100/90 B 19	M/C 57H TL/TT	Scorch'er 31 Front	160/70 B 17	M/C 73V TL/TT	Scorch'er 31 Rear	100 %
Dyna Wide Glide up to 2017	FXDWG	FD2	80/90-21	M/C 54H TL/TT	Scorch'er 31 Front	180/60 B 17	M/C 75V TL/TT	Scorch'er 31 Rear	100 %
Sportster Forty-Eight/Special	XL1200X	XL2	130/90 B 16	M/C 73H TL/TT	Scorch'er 31 Front	150/80 B 16	M/C 77H TL/TT	Scorch'er 31 Rear	100 %
Sportster Iron 1200	XL1200NS	XL2	100/90 B 19	M/C 57H TL/TT	Scorch'er 31 Front	150/80 B 16	M/C 77H TL/TT	Scorch'er 31 Rear	100 %
Sportster 1200 Custom	XL1200C	XL2	130/90 B 16	M/C 73H TL/TT	Scorch'er 31 Front	150/80 B 16	M/C 77H TL/TT	Scorch'er 31 Rear	100 %
Sportster SuperLow 1200 T	XL1200T	XL2	120/70 ZR 18	M/C (59W) TL	Scorch'er 11 T Front	150/70 ZR 17	M/C (69W) TL	Scorch'er 11 T Rear	100 %
Sportster SuperLow 883	XL883L	XL2	120/70 ZR 18	M/C (59W) TL	Scorch'er 11 F Front	150/60 ZR 17	M/C (66W) TL	Scorch'er 11 Rear	100 %
Sportster Iron 883	XL883N	XL2	100/90 B 19	M/C 57H TL/TT	Scorch'er 31 Front	150/80 B 16	M/C 77H TL/TT	Scorch'er 31 Rear	100 %
Street Rod	XG750A	XG1	120/70 R 17	M/C 58V TL	Scorch'er 21 Front	160/60 R 17	M/C 69V TL	Scorch'er 21 Rear	100 %
Street 750	XG750	XG1	100/ 80 - 17	M/C 52H TL	Scorch'er 11 Front	140/75 R 15	M/C 65H TL	Scorch'er 11 Rear	100 %
V-Rod Muscle up to 2017	VRSCF	VR1	120/70 ZR 19	M/C 60W TL/TT	Scorch'er 11 Front	240/40 R 18	M/C 79V TL	Scorch'er 11 Rear	100 %
Night Rod Special up to 2017	VRSCDX	VR1	120/70 ZR 19	M/C 60W TL/TT	Scorch'er 11 Front	240/40 R 18	M/C 79V TL	Scorch'er 11 Rear	100 %



24/7 Onlineshop
www.partseurope.eu

E-Mail sales@partseurope.eu
Phone +49(0) 6501 9695-2000
Fax +49(0) 6501 9695-2650

PARTS
EUROPE

MICHELIN CRUISER / CHOPPER TIRES

MICHELIN Scorch 11

	No.	Width	Height	Inch	Load-Index	Speed-Index	TL/TT	Version
F	0307-0061	100	80	-	17	52	H	TL
	0303-0210	140	75	R	17	67	V	TL
	0303-0211	120	70	ZR	18	59	(W)	TL Scorch 11 F ⁽¹⁾
	0303-0212	120	70	ZR	18	59	(W)	TL Scorch 11 T ⁽²⁾
	0303-0224	160	60	R	18	70	V	TL
	0303-0213	120	70	ZR	19	60	W	TL/TT
	0307-0071	130	60	B	21	63	H	TL
R	0304-0230	140	75	R	15	65	H	TL
	0304-0231	150	60	ZR	17	66	(W)	TL
	0304-0232	150	70	ZR	17	69	(W)	TL Scorch 11 T ⁽²⁾
	0304-0233	180	55	R	17	73	W	TL
	0304-0234	200	55	R	17	78	V	TL
	0304-0235	240	40	R	18	79	V	TL

MICHELIN Scorch 21

	No.	Width	Height	Inch	Load-Index	Speed-Index	TL/TT
F	0307-0070	120	70	R	17	58	V TL
R	0308-0056	160	60	R	17	69	V TL

MICHELIN Scorch 31

	No.	Width	Height	Inch	Load-Index	Speed-Index	TL/TT	REINF	Tube	Tube No.
F	0307-0062	130	90	B	16	73	H	TL/TT	REINF	16MI or 0350-0080 or 16MI2 ⁽³⁾ 0350-0141
	0307-0063	130	80	B	17	65	H	TL/TT		17MH 0350-0131
	0307-0064	130	70	B	18	63	H	TL/TT		18MG 0350-0136
	0307-0065	100	90	B	19	57	H	TL/TT		19MF 0350-0138
	0307-0072	110	90	B	19	62	H	TL		
	0307-0066	130	60	B	19	61	H	TL/TT		19MF 0350-0138
	0307-0067	80	90	-	21	54	H	TL/TT	REINF	21MD 0350-0139
R	0308-0049	150	80	B	16	77	H	TL/TT	REINF	16MI or 0350-0080 or 16MI2 ⁽³⁾ 0350-0141
	0308-0050	180	65	B	16	81	H	TL/TT	REINF	
	0308-0057	180	70	B	16	77	H	TL		
	0308-0051	160	70	B	17	73	V	TL/TT		17MI 0350-0132
	0308-0052	180	60	B	17	75	V	TL/TT		17MI 0350-0132

MICHELIN Scorch 32

	No.	Width	Height	Inch	Load-Index	Speed-Index	TL/TT	REINF	Tube	Tube No.
F	0307-0068	130	90	B	16	73	H	TL/TT	REINF	16MI or 0350-0080 or 16MI2 ⁽³⁾ 0350-0141
R	0308-0053	180	70	B	16	77	H	TL/TT		

MICHELIN Commander II

	No.	Width	Height	Inch	Load-Index	Speed-Index	TL/TT	REINF	Tube	Tube No.
F	0305-0486	MT ⁽⁴⁾	90	B	16	72	H	TL/TT	16MI or 0350-0080 or 16MI2 ⁽³⁾ 0350-0141	
	0305-0273	130	90	B	16	73	H	TL/TT	REINF	16MI or 0350-0080 or 16MI2 ⁽³⁾ 0350-0141
	0305-0521	100	80	-	17	52	H	TL		
	0305-0274	120	90	B	17	64	S	TL/TT	17MH	0350-0131
	0305-0275	130	80	B	17	65	H	TL/TT	17MH	0350-0131
	0301-0352	140	75	R	17	67	V	TL		
	0302-0892	140	80	B	17	69	H	TL/TT	17MI	0350-0132
	0301-0523	110	90	B	18	61	H	TL/TT	18MF	0350-0135
	0305-0320	130	70	B	18	63	H	TL/TT	18MG	0350-0136
	0305-0276	100	90	B	19	57	H	TL/TT	19MF	0350-0138
R	0301-0524	110	90	B	19	62	H	TL/TT	19MF	0350-0138
	0301-0547	120	70	ZR	19	60	W	TL/TT		
	0305-0522	130	60	B	19	61	H	TL/TT		
	0305-0487	MH ⁽⁴⁾	90	-	21	54	H	TL/TT	21MD	0350-0139
	0305-0277	80	90	-	21	54	H	TL/TT	REINF	21MD 0350-0139
	0305-0321	90	90	-	21	54	H	TL/TT	21MD	0350-0139
	0305-0319	120	70	B	21	68	H	TL/TT	REINF	
	0302-1033	140	75	R	15	65	H	TL		
	0306-0277	140	90	B	15	76	H	TL/TT	15MJ	0350-0076
	0306-0278	150	90	B	15	74	H	TL/TT	15MJ	0350-0076
R	0306-0279	170	80	B	15	77	H	TL/TT	15MJ	0350-0076
	0302-0891	180	70	B	15	76	H	TL/TT	15MJ	0350-0076
	0306-0555	MT ⁽⁴⁾	90	B	16	74	H	TL/TT	16MI or 0350-0080 or 16MI2 ⁽³⁾ 0350-0141	
	0306-0280	130	90	B	16	73	H	TL/TT	REINF	16MI or 0350-0080 or 16MI2 ⁽³⁾ 0350-0141
	0306-0281	140	90	B	16	77	H	TL/TT	REINF	16MI or 0350-0080 or 16MI2 ⁽³⁾ 0350-0141
	0306-0556	MU ⁽⁴⁾	85	B	16	77	H	TL/TT	16MI or 0350-0080 or 16MI2 ⁽³⁾ 0350-0141	
	0306-0299	150	80	B	16	71	H	TL/TT	16MI or 0350-0080 or 16MI2 ⁽³⁾ 0350-0141	
	0306-0282	150	80	B	16	77	H	TL/TT	REINF	16MI or 0350-0080 or 16MI2 ⁽³⁾ 0350-0141
	0306-0283	180	65	B	16	81	H	TL/TT	REINF	
	0306-0284	160	70	B	17	73	V	TL/TT	17MI	0350-0132
R	0302-0588	200	55	R	17	78	V	TL/TT		
	0306-0338	150	70	B	18	76	H	TL/TT	REINF	18MG 0350-0136
	0306-0557	180	55	B	18	80	H	TL/TT	REINF	
	0302-0776	240	40	R	18	79	V	TL		

F = Front R = Rear

- (1) original equipment Harley-Davidson® Superlow®
 (2) original equipment Harley-Davidson® Superlow 1200T®
 (3) valve 15 mm eccentric, such as for Harley-Davidson® with disc wheels
 (4) see tyre marking