PARTS & ACCESSORIES For Indian Motorcycle International, LLC

2023 Sport Chief Customized By Music City Indian



ON THE COVER

The 2025 Indian Catalogue Bike, built by Music City Indian of Nashville, Tennessee is a true "Catalogue bike" - designed and built in collaboration with Drag Specialties.

"We (Music City Indian Motorcycle) are known for creating some pretty cool custom Indian motorcycles," Amstutz said. "But the challenge on this build was different. We worked with Drag Specialties using what was available in the Catalogue, along with some custom work by our team, to make a bike that was a true custom build but wouldn't break the bank. Someone can come into the shop, see this bike and see it as something they could do with their own bike."

The build started with a stock 2023 Indian Sport Chief. "Indian is kind of notorious in the custom bike world for using aluminum frames," Amstutz said. "This model year bike is the first to have a steel frame. That makes it easier to modify, rake out the front end. However, we wanted to keep the stock frame rake and trail for this build to maintain that sporty feel."

Amstutz said the build focused on a careful selection of

parts from the Catalogue, and some custom work to modify the overall look of the stock silhouette of the bike to subtly set it apart from a stock bike.

The engine was left in stock tune except for the addition of an Arlen Ness Velocity air cleaner kit and a S&S Qualifier 2-into-1 stainless steel exhaust system with a black finish.

"It (the exhaust system) looks terrific," Amstutz said.
"The first time we fired up the bike and heard that sound,
everyone around the bike had a big smile and the same
thought – 'We need to ride this thing!' The sound is
incredible!" There is plenty of performance from the stock
combined with exhaust and air cleaner upgrade, "But there
are some plans to do some additional engine tuning,"
Amstutz said with a laugh.

A full custom lighting upgrade includes a ProBeam Adaptive 2 headlamp and harness and TruWRAPS 360° smoke LED front fork lights from Custom Dynamics. The rear signals have been upgraded with Kodlin's 3-on-1 smooth bullet housing indicators with run/turn/brake functions. "We

ON THE COVER

Builder: Kameron Amstutz, Music City Indian, Nashville, TN

Paint/Body/Graphics: SIK & Forever Rad

Pictured left to right: Jeff Casey; Eli Smith; Joey Steadman; Kameron Amstutz



wanted to get rid of the stock lighting, which always looks bulky and awkward on a custom build," Amstutz said. "The updated electronics cleaned up the look, but took work to get right — a big thanks to Custom Dynamics for their help!"

Intake, exhaust and lighting upgrades completed, the team worked on the other areas of the bike to continue the custom theme. "There is a very good selection of parts in the catalog," Amstutz said. "But we did have to go 'outside' the Indian motorcycle specific parts available to get the exact look for the final build."

One of the toughest parts of the build was finding a set of risers and handlebars. "The specific styles we wanted are not offered for Indian motorcycles yet," said Amstutz.

A set of Thrashin' Supply Company handlebars and SlyFox billet aluminum risers were chosen. But the parts were not specifically designed for use on an Indian Sport Chief.

"The parts from Thrashin' Supply and SlyFox we decided to use, it took a lot of effort and time to figure out how to get the look we wanted. We wanted to make sure to keep the stock gauges, make sure the position of the bars looked right, felt right on the bike. It turned out great, but it was a real

challenge," Amstutz said. A set of PSR levers and ODI grips complete the customized handlebar/controls setup.

Changes to the bike's bodywork started with the addition of a Klock Werks front fender. "We did a little reshaping to get it to the look we wanted," Amstutz said. The remaining stock bodywork (front fairing, side panels and rear fender) were chopped or modified to make the bike appear more sleek. The final paint features a Mopar Green with graphics. The wheels and handlebars have a custom Burnt Bronze Cerakote finish. The final look is very eye-catching.

"It gets attention everywhere we take it," Amstutz said.

"Aside from the amazing paint and cool wheel finishes, the shape does look somewhat stock ... but if you park it next to a stock bike, people start to zero in on all the extra bodywork changes and details that make it really stand out."

"We are very grateful for the opportunity to work with Drag Specialties on this project," Amstutz said. "It was a really fun build! Indian is kind of the 'new kid on the block' right now, but we hope this bike really starts to show what can be done with the brand. It is a cool bike. Clean, sporty and it is definitely an attention-getter."









TABLE OF CONTENTS

1. Windshields & Fairings 6-23
2. Saddlebags & Luggage 24-41
3. Seats & Sissy Bars
4. Exhaust
5. Fuel/Air Systems
6. Engine 76-77
7. Transmission, Clutch Line & Driveline
8. Gaskets & Seals82
9. Electrical 83-92
10. Lighting & License Plates93-118
11. Handlebars, Controls & Mirrors 119-138
12 Cables 139-141

13. Brakes & Brake Lines 142-152
14. Tanks & Oil Filters 153-154
15. Dashes & Gauges 155-160
16. Frames & Suspension 161-165
17. Fenders
18. Footrests & Floorboards 169-176
19. Wheels & Axles 177-178
20. Covers, Locks & General 179-180
21. Audio, Communication & Mounts 181-198
Quick Reference Guide 199
Conversion Chart &
European Certifications 200-202



IMPORTANT INFORMATION RELATING TO MANUFACTURER'S WARRANTY, EMISSION CONTROL REGULATION AND NOISE REGULATION INFORMATION:

DISCLAIMER: There is no warranty on exhaust pipes and mufflers with regard to any discoloration. Discoloration (blueing) is caused by tuning characteristics, i.e. timing, carburetor, fuel injection/controller settings, etc., and is not caused by defective manufacturing. See the Tires, Tools and Chemicals catalog for products that will help prevent and remove blueing.

DISCLAIMER: Products shown may be designed, manufactured, intended and sold for closed circuit race use only and use of the same on public roads or lands may be a violation of local, state and/or federal/EU laws.

DISCLAIMER: A number of regions have exhaust noise laws. Exhaust products advertised might not be legal for sale or use on public roads or lands in such jurisdictions. Check applicable laws and regulations..

DISCLAIMER: Check your applicable laws and manufacturer's publication(s) and/or website(s) for manufacturer's warranty, maintenance, safety, mounting and any regulatory compliance/non-compliance information.

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

> COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS











• Slimmed-down version of Memphis Fats

See chart for details

MEMPHIS SLIM


- Available in solar (a light tint with 72% visible light transmission), black smoke and dark black smoke
- Measures 45,5 cm wide (18"); available in 38 cm (15") and 43 cm (17") heights with an 18 cm (7") headlight cutout
- Made of Lucite® for excellent optics and durability
- Windshield straps are available in polished stainless steel with CNC-machined billet aluminum fittings and stainless steel socket-head screws or "Night Shades" black version, which is a gradient black windshield with black E-coated stainless steel straps, fittings and hardware for a black-on-black sinister look

• Mounting kits must be ordered separately; see page 9

• Optional Lowers available for additional windshield coverage; see page 7

PART #	COLOR
43 CM (17")	
MEM4210 ¹	Clear
2313-0278	Black smoke

¹ ABE approved.





See chart for details

MEMPHIS FATS

- Feature traditional American styling available in clear, solar (a light tint with 72% visible light transmission), black smoke and dark black smoke
- Made from Lucite® for excellent optics and durability
- 56 cm W (22") with five standard heights to choose from
- Windshield straps are available in polished stainless steel with CNC-machined billet aluminum fittings and stainless steel socket-head screws

PART #	DESCRIPTION
33 CM (13")	
MEM3110 ¹	Clear
2313-0262	Dark black smoke
4 ABE	

¹ ABE approved.

PART #

53,5 CM (21")

MEM3410

PART #	DESCRIPTION
43 CM (17")	
MEM3210 ¹	Clear
MEM3219 ¹	Solar
2313-0268	Black smoke
¹ ABE approved.	

Dark Black Smoke • Available with a 18 cm (7") headlight cutout Mounting kits must be ordered separately: see page 9

Solar

mountaing kits mast be ordered separately, see page s	
PART #	DESCRIPTION
38 CM (15")	
2313-0064 ¹	Clear
2313-0072 ¹	Solar
2313-0264	Black smoke

¹ ABE approved.

PART #	DESCRIPTION
48,5 CM (19")	
MEM3310 ¹	Clear
MEM3319 ¹	Solar
2313-0270	Black smoke

ABE approved.

	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION
)		53,5 CM (21") (CONT)		53,5 CM (21") (CONT)	
	Clear	MEM3419	Solar	2313-0272	Black smoke

SIDE WINGS

- Expand comfort pocket, channeling air outward while "cleaning" the flow
- Adjust to suit rider preference
- Can be installed/removed with windshield intact Santoprene pads grip the windshield but do not mar the surface
- "Ghost" shade a neutral tint with 85% light transmission: barely noticeable, with just enough tint to make the edges disappear
- Side Wings fit all Memphis Fats windshields or similar windshields that measure either 3 mm or 4,5 mm thick (includes inserts for both sizes); feature injection-molded glass-filled nylon clamps in place of the billet aluminum; can be mounted along with Hot Wing



PART #	DESCRIPTION
2350-0200	Side Wings





- Boost airstream upward Venturi action speeds up the airstream while smoothing the flow - without buffeting
- Allows the use of a shorter shield; now you can easily look over your shield
- Made with "Ghost" shade a neutral tint with 85% light transmission; barely noticeable, with just enough tint to make the edges disappear
- Uses lightweight, economical injection-molded glass-filled nylon clamps; fits Memphis Fats windshields or similar windshields that measure 3 mm or 4,5 mm thick (includes inserts for both sizes)





Clear

CUSTOM LOWERS PLASTIC

- Lowers work with Sportshields as well as Memphis Fats and Slim
- Extend coverage downward to shield rider from rain, wind and noise coming up from the road
- Made of the same high-quality materials as Memphis Shades windshields with matching tints
- Must purchase Lowers mounting hardware separately; see pages 13-14 of the 2025 Europe FatBook
- Sold in pairs

PART #	DESCRIPTION
MEP5810	Clear



Gradient black

LOWERS MOUNT KITS

- Shield rider from rain, wind and noise coming up from the road
- Lowers Quick Change hardware lets you install or remove your Lowers in seconds
- Made of the same high-quality materials as Memphis Fats

PART # DESCRIPTION 2321-0777 For 22-24 Chief PART # 2321-0776 For 22-24 Chief Bobber

2321-0776

2321-0777

DESCRIPTION

All part numbers in BLUE are new for 2025.

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS & SEALS**

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

> WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS

2313-0282



ABE

EL PASO

- Headlight cutout sized for 14,5 cm to 18 cm $(5\sqrt[3]{4}$ to 7") headlight
- 48.5 cm (19") tall
- Smooth design complements the lines of your machine
- Tapered windshield lower is ideal for handlebar-mounted turn signals
- Made of Lucite® for excellent optics and durability
- Available in solar (a light tint with 72% visible light transmission)
- Measures approximately 51 cm W (20")
- Fits most round headlights
- No-Tool detachable Trigger-Lock mounting kits must be ordered separately; see page 9

PART #	DESCRIPTION
MEP5229	Solar





- Small, sleek design that offers good protection in a minimalist package
- Made of Lucite® for excellent optics and durability
- Available in solar (a light tint with 72% visible light transmission)
- Measures approximately 38 cm W x 33 cm (15" x 13") above headlight
- Fits most round headlights
- No-Tool detachable Trigger-Lock mounting kits must be ordered separately; see page 9

PART #	DESCRIPTION
MEP5019	Solar





DEL RIO

- Good torso protection in a sleek windshield design
- Made of Lucite® for excellent optics and durability
- Available in solar (a light tint with 72% visible light transmission)
- Measures approximately 48,5 cm W x 38 cm (19" x 15") above headlight
- Fits most round headlights

POP TOP SPORTSHIELDS

• Available for 18 cm (7") headlights

 No-Tool detachable Trigger-Lock mounting kits must be ordered separately; see page 9

PART #	DESCRIPTION
MEP5119	Solar



- Offers more protection with a sporty look
- Features a similar shape and style to the popular handlebar mount 'Demon" shield, but with the benefits of easier installation and faster removal due to the exclusive Sportshield mounting system
- Measures 53,5 cm W (21") and 43 cm (17") above the headlight; fits a 18 cm (7") headlight cutout
- Made of Lucite® for excellent optics and durability
- No-Tool detachable Trigger-Lock mounting kits must be ordered separately; see page 9

PART #	DESCRIPTION
2313-0089 ¹	Solar
2313-0280	Black smoke

¹ ABE approved.



PART #	DESCRIPTION
must be ordered separately; see page 9	

• Two inches taller than the handlebar-mounted Shooter windshield

Measures 45.5 cm W (18") x 40.5 cm H (16") above headlight

• Made of Lucite® for excellent optics and durability

Available in black smoke and dark black smoke

No-Tool detachable Trigger-Lock mounting kits

PART #	DESCRIPTION
2313-0284	Dark black smoke

All part numbers in **BLUE** are new for 2025.

Black smoke

Memphis SHADES WORKERS WHO WELL THE PROPERTY WAS A WASHINGTON TO THE PROPERTY WHO WE WASHINGTON TO THE PROPERTY WASHING THE PROPERTY WASHINGTON TO THE PROPERTY WASHINGTON TO THE PROPE



NO-TOOL TRIGGER LOCK MOUNT KITS FOR FATS/SLIM

 Memphis Shades Fats/Slim mount kits feature Quick-Change mounting, which allows you to remove or swap out your Memphis Fats or Slim windshields in about one minute

- Hardware is custom-fit to each style of bike for no-hassle installation
- Hardware includes stainless steel bolts and CNC-machined aluminum mounting plates and anchors

FITS MODEL	POLISHED	BLACK
For 22-24 Chief	-	2321-0772
For 15-24 Scout	2321-0370	-

TURN SIGNAL RELOCATION KITS-BLACK	FITS MODEL
2321-0374	For 15-24 Scout and 16-24 Scout Sixty

FITS MODEL	POLISHED	BLACK
For 16-24 Scout Sixty	2321-0370	-

TURN SIGNAL
RELOCATION KITS-BLACK

2020-1621

For 18-24 Scout Bobber











NO-TOOL TRIGGER-LOCK MOUNT KITS FOR SPORTSHIELDS

 The revolutionary No-Tool Trigger-Lock mounting kits feature a detach system that allows you to quickly and easily remove or swap out your Sportshield without the use of any tools

 A pair of latches lock the windshield down until the spring-loaded "trigger locks" are intentionally disengaged, allowing the rider to remove the windshield Kits are a combination of CNC-machined aluminum plates and anchors, stainless steel hardware, gray polymer bushings and glass-filled nylon latches or "Night Shades" black version, which is a gradient black windshield with black E-coated stainless steel straps. fittings and hardware for a black-on-black sinister look

• Kits are custom-fit to each style of bike for no-hassle installation

	•	
FITS MODEL	TRIGGER-LOCK MOUNT KIT POLISHED	TRIGGER-LOCK MOUNT KIT BLACK
For 22-24 Chief		2321-0771
For 22-24 Chief Bobber		2321-0768
For 15-24 Scout, 16-24 Scout Sixty, 18-24 Scout Bobber	2321-0366	•

TURN SIGNAL	
RELOCATION KIT-BLACK	FITS MODEL
2321-0374	For 15-24 Scout and 16-24 Scout Sixty

TURN SIGNAL RELOCATION KIT-BLACK	FITS MODEL
2020-1621	For 18-24 Scout Bobber



CLASSIC DEUCE WITH ABE

- Smooth shape surrounds headlight to become part of the motorcycle
- Available in solar tint
- • Measures approximately 49,5 cm W x 47 cm H (19 $^{1}/_{2}$ " x 18 $^{1}/_{2}$ ") above headlight
- Available to fit 18 cm (7") headlights
- \bullet Made of Lucite $^{\rm B}$ for excellent optics and durability
- Solid two-point handlebar mounting hardware fits many custom and stock applications
- Included two-point mounting hardware consists of polished billet aluminum handlebar clamps that fit 25,4 mm (1") and 22 mm (7/8") handlebars (with sizing bands), and aluminum rake plates and fittings, machined with recesses for stainless steel socket-head screws for a clean, custom look

NOTE: To remove, simply loosen two socket-head screws, leaving clamps on bars for perfect reattachment of shield.



PART # DESCRIPTION
MEM2129 Solar

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

2321-0374

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR

SYSTEMS

ENGINE

TRANSMISSION,

CLUTCH LINE & DRIVELINE

> **GASKETS** & SEALS

LIGHTING

& LICENSE

HANDLEBARS,

CONTROLS

& MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

> **DASHES** & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS

& AXLES

COVERS,

LOCKS &

GENERAL

PLATES

HELL CAT

 Sculpted full-body shape • Measures 51 cm W (20") x approximately

45,5 cm H (18") above headlight

- Fits most round headlights
- Made of Lucite® for excellent optics and durability
- Available in solar (a light tint with 72% visible light transmission)
- Included two-point mounting hardware consists of polished billet aluminum handlebar clamp that fits 25 mm (1") and 22 mm ($^{7}/_{8}$ ") handlebars (with sizing band), aluminum rake plates and bushings, stainless steel support rods and socket-head screws

• Optional 32 mm (11/4") handlebar clamps sold separately (PART #MEM9950)



NOTE: To remove, simply loosen two socket-head screws, leaving clamps on bars for perfect reattachment of shield.

PART #	DESCRIPTION
MEM1719	Solar



NOTE: To remove, simply loosen two socket-head screws, leaving clamps on bars for perfect reattachment of shield.

PART #	DESCRIPTION
MFM2219	Solar

ELECTRICAL

DEMON

- Measures 53,5 cm W (21") x 45,5 cm H (18") above headlight
- Fits most round headlights
- Made of Lucite® for excellent optics and durability
- Available in solar
- Included two-point mounting hardware consists of polished billet aluminum handlebar clamps that fit 25 mm (1") and 22 mm (7/8") handlebars (with sizing band), aluminum rake plates and bushings, stainless steel support rods and socket-head screws
- Optional 32 mm (1 1/4") handlebar clamps sold separately (PART #MEM9950)









See chart for details

THE SHOOTER

- Looks great on today's wide-body motorcycles
- Measures 48,5 cm W (19") x approximately 35,5 cm H (14") above headlight
- Fits most round headlights
- Made of Lucite® for excellent optics and durability
- Available in solar (a light tint with 72% visible light transmission), black smoke or dark black smoke

PART #	DESCRIPTION
MEM1619 ¹	Solar
2313-0290	Black smoke

- Included two-point mounting hardware consists of polished billet aluminum handlebar clamps that fit 25 mm (1") and 22 mm (7/8") handlebars (with sizing band), aluminum rake plates and bushings, stainless steel support rods and socket-head screws
- Optional 32 mm (11/4") handlebar clamps sold separately (PART #MEM9950)

NOTE: To remove, simply loosen two socket-head screws, leaving clamps on bars for perfect reattachment of shield.

PART #	DESCRIPTION
2313-0291	Dark black smoke
¹ ABE approved.	










Chieftain/Roadmaster Flare™



FIARE

2312-0835

FLARE™ WINDSHIELDS

- Manufactured from dual-side, hard-coated polycarbonate material for outstanding impact strength
- Innovative design features "hips" at the outer edge of the shield that re-route the air to add downforce and aid stability

28 cm (11")

 Installs easily using stock mounting hardware, maintains stock adjustability

- FLARE at the top sends clean, less turbulent air to rider and passenger
- Choose from clear, dark smoke or tint color options

 PART #
 COLOR
 HEIGHT

 FOR 20-24 CHALLENGER, 22-24 PURSUIT
 2312-0506
 Dark smoke
 20,5 cm (8")

 2312-0836
 Dark smoke
 28 cm (11")

Tint

PART #	COLOR	HEIGHT
FOR 14-24 CHI	IEFTAIN, 15-24 ROA	DMASTER
2312-0262	Dark smoke	25,5 cm (10")
2312-0261	Tint	25,5 cm (10")
2312-0260	Dark smoke	30,5 cm (12")
2312-0259	Tint	30,5 cm (12")

PARI #	COLOR	HEIOHI
FOR 14-24 CHI 15-24 ROADM		
2312-0479	Clear	35,5 cm (14")
2312-0481	Dark smoke	35,5 cm (14")
2312-0480	Tint	35,5 cm (14")

COLOR

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

HEICHT

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS



KOLOR FLARE™ WINDSHIELDS

- The patented Flare™ design includes "hips" at the edges that redirect air to add downforce, improving stability compared to a stock windshield
- The "flip" at the top pushes air up and back, providing cleaner,
- less turbulent airflow for both the rider and passenger
- \bullet Kolor Flare $^{\scriptscriptstyle\mathsf{TM}}$ windshields are crafted from acrylic
- \bullet Ice Kolor Flares feature a fluorescent edge for extra flair on your bike
- Installs easily with stock hardware and retains stock windshield height adjustability
- Check local laws concerning the use of colored windshields in your area

NOTE: Klock Werks typically recommends selecting a Flare™ size that allows you to comfortably see over the windshield while seated in your natural riding position.

The Klock Werks Flare™ Windshields are protected under United States Patents: D632235S, D586274S, D586275S, D633017S, D626046S, D633018S. And also under International Patents: 324093, 324094, 325192.

FOR 20-24 CHALLENGER, 22-24 PURSUIT	
PART #	DESCRIPTION
ICE KOLOR FLARE™	
2312-1209	20,5 cm (8") blue
2312-1087	20,5 cm (8") green
2312-1086	20,5 cm (8") yellow
2312-1085	20,5 cm (8") orange
2312-1210	20,5 cm (8") pink

PART #	DESCRIPTION
KOLOR FLARE™	
2312-1091	20,5 cm (8") bronze
2312-1090	20,5 cm (8") purple
2312-1089	20,5 cm (8") blue
2312-1213	20,5 cm (8") green
2312-1212	20,5 cm (8") yellow
2312-1211	20,5 cm (8") orange
2312-1088	20,5 cm (8") red

slip streames inc.



2312-0391





REPLACEMENT WINDSHIELDS

- Made of crystal-clear or tinted 5 mm (3/16") Lucite®
- Distortion-free, optically correct and break-resistant
- Precision crafted for a perfect fit

PART #	DESCRIPTION
FOR 15-22 CHIEFTAIN/ROADMASTER	
CLEAR	
2312-0391	30,5 cm (12")
2312-0392	40,5 cm (16")
2312-0393	51 cm (20")

PART #	DESCRIPTION
FOR 20-22 CHALLENGER	
CLEAR	
2312-0873	24 cm (9,5")
2312-0874	29 cm (11,5")
TINTED	
2312-0875	24 cm (9,5")
2312-0876	29 cm (11,5")





BILLET SERIES WINDSHIELDS

- \bullet A unique approach to wind protection
- Mirror-polished, chrome-plated, billet aluminum universal hardware mount; one bracket fits both 22 mm (7/8") and 25,4 mm (1") handlebars

PART #	DESCRIPTION
BULLET 25,5 CM (14" W)	
2311-0006	38 cm (15") clear
2311-0007	45,5 cm (18") clear

 Shield adjusts up/down; hardware mount adjusts left/right and rotational

NOTE: See application chart on page 17.

PART #	DESCRIPTION
B-WING 48,5 CM (19" W)	
2311-0008	38 cm (15") clear
2311-0009	45,5 cm (18") clear

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, Communication & Mounts

slip streamer inc.





- Complement your rider's style with this sleek design
- Versatile Quick-Release mounting systems fit many different bikes with standard fork tubes or oversized fork tubes

ART # DESCRIPTION

43 CM H X 58,5 CM W (17" X 23") CLEAR WINDSHIELD W/ CHROME HARDWARE

2313-0177 W/ standard fork mounting system (28 to 41 mm fork tubes w/ 23 cm to 26,5 cm (9"-10,5") fork span)
2313-0188 W/ oversized fork mounting system (42 to 58 mm fork tubes w/ 28 cm to 32 cm (11"-12,5") fork span)

 $56\ CM$ H X $58,\!5$ CM W (22" X 23") CLEAR WINDSHIELD W/ CHROME HARDWARE

2313-0176 W/ standard fork mounting system (28 to 41 mm fork tubes w/ 23 cm to 26,5 cm (9"-10,5") fork span)



• All styles are 58,5 cm (23") wide NOTE: See application chart on page 17.

PART # DESCRIPTION

56 CM H X 58,5 CM W (22" X 23") CLEAR WINDSHIELD W/CHROME HARDWARE (CONT)

2313-0191 W/ oversized fork mounting system (42 to 58 mm fork tubes w/ 28 cm to 32 cm (11"-12,5") fork span)

2313-0193 W/ wide fork mounting system (28 to 41 mm fork tubes w/ 28 cm to 32 cm (11"-12,5") fork span)

56 CM H X 58,5 CM W (22" X 23") CLEAR WINDSHIELD W/ BLACK HARDWARE 2313-0214W/ standard fork mounting system (28 to 41 mm fork tubes w/ 23 cm to 26,5 cm (9"-10,5") fork span)



S-06 SPITFIRE SPORT SHIELDS

- Great protection and devastating style come together in the Spitfire Sport Shield
- Constructed of 3 mm (1/8") acrylic with red graphics
- \bullet Fully adjustable; mounts/dismounts in seconds; fits both 22 mm (7/8") and 25,4 mm (1") handlebars

PART #	DESCRIPTION
2313-0120	Clear w/ chrome hardware
2313-0001	Clear w/ black hardware



- For round or rectangular headlights
- Height: 38 cm (15") above headlight; width: 44,5 cm (17 $^{1}/_{2}$ ") NOTE: See application chart on page 17.

PART #	DESCRIPTION
2313-0121	Tint w/ chrome hardware
2313-0002	Tint w/ black hardware

Slip Streames inc.



SS-10 VIPER

- Uses the same quick-release mounting system as the Spitfire shield
- Larger glass for added protection
- \bullet Available in smoke tint with 22,2 mm (7/8") and 25,4 mm (1") hardware
- Dimensions: 44 cm H x 56,5 cm W (171/4" x 221/4")

NOTE: See application chart on page 17.


PART # DESCRIPTION
SS-10-T-1 Smoke w/ black hardware



MINI POLICE WINDSHIELDS

- Designed to replicate the Harley police shield, this Slipstreamer original takes it one step farther
- Mounted with quick-release mounting hardware to remove and put back in seconds
- Features stainless steel straps and anodized aluminum hardware
- \bullet Comes standard with both 22 mm (7/8") and 25,4 mm (1") handlebar hardware
- \bullet Measures 37 cm (14½") wide, 38 cm (15") from headlight to top NOTE: See application chart on page 17.

PART #	DESCRIPTION
DS-710360	Clear windshield and hardware kit
DS-710361	Smoke windshield and hardware kit





TOMBSTONE

- A nostalgic design that gives your bike a one-of-a-kind American style
- Shield mounts/removes in short order thanks to an advanced quick-release system
- \bullet Fits both 22 mm (7/8") and 25,4 mm (1") handlebars

PART #	DESCRIPTION
2313-0239	Clear windshield and chrome hardware kit
HD3-C	Clear windshield and black hardware kit



- 25,5 cm (10") W; 34,5 cm (13⁵/₈") from headlight cutout to top and 35,5 cm (14") H overall
- Available in dark smoke or clear

NOTE: See application chart on page 17.

PART #	DESCRIPTION
2313-0240	Dark smoke windshield and chrome hardware kit
HD3-DS	Dark smoke windshield and black hardware kit

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

slip streames inc.



SS-24 HELLFIRE CRUISER SHIELDS

- Constructed of high-strength, 5 mm (³/₁₆") clear acrylic
- Fully adjustable four-point mounting
- Ball-socket mounts for versatility

PART #	DESCRIPTION
SS24-A	Clear fairing 43 cm H x 48,5 cm W (17" x 19")
SS24-T	Tint fairing 43 cm H x 48,5 cm W (17" x 19")



• For height and width see chart NOTE: See application chart on page 17.

PART #	DESCRIPTION
SS24V-C	Clear fairing 45,5 cm H x 48,5 cm W (18" x 19")







PART # DESCRIPTION	
CF-50 61 cm W x 61 cm	m H (24" x 24")

UNIVERSAL WINDSHIELDS

- These clear windshields offer both style and protection from the elements
- Constructed of 5 mm (3/16") clear acrylic
- Top edge is scientifically designed to direct windblast above rider's head
- Anodized-aluminum mounting hardware will not rust
- Four-point mounting provides adjustments
- for shield height, position and angle
 Three sizes available; all fit 22 mm (7/8") and 25,4 mm (1") handlebars

PART #	DESCRIPTION
CF-30	38 cm W x 43 cm H (15" x 17")
CF-40	45,5 cm W x 61 cm H (18" x 24")

Slip Streames inc.



S-00 ENTERPRISE II FAIRING

- A full-size bolt-on fairing for excellent protection from the elements; even provides coverage below the headlight
- \bullet High-strength, 5 mm ($^3/_{16}$ ") acrylic
- Four-point, fully adjustable mounting for versatility
- Anodized-aluminum support rods; logo graphics
- Round or rectangular headlights
- Height: 53,5 cm (21") above headlight; width: 84 cm (33")
- Fits both 22 mm (7/8") and 25,4 mm (1") handlebars

NOTE: See application chart below.

PART #	DESCRIPTION	PART #	DESCRIPTION	
S00-C	Clear windshield and hardware kit	S00-T	Tint windshield and hardware kit	



PART #	DESCRIPTION
S02-C	Clear fairing and hardware kit

S-02 SPIRIT FAIRINGS

- Striking styling and graphics complement fit and function
- Constructed of high-strength, 5 mm (3/16") acrylic
- Anodized-aluminum support rods will never rust
- For cycles with round headlights
- Ball-socket mounts for versatility
- \bullet Height: 53,5 cm (21") above headlight; width: 84 cm (33")
- \bullet Fits 22 mm (7/8") and 25,4 mm (1") handlebars

NOTE: See application chart below.

SLIP STREAMER SHIELD APPLICATIONS

FITS MODEL	OEM BAR DIA.	ENTERPRISE (S-00)	SPIRIT (S-02)	SPITFIRE (S-06)	VIPER (SS-10)	CLASSIC (SS-30)	BULLET/B-WING	MINI POLICE (HD-0)	TOMBSTONE (HD-3)
For 14-21 Chief Classic	1 ¹ / ₄ "	-	-	2	2	-	-	3	3
For 00-03 Chief	1"	-	-	1	1	-	1	1	1
For 10-12 Chief Classic	1"	-	-	1	1	-	1	1	1
For 10-21 Chief Dark Horse	1"	-	-	1	1	-	1	1	1
For 10 Chief Bomber	1"	-	-	1	1	-	1	1	1
For 01-03 Scout	1"	1	1	1	1	1	1	1	1
For 15-24 Scout (41 mm/11" span)	1"	-	-	1	1	1	1	1	1
For 16-24 Scout 60 (41 mm/11" span)	1"	-	-	1	1	1	1	1	1
For 01-03 Spirit	1"	1	1	1	1	3	1	1	1

¹ Fits with no modifications.

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

 $^{^{2}}$ Fits with $1^{1}/_{4}$ " handlebar clamps.

 $^{^{\}rm 3}$ Order w/ "Wide Glide" fork hardware

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

LIGHTING

& LICENSE

PLATES
HANDLEBARS,
CONTROLS

CABLES

& MIRRORS

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES

& GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

> COVERS, LOCKS & GENERAL

WHEELS & AXLES

AUDIO, COMMUNICATION & MOUNTS



MEMPHIS SHADES BATWING FAIRING

- Features clean aerodynamic shape
- Inner fairing structure is black ABS
- Fairing outer shell is opaque black Lucite® with a class A finish that looks great as is, or can easily be painted
- Memphis Shades exclusive No-Tool Trigger-Lock mounting kits feature a detach system that allows you to quickly and easily remove or install your fairing, or swap out with other Memphis Shades windshields, sportshields or fairings
- Trigger-Lock kits are available in a combination of CNC-machined aluminum plates, stainless steel bolts and aluminum anchors or black E-coated plates, bolts and anchors for a clean appearance that's built to last
- Fairing is predrilled and fitted with push-out hole plugs for easy wind deflector installation
- Windshields are available in four heights and gradient black, as well as clear and solar (a light tint with 72% visible light transmission) for Spoiler windshields; see below
- Optional wind deflectors for increased downward airflow, windshield tri-pouch for storage and fairing trim for style are also available; see page 19

NOTE: Batwing Fairing is not compatible with any other fairing windshields, wind deflectors or accessories.

NOTE: Plate-only kits are for riders who already have a Memphis Shades Trigger-Lock windshield installed and do not need the anchoring hardware components.

FITS MODEL	BATWING FAIRINGS	TRIGGER-LOCK MOUNTING KIT-BLACK
22-24 Chief Bobber/Chief Bobber Dark Horse	2330-0270	2321-0769
22-24 Chief/Chief Dark Horse	2330-0272	2321-0773
15-24 Scout/Scout Sixty ¹	2330-0075	2321-0405
18-24 Scout Bobber ^{2, 3}	2330-0081	2321-0405

- ¹ Requires headlight riser block kit PART #2001-1502.
- ² Requires turn signal relocation kit PART #2020-1621.
- ³ Requires headlight extension kit PART #2001-1827.

BATWING FAIRING, WINDSHIELDS, DEFLECTORS AND ACCESSORIES

• Windshields specific to the Batwing Fairing provide

- superior optics and Lucite® construction
 Available in four heights and three translucent color options, as well
- as clear and solar (a light tint with 72% visible light transmission)
 12,5 cm (5") windshields are solid translucent while 18 cm (7"),
 23 cm (9") and 30,5 cm (12") windshields are gradient translucent
- Optional solid translucent color wind deflectors are available to extend the lower fairing surface for smooth downward airflow

2321-0405

Trigger-Lock Mounts let you remove

your Batwing Fairings in a moment's

Shades Fats/Slim or Sportshield to

3. Windshield of your preference;

below for Spoiler windshields

height and color options are shown

WHAT TO ORDER

2. Trigger-Lock Mount Kit

1. Batwing Fairing

time or quickly change to your Memphis

instantly change the look of your bike.

- See page 19 for Spoiler windshields
- Also available is a windshield tri-pouch for storage and decorative trims for style





WINDSHIELDS							
PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION
12,5 CM (5")		18 CM (7")		23 CM (9")		30,5 CM (12")	
2310-0215	Black	2310-0270	Clear	2310-0271	Clear	2310-0307	Clear
2310-0269	Clear	2310-0305	Solar	2310-0306	Solar	2310-0315	Solar
2310-0304	Solar					¹ Solid color.	

SHADES MARKET MA

BATWING FAIRING, WINDSHIELDS, DEFLECTORS AND ACCESSORIES (CONT)



PART # DESCRIPTION

WIND DEFLECTORS
2350-0111 Black















3508-0017

PART #	DESCRIPTION
ACCESSORIES	
2350-0152	"Night Shades" cut fairing trim; Dots
2350-0153	"Night Shades" cut fairing trim; Ellipse
2350-0110	Polished stainless steel fairing trim; slotted fat-style
2350-0119	Polished stainless steel fairing trim; solid fat-style
2350-0128	Polished stainless steel fairing trim; solid slim-style
2350-0134	Polished stainless steel fairing trim; slotted slim-style
3508-0017	Windshield single pouch



PART #	DESCRIPTION
ACCESSORIES	(CONT)
3508-0018	Windshield tri-pouch
3508-0020	Big Zipper quad pouch for Batwing Fairings and windshield
2001-1502	Headlight riser block kit
2001-1827	Headlight extension block
2001-2631	Headlight extension block
2020-1621	Turn signal relocation kit
2321-0374	Turn Signal Relocation Hardware Kit



SPOILER WINDSHIELDS

- Designed to be looked over, the spoiler windshield diffuses the air stream, effectively slowing the flow without buffeting
- Fit all Memphis Shades Batwing Fairings
- Made of Lucite® for superior optics and durability

COLOR	12,5 CM (5")	16,5 CM (6,5")	23 CM (9")
FOR MEMPHIS SHADES BATWING FAIRINGS	;		
Smoke	2350-0167	2350-0135	2350-0170

All part numbers in **BLUE** are new for 2025.



SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

2350-0167

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

& LICENSE PLATES

LIGHTING

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS,


LOCKS & General Audio,

AUDIO, COMMUNICATION & MOUNTS









Trigger-Lock Mounts let you remove or change your Bullet Fairing in a moment's time

MEMPHIS SHADES BULLET FAIRINGS

- Strong, one-piece fairings constructed of high-impact aircraft-grade Lucite®
- Bold aerodynamic shape with a hint of outlaw styling designed to streamline today's low-slung cruisers
- Provide full torso coverage to virtually eliminate wind fatigue while allowing an unobstructed view of the countryside; your head is in clean air
- A machined groove outlines the smoke windshield section
- The lower section features an opaque glare-free matte coating on the inside that gives the outside a high-gloss black "factory" finish for a clean two-piece look; looks great as is, or can be easily painted to really achieve the next level of custom
- Custom fit, model-specific mounting kits feature Memphis Shades exclusive Trigger-Lock mounting system – on and off without tools, or wap out with Memphis Fats/ Slim windshields, Sportshields or Batwing Fairing
- Requires turn signal relocation kit PART #2321-0374

FITS MODEL	BULLET FAIRING	TRIGGER-LOCK MOUNTING KIT BLACK
15-24 Scout/Scout Sixty	2330-0093	2321-0401

ROAD WARRIOR FAIRING

- Stylish coverage with clean lines and smooth curves
- 48,5 cm (19") wide
- Class A gloss black finish outside
- Model-specific mounting kits feature Memphis Shades exclusive Trigger-Lock mounting system and are sold separately

WHAT TO ORDER

- 1. Road Warrior Fairing
- 2. Trigger-lock mounting kit
- 3. Windshield for Road Warrior
- 4. Headlight extension block

		2550-0165	
FITS MODEL	ROAD WARRIOR FAIRING	TRIGGER-LOCK MOUNT KIT-BLACK	
For 22-24 Chief	2330-0271	2321-0774	
For 22-24 Chief Bobber	2330-0269	2321-0770	
For 15-24 Scout/Scout Sixty ¹	2330-0165	2320-0205	
For 18-24 Scout Bobber ²	2330-0165	2320-0205	

1 Requires headlight extension block PART #2001-1828.
 2 Requires headlight extension block PART #2001-1829.





2320-0205

HEADLIGHT EXTENSION BLOCK		
PART #	DESCRIPTION	
2001-1829	Headlight extension block	



CAFE FAIRING

- One-piece construction machined groove outlines
- Class A gloss black finish
- Made of aircraft-grade Lucite
- Custom fit, model-specific mounting kits feature Memphis Shades exclusive Trigger Lock Mounting System – on and off without tools

FITS MODEL	CAFE FAIRING	TRIGGER LOCK MOUNTING KIT-POLISHED	TRIGGER LOCK MOUNTING KIT-BLACK
15-24 Scout/Scout Sixty ¹	2330-0162	2321-0395	2321-0397
18-24 Scout Bobber ^{2, 3}	2330-0107	2321-0395	2321-0397

¹ Requires turn signal relocation kit PART #2321-0374.

 $^{2}\,$ Requires turn signal relocation kit PART #2020-1621.

PART # DESCRIPTION PART # **DESCRIPTION**

³ Requires headlight extension block PART #2001-1827.

PART # **DESCRIPTION TURN SIGNAL RELOCATION KITS-BLACK** 2321-0374 For 15-24 Scout and 16-24 Scout Sixty

TURN SIGNAL RELOCATION KITS-BLACK (CONT) 2020-1621 For 18-24 Scout Bobber

HEADLIGHT EXTENSION BLOCK 2001-1827 Headlight extension block

Trigger-Lock Mounts let you

Fairing in a moment's time

remove or change your Gauntlet





2001-1827



FITS MODEL 18-24 Scout Bobber^{2, 3}

2001-1827



HEADLIGHT EXTENSION BLOCK

Trigger-Lock Mounts let vou remove or change your Gauntlet Fairing in a moment's time

TRIGGER LOCK MOUNTING KIT-POLISHED

Headlight extension block

2321-0391

DESCRIPTION

Requires headlight extension block PART #2001-1827.

FITS MODEL	TRIGGER LOCK MOUNTING KIT-POLISHED	
15-24 Scout/Scout Sixty ¹	2321-0391	

¹ Requires turn signal relocation kit PART #2321-0374.

• Trigger Lock Mounting system

- on and off without tools

MOUNT KITS FOR GAUNTLET FAIRINGS

² Requires turn signal relocation kit PART #2020-1621.

PART #	DESCRIPTION		
TURN SIGNAL RELOCATION	KITS-BLACK		
2321-0374	For 15-24 Scout and 16-24 Scout Sixty		
2020-1621	For 18-24 Scout Bobber		

WINDSHIELD/FAIRING STORAGE BAG

- Constructed of 600D "tool bag" material and lined with faux Sherpa to ensure a mar-free surface
- Safe way to carry or store Memphis Shades windshields or small fairings
- Convenient handle to carry windshield/ fairing or hang out of harm's way
- Will hold one Memphis Fats/Slim, Sportshield or Fairing (Bullet, Gauntlet, Cafe) with or without mounting plates installed

PART #	DESCRIPTION
3508-0042	Windshield/fairing storage bag

All part numbers in **BLUE** are new for 2025.



SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS

& AXLES

COVERS, LOCKS & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS





FXRP FAIRING FIT KITS

- Klassic reproduction designed to elevate your motorcycle's style and performance
- Comes as a complete kit
- · Polyester-primed fiberglass fairing
- Powdercoated neck bracket
- 18 cm (7") headlight mount

 PART #
 DESCRIPTION

 2331-0201
 For 22-24 Chief

- 23 cm (9") Flare™ windshield for FXRP style fairings in dark smoke (PART #2310-0635) included
- Kolored Flare windshield available, see page 12
- All necessary fasteners and hardware

NOTE: Requires relocation of turn signals.

 PART #
 DESCRIPTION

 2331-0202
 For 16-24 Springfield





FANG® LOWER FAIRING LIGHTS

- Ultra-bright light technology for a radiant uniform glow
- Create a wide spread of light; great for dark parking lots and low speed manuvering
- Plug-and-play
- Bright white running light
- Amber turn signals

PART # DESCRIPTION
FOR 22-24 PURSUIT
2040-3227 Chrome

- Everlight LEDs
- Polycarbonate clear lens with Ghost Lens[™] technology for maximum dispersal of light
- Improves side visibility
- 180° side-to-side light pattern
- No restriction to airflow

PART # DESCRIPTION
FOR 22-24 PURSUIT (CONT)
2040-3228 Black







SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

DYNAMIC LED FAIRING VENT INSERTS

- Replaces OEM fairing vent with built-in white running light and auxiliary amber turn signals
- Dual-color amber/white LEDs
- Decorative stainless mesh

 Includes plug-and-play connectors for simple installation behind fairing

2040-3027

- Mounts using factory hardware
- Does not block airflow from OEM vent

FOR 19-24 ROADMASTER DARK HORSE, 21-24 ROADMASTER LTD, 24 ROADMASTER ELITE, 19-24 CHIEFTAIN/LTD/DARK HORSE/ELITE			
PART #	DESCRIPTION	PART #	DESCRIPTION
2040-3028	Chrome	2040-3027	Black



FAIRING VENT SCREENS

- Accents the vent system on the Challenger and Pursuit
- Easy to install
- Adds a custom touch to the front of your fairing
- Screen catches or stops larger bugs and other road debris from entering through your fairing vent
- Sold in pairs

PART #	DESCRIPTION
FOR 20-24 CHALLENGER, 22-24 PURSUIT	
2330-0237	Black



PART #	DESCRIPTION
FOR 20-24 CHALLENGER, 22-24 PURSUIT (CONT)	
2770 0267	Clear



FLARE™ WINGS

- Indian Flare™ Wings provide a sporty, custom look to the motorcycle while improving air management and rider comfort
- Create a much broader air pocket for rider and passenger protection
- \bullet Designed to enhance aerodynamic performance
- Crafted from lightweight and durable ASA plastic to match the factory finish
- Ready to install with 3M™ VHB™ tape already applied
- Sold in pairs



2350-0577 For 20-24 Challenger, 22-24 Pursuit

FRONT FAIRING TURN SIGNAL TRIM

- Continue the design lines from the OEM chrome fairing panel to the front turn signals
- Quick, simple peel-and-stick installation
- Sold in pairs

0521-1254

PART #

DESCRIPTION

For 14-18 Chieftain, 19-21 Chieftain Classic and 15-21 Roadmaster

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

> **EXHAUST** FUEL/AIR

SYSTEMS

ENGINE

& DRIVELINE **GASKETS**

TRANSMISSION **CLUTCH LINE**

& SEALS

ELECTRICAL LIGHTING

& LICENSE **PLATES** HANDLEBARS,

CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

> WHEELS & AXLES

COVERS. LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS

₩ sw-motech°

URBAN ABS TOP CASE

- Sporty, lightweight and robust top case
- Secure four-point strap mounting system
- Constructed from thick ABS plastic
- Carrying capacity can expand from 16 L to 29 L
- Can fit one helmet when fully expanded
- Convenient carrying handle
- Spacious mesh compartment on the inside of the lid
- Measures 40,5 cm L x 36 cm W x 21,5 46 cm D (16" x 141/4" x 81/2" 18")



PART # DESCRIPTION 3516-0313 Urban ABS top case



3501-1919



3501-1921

- Robust and versatile soft luggage
- Can be used as a side or tail bag

SYSBAGS

- Reinforced design prevents flapping at high speeds
- End loops and integrated straps for lashing to any motorcycle
- Constructed of durable 1680D ballistic nylon
- All bag sizes can be attached to each other in various combinations

PART # DESCRIPTION 3501-1919 WP SysBag S

- SysBag S measures 32,5 cm x 16,5 cm x 33,0 cm (12,8" x 6,5" x 13,0") • SysBag M measures 32,5 cm x 16,5 cm x 41,0 cm (12,8" x 6,5" x 16,1")
- SysBag L measures 48,0 cm x 22,0 cm x 41,0 cm (18,9" x 8,7" x 16,1")
- DESCRIPTION PART # DESCRIPTION WP SysBag M 3501-1921 WP SysBag L



PART #

3501-1920



LEGEND GEAR LR2 TAIL BAGS

- Universal fit for most motorcycles, even for those with high exhausts
- Anti-skid bottom
- Safe four-point strap mounting
- Offers additional mounting of Legend Gear accessory bags

oners additional mounting of Legena dear	accessory bags
PART #	DESCRIPTION
3516-0308	Black/brown

- Splash-proof coated canvas and waterproof inner bag
- Measures 68 cm W x 45 cm H x 30 cm D (26,75" x 17,75" x 11,75")
- 48 L carrying capacity

DESCRIPTION PART # 3516-0309 Black

LEGEND GEAR LR1 TAIL BAG

- Universal fit for seat and rack
- Also works with bikes with high exhausts
- Safe four-point strap mounting
- Adjustable shoulder straps transform the bag into a backpack
- Converts to a shoulder bag with Legend Gear shoulder strap (sold separately)
- Waterproof rain cover
- Measures 40 cm H x 30 cm W x 17 cm D (15³/₄" x 11³/₄" x 6³/₄")
- Carrying capacity of 17,5 L

PART # DESCRIPTION 3516-0307 LR1 tail bag

₩ sw-motech°

LEGEND GEAR TANK BAGS • Strong magnets for a sturdy hold,

- even on uneven terrain
- Made from napalon synthetic leather and waxed canvas with splashproof inner lining
- Compatible with nearly any steel tank
- Four attachment straps for strap installation on non-magnetic tanks
- Coated underside
- Zippered volume expansion
- Water-resistant main construction
- Waterproof rain cover with clear PVC window included
- Cable feed-through on the front side

PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION
3502-0360	Black; LT1 tank bag	3502-0361	Black/brown; LT1 tank bag	3502-0362	Black; LT2 tank bag

3501-1523





• Carrying handle

- LT1 capacity: 3.3 L to 5 L
- LT2 capacity: 5,5 L
- Includes tank bag, rain cover, and four mounting straps



LEGEND GEAR SIDE BAG SYSTEM

- Vintage, lightweight soft luggage design with modern support
- Coated canvas sailing material and robust synthetic leather reinforce the bags' structure
- Fiber-reinforced polyamide quick-lock system provides fast and reliable attachment and removal of the bags
- LC1 dimensions: 26 cm H x 31 cm W x 14 cm D $(10^{1}/_{4}" \times 12^{1}/_{4}" \times 5^{1}/_{2}")$; 9,8 L carrying capacity
- LC2 dimensions: 35 cm H x 31 cm W x 14 cm D $(13^{3}/_{4}" \times 12^{1}/_{4}" \times 5^{1}/_{2}")$; 13,5 L carrying capacity

- Side bags include side single bag, two waterproof inner bags and all required mounting hardware
- Side bag system includes two side bags, two waterproof inner bags and left- and right-side carriers

SIDE BAGS			
PART #	DESCRIPTION	PART #	DESCRIPTION
LC1 SIDE BAGS		LC2 SIDE BAGS	
3501-1523	Black/brown, left-side mounting	3501-1527	Black/brown, left-side mounting
3501-1525	Black, left-side mounting	3501-1529	Black, left-side mounting
3501-1525	Black, left-side mounting	3501-1529	Black, left-side mounting

SIDE BAG SYSTEM PART # DESCRIPTION 3501-1769 For 16-24 Scout/Scout Sixty/Scout 100th anniversary

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

3501-1529

COVERS, LOCKS & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

> WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS

₩ sw-motech°

3501-1465



LEGEND GEAR SIDE BAGS

- Combines the low weight of a saddlebag with the high form stability of a case
- Constructed from weather- and UV-resistant 600
- Reinforced sides and a back panel help bags kee
- Can be easily and quickly mounted on to the oriattachment points along the fender strut

DESCRIPTION

- Features MOLLE attachment system
- Integrated anti-theft protection on the inside of the bag

LH1 side bag (right side only)

PART #

3501-1869

Convenient carrying handle

PART #

3501-1466

00D polyester	
ep their shape	 All bags include waterproof inner bag
iginal	• LH1 bags fit on right or left side, LH2 bag fits on the left side

LH1 side bag (left side only)

- LH1 bags measure 42,0 cm W x 28,0 cm H x 24,0 cm D (16,5" x 11,0" x 9,4"); 19,5 L (5,2 US gallon) carrying capacity
- LH2 bag measures 47,0 cm W x 39,0 cm H x 24,0 cm D
- (18,5" x 15,4" x 9,4"); 25,5 L (6,7 US gallon) carrying capacity **DESCRIPTION** PART # **DESCRIPTION** 3501-1465

LH2 side bag



PART #	DESCRIPTION
1510-0793	For 19-24 FTR1200

LEFT SLC SIDE CARRIER

- Precisely developed to allow for simple and secure mounting on the bike's original attachment points
- Quick-release mounting system allows side bags to be easily attached or removed
- Provides secure hold for side bags, side cases, adapter plates and universal side bracket number plates
- Includes mounting hardware



SLH SIDE CARRIERS

- Bike-specific design
- Can be quickly and easily mounted on the original attachment points on the fender strut
- Quick-lock system allows Legend Gear side bags

to be attached and removed in moments			
PART #	DESCRIPTION	PART #	
FOR 16-24 SCOUT		FOR 16-24 SCOUT (CONT)	
1510-1053	LH1 L	1510-0934	

vare
var

• Adapter kit includes matching hardware for attaching SLH side carriers to Softail models with the original HoldFast Docking Hardware Kit from Harley-Davidson®

	DESCRIPTION	PART #	DESCRIPTION
')		FOR 16-24 SCOUT (CONT)	
	LH1 R	1510-0933	LH2



PRO TRAVELBAG TAIL BAG

- Three mesh compartments with zipper on the inside of the lid
- Additional storage thanks to two outer pockets with covered zippers
- Underside made of anti-slip material
- Four eyelet points for attaching to the bike or for attaching accessory bags
- UV-resistant 1680D ballistic nylon construction
- Splashproof inner lining
- Reflective details
- Elastic loops prevent the zipper pulls from fluttering
- Hypalon MOLLE attachments on the top and front for fastening accessory bags
- Simple and quick attachment of the bag to the motorcycle via loop straps with patented lashing hooks
- Weather protection thanks to the supplied waterproof inner bag
- Three carrying handles
- Can be converted into a travel bag in no time at all with shoulder strap
- 65 L construction
- Includes tail bag, waterproof inner bag, four loop straps with lashing hooks, shoulder strap, two lashing eyes for attaching to the license plate holder, paint protection film, and mounting instructions

DESCRIPTION	PART #
PRO Travelbag tail bag	3516-0363



PRO REARBAG TAIL BAG

- Universal fit for almost all motorcycles
- Top of the bag is made of laminated and dimensionally stable EVA material.
- Zipper mesh compartment in the lid
- Additional storage thanks to two outer pockets with covered zippers
- \bullet Volume expansion in the top area from 22 L to 34 L
- Storage space for a helmet
- Underside made of anti-slip material
- Robust lashing eyes for secure fastening of the bag at four points and for lashing accessory bags
- Made of durable and highly UV-resistant 1680D ballistic nylon with splashproof inner lining
- Reflective details for better visibility
- Zipper management: Elastic loops prevent the zipper pulls from fluttering
- MOLLE attachment made of stable Hypalon material on the upper side for attaching accessory bags

PRO ROADPACK TAIL BAG

- Universal fit for almost all motorcycles
- Top of the bag is made of laminated and dimensionally stable EVA material
- Zipper mesh compartment in the lid
- Underside made of anti-slip material
- Robust lashing eyes for secure fastening of the bag at 4 points and for lashing accessory bags
- Made of durable and highly UV-resistant 1680D ballistic nylon with splashproof inner lining
- Reflective details for better visibility
- Elastic loops prevent the zipper pulls from fluttering
- MOLLE attachment made of stable Hypalon material on the upper side for attaching accessory bags
- Simple and quick attachment of the bag to the motorcycle with loop straps with a patented lashing hook
- Weather protection thanks to the supplied waterproof inner bag
- Sturdy carrying handle
- Inside pocket with zipper in the lid provides storage for keys, wallet and other small items

- Simple and quick attachment of the bag to the motorcycle with loop straps with a patented lashing hook
- Weather protection thanks to the supplied waterproof inner bag
- Sturdy carrying handle
- Capacity: 22 L to 34 L

PART #

3516-0343

0	₩ sw-mateck
Macapack	

- Straps are hooked and tensioned in one step
- Capacity: 8 L to 14 L
- Includes tail bag, waterproof inner bag, four loop straps with lashing hooks, protective foil, and mounting instructions

DESCRIPTION	
PRO Roadpack tail bag	

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & Luggage

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

DESCRIPTION

PRO Rearbag tailbag

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES HANDLEBARS,

CONTROLS

& MIRRORS

CABLES

BRAKES &
BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FOOTRESTS &

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS **₩** sw-motech®



PRO ENDURO WP STRAP TANK BAG

- Waterproof
- Top of the tank bag made of laminated EVA material
- Overlapping lid prevents water ingress
- Welded body made of TPU material without seams
- MOLLE attachment made of stable Hypalon material on the top for attaching smart phones and tablet holders
- Two outer pockets made of welded Hypalon with mesh compartments
- Visible pocket for smart phones or maps in the inner lid
- Sealed metal zippers
- Reflective details



- Carrying handle
- Underside made of non-slip material
- Capacity: 11 L
- Includes PRO Enduro WP strap tank bag, strap set,
 2 paint protection films, and mounting instructions

NOTE: The outside pockets are splash-proof but not completely waterproof.

PART #	DESCRIPTION	
3502-0443	PRO Enduro WP strap tank bag	



PRO ENDURO STRAP TANK BAG

- Top and bottom constructed of laminated EVA material
- Body constructed of durable, UV-resistant 1680D ballistic nylon with water-resistant interior coating
- MOLLE attachment on top for smartphone and tablet holders
- Reflective details
- Two outer pockets
- Interior mesh compartments
- Rain cover included
- Carrying handle
- Cable feed-through on the front and rear
- Can be used with a cable lock or anti-theft protection
- 12 L capacity, expands to 15 L
- Includes strap tank bag, waterproof inner bag, paint protection film, and mounting instructions

PART #	DESCRIPTION	
3502-0525	PRO Enduro strap tank bag	



PRO Daypack Magnet tank bag

PART # 3502-0442

PRO DAYPACK MAGNET TANK BAG

• Strong magnets give the PRO Daypack tank bag a firm hold, even on uneven terrain

- Compatible with nearly any steel tank
- Coated underside
- Body constructed of durable, UV-resistant 1680D ballistic nylon with water-resistant interior coating
- MOLLE attachment on top for smartphone and tablet holders
- Reflective details
- Interior mesh compartments
- Weather protection with the supplied rain cover
- Carrying handle
- Cable feed-through on the front and rear
- Includes tank bag, rain cover and adhesive protective foil

T SW-MOTECH®

PRO MICRO WP TANK BAG

- Seamless welded TPU plastic body
- Top and bottom made of laminated and dimensionally stable EVA
- EVA lid with magnetic closure
- Hypalon MOLLE system on the top of the lid for attaching accessories
- Lockable plastic zipper
- Reflective details
- Carrying handle
- PRO tank ring with magnetic guide aid secures the PRO tank bags with a mechanical QUICK-LOCK snap fastener
- Bike-specific PRO tank ring required for mounting on the tank
- Includes tank bag, tank ring, mounting instructions, and mounting hardware



PART #	DESCRIPTION
3502-0605	PRO Micro WP tank bag




PART # DESCRIPTION 3512-0321 PRO Plus WP accessory bag

PRO PLUS WP ACCESSORY BAG

- Twill and front of the roll top made of durable and abrasion-resistant TPU with reflective patch
- Inner mesh pocket with elastic closure
- MOLLE system on the back for attaching accessory bags
- Compatible with SW-MOTECH waterproof products that have a MOLLE patch attached
- Can function as an add-on in a waterproof design for many SW-MOTECH products
- Includes mounting instructions

T-LOCK HOLDER WITH MOLLE ADAPTER

- Designed for universal use with the MOLLE system
- Using the twist-locking connector, the T-Lock holder connects accessory bags to the tail bags and tank bags with which a MOLLE system
- MOLLE attachment system is used for all PRO series' tank bags and tail bags, as well as for numerous bags from the Legend Gear series
- Provides flexibility when transporting luggage
- The lower part of the T-Lock on the bag's MOLLE attachment is secured



- Secure the T-Lock with a swift hand movement
- Includes T-Lock holder, MOLLE adapter, and mounting instructions

PART #	DESCRIPTION
3502-0597	T-Lock holder with MOLLE adapter





ION TAIL BAGS

- 600D polyester construction
- Carrying handles
- Can be attached to almost any motorcycle tail
- Reflective piping
- Large main compartment for individual loading
- Stitched logo name and bull in silver grey
- Small capacity: 7 L to 15 L
- Medium capacity: 26 L to 36 L
- Includes tail bag, waterproof inner lining, adhesive protective foil, and tail bag strap set

PART #	DESCRIPTION	PART #
3516-0325	Small	3516-0326

All part numbers in **BLUE** are new for 2025.

Medium





WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FIIFI / AIR **SYSTEMS**

ENGINE

TRANSMISSION **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

& LICENSE **PLATES**

> HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & **OIL FILTERS**

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR

SYSTEMS

ENGINE

DRYBAG 700 TAIL BAG 2.0

- Built for all weather, all terrain and almost any motorcycle
- Made of sturdy 500D PVC material that is waterproof and extremely durable
- Two welded outer pockets
- Two MOLLE adapters for attaching accessory bags
- Carries up to 70 L of luggage
- Reflective details for added safety
- Padded handle
- D-rings allow for bag to be mounted tightly to the motorcycle

• Measures 76 cm H x 75 cm W x 30 cm D (30" x 291/2" x 113/4")



GASKETS

& SEALS

ELECTRICAL

LIGHTING & LICENSE

PLATES

DRYBAG 350/600 TAIL BAGS

- Universal fit for almost any motorcycle
- Excellent tear, tensile, puncture and impact resistance
- Stable four-point attachment system
- Waterproof tarpaulin construction
- Several drybags can be mounted on top of each other
- Includes four mounting straps and a shoulder strap
- Retroreflective details for increased safety on the road
- 350 bag has a 35 L capacity
- 600 bag has a 60 L capacity

PART # DESCRIPTION 3530-0041 350 tail bag



PART # DESCRIPTION 3530-0047 Drybag 700 tail bag



3530-0041

PART # DESCRIPTION 3530-0042 600 tail bag

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION



DRYBAG 260/180 TAIL BAGS

- Lightweight for convenient carrying
- Sturdy, waterproof 500D PVC construction
- Easily attached to luggage rack or other Drybags
- Includes four fastening straps for secure mounting

PART # **DESCRIPTION** 3530-0044 Drybag 180 tail bag (18 L)



PART # DESCRIPTION

FENDERS

FOOTRESTS & **FLOORBOARDS**

WHEELS

& AXLES

COVERS,

LOCKS &

GENERAL

COMMUNICATION

& MOUNTS

AUDIO,

DRYBAG 80 2.0

- Universal fit on almost all bikes
- Welded outer pocket
- Universal fit for almost all motorcycles
- Made of sturdy 500D PVC
- Waterproof, extremely durable roll
- Waterproof, extremely durable luggage roll
- D-rings allow the bag to be pulled tightly against the motorcycle
- Integrated handle on the side
- Waterproof roll closure and taped seams
- Measures 19,0 cm x 9,0 cm x 35,0 cm (7,5" x 3,5" x 13,8")

3530-0043

All part numbers in **BLUE** are new for 2025.

Drybag 260 tail bag (26 L) DESCRIPTION Drybag 80

VSW-MOTECH®





- Reliable and waterproof backpack with roll closure
- \bullet Constructed from sturdy and easy-to-clean Tarpaulin
- Padded shoulder straps and waist belt
- Zippered outer pocket
- 30 L carrying capacity
- Measures 26 cm W x 48 cm H x 24 cm D (10 $^{1}/_{4}$ " x 18 $^{3}/_{4}$ " x 9 $^{1}/_{2}$ ")

PART #	DESCRIPTION
3517-0528	Gray/black



DAILY WP BACKPACK

- Waterproof main compartment made of TPU material with roll-top closure
- Tie-down straps on the front for compact luggage transport
- MOLLE attachment for mounting accessory bags
- Chest strap with magnetic click closure
- Padded adjustable-length carrying straps
- Removable hip belt
- Ergonomically shaped back padding
- Reflective features on the front and sides
- Additional reflective detail on the backpack straps
- Reinforced carrying handle

PART #	DESCRIPTION
3517-0527	Daily WP Backpack



DRYBAG 20 BELT BAG

- Robust, breathable, and waterproof
- Tarpaulin material construction protects against all weather conditions
- Ergonomic, adjustable and padded abdominal belt guarantees the highest comfort

PART #	DESCRIPTION
3520-0007	Drybag 20 belt bag



WATERPROOF LEG BAG

- Carry wallet, keys, phone, and other important items on your body without luggage
- Holster can be adjusted to fit leg length, thigh size and hip size for optimal comfort

PART #	DESCRIPTION
3512-0320	Waterproof leg bag

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

& LICENSE PLATES

HANDLEBARS,

CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

& GAUGES

DASHES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS



- 51 mm (2") expansion panel with capacity to fit a half helmet
- Internal, adjustable divider for organization
- Dimensions: 45,5 cm (18") wide x 20,5 cm (8") deep (25,5 cm (10") expanded) x 28 cm (11") tall (each bag)
- 26 liter capacity, 32 liters expanded (1584 cubic inches, 1980 cubic inches expanded)

PART # DESCRIPTION
3501-1359 Momentum Outrider throw-over saddlebags

MOMENTUM ROAMER TAIL BAG

Angled design accommodates most stock

• Mounts on top or under passenger seat

• Forward-facing, quick-stash pockets for

Anti-scratch backs and heat-resistant bottoms

• Include mounting strap kit for extra security

fender-mounted turn signals

with slant forward or backward

smaller items or bottle storage

 Durable UV-rated, weather-resistant 1200D textile material with removable rain cover

• External adjustable bungee storage for coat, bedroll or other items

• Fully adjustable mounting belt to fit almost any motorcycle

- Low-profile carrying handle and removable
- shoulder strap for off-the-bike convenience
- Multiple welded D-rings and included strap kit for secure mounting
- $\bullet \ \, \text{Integrated MOLLE modular attachment points} \\$
- External quick-stash pockets and bottle pockets
- \bullet Includes optional clear protective film for fender/paint protection
- Dimensions: 44,5 cm W x 38 cm D x 20,5 cm T (17,5" x 15" x 8")
- 30,5 liter (1860 cubic inch) capacity

PART # 3502-0315

DESCRIPTION

Momentum Roamer tail bag

MOMENTUM RAMBLER ROLL BAG

- UV-rated, weather-resistant 1200D textile construction with removable rain cover
- Bottom-mounted tie-down loops for easy mounting on luggage racks or Momentum Drifter, Road Warrior and Vagabond bags, all sold separately
- Convenient side entry doors to easily access items while mounted
- Front stash pocket for easy access to small items
- Quick-mount sissy bar strap design for secure mounting in seconds
- External, adjustable bungee storage system for coat, bedroll or other items
- Integrated MOLLE modular attachment points
- Low-profile carrying handle plus removable shoulder strap for easy portability off the bike
- Rigid structure retains its shape whether loaded or empty
- Multiple D-rings for additional easy and secure mounting options
- Dimensions: 39,5 cm W x 23 cm T x 23,5 cm D (15,5" x 9" x 9,25")
- Measures 21 liters (1290 cubic inches)



PART # DESCRIPTION
3516-0268 Momentum Rambler roll bag

KURYAKYN





BARRIO MULTI-FIT BAG

- Durable UV-rated, weather-resistant 1200D textile material
- Rolltop design with high-strength hook-and-loop closure for storage versatility and water resistance
- Fully adjustable, convenient speed-buckle clasps
- MOLLE modular attachment points
- Safe and secure storage for wallets, sunglasses, phones, road sodas, tools and more

- Front and side quick-stash pockets
- Dimensions: 18 cm W x 10 cm D x 23 cm T (7" x 4" x 9")
- 4,5 liter (266 cubic inch) capacity

 PART #
 DESCRIPTION

 3510-0095
 Barrio fork bag









ROLL TOP BACKPACKS

- Wet-waxed UV-treated cotton canvas construction
- Leather paneling for style and support
- Burly brand flannel straps
- Interior is fully padded with a partition for a 38 cm (15") laptop
- Auxiliary pass-through port for charging cables or audio cords
- Large front zippered pocket for storing loose items
- Roll top has variable-height snap closure

PART #	DESCRIPTION
3517-0435	Black Cordura® nylon

- Speed buckles, zippers and metal Burly-embossed button snaps and accents
- Anti-flail snap system keeps everything in place at speed

PART #	DESCRIPTION	
3517-0414	Dark oak waxed cotton	

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

LIGHTING

& LICENSE PLATES HANDLEBARS,

CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS &

BURLY BRAND
MOTORCYCLE ACCESSORIES





3502-0261

 Quick-release, pin-lock bracket system allows the saddlebag to be easily mounted/removed from the bike (model-specific saddlebag mount brackets sold separately)

- Dark oak or black finish
- Dimensions: 29 cm W x 32 cm T x 13 cm D (11,5" x 12,5" x 5")
- Sold each

PART #DESCRIPTION3501-1240Dark oak cotton canvas

SADDLEBAG

- Wet-waxed UV-treated cotton canvas or black Cordura® nylon construction with leather paneling for support
- Leather will age and show character over time to give the bag a true vintage look
- Metal and polyurethane internal bag frame keeps the bag's shape, even when empty
- Rolltop closure with snap/hook-and-loop sealing system keeps out the wind and the elements
- Speed buckles and zippers and metal Burly-embossed button snaps
- Included shoulder strap for messenger bag use

 PART #
 DESCRIPTION

 3501-1345
 Black Cordura® nylon



3502-0260

TAIL/TANK BAGS

- Dark oak bag is wet-waxed UV-treated cotton canvas construction
- Mounts to metal gas tanks using high-strength magnets
- Bag also has D-ring anchor points and tail-mounting accessory flange for securing the bag to the rear seat/tail section of the bike
- Map pouch attaches to the tank bag with magnets; pouch can be mounted by itself to a steel tank
- Clear map/accessory screen is an innovative stretching material design that will accommodate most smartphones, small tablets and small GPS units
- Two exterior zipper-closure storage pockets

BLACK ZEO2 0700	PART #	DESCRIPTION
7500 0700	BLACK	
Tail/ tallk bag W/ map pocket	3502-0309	Tail/tank bag w/ map pocket

• Large main compartment with elastic interior sides

 Bag has a pass-through port for charging cords, headphone cords, etc.

• Built-in carry handle for easy off-the-bike portability

PART #	DESCRIPTION
DARK OAK	
3502-0260	Tail/tank bag w/ map pocket
3502-0261	Map pocket only

FLOORBOARDS TOOL ROLL

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

HEELS • Leather suppor

- Wet-waxed UV-treated cotton canvas construction
- Leather securing straps and carry handle offer support and secure mounting points
- Eight-pocket system in three widths to hold multiple tools of various sizes (tools are not included)
- Catch-all zippered pocket for smaller items
- Speed buckles and zippers with metal Burly-embossed button snaps and accents
- Anti-flap snap closure system keeps the tools secure
- Adjustable quick-release mounting system works on handlebars, sissy bars or side frame mounting
- Dimensions: 27 cm W x 17 cm T (when expanded) (10,5" x 6,5")



 PART #
 DESCRIPTION

 3510-0091
 Tool roll

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS









ROUTE 1 TRAVELER TOUR TRUNK BAG

- Industry leading UltraMax[™] fabric with maximum UV protection
- Mounts to most tour trunks luggage racks
- Can hold two full-face helmets even when non-expanded
- Additional 76 mm (3") expansion section for extra storage
- Three generous outer pockets for quick-access items
- Mesh pockets under lid and sides of main compartment
- Reflective piping for increased visibility
- Rugged quick-release buckles securely mount to rack
- Rigid construction helps bag hold its shape, even when empty
- · Airline carry-on friendly
- Waterproof rain hood included
- • Main compartment measures 56 cm L x 30,5 cm W x 37 cm H (22" x 12" x 14,5"); holds 63 L
- Expands to 56 cm L x 30,5 cm W x 43 cm H (22" x 12" x 17"); holds 73,5 L

PART # DESCRIPTION

3516-0269 Route 1 Traveler Tour trunk rack bag



- UltraMax[™] fabric for maximum UV protection
- For pets up to 9,1 kg (20 lb)
- Mounts to tour trunk racks, sissy bar
- Rigid construction and solid base panels
- Side panels unzip allowing maximum airflow
- Small permanently open side mesh vents
- Large lid opening for ease of access
- Lid has two-stage zipper opening; first stage allows flap to open with mesh closed, second stage opens mesh to allow pet to look out while on integrated leash
- Both lid panels roll back, with tab to secure open
- Wide front panel also has two-stage opening; first stage opens mesh porch, second stage opens completely
- All two-stage opening zippers securely latch together
- Base has padded removable panel for comfort and cleaning
- Adjustable leash allows pet to move freely
- Two side pockets for storing pet essentials
- Carry handles make for easy transport
- Reflective piping
- • Main compartment measures 43 cm L x 30,5 cm W x 38 cm H (17" x 12" x 15"); holds 50 L

PART #	DESCRIPTION
3515-0214	Route 1 pet carrier

FUEL/AIR

EXHAUST

SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES &
BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE

PLATES HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES &

BRAKE LINES

TANKS & **OIL FILTERS**

> **DASHES** & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

> WHEELS & AXLES

COVERS. LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS



- Made with
- industry-leading UltraMax™ fabric • Maximum UV protection against fading
- Universal fitment on trunks and luggage racks
- Fits inside all Harley-Davidson Tour Trunks
- 100% waterproof rain cover included
- Quick-release straps securely mount to trunk rack

HURRICANE RIGGPAK CRASH/BAR TAIL BAG

• Made from heavy-duty UV-treated PVC tarpaulin material

• Waterproof roll closure with quick-release buckles

 Universal mounting using hook-and-loop straps and or adjustable quick-release buckles

• Measures 16 cm L x 10 cm W x 30,5 cm (61/4" x 4" x 12")

• All seams are electronically heat-welded • Fits most crash bars, luggage racks and seats

• Integrated MOLLE system

• Holds approximately 5 L

Sold each

- Also mounts to backrest/sissy bar and racks
- Rigid construction with mesh pocket under lid

- Lined interior easily holds a full-face helmet
- Reflective piping for enhanced visibility
- Carry handles for transporting off the bike
- Dimensions: 45,5 cm L x 30,5 cm W x 25,5 cm H (18" x 12" x 10")
- Holds 35 L

PART # DESCRIPTION 3515-0220 Traveler tail bag



PART # DESCRIPTION 3516-0401 Hurricane RiggPak crash bar/tail bag



PART # DESCRIPTION 3501-1462 Trails End bottle holder

TRAILS END BOTTLE HOLDER

- Industry leading UltraMax® fabric with maximum UV protection
- Roll top closure ensures bottle stays secure
- Integrated straps weave into MOLLE systems as found on trails end tail bags
- Includes four webbing straps and buckles can mount to most racks
- Holds bottles up to 887 ml (30 US fl oz.)
- 30,5 cm L x 95 mm D (12" x 3,75")

EI SON-RIGO

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES &

BRAKE LINES TANKS &

OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS &

FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO. COMMUNICATION & MOUNTS

GREG LUTZKA SIGNATURE CRUISER HANDLEBAR BAG

- Greg Lutzka signature series
- Made with industry leading UltraMax[™] fabric
- UV fade-and water-resistant
- Touchscreen-friendly cell pocket

GREG LUTZKA SIGNATURE UNIVERSAL HANDLEBAR BAG

 Made from heavy-duty poly-blend • UV fade-and water-resistant

• Greg Lutzka signature series

- Universal fitment on T-bars and handlebars
- Adjustable hook-and-loop straps for easy attachment

• Universal fitment on cruiser and off-road handlebars

 \bullet Measures 25 cm L x 10 cm W x 13 cm H (10" L x 4" W x 5" H)

Adjustable hook, loop straps and wet-strap

tension buckle for ease of attachment

- Carry strap included
- Measures 19 cm L x 10 cm W x 17,8 cm H (7 $^{1}/_{2}$ " L x 4" W x 7" H)





3510-0174

Greg Lutzka signature universal handlebar bag

DESCRIPTION

USA (Under Seat Attachment)



PART #

3515-0205

USA (UNDER SEAT ATTACHMENT)

- For use when you don't have a backrest or luggage rack
- Four heavy-duty, self-fastening webbing straps
- Four metal "D" rings for attaching straps and hooks
- Fully adjustable to fit under most seat configurations
- Protective material to help prevent scratching or movement

RIGG STRAPS™ KIT

- RIGG STRAPS™ patented cam-hook design made from aircraft grade aluminum
- Strap system used for a variety of gear tie down options
- Heavy duty webbing 1,5 m (60") max length
- Loop ends for additional connection points
- Pull force not to exceed 100 lbs.
- Sold in pairs

NOTE: Not intended for towing or vehicle tie-down.





- 1,5 m (60") max length
- Universal fit
- Set of four straps

Sierra Dry saddlebag strap kit

SADDLEBAGS & LUGGAGE

SISSY BARS

EXHAUST

FUEL/AIR

SYSTEMS

ENGINE

TRANSMISSION

ELSON-RIGG

- Aircraft grade aluminum plate and mounting hardware **SEATS &**
 - Powdercoated and anodized finish for maximum durability

RIGG GEAR SADDLEBAG QUICK RELEASE PLATE

- Stainless steel screws and washers will not rust
- Fits most tubular pannier racks up to 18 mm and 20 mm racks with optional latch
- Compatible with racks offset for exhaust with optional aluminum extension
- Designed for Rigg Gear Hurricane and Sierra saddlebags
- Works with Sierra and other dual sport saddlebags with optional strap
- Accommodates most aftermarket soft panniers
- Lockable release latch (lock sold separately)

DESCRIPTION PART # 3501-2004 Rigg Gear saddlebag quick release plate **REPLACEMENT PARTS AND ACCESSORIES** 3501-2005 20 mm replacement latch



- Can be hard mounted to most plastic hard cases
- Rotopax Ready
- 13.6 kg (30 lb) weight limit or the weight limit of your pannier rack (whichever is less)
- Measures 35,5 cm L x 33 cm H (14" L x 13" H)
- Sold as a pair

PART # **DESCRIPTION** REPLACEMENT PARTS AND ACCESSORIES (CONT) 3501-2006 Saddlebag plate latch extension

CLUTCH LINE & DRIVELINE **GASKETS & SEALS ELECTRICAL** LIGHTING & LICENSE **PLATES** HANDLEBARS, SHOW CHROMF CONTROLS & MIRRORS

480 SADDLEBAG KING KOOLER

- Turn your saddlebag into an insulated cooler
- Liner is insulated, waterproof and custom fit saddlebags
- Ideal for hot, dusty roads, picnics or parties
- Measures 48,5 cm x 25,5 cm x 15 cm (19" x 10" x 6")
- Sold each



PART # DESCRIPTION 3511-0026 King Kooler

TANKS & **OIL FILTERS**

CABLES

BRAKES &

BRAKE LINES

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS &

FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS



SADDLEBAG LINERS

- Specifically designed to fit the Indian hard saddlebags
- No need for saddlebag organizers;

liners feature three storage compartments on top with zipper closures


- Constructed of heavyweight polyester fabric with a PVC internal coating
- Center compartment is made of a see-through mesh for locating items quickly
- Zippers on the outer compartments wrap around two sides for easy access

For 14-22 Chief/Chieftain Vintage/Classic/Limited, 16-22 Dark Horse, 17-22 Springfield, 15-22 Roadmaster, 20-22 Challenger 3501-1646



• The zipper on the main liners wraps around three sides and the lid will flip up, creating an open access for EZ loading and locating items

- Each liner has two 25 mm (1") handles that can be joined together with hook-and-loop material for easy carrying
- Measures 58,5 cm L x 19 cm W x 25,5 cm H (23" L x 71/2" W x 10" H)
- Sold in pairs



1510-0857

BA DETACHABLE SOLO LUGGAGE RACKS

- Big Ass solo luggage rack is 30% larger than the standard rack
- Features a 6,35 cm (2.5") kick up at the rear to help secure items
- Uses Cobra's proprietary release mechanism, allowing the rack to be installed/removed in a matter of seconds

PART #	DESCRIPTION
FOR 15-24 SCOUT (EXCEPT BOBBER)	
1510-0856	Chrome

- Docking kit included with all necessary mounting hardware
- Available in chrome or gloss black finish
- Measures 34,3 cm L x 44,5 cm W (13,5" x 17,5")

PART #	DESCRIPTION
FOR 15-24 SCOUT (EXCEPT BOBBER) (CONT)	
1510-0857	Black









BA DETACHABLE WRAPAROUND RACKS

- Racks for full length seats are approximately 33 cm (13") from front to back and 48,26 cm W (19")
- Racks for solo seats with pillions are 43,2 cm W (17")
- Include docking kit (unless noted)
- Available in chrome or gloss black finish

DETACHABLE RACKS	
PART #	DESCRIPTION
FOR 22-24 CHIEF	
1510-1023	Chrome
1510-1024	Black
1510-1025 ²	Chrome
1510-1026 ²	Black
FOR 18-24 SCOUT BOBBER	
1510-1029	Chrome
1510-1030	Black

PART #	DESCRIPTION
FOR 17-24 CHIEFTAIN LIMITED/CHIEFTAIN ELITE, 16-24 CHIEFTAIN DARK HORSE AND 14-24 CHIEFTAIN	
1501-0731 ¹	Chrome
1501-0732 ¹	Black
1 Docking kits sold senarately	

- Docking kits sold separately
- ² Not compatible with saddlebags or OEM docking kits.

DOCKING KITS	
PART #	

PART #	DESCRIPTION
FOR 17-23 CHIEFTAIN LIMITED/CHIEFTAIN ELITE, 16-23 CHIEFTAIN DARK HORSE AND 14-22 CHIEFTAIN	
1501-0725	Chrome

PART #	DESCRIPTION
FOR 17-23 CHIEFTAIN LIMITED/CHIEFTAIN ELITE, 16-23 CHIEFTAIN DARK HORSE AND 14-22 CHIEFTAIN (CONT)	
1501-0726	Black

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

> SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & Luggage

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

PLATES HANDLEBARS, CONTROLS

LIGHTING & LICENSE

& MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

SUSPENSION

FRAMES &

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

LOCKS &

AUDIO, COMMUNICATION & MOUNTS













BA DETACHABLE LUGGAGE RACKS

- Uses Cobra's® proprietary release mechanism, allowing the rack to be installed/removed in seconds
- Uses simple plunger-type spring for installation and removal
- Must install a Cobra docking kit (sold separately, unless noted)
- Measures 35,5 cm L x 44,5 cm W (14" x 17,5")

PART # DESCRIPTION
FOR 22-24 CHIEF

 1510-1021
 Chrome flip-up rack

 1510-1022
 Black flip-up rack

FOR 20-24 CHALLENGER/CHALLENGER DARK HORSE/CHALLENGER LIMITED/VINTAGE/VINTAGE DARK HORSE, 19-24 CHIEF DARK HORSE, 18-24 CHIEFTAIN CLASSIC/SPRINGFIELD DARK HORSE, 17-24 CHIEFTAIN LIMITED/CHIEFTAIN ELITE/ROADMASTER, 16-24 CHIEFTAIN DARK HORSE/
SPRINGEIE D 14-24 CHIEFTAIN 18-19 POADMASTER ELITE 17-18 POADMASTER CLASSIC 14-19 CHIEF VINTAGE AND 14-18 CHIEFE CLASSIC

SPRINGFIELD,14-24 CHIEFTAIN, 18-19 ROADMASTER ELITE, 17-18 ROADMASTER CLASSIC, 14-19 CHIEF VINTAGE AND 14-18 CHIEF CLASSIC

1501-0733

Chrome flat rack
Black flip-up rack

 FOR 18-24 SCOUT BOBBER

 1510-1027^{1, 2}
 Chrome

 1510-1028^{1, 2}
 Black

- 1 Will not work with detachable backrest, passenger seat, extended-reach rider backrest, saddlebags or OEM docking kits.
- ² Includes docking kit.

DOCKING KITS
PART # DESCRIPTION
1501-0725 Chrome docking kit

PART # DESCRIPTION
1501-0726 Black docking kit



DETACHABLE LUGGAGE RACK AND DOCKING KIT

- Same proprietary quick-release mechanism as Cobra's® beloved backrests
- Docking kit included for easy installation and rapid removal
- Measures 35,5 cm L x 21,5 W (14" x 8,5")

 PART #
 DESCRIPTION

 1510-0855
 For 15-24 Scout





DETACHABLE SOLO LUGGAGE RACKS

- Mount all your gear without scratching your bike's fender
- Uses Cobra's® proprietary quick release mechanism, allowing the rack to be installed/removed in a matter of seconds

PART #	DESCRIPTION
FOR 22-24 CHIEF	
1510-1017	Chrome
1510-1018	Black



- Includes mounting kit and all necessary hardware
- Measures 35,5 cm L x 21,6 cm W (8,5" x 14")
- Available in chrome or gloss black finish

PART #	DESCRIPTION
FOR 18-24 SCOUT BOBBER	
1510-1019	Chrome
1510-1020	Black





TRUNK RELOCATION BRACKETS

- Moves trunk back 51 mm (2")
- Chrome-plated



• Installation uses existing bolt holes, no drilling or cutting required

• Includes cup holder mounting (cup holders sold separately)





PASSENGER ARMRESTS

- Pivot out horizontally to allow access to the passenger seat without inhibiting access to the trunk
- Water-resistant and feature two-inch thick padding
- Adjustable tension knobs and magnets hold arms in place while in use

PART #	DESCRIPTION	PART #	DESCRIPTION
FOR 15-21 ROADMASTER		FOR 15-21 ROADMASTER (CONT)	
0822-0358	Black	0822-0359	Tan

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS



Shellon

LOW-PROFILE TOURING SEATS WITH FORWARD-POSITIONING

- Features solar-reflective leather in the seating area and automotive-grade vinyl on the sides (unless noted); patented process reduces surface temperature by as much as 14 °C (25 °F) for a cooler seat, higher durability and longer life over conventional leather or vinyl
- \bullet 5 mm (3/16") ABS thermoformed seat base for a perfect fit, with a carpeted bottom and rubber bumpers to protect paint
- Seat is made narrow up front for better leg clearance to ground contact

- Features a 12,5 cm (5") tall driver support
- \bullet Seat moves the rider forward 25 mm (1") and 13 mm (1/2") lower compared to the factory seat
- Seat is 51 mm (2") further forward compared to stock seat

Double diamond, black thread, vinyl

Double diamond, black thread

• Includes all mounting hardware

PART #

DESCRIPTION
FOR 14-21 CHIEF, 14-23 CHIEFTAIN/CHIEFTAIN VINTAGE/CLASSIC/LIMITED, 16-22 DARK HORSE, 17-23 SPRINGFIELD, 15-23 ROADMASTER

81 CM L OVERALL (37,5 CM L X 37,5 CM W FRONT) (38 CM L X 28 CM W REAR), 12,5 CM RISE; 32" L OVERALL

(143/4" L X 143/4" W FRONT) (15" L X 11" W REAR), 5" RISE

0810-2273¹

0810-2274

¹ Not solar-reflective leather.





LOW-PROFILE TOURING SEAT

- High-quality automotive-grade vinyl
- Molded polyurethane foam for maximum comfort and styling
- \bullet 5 mm ($^3\!/_{16}$ ") ABS thermoformed seat base for a perfect fit, with a carpeted bottom and rubber bumpers to protect paint
- Features a 14 cm (5 1/2") tall driver support
- Seat geometry places rider 51 mm (2") further back than the Drag Specialties Low Profile Touring forward seat and up to 13 mm ($\frac{1}{2}$ ") lower than stock seat
- Seat is made narrow up front for better leg clearance to ground contact
- Includes all mounting hardware

DESCRIPTION

FOR 14-21 CHIEF, 14-23 CHIEFTAIN/CHIEFTAIN VINTAGE/CLASSIC/LIMITED, 16-22 DARK HORSE, 17-23 SPRINGFIELD, 15-23 ROADMASTER 81 CM L OVERALL (43 CM L X 37,5 CM W FRONT) (33 CM L X 28 CM W REAR) 32" L OVERALL (17" L X 14³/₈" W FRONT) (13" L X 11" W REAR)

Double diamond, black thread

PREDATOR III FORWARD POSITIONING SEAT

- High-quality automotive-grade vinyl
- Molded polyurethane foam for maximum comfort and styling
- \bullet 5 mm (3/16") ABS thermoformed seat base for a perfect fit, with a carpeted bottom and rubber bumpers to protect paint
- Features a 16.5 cm (6¹/₂") tall driver support
- Seat is made narrow up front for better leg clearance
- Seat moves the rider forward 25 mm (1") and 13 mm ($^{1}/_{2}$ ") lower compared to the factory seat
- Seat geometry is 51 mm (2") further forward than the Drag Specialties Predator III standard seat
- Includes all mounting hardware



DESCRIPTION

FOR 14-21 CHIEF, 14-23 CHIEFTAIN/CHIEFTAIN VINTAGE/CLASSIC/LIMITED, 16-22 DARK HORSE, 17-23 SPRINGFIELD, 15-23 ROADMASTER 81 CM L OVERALL (37,5 CM L X 32 CM W FRONT) (30,5 CM L X 18 CM W REAR); 32" L OVERALL (14 3 /₄" L X 12 1 /₂" W FRONT) (12" L X 7 1 /₄" W REAR) 6 1 /₂" RISE

0810-2270 Double diamond, black thread



PREDATOR III SEATS

- Automotive-grade vinyl cover
- Features a 15 cm (6") tall driver support
- Molded polyurethane foam for maximum comfort and styling
- 5 mm (³/₁₆") ABS thermoformed seat base for a perfect fit, with a carpeted bottom and rubber bumpers to protect paint
- Includes all mounting hardware

DESCRIPTION

FOR 14-21 CHIEF, 14-23 CHIEFTAIN/CHIEFTAIN VINTAGE/CLASSIC/LIMITED, 16-22 DARK HORSE, 17-23 SPRINGFIELD, 15-23 ROADMASTER
81 CM L OVERALL (42,5 CM L X 32 CM W FRONT) (28 CM L X 18 CM W REAR); 32" L OVERALL (16³/₄" L X 12¹/₂" W FRONT) (11" L X 7¹/₄" W REAR) 6" RISE
0810-2262

Double diamond, black thread

FOR 15-23 SCOUT/SCOUT SIXTY (EXCEPT SCOUT BOBBER)

73,5 CM L OVERALL (30 CM L X 32 CM W FRONT) (29 CM L X 17 CM W REAR) (29" L OVERALL (11 3 /a" L X 12 1 /2" W FRONT) (11 1 /2" L X 6 3 /4" W REAR))

0810-2119Double diamond, black thread0810-2120Double diamond, silver thread

0810-2265

SOLO SEATS

PART #

- High-quality automotive-grade vinyl cover
- Molded polyurethane foam for maximum comfort and styling
- \bullet 5 mm (3/46") ABS thermoformed seat base for a perfect fit, with a carpeted bottom and rubber bumpers to protect paint
- Features a 76 mm (3") tall back for support



- Seat is made narrow up front for better leg clearance to ground contact
- Seat moves the rider back 25 mm (1") and 13 mm ($^{1}/_{2}$ ") lower compared to the factory seat
- Includes all mounting hardware

DESCRIPTION

FOR 14-21 CHIEF, 14-23 CHIEFTAIN/CHIEFTAIN VINTAGE/CLASSIC/LIMITED, 16-22 DARK HORSE, 17-23 SPRINGFIELD, 15-23 ROADMASTER

59,5 CM L OVERALL (43 CM L X 32,5 CM W FRONT), 76 MM (3") RISE; 23 1/2" L OVERALL (17" L X 12 3/4"W FRONT), 3" RISE

0810-2265

Smooth, vinyl

0810-2267

Double diamond, black thread

All part numbers in BLUE are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

LIGHTING

& LICENSE

PLATES
HANDLEBARS,
CONTROLS

& MIRRORS

0810-2257

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS



BOBBER-STYLE FRONT AND REAR SOLO SEATS

- Looks like a vintage spring solo seat, but is rigid-mounted
- High-quality automotive-grade vinyl
- Molded polyurethane foam for maximum comfort and styling
- 5 mm (³/₁₆") ABS thermoformed seat base for a perfect fit, with a carpeted bottom and rubber bumpers to protect paint
- Front solo seats can be used with or without a rear solo seat
- Rear seat PART #0810-1993 features solar-reflective leather in the seating area and automotive-grade vinyl on the sides (unless noted); patented process reduces surface temperature by as much as 14 °C (25 °F) for a cooler seat, higher durability and longer life over conventional leather or vinyl

PART # DESCRIPTION
FOR 18-23 SCOUT BOBBER
FRONT SOLO SEATS 38 CM L OVERALL X 25 CM L X 32,5 CM W
(15" L OVERALL X 10" L X 12³/₄" W)



- Rear solo seats will work with OEM front solo seats, sold separately
- All will work with the OEM driver backrest bar
- Includes all mounting hardware

0810-2255

¹ Solar-reflective leather.

Diamond stitch



3/4 SOLO SEATS

0810-2254

- Gives the bike a cafe-racer style look
- Has a 15 cm (6") rise at the back of the seat for added support
- Features solar-reflective leather in the seating area and automotive-grade vinyl on the sides (unless noted); patented process reduces surface temperature by as much as 14 °C (25 °F) for a cooler seat, higher durability and longer life over conventional leather or vinyl
- Molded polyurethane foam for maximum comfort and styling
- 5 mm (³/₁₆") ABS thermoformed seat base for a perfect fit, with a carpeted bottom and rubber bumpers to protect paint
- Extended-reach seat is approximately 25 mm (1") taller that standard seat height; positions the rider approximately 38 mm (1¹/₂") back from the stock seating position
- Mount just like the OEM seat; no additional hardware needed
- Includes all mounting hardware

FOR 18-23 SCOUT BOBBER

³/₄ SOLO SEAT; 56 CM L OVERALL (28 CM L X 28,5 CM W FRONT) (23 CM L X 12,5 CM W REAR); 22" L OVERALL (11" L X 11¹/₄" W FRONT) (9" L X 5" W REAR)

PART # DESCRIPTION

3/4 SOLO SEAT; 56 CM L OVERALL (28 CM L X 28,5 CM W FRONT)

(23 CM L X 12,5 CM W REAR); 22" L OVERALL (11" L X 11 1/4" W FRONT)

(9" L X 5" W REAR) (CONT)

0810-2255

Diamond stitch

All part numbers in **BLUE** are new for 2025.

Smooth



- Tall lumbar support and wide driver saddle supports the back and legs for superior comfort, while the streamlined nose improves the rider's reach to the ground
- Refined split-cushion design maximizes long-range comfort by separating the seating surface from the lumbar support to reduce tailbone and back pressure

0810-2351

PART #	DESCRIPTION
FOR 20-24 CHALLENGER	
HEATED	
0810-2353	W/o driver's backrest
0810-2352	W/ driver's backrest
UNHEATED	
0810-2350	W/o driver's backrest

W/ driver's backrest

- GelCore™ in front and rear reduces tailbone pressure and increases circulation and comfort for both driver and passenger
- Seats available heated or unheated and with or without driver's backrest
- Optional touring trunk backrest pad available for select models

PART #	DESCRIPTION
FOR 14-24 CHIEF CLASSIC/VINTAGE/DARK HORSE, 14-24 CHIEFTAIN/ CLASSIC/LIMITED, 14-24 ROADMASTER/CLASSIC/DARK HORSE, 14-24 SPRINGFIELD/DARK HORSE AND 14-20 CHIEF	
HEATED	
0810-2349	W/o driver's backrest
0810-2348	W/ driver's backrest
UNHEATED	
0810-2346	W/o driver's backrest
0810-2347	W/ driver's backrest
BACKREST PAD	
0822-0506	Passenger backrest/trunk pad



- Tall lumbar support and wide driver saddle support the back and legs for superior comfort, while the streamlined nose improves the rider's reach to the ground
- Available with or without driver's backrest
- Matching passenger backrest/trunk pad (sold separately) completes the custom look

FOR 20-24 CHALLENGER			
PART #	DESCRIPTION	PART #	DESCRIPTION
HEATED		UNHEATED	
0810-2184	W/o driver's backrest	0810-2185	W/ driver's backrest
0810-2186	W/ driver's backrest		

FOR 14-24 CHIEF CLASSIC/VINTAGE/DARK HORSE, 14-24 CHIEFTAIN/CLASSIC/LIMITED, 14-24 ROADMASTER/CLASSIC/DARK HORSE, 14-24 SPRINGFIELD/DARK HORSE AND 14-20 CHIEF					
PART # DESCRIPTION PART # DESCRIPTION				PART #	DESCRIPTION
HEATED		UNHEATED		BACKRES1	PAD
0810-2242	W/o driver's backrest	0810-2241	W/o driver's backrest	0822-0424	Passenger backrest/trunk pad
0810-2244	W/ driver's backrest	0810-2243	W/ driver's backrest		

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

& LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS,

LOCKS & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

> > PART #

FOR 20-24 CHALLENGER

ELECTRICAL

& LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS




- Tall lumbar support and wide driver saddle support the back and legs for superior comfort, while the streamlined nose improves the rider's reach to the ground
- Refined split-cushion design maximizes long-range comfort by separating the seating surface from the lumbar support to reduce tailbone and back pressure
- GelCore™ in front and rear reduces tailbone pressure and increases circulation and comfort for both driver and passenger
- Ventilated soft leather upholstery provides a luxurious look and ride

DESCRIPTION

- Made with perforated leather inserts and weatherproof, no-maintenance-required SaddleHyde™
- Includes a fitted rain cover specially designed to protect seat from water and dirt
- Matching passenger backrest/trunk pad (sold separately) completes the custom look
- Available with or without driver's backrest

PART #	DESCRIPTION		
FOR 14-24 CHIEF CLASSIC/VINTAGE/DARK HORSE, 14-24 CHIEFTAIN/ CLASSIC/LIMITED, 14-24 ROADMASTER/CLASSIC/DARK HORSE, 14-24 SPRINGFIELD/DARK HORSE AND 14-20 CHIEF			
HEATED			
0810-2089	W/o driver's backrest		
0810-2091	W/ driver's backrest		
UNHEATED			
0810-2088	W/o driver's backrest		
0810-2090	W/ driver's backrest		
BACKREST PAD			
0822-0381	Passenger backrest/trunk pad		





- Tall lumbar support and wide driver saddle support the back and legs for superior comfort, while the streamlined nose improves the rider's reach to the ground
- Refined split-cushion design maximizes long-range comfort by separating the seating surface from the lumbar support to reduce tailbone and back pressure
- GelCore™ in front and rear reduces tailbone pressure and increases circulation and comfort for both driver and passenger
- Genuine pillow-top styling provides a luxurious look and ride

PART #	DESCRIPTION
FOR 20-24 CHALLENGER	
HEATED	
0810-2188	W/o driver's backrest
0810-2190	W/ driver's backrest
UNHEATED	
0810-2187	W/o driver's backrest

- Made with pillow-top inserts inserts and weatherproof, no-maintenance-required SaddleHyde™
- Includes a fitted rain cover specially designed to protect seat from water and dirt
- Matching passenger backrest/trunk pad (sold separately) completes the custom look
- Available with or without driver's backrest

Available with or without arrest 5 back est				
PART #	# DESCRIPTION			
FOR 14-24 CHIEF CLASSIC/VINTAGE/DARK HORSE, 14-24 CHIEFTAIN/ CLASSIC/LIMITED, 14-24 ROADMASTER/CLASSIC/DARK HORSE, 14-24 SPRINGFIELD/DARK HORSE AND 14-20 CHIEF				
HEATED				
0810-2093	W/o driver's backrest			
0810-2095	W/ driver's backrest			
UNHEATED				
0810-2092	W/o driver's backrest			
0810-2094	W/ driver's backrest			
BACKREST PAD				
0822-0382	Passenger backrest/trunk pad			

SADDLEBAGS & LUGGAGE

SEATS &

EXHAUST

FIIFI / AIR

SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING

& LICENSE

HANDLEBARS, CONTROLS & MIRRORS

PLATES

CABLES

BRAKES &
BRAKE LINES

TANKS &

DASHES

& GAUGES

OIL FILTERS

SISSY BARS



CAREY HART SIGNATURE SERIES SEATS

- Designed by the legendary Carey Hart for ultimate performance, style and comfort
- Sleek design hugs the contours of the frame
- GelCore™ technology and ProFoam™ interior offer the pinnacle of support
- High lumbar support locks the rider into the saddle
- Available in black with black stitching



PART #	DESCRIPTION
0810-2406	For 22-24 Chief/Dark Horse
0810-2405	For 14-24 Chief Classic/Vintage/Dark Horse, 14-24 Chieftain/Classic/Limited,



KLOCKWERKS™ PRO SERIES SEAT

- Trusted Saddlemen® quality with a signature KlockWerks™ twist
- High-performance comfort with a streamlined look
- Black SaddleHyde[™] cover with black stitching
- Driver's portion measures 48,5 cm L x 37,5 cm W x 18 cm H (19" x 14,75" x 7")
- Passenger's portion measures 33 cm L x 21,5 cm W (13" x 8,5")

PART #	DESCRIPTION
FOR 14-24 CHIEF CLASSIC/VINTAGE/DARK HORSE, 14-24 CHIEFTAIN/CLASSIC/LIMITED,	
14-24 ROADMASTER/CLASSIC/DARK HORSE, 14-24 SPRINGFIELD/DARK HORSE AND 14-20 CHIEF	
0810-2193	KlockWerks™ ProSeries seat



SLIM LS SEAT

- Lattice stitch (LS) seat infuses old-school lattice stitch retro styling with a modern twist
- Refined split-cushion design separates seating surface from lumbar support to reduce tailbone and back pressure for maximum long-range comfort
- Tall lumbar support and wide driver saddle support back and legs for superior comfort; streamlined nose improves reach to ground
- GelCore[™] technology in both driver and passenger areas reduces tailbone pressure and increases circulation and comfort
- Perforated leather inserts and SaddleHyde™ cover
- Fitted, protective rain cover included
- Available in black



PART #	DESCRIPTION
FOR 20-24 CHALLENGER	
0810-2191	Slim LS seat

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS



SLIM RP SEAT

- Old-school Roll & Pleat style SaddleHyde™ cover
- Refined split-cushion design separates seating surface from lumbar support to reduce tailbone and back pressure for maximum long-range comfort
- Tall lumbar support and wide driver saddle support back and legs for superior comfort; streamlined nose improves reach to ground
- GelCore[™] technology in both driver and passenger areas reduces tailbone pressure and increases circulation and comfort
- Available in black



SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS



ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

& LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES



TANKS &

OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS



- Performance oriented materials and construction
- More comfortable than any OEM seat
- Fine-grain SaddleHyde[™] vinyl construction
- High-tech, carbon fiber-look cover with center channel strip and rear seat cover
- Designed specifically for the rider who needs a seat that can do everything—canyon carving, track days or commuting
- Features Gel Channel™ technology that incorporates a split piece of GelCore™ and a channel in the base foam to relieve pressure for all-day riding comfort
- Special seat cover materials allow for easy movement when riding aggressively
- Matches the height of the original seat and incorporates a specially-shaped nose that helps rider's feet better touch the ground at stops
- Bolts directly to bike like stock seat

PART #	DESCRIPTION
FOR 19-23 FTR1200	
0810-2203	Gel Channel Track CF sport bike seat





- Track LS seat results from Saddlemen's® devotion to creating better looking, better fitting and more comfortable seats
- Improved GelCore™ progressive density formulation creates exceptional seat foundation
- Beautifully uphoistered with unique, ventilated-style stitched leather cover that provides both a luxurious look and a comfortable ride
- Matches the height of the original seat and incorporates a specially-shaped nose that helps rider's feet better touch the ground at stops
- Custom-fitted rain cover included to protect the seat from water and dirt
- Bolts directly to bike like stock seat

PART #	DESCRIPTION
FOR 19-23 FTR1200	
0810-2204	Track LS seat



GP-V1 SPORT BIKE SEAT

 \bullet The sleekest and most functional race seat on the market

Carbon fiber seating area features gripper on the seat

- High-quality, durable construction with an interior of progressive-density foam and GelCore™
- sides to maintain the best control of the motorcycle

 Matches the height of the original seat and incorporates a specially
- Matches the height of the original seat and incorporates a specially shaped nose that helps rider's feet better touch the ground at stops
 GelCore comfort comes standard with all GP-V1 seats
- to provide the most comfort in any seatBolts directly to bike like stock seat



0810-2313



GRIPPER STEP-UP™ SEATS

- Blend rider and passenger comfort with the ergonomics required to keep the rider locked in place and in control of the bike
- Combines a GelCore™ interior with Ultra-Foam to create a perfect balance of rigidity and user compliance
- The Ultra-Foam's unique molding process creates an element-resistant, self-skinning process that seals the foam from water and enhances the seat's durability as well as comfort
- Gripper lumbar will stick you to the seat
- Extended reach seat is designed for taller riders and moves the seating area 2" rearward
- All mounting hardware and instructions are included for easy installation
- Available with a black SaddleHyde™ cover with black stitching

PART #	DESCRIPTION	PART #	DESCRIPTION
FOR 22-24 CHIEF/CHIEF DARK HORSE		FOR 20-24 CHALLENGER	
0810-2313 Step-Up Gripper seat		0810-2412	Extended reach Step-Up Gripper seat



0810-2159



STEP-UP™ SEATS

- Saddlemen® collaborated with top freestyle performers to create the T-sport-inspired Step-Up™ lattice stitch (LS) or tuck-n'-roll (TR) seats
- LS seats infuse old-school lattice stitch retro styling with a modern twist
- TR seats feature true tuck-n'-roll styling
- Extended reach seats are designed for taller riders and move the seating area 50 mm (2") rearward
- High lumbar keeps the rider locked into the seat
- Features Saddlemen's Ultra-Foam, which is formulated to provide a perfect balance of rigidity and user compliance with integrated GelCore™ technology
- Whisper-grain SaddleHyde[™] covers
- Installs easily with all necessary mounting hardware and instructions included

FOR 20-24 CHALLENGER					
PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION
STANDARD REACH		EXTENDED REACH		EXTENDED REACH (CONT)	
0810-2171	Full LS	0810-2411	Full LS	0810-2415	Front TR
0810-2173	Front TR	0810-2414	Front LS	0810-2410	Front TR, rear LS
0810-2205	Front TR, rear LS	0810-2413	Rear LS		

FOR 22-24 CHIEF	/CHIEF DARK HORSI						
PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION
BLACK		BLACK (CONT)		BROWN		BROWN (CONT)	
0810-2314	Full LS	0810-2308	Front TR	0810-2315	Full LS	0810-2317	Front TR, rear LS
0810-2309	Front LS	0810-2316	Front TR, rear LS	0810-2310	Front LS		
0810-2311	Rear LS			0810-2312	Rear LS	-	

PART #	DESCRIPTION
FOR 14-24 CHIEF CLASSIC/VINTAGE/DARK HORSE, 14-24 CHIEFTAIN/CLASSIC/LIMITED, 14-24 ROADMASTER/CLASSIC/DARK HORSE, 14-24 SPRINGFIELD/DARK HORSE AND 14-20 CHIEF	
0810-2159	TR

FOR 18-24 SCOUT BOB	BER				
PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION
BLACK		BLACK (CONT)		BROWN	
0810-2135	Full LS	0810-2137	TR	0810-2139	Front LS
0810-2138	Front LS	0810-2167	Front TR, rear LS	0810-2141	Rear LS
0810-2140	Rear LS			0810-2168	Front TR, rear LS

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS &
SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

0810-2140

BRAKES &
BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS & SEALS**

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

> WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS



DOMINATOR™ SOLO SEATS

- Combines GelCore™ interior, progressive-density foam and a Gel Channel™-design cover to provide riders with unparalleled comfort, control and modern style
- Gel Channel (GC) technology relieves seating pressure and increases blood flow, keeping the rider comfortable in the saddle
- GC-style center also provides an airflow passage
- The rugged carbon fiber (CF) weave and smooth vinyl cover hold up to hard use
- Large gel pad for additional foam support and vibration damping usually only found in much larger seats
- Marine-grade fiberglass pans and chrome brackets make sure the seat is suited for decades of riding
- Easy to install; some seats and pillion pads include additional mounting hardware as needed

• The matching optional driver's backrest installs in seconds without using tools and can be adjusted both horizontally and vertically

0822-0399

to the rider's back and is removable for a sleek appearance

FOR 14-24 CHIEF CLASSIC/VINTAGE/DARK HORSE, 14-24 CHIEFTAIN/CLASSIC/LIMITED 14-24 ROADMASTER/CLASSIC/DARK HORSE, 14-24 SPRINGFIELD/DARK HORSE AND 14-20 CHIEF

PART # DESCRIPTION PART # DESCRIPTION 0810-2152 Dominator solo seat 0822-0399 Optional driver's backrest

0810-2152



- Popular lattice stitch (LS) retro styling
- Optional driver's backrest available for some models

PART #	DESCRIPTION
FOR 22-24 CHIEF/DARK HORSE	
BLACK	
0810-2305	Renegade™ LS solo seat
BROWN	
0810-2306	Renegade LS solo seat

PART # DESCRIPTION FOR 14-24 CHIEF CLASSIC/VINTAGE/DARK HORSE, 14-24 CHIEFTAIN/ CLASSIC/LIMITED, 14-24 ROADMASTER/CLASSIC/DARK HORSE, 14-24 SPRINGFIELD/DARK HORSE AND 14-20 CHIEF BLACK

0810-2154 Renegade LS solo seat 0822-0399 Optional driver's backrest

FOR 18-24 SCOUT BOBBER			
PART #	DESCRIPTION	PART #	DESCRIPTION
BLACK		BROWN	
0810-2132	Renegade™ LS solo seat	0810-2133	Renegade LS solo seat
0807-0213	Pillion pad	0807-0214	Pillion pad



• Available in black SaddleHyde™ with black stitching

• Optional driver's backrest available for some seats

• All necessary mounting hardware and instructions included

PART # DESCRIPTION

FOR 14-24 CHIEF CLASSIC/VINTAGE/DARK HORSE, 14-24 CHIEFTAIN/
CLASSIC/LIMITED, 14-24 ROADMASTER/CLASSIC/DARK HORSE,
14-24 SPRINGFIELD/DARK HORSE AND 14-20 CHIEF

PLAIN

0810-2151 Renegade Solo seat

0822-0399 Optional driver's backrest

STUDDED

0822-0399 Optional driver's backrest

FOR 18-24 SCOUT BOBBER		
PART #	DESCRIPTION	PART #
PLAIN		STUDDED
0810-2131	Renegade Solo seat	0810-2130
0807-0212	Pillion pad	_

DESCRIPTION

Renegade™ Solo seat

Renegade Solo seat

STUDDED 0810-2130 Renegade Solo seat	PART #	DESCRIPTION
0810-2130 Renegade Solo seat	STUDDED	
to logado colo con	0810-2130	Renegade Solo seat



KNUCKLE RENEGADE™ SOLO SEATS

Combines a GelCore[™] interior and ProFoam channel

design for unparalleled comfort and modern styling

PART #

PLAIN

0810-2304

STUDDED

0810-2303

FOR 22-24 CHIEF/DARK HORSE

• Seats and matching pillion pads available in studded or plain styles

- Instantly transform your bike with this audacious new custom seat
- Hand-crafted GelCore™ provides comfort that is not usually present in a low-profile seat

PART #	DESCRIPTION
FOR 22-24 CHIEF/DARK HORSE	
0810-2307	Knuckle Renegade™ solo seat
FOR 14-24 CHIEF CLASSIC/VINTAG CLASSIC/LIMITED, 14-24 ROADMA 14-24 SPRINGFIELD/DARK HORSE	
0822-0399	Optional driver's backrest

- Plated hardware ensures a perfect fit and simple installation
- Optional driver's backrest available for PART #0810-2153

PART #	DESCRIPTION
FOR 18-24 SCOUT BOBBER	
0810-2129	Knuckle Renegade solo seat
0807-0210	Pillion pad

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS &

EXHAUST

FUEL/AIR

SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE

PLATES

HANDLEBARS,

CONTROLS

& MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES

& GAUGES

FRAMES &

SUSPENSION

SISSY BARS

HEATED ONE-PIECE TOURING SEAT

- Seat features high/low dual-heating controls for driver and passenger
- Controls are hidden beneath the diamond-stitched black seat cover
- Driver seating area measures approximately 38 cm (15") W
- Seat also puts driver 19 mm $(\frac{3}{4})$ lower and 22 mm $(\frac{7}{8})$ further back than the stock seating position for improved comfort
- Fully adjustable driver's backrest pad is included; pad can be easily removed and folds for convenient storage
- Seat base is marine-grade fiberglass construction with proprietary comfort foam padding

Diamond-stitched w/ white thread: black





- Designed exclusively by John Shope of Dirty Bird Concepts®
- Features double-stitched, high-quality expanded vinyl
- Perforated design with diamond-stitched center panel

FRONT WIDTH

FOR 15-24 CHIEFTAIN, 16-24 SPRINGFIELD, 15-24 ROADMASTER, 14-20 CHIEF, 21 VINTAGE

Diamond; 28 cm (11") W front, 15 cm (6") W rear



DESCRIPTION

PART # FRONT WIDTH FOR 15-24 SCOUT/SCOU JT SIXTY

Diamond; 21,5 cm (8,5") W front, 12,5 cm (5") W rear 0810-2016

DESCRIPTION

0810-1631

FOR 14-24 CHIEF/CHIEFTAIN

0810-2017 Diamond: 29 cm (11.5") W

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS

& AXLES

COVERS,

LOCKS &

GENERAL

SOLO TOURING SEAT

• Seat positions the rider 38 mm (1,5") back from stock

SHOPE SIGNATURE SERIES CAFE SEAT

• Designed exclusively by John Shope of Dirty Bird Concepts®

• Features double-stitched, high-quality expanded vinyl Perforated design with a diamond-stitched center panel

- Driver seat uses controlled-density foam for ample support and all-day riding comfort
- Premium-quality expanded vinvl cover
- Studded style features a studded skirt with conchos and braid that extends below the edge of the seat
- Vintage style has no conchos or studs for a clean look
- Driver seat available without built-in backrest

FOR 14-24 CHIEF/CHIEFTAIN/CHIEFTAIN VINTAGE, 16-24 CHIEF DARK HORSE DESCRIPTION PART # PART # DESCRIPTION SOLO TOURING SEATS PASSENGER SEATS 0810-1631 Studded; 42 cm (16,5") W 0810-1635 Studded; 33 cm (13") W

All part numbers in **BLUE** are new for 2025.



RUNAROUND™ SOLO SEAT

- Provides quality comfort and distinctive styling
- Features a precisely molded proprietary foam that contours to the shapes and angles needed for optimal cruising comfort
- Engineered low, seat measures 24 cm (9,5") W
- Constructed of marine-grade fiberglass for a secure install and long-term durability

NOTE: Not intended for use with a passenger seat.

PART # 0810-1839



DESCRIPTION

For 15-24 Scout/Scout Sixty

SQUAREBACK™ SOLO SEAT **AND PASSENGER SEAT**

- Add an aggressive style and upgrade your comfort on your Chief with the Squareback™ by Mustang
- The solo seat has an aggressive look and a generous rise with a 26 cm (10.25") wide seating area
- Bucketed rider area provides excellent support and diamond-stitched perforated center panels
- Places the rider at a similar reach compared to stock
- 18,5 cm (7,25") wide passenger seat allows for comfortable 2-up riding and overlaps the top of the solo for more driver back support
- Handsewn cover with classic single diamond stitching made from marine-grade expanded vinyl
- Mustang's proprietary controlled-density foam formula requires no break-in and retains shape and support after years of use



- Marine-grade fiberglass baseplate for long-lasting support and durability, with polyurethane bumpers to absorb vibration
- · Matching sissy bar pad, made specifically for the new Indian Chief low-rise bar

PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION
FOR 22-24 CHIEF		FOR 22-24 CHIEF (CONT)		FOR 22-24 CHIEF (CONT)	
0810-2381	Squareback solo seat	0810-2382	Passenger seat	0822-0523	Sissy bar pad



STANDARD TOURING SOLO SEATS AND PASSENGER SEATS

- Enhance the comfort of your Indian Chief with the standard touring collection from Mustang
- The solo seats have a classic look and generous rise with a comfortable 34,5 cm (13,5") wide seating area
- Hand sewn cover with classic single diamond stitching made from marine-grade expanded vinyl
- Mustang's proprietary controlled-density foam formula requires no break-in and retains shape and support after years of use
- Marine-grade fiberglass baseplate for long-lasting support and
- Pair it with an optional 25 cm (9,75") wide passenger seat that overlaps the top of the solo for even more driver back support
- Wide bucketed rider area provides excellent support with a classic diamond stitch and carbon-fiber look accents
- Places rider at a similar reach compared to stock
- 25 cm (9,75") wide passenger area allows for comfortable 2-up riding
- Matching sissy bar pad, made specifically for the new Indian Chief low-rise bar

durability, with polydrethane bumpers to absorb vibration				
PART #	DESCRIPTION	PART #	DESCRIPTION	
FOR 22-24 CHIEF		FOR 22-24 CHIEF (CONT)		
0810-2383	Solo seat	0810-2386	Recessed passenger seat	
0810-2385	Solo seat w/ driver backrest	0822-0524	Sissy bar pad	
0810-2384	Passenger seat			

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FIIFI / AIR SYSTEMS

ENGINE

TRANSMISSION. **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

& LICENSE **PLATES** HANDLEBARS,

LIGHTING

CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & **OIL FILTERS**

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

> & AXLES COVERS. LOCKS &

WHEELS

GENERAL AUDIO,

COMMUNICATION & MOUNTS

STANDARD TOURING SOLO SEATS

- Front width of 33 cm (13") is 51 mm (2") wider than stock with a contoured bucket that offers lower back support
- Increases rider comfort and positioning while enhancing bobber styling with its custom looks
- Keeps the rider at a similar reach to the controls and eliminates sliding back in the saddle
- Smooth and textured seat available in black vinyl or distressed brown with textured black vinyl
- Large, diamond-stitched center panel with reinforced double stitching on the side panels
- Proprietary polyurethane-based foam compound
- Lightweight and durable marine-grade fiberglass seat pan

DESCRIPTION **FOR 18-24 SCOUT BOBBER** 0810-2127 Black vinvl

0810-2127

0810-2128

PART # DESCRIPTION FOR 18-24 SCOUT BOBBER (CONT)

0810-2128 Distressed brown w/ textured black vinyl

0810-1835 0810-1845

VINTAGE SOLO SEATS

• Provides quality vintage design

- Features a precisely molded proprietary foam that contours to the shapes and angles needed for optimal cruising comfort
- 33 cm (13") W driver and 21,5 cm (8,5") W passenger solo seat provides ample room for comfort without compromising the look of the bike
- Constructed of marine-grade fiberglass for a secure install and long-term durability

FOR 15-24 SCOUT/SCOUT SIXTY			
PART #	DESCRIPTION	PART #	DESCRIPTION
0810-1835	Driver	0810-1845	Passenger



BEAT THE HEAT DYNAMAT SEAT KIT

- Reduces the heat from under your seat by 10 degrees
- Keeps your seat cooler by deflecting heat from the rear rocker cover
- Easy installation, precut material and only takes about 10 minutes

PART # DESCRIPTION

0502-0550 For 15-21 Roadmaster, 16-21 Springfield, 14-21 Chieftain/Classic/Vintage/Dark Horse



PART #

0810-1871

KLASSIC SEAT PAN KIT

- Great seat pan option for the Indian Scout
- Features a more traditional, larger, brown seat
- · Kit includes everything needed for conversion
- Metal pan and all brackets are black powdercoated

For 15-24 Scout/Scout Sixty, 18-24 Scout Bobber, 22-24 Scout Rogue



DESCRIPTION



• Securely fastens via double strap system running under seat or pillion

- Will not scratch or disfigure existing seat or pillion
- Valve for inflation, adjustment and deflation

PART # **DESCRIPTION** 0807-0228 Medium; 35,5 cm L x 35,5 cm W (14" x 14")

PART # DESCRIPTION 0807-0226 Small; 28 cm L x 23 cm W (11" x 9") 0807-0227 Small; 45,5 cm L x 30,5 cm W (18" x 12")

Automatically adjusts to the shape of the rider

• Raises ride-height only slightly



0821-3279

SEAT HEATERS

SADDLEMEN

- Mounted on stretchable neoprene to maximize comfort
- Dual heating levels warm the seat quickly and keep it warm throughout the ride

0821-3281

- Waterproof heating elements
- Illuminated high/low power switch to easily control the heat

0820-0161

- \bullet Small heater dimensions: 12,5 cm W x 19 cm L (5" x 7 $^5/_8$ ")
- Medium heater dimensions: 11,5 cm 19 cm W x 25,5 cm L (4¹/₂" - 7¹/₂" x 10")
- Large heater dimensions: 16 cm 35,5 cm W x 29,5 cm L $(6^{1}/_{4}" - 13^{7}/_{8}" \times 11^{5}/_{8}")$

PART # **DESCRIPTION** DESCRIPTION PART # DESCRIPTION 0821-3281 0821-3279 0821-3280 Medium **Small** Large



SECURITY SEAT SCREWS

- Secures the seat to the bike with a Torx security screw
- 8 mm x 1,25 thread
- Tab cover and screw tool included
- Sold each

PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION
0820-0161	Black	0820-0162	Chrome	0820-0163	Gold

All part numbers in **BLUE** are new for 2025.

0820-0162



SADDLEBAGS & LUGGAGE SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

& LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR

SYSTEMS

ENGINE

TRANSMISSION,

CLUTCH LINE

& DRIVELINE

 Taller than standard detachable backrest with a smaller pad

• Pad measures 16,5 cm W x 11,5 cm H (6,5" x 4,5")

TALL DETACHABLE BACKRESTS

 A detachable backrest offers the best of both worlds for your passenger

 The convenience of a comfortable back support for your passenger, with the ability to quickly remove

Backrests and required docking kits sold separately

PART # DESCRIPTION
FOR 17-24 CHIEFTAIN ELITE/CHIEFTAIN LIMITED,
16-24 CHIEFTAIN DARK HORSE AND 14-24 CHIEFTAIN
1501-0747 Chrome
1501-0748 Black



1501-0748







1501-0725

1501-0725

1501-0695

& MIRRORS DETACHABLE BACKRESTS AND DOCKING KITS

CABLES

BRAKES &

TANKS & OIL FILTERS

1501-0725

BRAKE LINES

- Passenger comfort when you need it
- Easily removable when not in use
- Compatible with OEM turn signals

- Pad measures 28,6 cm W x 20,5 cm H (11,25" x 8")
- Backrests and docking kits sold separately

FOR 20-24 CHALLENGER/CHALLENGER DARK HORSE/CHALLENGER LIMITED/VINTAGE/VINTAGE DARK HORSE, 19-24 CHIEF DARK HORSE, 18-24 CHIEFTAIN CLASSIC/SPRINGFIELD DARK HORSE, 17-24 CHIEFTAIN LIMITED/CHIEFTAIN ELITE/ROADMASTER, 16-24 CHIEFTAIN DARK HORSE/SPRINGFIELD, 14-24 CHIEFTAIN, 18-19 ROADMASTER ELITE, 17-18 ROADMASTER CLASSIC, 14-19 CHIEF VINTAGE AND 14-18 CHIEF CLASSIC

Chrome

1501-0747

PART #	DESCRIPTION
1501-0723	Chrome
DOCKING KITS	

PART #	DESCRIPTION
1501-0724	Black
DOCKING KITS (CONT)	
1501-0726	Black

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, Communication & Mounts





- A detachable backrest offers the best of both worlds for your passenger
- The convenience of a comfortable back support for your passenger, with the ability to quickly remove
- Each is bike-specific and includes docking kit, round bar and pad
- Does NOT require the relocation of turn signals
- PART # DESCRIPTION

 FOR 15-24 SCOUT

 1501-0692 For two-up seat, chrome
- 30,5 cm (12") height measured from bottom of passenger seat to top of bar
- Pad measures 12,7 cm H x 15,25 W x 5 cm D (5" x 6" x 2")
- Available in chrome or black

PART #	DESCRIPTION	
FOR 15-24 SCOUT (CONT)		
1501-0695	For solo seat w/ pillion pad, black	



SHORT DETACHABLE BACKRESTS AND DOCKING KITS

- Shorter than the standard detachable backrest with a smaller pad
- Pad measures 16,5 cm (6,5") W x 11,5 cm (4,5") H
- A detachable backrest offers the best of both worlds for your passenger

PART #	DESCRIPTION
FOR 17-24 CHIEFTAIN ELITE/CHIEFTAIN 16-24 CHIEFTAIN DARK HORSE AND 14	•
1501-0728	Black

• The convenience of a comfortable back support for your passenger, with the ability to quickly remove

- Does NOT require the relocation of turn signals
- Backrests and required docking kits sold separately

PART #	DESCRIPTION
DOCKING KITS	
1501-0725	Chrome
1501-0726	Black



SHORT DETACHABLE BACKRESTS

- Shorter than standard detachable backrest
- A detachable backrest offers the best of both worlds for your passenger
- The convenience of a comfortable back support for your passenger, with the ability to quickly remove

5
5

- Pad measures 15,25 cm W x 12,7 cm H (6" x 5")
- Backrests and required docking kits sold separately

PART #	DESCRIPTION
FOR 17-24 CHIEFTAIN ELITE/CHIEFTAIN LIMITED, 16-24 CHIEFTAIN DARK HORSE, AND 14-24 CHIEFTAIN	
1501-0753	Chrome
1501-0754	Black

Chrome
Black



DETACHABLE MINI-BACKRESTS

- Includes docking kit
- 40,6 cm (16") height measured from bottom of passenger seat to top of bar

Chrome
Black





- Pad measures 12,7 H x 15,25 cm W x 5 cm D (5" x 6" x 2")
- Available in chrome or gloss black

PART #	DESCRIPTION	PART #	DESCRIPTION
FOR 18-24 SCOUT BOBBER		FOR 18-24 SCOUT (EXC	EPT BOBBER)
1501-0751	Chrome	1501-0715	Chrome
1501-0752	Black	1501-0716	Black

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE 0822-0331

PLATES HANDLEBARS, CONTROLS

CABLES

& MIRRORS

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

PART #

0822-0268

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

> WHEELS & AXLES

COVERS. LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS









DETACHABLE SMART MOUNT™ BACKRESTS

- Features the latest quick-detach mount, allowing easy removal of the pad assembly, leaving all hardware below the seat top for a clean look when not in use
- Mounts through the factory backrest slot on the seat to a frame-mounted backrest support bracket

FOR 14-23 CHIEF/CHIEFTAIN/SPRINGFIELD/ROADMASTER

- Unique design of the pad assembly provides three different pad height positions; starting at the lowest position it can be raised 41 mm (15/8") higher at mid-point or a full 70 mm (23/4") in the highest mount position
- The generous 31,4 cm x 18 cm ($12^{3}/8$ " x 7") full support pad provides superior comfort and support
- Exclusive hinge allows additional adjustment of 25 mm (1") vertical and 76 mm (3") horizontal positioning to achieve the desired comfort
- Includes convenient removable storage pouch that snaps to the back of the backrest pad

PART # DESCRIPTION FOR 14-23 CHIEF/CHIEFTAIN/SPRINGFIELD/ROADMASTER (CONT) 0822-0332 Saddle



DESCRIPTION

Black

KURYAKYNM

PLUG-N-GO DRIVER BACKREST

- Provides enhanced comfort on long rides • Backrest pad measures 10" W x 7" H with black
- or tan premium synthetic leather cover
- Pad height is adjustable and requires no tools for adjustment
- Includes stainless steel mount bracket that installs under the OEM seat

DESCRIPTION

For 14-23 Indian (all except Scout, Scout Sixty and FTR)



BACKREST PAD

- High-quality automotive-grade vinyl
- Features a faux brown leather construction
- Internal baseplate is 14-gauge steel
- Bolts directly to OEM accessory backrest bar #s 2880231-156, 2880871-156 and 2880985-156
- Includes all mounting hardware

DESCRIPTION FOR 15-23 SCOUT/SCOUT SIXTY; 23 CM W X 14,5 CM H (9" W X 53/4" H) Brown, smooth

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FIIFI / AIR

SYSTEMS

ENGINE



SQUARETUDE ATTITUDE-STYLE SISSY BAR STICKS

- Attitude-style sissy bar sticks are made from 14,3 mm (9/16") round cold-rolled steel
- Daggertude and Squaretude styles are made from 14,3 mm (9/16") square steel bar
- Available in two sizes: approximately 45,5 cm or 76 cm tall (18" or 30")
- Available with chrome or black

PART #

SISSY BAR PAD Fits OEM accessory sissy bar

Available in Vintage style

NOTE: For show use only, not designed

• Premium-quality expanded vinyl cover







BAR WIDTH

22 cm (83/4")

22 cm (8³/₄")

22 cm (8³/₄")

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & **OIL FILTERS**

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO. COMMUNICATION & MOUNTS

powdercoated finish

• Side plates must be purchased separately


for passenger support.

NOTE: Fits all side plates except for plug-and-play.

DESCRIPTION

• Foam is contoured to follow natural curvature of the back

BAR WIDTH CHROME 1501-0025 45,5 cm (18") Attitude 22 cm (8³/₄") 1501-0032 45,5 cm (18") Daggertude 22 cm (8³/₄") 1501-0031 76 cm (30") Daggertude 22 cm (8³/₄")





PART #

BLACK POWDERCOAT





For 14-24 Chieftain, 16-24 Springfield, 15-24 Roadmaster, 14-20 Chief, 21 Vintage 0822-0220





SISSY BAR PADS

- Perfect match for a variety of Saddlemen® seats
- Mounts to OEM 30,5 cm (12") sissy bars and most popular aftermarket brands with 12,7 cm (5") width

PART #	DESCRIPTION		
FOR DOMINATOR™ SEATS			
0822-0531	Black		
FOR EXPLORER™ & STEP-UP™ LS SEATS			
0822-0530	Black		
FOR EXPLORER RS SEATS			
0822-0534	Black		
FOR RENEGADE™/PROTOUR/PROFILER™ SEATS			
0822-0532	Black		

- DESCRIPTION PART # FOR ROADSOFA™ SEATS 0822-0525 Black **FOR ROADSOFA CF SEATS** 0822-0527 Black FOR LS SEAT 0822-0535 Black 0822-0529 Brown
- Pad can be mounted using OEM/aftermarket bolt pattern or utilize included chrome mounting brackets
- Measure 23 cm (9") H x 28 cm (11") W in a classic gravestone silhouette

PART #	DESCRIPTION
FOR ROADSOFA PT SEATS	
0822-0534	Black
FOR SLIM RP SEATS	
0822-0526	Black
FOR STUDDED RENEGADE SEATS	
0822-0533	Black
FOR TR SEATS	
0822-0528	Black

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

• 18 mm O₂ bungs with 12 mm O₂ adapters included

• Includes heat shields and all necessary installation hardware

FOR 15-24 SCOUT/SCOUT SIXTY/SCOUT BOBBER

FOR 20-21 CHALLENGER

1810-2808

DESCRIPTION

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

> WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

PART #

1810-2353

AUDIO, COMMUNICATION & MOUNTS

1810-2808 TRUE DUAL PERFORMANCE **EXHAUST SYSTEMS** • 13/4" equal length headers for Chieftain; 13/4" stepped to 17/8" for Challenger • 4" straight can mufflers with removable baffles • Slant-cut billet aluminum end caps • Includes full heat shields 1811-3434

PART #

1811-3435

FOR 14-20 CHIEFTAIN

DESCRIPTION

DESCRIPTION

W/ long megaphone muffler

Chrome w/ polished end caps



DISCLAIMER: SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

W/ short megaphone muffler

DESCRIPTION

All part numbers in **BLUE** are new for 2025.

PART #

1810-2355

FOR 15-24 SCOUT/SCOUT SIXTY/SCOUT BOBBER (CONT)

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE



ROAD RAGE 2-INTO-1 EXHAUST

- 4" OD muffler with removable baffle
- Includes full heat shields that cover header pipes
- Black finish
- Slash-cut end cap

PART # DESCRIPTION 1810-2779 For 20-21 Challenger

GASKETS & SEALS

ELECTRICAL

& LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

DESCRIPTION

For 22-23 Chief

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS

RIPPER SUPER BIKE 2-INTO-1 EXHAUST SYSTEM

- Stepped headers 13/4" to 17/8" designed for maximum performance and more ground clearance
- Utilizes an advanced inner collector for maximum performance
- Upswept Super Bike 4" OD stainless muffler body with aluminum end cap and a new removable conical performance baffle delivers an all new aggressive exhaust sound
- Stainless steel construction
- Hand TIG welded
- ullet Includes 18 mm O_2 bungs for tuning, 12 mm adapters and plugs
- Full coverage stainless heat shields for the front and rear header pipes included

1811-4469

PART #

1810-3129

4" SLIP-ON MUFFLERS

- For riders who want a more aggressive sound from their exhaust system
- 4" OD muffler bodies and black billet end caps with flutes

PART #	DESCRIPTION
FOR 22-23 CHIEF	
1811-4469	Chrome

- Perforated 2" OD core baffles
- Baffles are removable
- Hardware kit for installation

PART #	DESCRIPTION
FOR 22-23 CHIEF (CONT)	
1811-4470	Black
•	

DISCLAIMER: SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING

& LICENSE

PLATES HANDLEBARS,

CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS &

OIL FILTERS DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

> WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

PART #

1811-3398

DESCRIPTION

FOR 15-24 SCOUT/SCOUT SIXTY/SCOUT BOBBER

AUDIO, COMMUNICATION & MOUNTS

4" SHORT MEGAPHONE MUFFLERS

- 4" OD stainless megaphone muffler for a great sound
- Removable baffle
- Billet slash-cut end cap
- TIG-welded Bassani logo nameplate
- Low-mount without catalytic converter
- Includes mounting hardware; uses stock headpipes

DESCRIPTION 1811-3800 For 19-20 FTR1200



DESCRIPTION

DESCRIPTION

COUT SIXTY/SCOUT BOBBER (CONT)

3" black with slash-cut end cap (removable baffles)

For 15-24 Scout/Scout Sixty, 18-20 Scout Bobber

CLASSIC 3" SLIP-ON MUFFLERS WITH TIP

- 3" OD mufflers made from 16-gauge steel
- Chrome finish
- Billet end caps
- 50% lighter than stock mufflers
- Increase power and performance
- Include mounting hardware
- Sold in pairs

PART #

1811-2905



DISCLAIMER: SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

3" chrome with slash-cut end cap (removable baffles)

All part numbers in **BLUE** are new for 2025.

PART #

1811-3397

FOR 15-24 SCOUT/SO



FOR 20-22 CHALLENGER/DARK HORSE/ELITE/LIMITED, 14-22 CHIEFTAIN/CLASSIC/DARK HORSE/ELITE/LIMITED, 22 PURSUIT DARK HORSE/LIMITED, 15-22 ROADMASTER/CLASSIC/DARK HORSE/ELITE/LIMITED, 22 SUPER CHIEF LIMITED

PART # DESCRIPTION PART # DESCRIPTION PART # DESCRIPTION 1811-4478 1811-4477 Chrome w/ black end caps 1811-4479 Black w/ black end caps Chrome w/ chrome end caps



increase and enhance the sound, while providing a free-flowing exhaust and the perfect amount of backpressure, unlocking both horsepower and torque

• Gives your bike a louder, bass heavy tone that never sounds muffled or flat

- Comes with Tradition end caps
- Sold in pairs

FOR CHIEFTAIN 14-22, CHIEFTAIN DARK HORSE 16-22, CHIEFTAIN LIMITED 17-22, ROADMASTER DARK HORSE/CHALLENGER LIMITED, CHALLENGER DARK HORSE. CHALLENGER LIMITED 20-22, SPRINGFIELD DARK HORSE 18-22, CHIEFTAIN ELITE 20-22

PART #	DESCRIPTION	PART #	DESCRIPTION
1811-4481	Chrome w/ traditional chrome end caps (pr.)	1811-4482	Black w/ traditional black end caps (pr.)
1811-4480	Chrome w/ traditional black end caps (pr)		

DISCLAIMER: SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

1811-4482

COVERS,

LOCKS & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

Sold in pairs

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS DBX40 SLIP-ON MUFFLERS

• Classic slip-on muffler design
• 4" OD muffler bodies designed for a bigger, bolder sound and maximum performance
• DBX baffles unlock the "old school" Indian motorcycle exhaust sound

4" OD SLIP-ON MUFFLERS

 Specifically designed match the aggressive styling of the latest Chief models

• End caps feature the Rinehart Racing logo

4" OD muffler bodies

 Deep, warm tone with an aggressive "punch" really wakes up your motor's rumble

• Sleek, low-profile end caps for clean lines

PART # DESCRIPTION

FOR 22-23 CHIEF/SUPER CHIEF

1811-4475 Chrome w/ chrome end caps

PART # DESCRIPTION

FOR 22-23 CHIEF/SUPER CHIEF (CONT)

1811-4476 Black w/ black end caps

1811-4476

REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

DISCLAIMER: SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL

1811-4475



4" OD SLIP-ON MUFFLERS

 Use Rinehart Racing's unique sound technology and performance promise along with that classic Rinehart Racing look

 Designed to be a pure slip-on with no tuning or modifications necessary to your stock system

- Large 4" diameter stainless-steel muffler bodies
- Sold in pairs
- Replacement end caps available; see below

PAKI #	DESCRIPTION				
FOR 14-21 CHIEF VINTAGE/CLASSIC/DARK HORSE					
1811-3137	Chrome w/ chrome end caps				
1811-3136	Chrome w/ black end caps				
1811-3139 Black w/ chrome end cap 1811-3138 Black w/ black end caps					

PART #	DESCRIPTION			
FOR 14-21 CHEIFTAIN, 15-21 ROADMA	TAIN, 15-21 ROADMASTER/ROADMASTER CLASSIC			
1811-3141	Chrome w/ chrome end caps			
1811-3140	Chrome w/ black end caps			
1801-1241	Black w/ black end caps			

3,5" OD SLIP-ON MUFFLERS

- Made from the same high-quality materials as Rinehart's leading Touring slip-ons
- Designed to be a pure slip-on with no tuning or modifications necessary to your stock system
- \bullet 3,5" OD diameter stainless-steel muffler bodies
- Black finish with chrome end caps
- Sold in pairs

PART #	DESCRIPTION
1811-3145	For 15-23 Scout/Scout Sixty/Scout Bobber

END CAPS

- Optional/replacement end cap for Rinehart Racing exhaust systems and slip-on mufflers
- 4" OD
- Sold in pairs

 PART #
 DESCRIPTION

 1802-0333
 Black Classic 4" OD end caps (pr.)

DISCLAIMER: SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS

& AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES HANDLEBARS,

CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

COVERS, LOCKS & GENERAL

WHEELS & AXLES

AUDIO, COMMUNICATION & MOUNTS



PART #	DESCRIPTION	PART #	DESCRIPTION
WITH CATALYTIC CONVERTER (NOT EC APPROVED)		RACE ONLY	
1810-3210	Brushed stainless steel	1810-3212	Brushed stainless steel
1810-3211	Guardian Black	1810-3213	Guardian Black
FOR 20-23 CHALLENGER (EXCEPT PURSUIT)			
PART #	DESCRIPTION	PART #	DESCRIPTION
1810-3174	Brushed stainless steel	1810-3176	Guardian Black

GRAND NATIONAL 2-INTO-1 EXHAUST SYSTEMS

- High-performance 2-into-1 system designed to make optimum power with a deep, throaty exhaust sound
- Stainless steel headers

FOR 22-24 CHIEF

- Full-length heat shields
- Durable flat black finish
- Gloss black aluminum end cap
- Removable dB reducer allows you to tune for sound and performance
- Does not require tuning



SADDLEBAG MOUNTS FOR 2-INTO-1 EXHAUST

- Required when running a 2-into-1 exhaust
- Kit includes saddlebag brackets and all necessary mounts/hardware for installation

PART # DESCRIPTION

1861-1732 For 19-23 Challenger (except Pursuit)

DISCLAIMER: SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.





GRAND NATIONAL SLIP-ON MUFFLERS

- Performance slip-on mufflers that will wake up the sound of your Scout
- Direct bolt-on to the factory header pipes; do not require EFI tuning
- Steel muffler bodies

• Aluminum end caps

RACE ONLY (CONT)

- Stainless steel baffles
- Removable dB reducer is J2825 compliant
- Sold in pairs

PART #

FOR 19-25 SCOOT/SCOOT BOBBER/SCOOT SIXTY				
PART #	DESCRIPTION			
RACE ONLY				
1811-4518	Chrome			
FOR 25 SCOUT				
PART #	DESCRIPTION			
WITH CATALYTIC CONVERTER				
1811-4678	Chrome			

16 1 1-4320	Guardian Black
PART #	DESCRIPTION
WITH CATALYTIC CONVERTER (CONT)	
1811-4677	Guardian Black





BROADHEAD/FISHTAIL 4" SLIP-ON MUFFLERS

- Sleek look and classic style
- Slash-cut or fishtail style end caps available

- Removable dB reducer is J2825 compliant
- Sold in pairs

FOR 14-22 CHIEFTAIN, 16-22 CHIEFTAIN DARK HORSE, 17-22 CHIEFTAIN ELITE/LIMITED,

PART #	DESCRIPTION	PART #	DESCRIPTION	
SLASH-CUT BROADHEAD		FISHTAIL		
1801-1765	Chrome	1801-1766	Chrome	
1801-1764	Black			
·				

DISCLAIMER: SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

DESCRIPTION

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE

PLATES HANDLEBARS, CONTROLS

CABLES

& MIRRORS

BRAKES & BRAKE LINES

OIL FILTERS

TANKS &

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

> WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS





GRAND NATIONAL SLIP-ON MUFFLERS

• Fits Grand National 4" mufflers

Black finish

Sold each

- Race-inspired design with Grand National muffler end cap design
- Stainless steel muffler body with exposed TIG welds for that factory race look
- Stainless steel perforated core baffle, wrapped in long-lasting proprietary insulation for a deep exhaust note
- Carbon fiber heat shield (covers outlet from the factory CAT box)
- Has ECE approval according to EU Regulation 11033 G Approval for non-original motorcycle noise abatement device

END CAP FOR 4" GRAND NATIONAL MUFFLERS

PART #	DESCRIPTION
1801-1433	For 19-22 FTR1200





PART # DESCRIPTION 4" black end cap for Grand National mufflers

1860-1904



4 1/2" WAR HAMMER INDIAN MUFFLERS

- 16-gauge muffler bodies with a 2.5" Perforate core baffles
- Industry-leading signature Khrome Werks deep, aggressive sound
- Mufflers sold in pairs: Optional end caps sold separately

mamoro sola in pano, optional ona supersola sopalator,	
4.5" WAR HAMMER MUFFLERS	
PART #	DESCRIPTION

PART #	DESCRIPTION
FOR 14-24 TOURING, 20-24 CHALLENGER W/ BAGS	
1811-4320	Chrome
1811-4321	Black

	PART #	DESCRIPTION
	FOR 14-24 TOURING, 20-24 CHALLENGER W/O BAGS	
	1811-4322	Chrome
_	1811-4323	Black

1861-1685

1861-1684

OPTIONAL ENDCAPS

PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION
1861-1683	Eclipse Klassic tip, left	1861-1684	Eclipse Klassic tip, right	1861-1685	Eclipse Edge tip

REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

DISCLAIMER: SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL


TRASK



2-INTO-1 HOT ROD EXHAUST SYSTEM

- Made from high-quality seamless, mandrel-bent stainless steel
- Dyno developed and tested
- Offers a sleek look, aggressive sound and all-around performance throughout the entire powerband
- Comes in black finish
- Features full heat-shield coverage and built-in O2 bungs

PART #	DESCRIPTION
1810-2282	For 15-22 Scout/Scout Sixty, 18-22 Scout Bobber



PART #	DESCRIPTION
1620-1644	Footpeg relocation kit for PART #1810-2282

DESCRIPTION

1620-1644



PART #

ASSAULT 2-INTO-1 EXHAUST SYSTEM

- Made from high-quality stainless steel, mandrel bent, then TIG-welded
- \bullet Includes custom heat shields with wire tied fasteners
- Double slip fit and gusset for additional strength
- ullet 18 mm O_2 ports included

1800-2456		For 14-17 Chie	ftain/Roadmaster
	2	Jes /	
			1 170

SLIP-ON MUFFLERS

- Provide improved performance and sound throughout the entire powerband
- Dyno developed and tested
- Made from high-quality steel pipe
- Tapered tip
- Sold in pairs

	1811-2901	
DESCRIPTION	PART #	DESCRIPTION
SCOUT BOBBER	FOR 15-22 SCOUT/SCOUT SIXTY, 18-22 SCOUT BO	BBER (CONT)

 PART #
 DESCRIPTION
 PART #
 DESCRIPTION

 FOR 15-22 SCOUT/SCOUT SIXTY, 18-22 SCOUT BOBBER
 FOR 15-22 SCOUT/SCOUT SIXTY, 18-22 SCOUT BOBBER (CONT)
 Tell 15-22 SCOUT/SCOUT SIXTY, 18-22 SCOUT BOBBER (CONT)
 Black

DISCLAIMER

SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in BLUE are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUS

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & **OIL FILTERS**

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

> WHEELS & AXLES

COVERS. LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS



DESCRIPTION

Chrome

Black







PART # **DESCRIPTION**

FOR 21-24 ROADMASTER LIMITED, 17-18, 20-24 CHIEFTAIN ELITE, 20-24 ROADMASTER DARK HORSE/CHALLENGER LIMITED/CHALLENGER DARK HORSE/CHALLENGER, 18-24 SPRINGFIELD DARK HORSE, 17-24 CHIEFTAIN LIMITED, 16-24 CHIEFTAIN DARK HORSE, 14-24 CHIEFTAIN

1811-4233 Chrome 1811-4234



FOR 16-24 SPRINGFIELD, 15-24 ROADMASTER, 18-20 CHIEFTAIN CLASSIC,





NH SERIES MUFFLERS

• 3" muffler body morphs to 3,25" at the rear

DUAL CUT SLIP-ON MUFFLERS

Classic 4" styling

• NH series internals

Aggressive sound

1811-4229

1811-4230

• Made of machined aluminum

18, 20 ROADMASTER ELITE

- Including 2" constant-velocity cores for exceptional sound and performance, as well as the bonded E-glass and stainless steel mesh
- For riders who think that too loud is just about right
- Sold in pairs

DESCRIPTION FOR 21 VINTAGE DARK HORSE, 20-21 VINTAGE, 17-24 CHIEF DARK HORSE, 17-18 ROADMASTER CLASSIC, 14-19 CHIEF VINTAGE, 14-18 CHIEF CLASSIC,

AND 16, 18 CHIEF

1811-4225 Chrome 1811-4226 Black FOR 16-24 SPRINGFIELD, 15-24 ROADMASTER, 18-20 CHIEFTAIN CLASSIC,

AND 18, 20 ROADMASTER ELITE 1811-4227 1811-4228 Black

PART #

FOR 21-24 ROADMASTER LIMITED, 17-18, 20-24 CHIEFTAIN ELITE, 20-24 ROADMASTER DARK HORSE/CHALLENGER LIMITED/CHALLENGER DARK HORSE/CHALLENGER, 18-24 SPRINGFIELD DARK HORSE, 17-24 CHIEFTAIN LIMITED, 16-24 CHIEFTAIN DARK HORSE, 14-24 CHIEFTAIN

DESCRIPTION

1811-4231 Chrome 1811-4232 Black


DISCLAIMER: SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.



TWIN SLASH 3" SLIP-ON MUFFLERS

- PCX[™] (Power Chamber Exhaust) technology
- Chambered high-flow catalyst cartridge designed to increase torque
- Full-coverage heat shields
- Available in chrome or matte black
- Sold in pairs

PART #	DESCRIPTION
FOR 15-24 SCOUT/SCOUT SIXTY, 18-	24 SCOUT BOBBER
1801-1528	Chrome
1801-1533	Black





more power, a beautiful design and the unique Akrapovic sound

• 2-into-1 titanium header is a high performance upgrade which replaces all primary exhaust components, except for the muffler

 Optional stainless steel link pipe takes the FTR1200 to a higher performance level by providing more power and torque (for use with stock head pipes)

 Header and link pipe are both designed to fit with either the stock muffler or Akrapovic low mount slip-on and Akrapovic high mount slip-on that come as standard or original accessory by Indian Motorcycles

PART #	DESCRIPTION
FOR 19-20 F	TR1200/S
1812-0472	2-into-1 titanium header
1812-0473	Stainless link pipe



 Optional carbon fiber heat shield is designed to replace the stock heat shield and can be used on Akrapovic or stock header

PART #	DESCRIPTION
FOR 19-20 FT	'R1200/S (CONT)
1861-1457	Optional carbon fiber heat shield to replace stock heat shield

DISCLAIMER: SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & **OIL FILTERS**

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

> **EXHAUST** FUEL/AIR

SYSTEMS ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

> WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS



POWER COMMANDER 6

- Compact design for discrete placement and easy uninstallation to revert to stock settings
- Easily change and upgrade tunes as you upgrade parts
- Comes with Power Core software that connects dyno runs with our EFI Tuning Devices to unlock your ride's potential
- Pair with other Power Commander accessories like the Autotune, Quickshifter or POD-300
- Analog input allows you to install any 0 to 5V sensor and build an adjustment table based on its input such as boost or temperature
- Easily connects to your computer via USB
- Each cylinder can be mapped individually and for each gear, giving riders more granular control

PART #	DESCRIPTION
1020-3611 ²	For 22-23 Chief 111"
1020-3607 ²	For 14-20 Chief 111", 14-23 Chief Classic/ Vintage/Chieftain/Roadmaster/Springfield
1020-3608 ¹	For 15-23 Scout

POWER COMMANDER V MAP SELECT SWITCH

• Switches between two different maps that have been pre-loaded in a Power Commander V

• Comes with a switch, wiring and instructions

Universal mount



PART #	DESCRIPTION
1020-3609 ¹	For 17-23 Scout Sixty
1020-3610 ²	For 20-23 Challenger

- ¹ Includes ignition adjustment.
- ² With crank sensor.



PART #	DESCRIPTION
1020-2082	Map select switch



WIDEBAND CX

WIDEBAND CX DUAL CHANNEL AFR KIT

- Plugs into the vehicle's diagnostic port and seamlessly integrates AFR data from the included wideband O_2 sensor(s) with the OEM databus
- When used in conjunction with Power Vision CX, you can view and datalog wideband O2 data alongside custom channels directly from the vehicle's diagnostic port
- Plug-and-play kit with no extra cables for power, ground and signal that are typically associated with wideband controllers
- Ensures real-time wideband O2 AFR accuracy with negligible latency and avoids any signal offset issues with its industry-first, innovative design

PART # DESCRIPTION 1020-3200 For all Indian models (except 19-20 FTR1200)

DISCLAIMER: SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.



POWER VISION 4

- Flash tunes to your ECU no setup required, just create an account, select your tune, flash and enjoy the ultimate ride
- Access to a vast database of pre-loaded tunes for different configurations
- Easily download and manage pre-loaded and custom tunes
- Record real-time engine data and display in WinPEP 8 Data Center
- Optimized for remote tuning so you can easily ride, record and share data logs and tunes
- Read, review, clear and share diagnostic trouble codes (DTCs) with built-in descriptions
- Supports licensing additional vehicles
- Return to stock at any time, your original factory tune is safely backed up on the cloud and on your phone

• See Dynojet website: http://www.dynojet.com/ powervision-tune-license-programs.aspx for information about purchasing additional Power Vision tune licenses

MANUFACTURER'S NOTE: All Power Vision returns and/or adjustments must be made directly with Dynoiet Research. The Power Vision may be used on any bike to read and clean trouble codes.

DESCRIPTION For 14-20 Chief, 14-23 Chieftain, 15-24 Roadmaster, 16-24 Springfield, 15-24 Scout and 19-24 FTR1200

POWER VISION 3

PART #

1020-4051

- Flash performance tunes via OEM diagnostic connector, no need to remove and send out ECU
- Display vehicle data channels in real-time
- Weather-resistant for use in all conditions
- High-contrast display, viewable in direct sunlight
- Fueling revised for maximum power and torque
- Spark timing optimized for 91-93 octane fuel
- Rev limit raised
- Speed limit raised

NOTE: All Power Vision returns and/or adjustments must be made directly with Dynojet Research.

PART #	DESCRIPTION
1020-4247	For 22-24 Chief, 20-22 Challenger, 22 Pursuit
1020-4156	For 14-23 models w/ Thunderstroke 111"/116"
1020-4155	For 15-23 Scout



PART #	DESCRIPTION	
1020-4157	For 17-23 Scout Sixty	
1020-3185	For 19-23 FTR1200	
1020-4058	Reflash harness for all Euro 5 motorcycle models	



PART #	DESCRIPTION
0676-0777	Handlohar mount kit





PART #	DESCRIPTION
1020-2371	POD-300 digital display

POWER VISION 3 MOUNT KIT

- Secure bolted installation makes for the perfect placement while driving
- The perfect complement for the Power Vision 3 fuel tuner
- Works on handlebars up to 1½

POD-300 DIGITAL DISPLAY

- Display channels real-time: rpm, TP, map position (when using map switch), duty cycle, fuel exchange, ignition change and wideband air/fuel ratio (with WB2 or auto-tune connected)
- Weather-resistant for use in all conditions
- Log channels saved to internal memory and can be viewed/ analyzed with Dynojet's powercore software
- High-contrast display, viewable in sunlight
- Includes CAN cable for attachment to Power Commander. V. Auto Tune and Wide Band Power Commander

NOTE: Not for use with Power Commander III USB.

DISCLAIMER: SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & **OIL FILTERS**

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO. COMMUNICATION & MOUNTS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR

ENGINE

SYSTEMS

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE

PLATES HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES

& GAUGES

FRAMES &

SUSPENSION

FENDERS

FOOTRESTS &

FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS



STEALTH TWO AIR CLEANER KIT

- One-piece, black molded filter body with blue element
- Element constructed of pleated cotton



AIR CLEANER KIT WITH COVER

- Engineered to boost performance
- High-flow air filter provides twice the surface area of the stock filter for up to 37% more airflow and a five horsepower gain
- Design maintains leg clearance

AIR FILTER PRE-FILTER

For use with S&S air cleaners.

MAX HP AIR CLEANER

Comes in Contrast Cut[™] finish

CNC-machined aluminum backing plate

• Internal rubber breather tubes to eliminate oil leakage

 Internal power cone design for smooth, laminar airflow • Innovative conical design for improved knee clearance

• Contrast Cut starts with a polished air cleaner that has

been black anodized, then recut to open the design

All mounting hardware and gaskets included

• Water resistant and traps large dirt particles

- Billet aluminum construction with a high-quality, washable and re-usable cotton gauze air filter element
- · Cover is made from billet aluminum and show-chrome plated, features the "nostalgia script" S&S logo
- Optional S&S pre-filter available separately

PART #

1010-2775



PART # DESCRIPTION 1010-2774 For 15-23 Scout, Scout Sixty, Scout Bobber



DESCRIPTION

For 14-21 Chief Classic/Vintage, Springfield, Chieftain and Roadmaster



PART # DESCRIPTION S&S pre-filter

1011-3491

1010-1977



DESCRIPTION

Contrast Cut™

DESCRIPTION PART # FOR 14-21 CHIEFTAIN (CONT)



FOR 14-21 CHIEFTAIN 1010-1978

PART #

VINTAGE AIR CLEANERS

- Designed for a timeless look
- Prominently placed headbolt
- Available in Black Ops[™] and Contrast Cut[™] finishes
- Black Ops features a gloss black finish over a contrasting texture black finish for outstanding durability and looks
- Contrast Cut starts with a polished surface that is black anodized then re-cut to open the design

PART # DESCRIPTION **FOR 14-21 CHIEFTAIN** 1010-2241 Black Ops[†]

PART # DESCRIPTION FOR 14-21 CHIEFTAIN (CONT) 1010-2239 Contrast Cut™

1010-2239

1010-2241

All part numbers in **BLUE** are new for 2025.

DISCLAIMER: SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL

REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

Chrome

PERFORMANC

POWERFLOW AIR CLEANER

- Improves airflow and efficiency of engine
- Increases horsepower and torque with no additional remapping
- High-quality rubber construction, six layers of cotton gauze and epoxy-coated wire mesh
- Durable, washable and reusable



PART # DESCRIPTION 1010-1967 For 15-24 Scout/Scout Sixty, 18-22 Scout Bobber



PART # DESCRIPTION 1011-4580 For 20-22 Challenger



HIGH FLOW AIR FILTER

• 4-ply washable filter media for better filtration 20% increase in flow



HIGH-FLOW AIR FILTERS™

- Designed to provide increased performance
- Pleated media provides a large filtration area offering long service intervals
- Multi-layers of woven cotton gauze media offers excellent filtration
- Fits directly into OEM airbox with application specific Sealing Bead to ensure a precise fit
- Fuel-management modifications are not required for increased performance
- Washable and reusable, pre-oiled and ready to ride



1011-3818



1011-4362

	,,		
PART #	DESCRIPTION		
1011-4574	For 20-24 Challenger/Dark Horse/Limited/ Pursuit Limited/Pursuit Dark Horse		
1011-3818	For 14-24 Chieftain/Roadmaster/Springfield, 14-20 Chief		
1011-4775	For 22-24 Chief/Chief Bobber/Super Chief		

PART #	DESCRIPTION
1011-3730	For 15-24 Scout/Sixty, Scout Bobber/Sixty/ Twenty, Scout Rouge
1011-4362	For 19-20 FTR 1200











OEM-STYLE REPLACEMENT AIR FILTER ELEMENTS

- High-quality paper filter medium
- Meets or exceeds OEM specifications
- For use with OEM stock air filter housings

PART #	DESCRIPTION
1011-3523	For 14-24 Chief Classic/Vintage/Chieftain/Roadmaster/Springfield; repl. 0EM #s 5815068, 5813976
1011-4647	For 20-24 Challenger/Dark Horse/Limited and 23 Pursuit; repl. 0EM #s 7083019, 7082417 and 7082713
1011-3522	For 15-23 Scout, 16-24 Scout Sixty/Scout Bobber, 22-24 Scout Rogue; repl. 0EM #s 7082702, 7082218, 7082024, 7081905

DISCLAIMER: SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

PART #

GRIND

Intake

Exhaust

Exhaust

420

450 Intake

FOR 19-22 FTR

0925-1366

FTR PERFORMANCE CAMS

• 420 bolt-in street cam with more torque and HP for all around riding with stock CR (1800 to 5200 rpm range)

OPEN

11°

55°

19°

61°

SCOUT PERFORMANCE CAMS

OPEN

15°

55°

23°

61°

FOR 15-24 SCOUT

0925-1368

GRIND

420

450

Intake

GRIND

TS550

Intake

Exhaust

Exhaust

Intake

Exhaust

• 420 bolt-in street cam with more torque and HP for all

around riding with stock CR (1800 to 5200 rpm range) 450 cam has great pulling power throughout the rpm range

450 cam has great pulling power throughout the rpm range

CLOSE

47°

3°

51°

09°

CLOSE

43

3°

47°

09



//////ANDREWS

420 grind

DURATION @ 0.04

420 grind

238°

238

250°

250

238°

238

250°

250°

	FOR 19-22 FTR (CONT)		
	0925-1367		450 grind
40"	DURATION @ 0,020"	VALVE LIFT	LIFT TDC
	254°	0,426"	0,083"
	254°	0,426"	0,050"
	2669	O AEC"	0.422"

0.456

0.074

0,074"

0,136

0,116"

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

> **DASHES** & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS • Engine performance upgrade

HIGH-PERFORMANCE CAMS

- TS550 cam features higher valve lift and more duration for increased power in the 2000 to 6000 rpm range
- TS570 cam features slightly more valve lift and duration than the TS550 cam for increased power in the 2200-6500 rpm range

CLOSE

30°

4°

 All Andrews cams use Landis CNC cam grinders and computer-designed labels

OPEN

33°



266°

	0925-1369		450 grind
10"	DURATION @ 0,020"	VALVE LIFT	LIFT TDC
	254°	0,426"	0,102"
	254°	0,426"	0,050"
	266°	0,456"	0,142"

0.456

0925-1272 PART # DESCRIPTION

FOR	FOR 13-24 INDIAN INDIADERSTRORE III MOTORS		
0925	-1272		TS550 grind
0"	DURATION @ 0,020"	VALVE LIFT	LIFT TDC

0.550

0,550"

COVERS, LOCKS & **GENERAL**

WHEELS & AXLES

AUDIO, COMMUNICATION & MOUNTS

SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL DISCLAIMER: REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

218°

222°

DURATION @ 0.050

All part numbers in **BLUE** are new for 2025.

249

253°

SADDLEBAGS & LUGGAGE

SEATS &

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION,

CLUTCH LINE

GASKETS

& SEALS

ELECTRICAL

LIGHTING & LICENSE

PLATES

HANDLEBARS,

CONTROLS

& MIRRORS

& DRIVELINE

SISSY BARS



SHIM CONVERSION KIT

CYLINDER BASE COVER

- Adjusts engine valve clearance using commonly available 9.48 mm shims rather than Polaris shim buckets
- Diamond-Like Carbon (DLC)-coated for durability and performance
- Includes eight buckets and eight retainers
- For use with OEM valves, springs, camshafts and aftermarket high-performance camshafts
- Requires use of 9.48 mm valve shims (not included)

• The finishing piece to complete a fully-chromed appearance

• Easy to install with high-strength and high-temperature 3M® VHB™

on the left-side engine base for Indian Big Twins Covers the powdercoated left-side cylinder base • Made from quality aluminum with a flawless chrome finish



PART #	DESCRIPTION
0926-3324	For 15-24 Scout/Bobber/Sixty/Roque, 19-23 FTR 1200/Ralls



PART # DESCRIPTION 0940-1983

For 14-23 Indian (except Scout, FTR and Challenger)



CAMSHAFT COVER

- Self-adhesive and attach to the original silver camshaft covers on the left side of the engine
- Sold as a 4-pk.

Sold each



PART #	DESCRIPTION
0940-2040	For 17-24 Scout/Scout Bobber

£6000 /





OUTRIDER RAD GUARD

- Guards the radiator against road debris
- Easy-to-install laser cut, honeycomb aluminum mesh screen
- Includes installation instructions

and mounting adhesive			1904-0283
PART #	DESCRIPTION	PART #	DESCRIPTION
FOR 15-24 SCOUT		FOR 15-24 SCOUT (CONT)	
1904-0092	Natural	1904-0283	Black

1904-0092

DISCLAIMER: SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2025.



BRAKES &

CABLES

BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO. COMMUNICATION & MOUNTS

SADDLEBAGS & LUGGAGE All Rekluse clutch products are precision-engineered and made of high-quality materials to provide the best in performance and durability. Their components are stronger, lighter, longer-lasting and built for maximum performance. Rekluse's industry-leading auto clutches are optimized for each bike model as it comes from the factory and they've designed each clutch to be fine-tuned for every rider. Rekluse's manual clutches deliver unprecedented performance, tuning and durability with a design that provides more disks in less space, allowing up to four additional friction disks over stock.

REKLUSE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR

SYSTEMS

ENGINE

• With RadiusX a high-performance auto clutch is just a clutch pack swap away

RADIUSX CLUTCH KITS

 RadiusX combines TorqDrive friction disc technology with Rekluse's innovative EXP (auto clutch) disc
 TorqDrive provides more clutch discs in less

 TorqDrive provides more clutch discs in less space, delivering high-performance auto function within the framework of the stock clutch

• The RadiusX clutch prevents engine stalls so you can focus on the ride and let the auto clutch do the rest

 RadiusX delivers increased power transfer over OEM and longer clutch life with less adjustment over time

PART #	DESCRIPTION
1130-0315	For 15-24 Scout/ (all)



- Standard clutch lever function is retained and full override
- Some configurations include Rekluse basket sleeves to prolong basket life

PART #	DESCRIPTION
1130-0578	For 14-20 Chief/Chieftain/Roadmaster (all)

GASKETS & SEALS

CLUTCH LINE & DRIVELINE

ELECTRICAL

& LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

TORODRIVE® CLUTCH KITS

- TorqDrive® provides more disks in less space, allowing us to add up to six additional friction disks to the clutch pack over stock
- More frictions = more torque capacity, thus unlocking the full power of your engine without the need to add stiffer pressure plate springs or a lock-up device



- TorqDrive provides smoother shifting and improved lever feel
- Rekluse basket sleeves eliminate basket wear and notching

PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION
1130-0433	For 14-21 Chief/Roadmaster	1130-0305	For 15-24 Scout (all)	1130-0583	For 19-22 FTR 1200/S, 1200 Rally



DESCRIPTION

For 14-22 Chief/Springfield/Roadmaster, 14-20 Chieftain

CARBON FIBER CLUTCH KIT

- · Carbon fiber
- Includes seven frictions, six steels and a set of five heavy-duty springs

PART # 1131-3025

DAPT #

1131-3910

1131-3379

EXTRA PLATE CLUTCH KITS

- PART #1131-3910 includes 12 aramid fiber plates, 11 tempered steel plates and a set of 3 heavy-duty springs
- PART #1131-3959 includes 11 aramid fiber plates,
 10 tempered steel plates and a set of 3 heavy-duty springs
- PART #1131-3378 includes 8 aramid fiber friction plates,
 7 tempered steel plates and a set of 5 heavy-duty springs
- PART # DESCRIPTION

 1131-3910 For 23 Challenger/Chief/Chieftain models

 1131-3959 For 20-22 Challenger, 21-24 Chief/Chieftain/
 Roadmaster/Springfield (except 21 Chief Vintage)
- PART #1131-3379 includes 8 aramid fiber friction plates, 7 tempered steel plates and a set of 6 heavy-duty springs
- Increases clutch capacity and performance
- Measured to ensure proper fit and performance

PART #	DESCRIPTION
1131-3378	For 14-21 Chief Vintage, 14-20 Chief/Classic/Dark Horse,
	14-20 Chieftain, 15-20 Roadmaster, 21-22 Springfield
1131-3379	For 14-23 Scout/Scout Sixty/Scout Bobber



CLUTCH PLATE KIT

- Kit features 11 aramid friction plates,10 tempered steel plates and three heavy-duty springs
- Direct replacement for stock clutch plates
 retains OE cushions/seats

PART #

1131-3909



DESCRIPTION

For 23 Challenger/Chief/Chieftain







SRC series



CK series

CLUTCH KITS

CK STANDARD SERIES CLUTCH KIT

- Cork-based clutch material impregnated with aluminum particles to increase wear life and heat resistance
- Highly compressed construction avoids swell and clutch drag

SRC ARAMID SERIES CLUTCH KIT

- Aramid paper-lined plate set, complete with heavy-duty clutch springs
- For use in heavy sport bikes and production-based race bikes
- SRC kits have longer plate life and higher heat resistance
- SRC kits have a more aggressive/faster clutch takeup than the CK Standard series clutch kits
- Not for use with full synthetic oil

- Ideal for general purpose street/sport/touring bikes
- Kit includes complete engine set of friction plates only
- For use with manufacturer's recommended oil

SRK RACE/SPORT SERIES CLUTCH KITS

- Include aramid fiber-lined friction plates, steel separator plates and springs
- Diaphragm-style springs used in kits for bikes with OEM diaphragm clutch springs
- All kits designed to withstand the rigors of hard street and racetrack use
- For use with manufacturer's recommended engine oil

DESCRIPTION	CK CLUTCH KIT PART #	SRC CLUTCH KIT PART #	SRK CLUTCH KI PART #
For 14-21 Chief Classic/Vintage/Chieftain/Elite	1131-3337	-	•
For 16-21 Chief Dark Horse/Chieftain Dark Horse	1131-3337	-	•
For 15-21 Roadmaster, 17-21 Roadmaster Classic, 18-21 Roadmaster Elite	1131-3337	1131-3360	-
For 16-20 Springfield, 18 Springfield Dark Horse	1131-3337	1131-3362	1131-3899
For 15-16 Scout	1131-3336	1131-3360	
For 17-21 Scout	1131-3336	1131-3361	1131-3898
For 16 Scout Sixty	1131-3336	1131-3360	-
For 17-21 Scout Sixty	1131-3336	1131-3361	-
For 18 Scout Bobber	1131-3336	1131-3360	•
1 Of 10 SCOUL BODDO!	1131-3330	1131-3300	





CLUTCH STEEL PLATE

- Meets or exceeds OEM specifications
- Six plates required for a complete set
- Sold eachPART #

DESCRIPTION

1131-3889 For 14-18 Chief Classic/Vintage, 15-20 Roadmaster, 17-19 Chief Dark Horse/Classic, 17-20 Chieftain Elite, 18-20 Roadmaster Elitie, 20 Vintage, 21 Springfield Dark Horse/Vintage Dark Horse

CLUTCH FRICTION PLATE

• Features Carbonite

- Offers superior
- coefficient of friction
- Provides higher temperature capacityDecreases wear while increasing durability
- Seven plates required for complete replacement
- Sold each

ART #	DESCRIPTION

1131-3890

For 14-18 Chief Classic/Vintage, 14-20 Chieftain, 15-20 Roadmaster, 16-20 Chieftain Dark Horse/ Springfield, 18-20 Roadmaster Elite, 20 Springfield Dark Horse, 21 Vintage Dark Horse WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES &
BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS &

GENERAL AUDIO,

COMMUNICATION & MOUNTS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS



IGNITION QUICK SHIFTER


- Allows any vehicle with up to four coils to have quick shifter functionality
- Features the latest Intellishift™ technology and provides the smoothest shifts of any stand-alone unit on the market
- Kill times per rpm band and shift sensor activation point are adjustable
- Includes Denso coil cap connectors for easy installation on many late-model motorcycles; connectors can be removed for applications without this style of coil
- 4-channel variation has control box only; requires Power Commander shifter sensor
- Kit includes sensor and module



 PART #
 DESCRIPTION

 1601-0528
 For 20-23 Challenger





JOKET

ADJUSTABLE SHIFT RODS

- Adjustable shift rod changes your shift peg height up to 19 mm (0,75")
- 33 cm (13") overall length
- CNC-machined billet aluminum construction

PART #	DESCRIPTION
FOR 15-24 SCOUT AND 18-24 SCOUT BOBBER	
1601-0549	Black anodized
1601-0550	Chrome-plated
FOR 15-24 SCOUT BOBBER WITH EXTENDED CONTROLS	
1601-0551	Black anodized

- Hard black or chrome-plated finishes
- Can be used with race-inspired lightweight cutouts or with the solid bar style showing
- Easy installation

PART #	DESCRIPTION
FOR 15-24 SCOUT BOBBER WITH EXTENDED CONTROLS (C	CONT)
1601-0552	Chrome-plated
FOR 25 101 SCOUT, 15-24 SCOUT SIXTY	
1601-0497	Black anodized





CLUTCH SHAFT ARM

 Provides better clutch separation, smoother shifting and ease of finding neutral

PART #	DESCRIPTION
1132-1343	For 14-23 Chief/Chieftain/Springfield



DERBY COVER

- Billet aluminum construction provides increased durability
- Designed to match OEM specifications, they bolt on with no modifications or drilling
- Available in wrinkle black powdercoating
- Fits over any Rekluse or OEM clutch

PART #	DESCRIPTION
1107-0624	For 15-24 Scout

KURYAKYN

TRANSMISSION CENTER COVER

- Precisely sculpted and contoured to completely transform the dull, wrinkle black area of the transmission case behind the cylinders
- Made from premium chrome-plated, die-cast aluminum
- Installs in minutes using high-temp and high-strength VHB™ adhesive

PART #	DESCRIPTION

1105-0211 For 14-23 Indian (except Challenger, Scout, Scout Sixty, Scout Bobber and FTR)



KURYAKYN

INNER PRIMARY COVER

- Die-cast aluminum construction with a chrome finish
- Quick installation using high-strength 3M® VHB™ adhesive

PART #	DESCRIPTION
1120-0363	For 14-23 Indian (except Challenger, Scout/ Scout Sixty/Scout Bobber and FTR)
	coods one, coods bobber and rife,





PART #	DESCRIPTION
1201-0851	For 15-24 Scout models: repl OFM #633277



PULLEY COVERS

- CNC machined from 6061 billet aluminum
- Hard black anodized finishes
- Race-inspired cutout design
- Mounting hardware included

1202-0171 EULT-WERK	1202-0174
BELT GUARDS	
The belt protection gives your Harley a sportier and more subtle look than the original part	
All bores and millings are milled on the most modern 5-axis CNC machining centers	U
Available in black powdercoat	

A Canada Company of Company			
PART #	DESCRIPTION	PART #	DESCRIPTION
FOR 18-24 SCOUT BOBBER/BOBBER SIXTY/BOBBER TWENTY		FOR 18-24 SCOUT BOBBER/	BOBBER SIXTY/BOBBER TWENTY (CONT)
1202-0171	Bottom	1202-0174	Тор



REAR DRIVE BELTS

- BDL now offers Gates carbon X7N material for its rear belts
- The same brand used by Harley-Davidson since 1980 due to its reliability
- Teeth on the belts have a slick surface that is easy on pulleys
- Outer surface of the Gates belt is ribbed to help with flexibility
- Higher reliability due to increased length stability and better pitch
- Higher resistance to humidity
- Higher tensile strength and robust construction

NOTE: No warranty claims are made or implied.

PART #	DESCRIPTION
1204-0232	For 14-23 Chief Classic/Chief Dark Horse/Chief Vintage
1204-0232	For 14-23 Chieftain/Chieftain Classic/Chieftain Dark Horse/Chieftain Elite/Chieftain Limited
1204-0232	For 15-23 Roadmaster/Roadmaster Classic
1204-0232	For 16-23 Springfield/Springfield Dark Horse

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FORK SEAL KIT

Pivot Vork

- For those looking to save money and only want the fork seals
- Kits include a pair of oil seals and dust seals; no bushings or other rebuild parts included

T # DESCRIPTION

0407-0714 For 16-24 Springfield, 15-24 Roadmaster, 14-24 Chieftain, and 14-21 Chief

FUEL/AIR SYSTEMS SIZE O

 SIZE CHART

 PART #
 ID (MM)
 OD (MM)

 0407-0714
 46
 58

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FOOTRESTS &

FLOORBOARDS

FENDERS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS



FORK SEALS

- High-quality performance fork seals
- Check for seal dimension before ordering
- Sold in pairs

PART #	DESCRIPTION
0407-0593	For 14-21 Chief/Chieftain/Roadmaster/Springfield (46 mm Showa forks)



PART #	DESCRIPTION
0407-0566	For 17-21 Scout Sixty, 15-21 Scout (41 mm Showa forks)





- Directional ribs allow seal to be installed easily
- Kits include fork oil seals and dust seals; fork oil seals and dust seals also available separately

PART #	DESCRIPTION
FOR 14-18 CHIEF CLASSIC, 14-21 CHIEF 15-22 ROADMASTER, 16-22 SPRINGFIEL	
0407-0486	Fork dust seal kit
FOR 19-22 FTR 1200, 20-22 FTR 1200 RA	ALLY, 19 FTR RALLY LE/FTR 1200 S
0407-0425	Fork seal and dust seal kit
0407-0467	Fork dust seal kit



FORK SEALS AND DUST SEALS

- Seal profile is engineered to create equal pressure in each seal lip; equalized seal pressure creates less drag and longer seal life
- MAX-LIFE has a coefficient of friction up to three times less than the OEM seal material
- Triple-lip seal design

FOR 20 CHALLENGER 0407-0414 Fork seal and dust seal kit 0407-0451 Fork oil seal kit 0407-0468 Fork dust seal kit FOR 14-18 CHIEF CLASSIC, 14-21 CHIEF VINTAGE, 24-22 CHIEFTAIN, 15-22 ROADMASTER, 16-22 SPRINGFIELD 0407-0418 Fork seal and dust seal kit 0407-0455 Fork oil seal kit	PART #	DESCRIPTION			
0407-0451 Fork oil seal kit 0407-0468 Fork dust seal kit FOR 14-18 CHIEF CLASSIC, 14-21 CHIEF VINTAGE, 24-22 CHIEFTAIN, 15-22 ROADMASTER, 16-22 SPRINGFIELD 0407-0418 Fork seal and dust seal kit	FOR 20 CHALLENGER				
0407-0468 Fork dust seal kit FOR 14-18 CHIEF CLASSIC, 14-21 CHIEF VINTAGE, 24-22 CHIEFTAIN, 15-22 ROADMASTER, 16-22 SPRINGFIELD 0407-0418 Fork seal and dust seal kit	0407-0414	Fork seal and dust seal kit			
FOR 14-18 CHIEF CLASSIC, 14-21 CHIEF VINTAGE, 24-22 CHIEFTAIN, 15-22 ROADMASTER, 16-22 SPRINGFIELD 0407-0418 Fork seal and dust seal kit	0407-0451	Fork oil seal kit			
15-22 ROADMASTER, 16-22 SPRINGFIELD 0407-0418 Fork seal and dust seal kit	0407-0468	Fork dust seal kit			
0407-0455 Fork oil seal kit	0407-0418	Fork seal and dust seal kit			
	0407-0455	Fork oil seal kit			



REPLACEMENT EXHAUST GASKETS

- High-quality products for long-term reliability
- Manufactured from premium fuel-resistant materials that will not creep, crack or become brittle
- Sold in pairs



SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS



IRIDIUM IX SPARK PLUG


- The ultimate in the evolution of spark plug technology and performance from the industry leader
- The iridium electrode is 25% smaller than a platinum electrode and it's just 1/4 the size of a conventional nickel electrode

117
IGK IRBAT-N
Total 2
(1000 t)
100100 000
3
iter electrode r

- Ultra-small-diameter center electrode reduces voltage requirement and extends ignition system life
- Metal shell plating has enhanced anticorrosion qualities

PART #	DESCRIPTION	NGK PART #	THREAD	REACH
2103-0573	For 20-21 Challenger models	LZMAR8AI-10	10 mm	26,41 mm (1.04")





IRIDIUM SPARK PLUGS

- The ultimate in spark plug technology and performance
- Iridium electrode is smaller than a standard electrode; requires less voltage
- Hotter spark and extended spark plug service life compared to conventional plugs
- Has the distinctive black ceramic with red lettering and gold-colored corrosion-protected coating on the metal shell
- Exceed OEM specifications for plug service life
- Sold in pairs in convenient blister pack

PART #	DESCRIPTION	REFERENCE #
2103-0575	For 20-24 Challenger and Pursuit	3070482
2103-0576	For 14-24 Chief, 17-24 Roadmaster, 17-24 Chieftain, 21-21 Vintage and 16-24 Springfield	3088051





PERFORMANCE SPARK PLUGS

- Conventional-style spark plugs, available in OEM heat ranges
- Plugs have a unique look with a black ceramic body and bold red logo/script
- Insulator is made of 95% pure alumina, features strong resistance to heat shock and superior insulation
- Multi-rib design of the insulator eliminates flashover
- Nickel-plated housing prevents oxidation and corrosion
- Multi-layer gaskets and heat crimping process ensure a leak-free, gas-tight seal

 Copper core electrode prevents oxidation and 	
corrosion, has good electrical and heat conductivity	
and creates long spark plug service life	

· Sold in pairs in blister pack

PART #	DESCRIPTION	REFERENCE #
2103-0577	For 15-24 Scout, 19-24 FTR	3022662

DISCLAIMER: SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2025.

GENERAL AUDIO.

COMMUNICATION & MOUNTS

83

EXHAUST

ENGINE

FUEL/AIR

SYSTEMS

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS &

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

BRAKES &

CABLES

BRAKE LINES
TANKS &

OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

PLUG WIRES

- Constructed with silicone throughout the jacket, insulation and core to deliver high-temperature resistance
- Rated at SAE Class E J2031 with a continuous operating temperature of 232 °C (450 °F)





MODEL

For all 14-22 Chief, Chieftain, Roadmaster, and Springfield; repl. OEM #4010425

IGNITION COIL

- Increased spark energy
- Cost-effective replacement

PART #

2102-0330

MOTORSPORT ELECTRICS

HOT SHOT SERIES UNIVERSAL LITHIUM-ION BATTERY-COMPATIBLE REGULATOR/RECTIFIER

- Designed as a universal piece, comes with wire leads only
- Connect your OE plug to the regulator harness via soldering
- The voltage set point is 14V +/- .2
- 50 amp unit made with Mosfet technology and designed for single phase systems with the correct voltage set point for lithium batteries
- Ballistic Performance Batteries are recommended; for all other manufacturers of lithium ion batteries please contact the manufacturer of the battery to ensure our product set point is compatible with their battery



NOTE: Not for use with standard lead acid batteries.

NOTE: Some harness fabrication will be needed.

PART #	DESCRIPTION
2112-1809	For 15-20 Scout (all models)





REGULATOR/RECTIFIERS

OEM-style regulator/rectifiers

PART #	DESCRIPTION
2112-1151	For all 14-20 Chief, Chieftain, Roadmaster, Springfield models; repl. OEM #4014300
2111-0210	For 15-21 Scout, Scout Sixty and Scout Bobber models, repl. OEM #4012941

DISCLAIMER:

SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.







HIGH PERFORMANCE LITHIUM BATTERIES

- Innovative lithium-ion motorcycle and powersport batteries
- Designed for the most demanding riders looking for higher performance, safer performance, faster acceleration, reduced weight and a much longer battery life
- Very low self-discharge provides the possibility to start an engine after a very long period of storage; even in very cold temperature conditions
- Robust brass terminals for enhanced electrical performance
- Super fast charging capabilities
- Multi-position mounting (up to 180°)


- Very safe and environmental friendly
- Up to 70% lighter than lead acid batteries
- Waterproof design

BSLi-10

2113-0940

- Heat temperature resistance up to 230 °C
- Ready to use; no need for preparation, just plug and play

PART #	DESCRIPTION
2113-0940	For 20-24 Challenger/Challenger Dark Horse/Challenger Limited, 22-24 Pursuit Dark Horse
2113-0940	For 14-24 Chief Classic/Chief Bobber/Chief Dark Horse/Chief Vintage/ Super Chief/Chieftain/Roadmaster/Springfield
2113-0940	For 12-13 Chief Classic/Vintage/Dark Horse
2113-0940	For 02-03 Chief
2113-0786	For 15-24 Scout/Scout Sixty/Scout Bobber/Scout Bobber Sixty/Scout Bobber Twenty/Scout Rogue
2113-0786	For 19-22 FTR1200/Rally/R Carbon/S



PART #	YUASA REFERENCE #	CAPACITY AH (10-HR)	POWER (WH)	COLD CRANKING AMPS	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	APPROX. WEIGHT (KG)	TERMINAL CONFIGURAT	ION
2113-0786	YTZ10S, YT12B-4, YT14B-4, YTX14AH, YB14A-A2, YTZ10S-BS, YT12B-BS, YT14B-BS, YTX14AH-BS, YB10A-A2, YB12A-A/B, YB12C-A, YB14-A2,									
	YB14-B2, YB14A-A1/A2, 12N12A-4A-1	4	48	280	134	65	92	0,95	+	-
2113-0940	YTX20L, YTX20L-BS, YTX20HL, YTX20HL-BS, YTX24HL, YTX24HL-BS, Y50-N18L-A/A2/A3/AT, 51913	7,5	90	480	148	86	105	1,28	-	+



SLA MAX BGZ FACTORY-ACTIVATED AGM MAINTENANCE-FREE BATTERIES

- Provides maximum reliability and highest starting ability to all heavy-duty engines
- Designed with taller plates and built-in copper nuts terminals
- Superior capacity
- AGM construction (Absorbed Glass Material)
- VRLA battery (Valve Regulated Lead Acid)
- Sealed and factory activated
- Spillproof design
- Multi-positional fitment
- Ready and easy to use
- Increased power and extended life
- Extreme vibration resistance

CASE CONTROL DE LA CASE DE LA CAS
O SLAMAX rectory actives active to the second activ
BGZ20HL
21 JAhren 19 19 19 19 19 19 19 19 19 19 19 19 19

PART #	DESCRIPTION
2113-0934	For 14-24 Chief Classic/Chief Vintage/Chieftain/Roadmaster, 16-24 Chief Dark Horse/Springfield
2113-0935	For 09-11 Chief (all)
2113-0935	For 02-03 Scout/Spirit
2113-0935	For all 99-01 models

PART #	YUASA REFERENCE #	CAPACITY AH (10-HR)	CAPACITY AH (20-HR)	COLD CRANKING AMPS @-18 °C	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	APPROX. WEIGHT (KG)	TERMINAL CONFIGURAT	TION
2113-0935	GYZ20H	20	21,1	320	175	89	155	6,6	+	-
2113-0934	GYZ20HL	20	21,1	320	175	89	155	6,6	-	+

DISCLAIMER: SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO. COMMUNICATION & MOUNTS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE

PLATES HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

OIL FILTERS

TANKS &

DASHES

& GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

> WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS







SLA MAX FACTORY-ACTIVATED AGM **MAINTENANCE-FREE BATTERIES**

• Designed to offer maximum performance to big engine bikes equipped with lots of electronic accessories

FITS MODEL

- Superior capacity
- AGM construction (Absorbed Glass Material)
- VRLA battery (Valve Regulated Lead Acid)
- Sealed and factory activated
- Spillproof design
- Multi-positional fitment PART #

- Ready and easy to use
- Increased power and extended life
- Extreme vibration resistance

ie	

2113-0642	For 14-24 Chief Classic/Chief Bobber/Chief Dark Horse/Chief Vintage/ Super Chief/Chieftain/Roadmaster/Springfield
2113-0642	For 20-24 Challenger/Challenger Dark Horse/Challenger Limited, 22-24 Pursuit Dark Horse
2113-0836	For 15-24 Scout/Scout Sixty/Scout Bobber/Scout Bobber Sixty/Scout Bobber Twenty/Scout Rogue

PART #	YUASA REFERENCE #	CAPACITY AH (10-HR)	CAPACITY AH (20-HR)	COLD CRANKING AMPS @-18 °C)	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	APPROX. WEIGHT (KG)	TERMINAL CONFIGURATION	ION
2113-0836	YTX14AH	12	12,6	210	133	90	164	5,1	+	-
2113-0642	YTX20HL	20	21.1	290	176	87	153	6.5	-	+





SLA FACTORY-ACTIVATED AGM **MAINTENANCE-FREE BATTERIES**

- AGM construction (Absorbed Glass Material)
- VRLA battery (Valve Regulated Lead Acid)
- Sealed and Factory-Activated
- Spill-proof design
- Multi-positional fitment
- Ready and easy to use
- Increased power and extended life

PART #	DESCRIPTION
2113-0640	For 14-24 Chief Classic/Chief Bobber/Chief Dark Horse/Chief Vintage/ Super Chief/Chieftain/Roadmaster/Springfield
2113-0640	For 20-24 Challenger/Challenger Dark Horse/Challenger Limited, 22-24 Pursuit Dark Horse
2113-0637	For 15-24 Scout/Scout Sixty/Scout Bobber/Scout Bobber Sixty/Scout Bobber Twenty/Scout Rogue

PART #	YUASA REFERENCE #	CAPACITY AH (10-HR)	CAPACITY AH (20-HR)	COLD CRANKING AMPS @-18 °C)	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	APPROX. WEIGHT (KG)	TERMINAL CONFIGURATION	J
2113-0834	YB7-A	8	8,4	105	135	75	133	2,9	+ -	
2113-0835	YB12A-A2	12	12,6	155	134	80	160	4,2	+ -	
2113-0637	YTX14AH	12	12,6	210	135	90	167	4,4	+ -	-
2113-0640	YTX20HL	18	18,9	310	175	87	155	6,0	- +	

DISCLAIMER: | SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.





HIGH-PERFORMANCE AGM MAINTENANCE-FREE BATTERIES

- This new generation of maintenance-free batteries delivers higher cranking amps for vehicles that require extra starting power
- Additional cranking amps make these one of the most powerful batteries on the market
- Acid pack included

PART #	DESCRIPTION
YTX20HL-BS	For 20-24 Challenger/Challenger Dark Horse/Challenger Limited, 22-24 Pursuit
YTX20HL-BS	For 14-24 Chief Classic/Chief Vintage/Chieftain/Roadmaster, 16-24 Chief Dark Horse/Springfield
YTX24HL-BS	For 12-13 Chief Classic/Vintage/Dark Horse
YTX24HL-BS	For 02-03 Chief

YTX24HL-BS	For 02-03 Chief									
PART #	YUASA REFERENCE #	CAPACITY AH (10-HR)	REGULAR CHARGE C URRENT (AMP)	COLD CRANKING AMPS @ -18 °C	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	APPROX. WEIGHT W/ ACID (KG)	TERMINAL CONFIGU	IRATION
YTX20HL-BS	YTX20HL-BS	18	1,8	310	175	87	155	6,8	-	+
VTX24HI-RS	YTX24HI -RS	21	21	350	205	87	162	8.0	-	



AGM MAINTENANCE-FREE BATTERIES

- Special absorbed-glass mat battery eliminates water loss, permitting the battery to be permanently sealed once it is filled with acid
- Truly the world's finest "install it and forget it" motorcycle battery
- Acid pack included

PART #	DESCRIPTION
YTX20L-BS	For 20-24 Challenger/Challenger Dark Horse/Challenger Limited, 22-24 Pursuit
YTX20L-BS	For 16-24 Chief Dark Horse/Springfield, 14-24 Chief Classic/Chief Vintage/Chieftain/Roadmaster
YTX-20BS	For 09-11 Chief (all)
YTX-20BS	For 02-03 Scout/Spirit
YTX-20BS	For all 99-01 models

PART #	YUASA REFERENCE #	CAPACITY AH (10-HR)	COLD CRANKING AMPS @ -18 °C	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	APPROX. WEIGHT W/ ACID (KG)	TERMINAL CONFIGU	RATION
YTX-20BS	YTX20-BS	18	270	175	87	155	6,3	+	-
YTX20L-BS	YTX20L-BS	18	270	175	87	155	6,3	-	+

DISCLAIMER: SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & **OIL FILTERS**

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FIIFI / AIR SYSTEMS

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

ENGINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

OIL FILTERS

TANKS &

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

> WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS





DRAG SPECIALTIES HIGH PERFORMANCE BATTERIES

- Specifically designed for high-performance engines that need extra cranking power
- Superior engineering features include an AGM (Absorbed Glass-Mat) radial grid design for maximum cranking amps
- High vibration resistance

2113-0449

- Spill-proof, pre-filled, pre-charged, maintenance-free sealed design
- Batteries include brass spacers, stainless steel nuts, bolts and star washers

NOTE: Factory-Activated batteries should be charged once a month when not in service.


PART #	DESCRIPTION			
2113-0449	For 20-24 Challenger/Challenger Dark Horse/Challenger Limited, 22-24 Pursuit			
2113-0449	For 16-24 Chief Dark Horse/Springfield, 14-24 Chief Classic/Chief Vintage/Chieftain/Roadmaster			
2113-0450	For 12-13 Chief Classic/Vintage/Dark Horse			
2113-0448	For 09-11 Chief (all models)			
2113-0450	For 02-03 Chief			
2113-0448	For 02-03 Scout/Spirit			
2113-0448	For all 99-01 models			
	· · · · · · · · · · · · · · · · · · ·			

FACTORY-ACTIVATED PART #	YUASA REFERENCE #	COLD CRANKING AMPS	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	TERMINAL CONFIG	JRATION
2113-0448	YTX20H-BS	310	175	87	155	+	-
2113-0449	YTX20HL-BS	310	175	87	155	-	+
2113-0450	YTX24HL-BS	350	205	87	160		+









• Up to 20 jumps starts in one charge

boats and more), charge USB

- Designed for gas and diesel engines
- Very safe: smart cable with spark-proof connection and reverse polarity protection
- Power supply for small electronic devices via their USB ports (most of smartphones, earphones, portable gaming devices. MP3/MP4 players can be charged with the included accessories)
- LED flashlight function with 3 modes (powerful constant light/strobe/SOS)
- LED display with battery state of charging indication and output port used
- Compatible with lead acid batteries (SLA, GEL. AGM. EFB. MF. DRY. Ca/Ca)

PART #	DESCRIPTION
2113-0913	Power Box PB-02



BST 1000 LEAD ACID AND LITHIUM BATTERY TESTER

- For lead acid (flooded, AGM flat plate, AGM spirale, GEL, EFB) and lithium batteries
- For all 12V vehicle and motorcycle batteries
- Five battery tests: cold cranking amps, voltage, internal resistance, health, starting
- Vehicle charging and cranking system test
- Easy to read large LCD screen
- Print function via PC printer
- Multiple languages: English, German, Spanish, French, Dutch and Italian
- Short circuit and polarity reverse connection protections
- Useful, compact and delivered with clamp set, pouch protection and a USB cable to connect the tester to a computer for printing out all the diagnostics

PART #	DESCRIPTION					
2113-0914	BST 1000 lead acid and lithium battery tester					

DISCLAIMER: SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

motogadget

mo.lock NFC DIGITAL **IGNITION LOCK AND ACCESSORIES**

- Contactless digital ignition lock
- No more fumbling with keys or mechanical wear on lock cylinders
- The ignition and power supply of the bike is switched on when within 30 to 50 mm of the digital key/transponder
- Uses the most recent NFC technology (Near-Field-Communication)
- Each key is singular by its digital code and cannot be spoofed
- Includes one master key and one user key that are the size of a key tag
- Keys do not require batteries

PART #	DESCRIPTION
2105-0133	mo.lock NFC digital ignition lock
2105-0134	mo.lock NFC wiring kit



• Optional wiring harness kit ensures seamless installation process

• NFC connection cable is a high quality, 2 m long, 3-wire cable for connecting the mo.lock NFC and fits the included cable cover

PART #	DESCRIPTION
2105-0135	mo.lock NFC connect cable



- Perfect for custom bikes and modifications with limited space
- Constant and correct flashing rate; suitable for almost all LED blinkers and all micro-blinkers
- Works with four signal lights or two handlebar end blinkers and has an immediate, lossless flasher response
- Features an automatic overload protection; does not generate heat during operation
- Takes 5V to 18V to operate; suitable for 6V flashers

PART #	DESCRIPTION
2020-0463	mo.flash digital relay

- Water- and short circuit-proof
- Does not require load resistors or similar accessories
- PART #2020-0463 is suitable for all LED blinkers, micro blinkers, halogen blinkers and bulb blinkers from 1 to 100W
- mo.wave (PART #2020-0464) is the first flasher relay to allow a smooth fade in/fade out with your flash lights

PART #	DESCRIPTION
2020-0464	mo.wave digital relay



DISCLAIMER: SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & **OIL FILTERS**

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO. COMMUNICATION & MOUNTS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

& SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES

& GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS





61 CM (24") HANDLEBAR EXTENSION HARNESSES

 Complete plug-and-play kit includes Throttle-By-Wire and all the items needed to successfully extend the wiring to a set of OEM handlebar switches

46 CM (18") HANDLEBAR CONTROL

• Allows for handlebars up to 508 mm (20") tall

heat shrink and three OEM connectors

Kit includes OEM color wire with pre-installed terminals,

EXTENSION HARNESS

• Requires soldering

PART #	DESCRIPTION
2120-0867	For 14-17 Chief, Springfield
2120-0868	For 14-17 Chieftain, Roadmaster

PART #	DESCRIPTION
2120-0865	All models 09-16 (except Touring models)
2120-0866	All Touring models 09-16 (w/ audio and cruise control)




PART #	DESCRIPTION
2120-1057	For 15-21 Scout



PART #	DESCRIPTION
2120-1203	For 22-24 Chief/Chief Bobber/Super Chief

38 CM (15") HANDLEBAR CONTROL EXTENSION HARNESS

- At 38 cm (15"), it will effortlessly fit up to 51 cm (20") tall handlebars
- Replaces the OEM harness with more length
- Easy installation



SPEEDOMETER EXTENSION HARNESS

- Helps riders install taller risers, bars or change location of speedometer
- Easy installation
- OEM connectors, color-matching wire that is covered with PVC extruded tubing

SCLAIMER: SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.



HEADLIGHT ADAPTER

- Plug-n-play installation
- Works with OEM headlights

PART #	DESCRIPTION
2120-1111	For 20-22 Indian (except Scout, FTR1200)



INDIAN Y-POWER ADAPTOR HARNESS

Plug-n-play installation

PART #	DESCRIPTION
2120-1113	For all 14-17 Indian models



Y-HARNESS FOR DAYTIME **RUNNING LIGHTS AND WARBONNET**

• Plug-n-play installation



PART # DESCRIPTION 2120-1112 For 14-24 Indian







2120-0954

SOLDERLESS WIRE CONNECTORS

- No soldering gun required
- Low-heat solder melts with just a heat gun and shrinks the tubing for a watertight seal
- Waterproof, solderless heat shrink wire connectors come in four different sizes: yellow (AWG 10 to 12), blue (AWG 14 to 16), red (AWG 18 to 22) and white (AWG 24 to 26)
- PART #2120-0954 is a reclosable plastic box including 40 pieces red 18 to 22 AWG, 40 pieces blue 14 to 16 AWG, 10 pieces white 24 to 26 AWG and 10 pieces yellow 10 to 12 AWG

PART #	DESCRIPTION
100 PACKS	
2120-0970	Red 18-22 AWG (6 pcs./pack)

- PART #2120-0955 contains 100 individual retail packs of the connectors: 15-packs (6 pcs./pack) white 24 to 26 AWG, 32-packs (6 pcs./pack) red 18 to 22 AWG, 35-packs (5 pcs./pack) blue 14 to 16 AWG and 5-packs (5 pcs./pack) yellow 10 to 12 AWG
- Perfect for the service department or checkout counter in a wide-mouth, clear plastic jar
- Packs are individually labeled with bar codes to make it easy to deal with at the counter or for the service department; no individual pieces

PART #	DESCRIPTION
ASSORTMENT KIT	rs
2120-0954	100 Individual pcs. assortment kit in reclosable plastic box

DISCLAIMER: SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

QUICK CHARGE PORT USB TYPE-A

- ABS housing
- For 22,2 mm and 25,4 mm (7/8" and 1") handlebars
- Powers on with ignition key
- Overcurrent protection
- Short-circuit protection
- QC3.0 (Quick charge 3.0)
- Input 12,5VDC
- Output 5V/3A, 9V/3A, 12V/2,5A



PART # DESCRIPTION 2130-0375 Quick charge port USB Type-A



ENGINE

TRANSMISSION, **CLUTCH LINE**

& DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

> DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

> WHEELS & AXLES

COVERS. LOCKS &

GENERAL

AUDIO, COMMUNICATION & MOUNTS

USB TYPE-C COWL FAIRING MOUNT

- High quality USB-C socket for mounting in e.g. the motorcycle fairing
- Hole diameter measures 20 mm and a minimum depth of approx. 35 mm is required
- Aluminum housing and nut
- For USB power delivery
- Input 12VDC
- Output 5V/3A, 9V/2A, 12V/1,5A
- Max 18W
- Powers on with ignition key

- Water-resistant when closed
- Green LED indicator when charging

PART # DESCRIPTION 2130-0365 USB-C socket





SLIM-MOUNT USB POWER SOCKETS

- USB power socket 13,5 mm (0,53") thick and a clean appearance
- Handle clamps are compatible with a wide range of vehicles
- DC12V input voltage
- 4,8 to 5,2 output voltage

PART #	DESCRIPTION
2130-0337	1 port socket

PART # DESCRIPTION 2130-0338 2 port socket



USB POWER SUPPLIES

- Work with main switch
- 12VDC input

USB CABLES

L-shaped

DISCLAIMER:

PART #	DESCRIPTION
2130-0341	Type-A (one-port)
2130-0342	Type-A (two-port)

PART #	DESCRIPTION
2130-0340	Slim type-C (one-port)
2130-0339	Type-C (one-port)



PART #	DESCRIPTION
2130-0343	Type-C to Type-C
2130-0344	Type-C to Lightning

• 200 mm (7,87") long • 18W (5V/3A, 9V/2A, 12V/1,5A)

PART #	DESCRIPTION
2130-0346	Type-A to Lightning
2130-0345	Type-A to Type-C

SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY	AND EMISSION CONTROL
REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.	

J.W. SPEAKER.





18 CM (7") LED ADAPTIVE 2 HEADLIGHTS

- The improved Adaptive 2 series headlights allow for the adaptive technology when using high beam, as well as low beam
- Senses leaning angles up to 30° and dynamically fills in dark areas while turning
- Direct replacement for most 18 cm (7") headlights, retrofits PAR56 headlights
- Superior visibility, safety and durability
- Easy plug-n-play H4-style connector
- Die-cast aluminum housing
- 1600 lumen output (high beam), 1020 lumen output (low beam)
- Includes mount kit for easy installation





2001-1774

FOR 14-18 CHIEF CLASSIC, 14-21 CHIEF VINTAGE, 14-21 CHIEFTAIN, 16-21 SPRINGFIELD, 15-21 ROADMASTER, 16-21 CHIEF DARK HORSE, 16-21 CHIEFTAIN DARK HORSE, 17-21 ROADMASTER CLASSIC

PART #	DESCRIPTION	PART #	DESCRIPTION
2001-1775	Black	2001-1773	Replacement black headlight
2001-1776	Chrome	2001-1774	Replacement chrome headlight









18 CM (7") PEDESTAL MOUNT LED ADAPTIVE 2 HEADLIGHTS

- The improved Adaptive 2 series headlights allow for the adaptive technology when using high beam, as well as low beam
- Senses leaning angles up to 30° and dynamically fills in dark areas while turning
- Unique design does not require a headlight shell to mount
- ullet Pedestal mount accepts most 19 mm ($^3/_4$ ") headlight mounting blocks
- Direct replacement for most 18 cm (7") headlights, retrofits PAR56 headlights

HEADLIGHT MOUNTING KIT

• Easy, plug-n-play H4-style connector

Direct replacement for most 7" headlightsSuperior visibility, safety and durability

• 1150 lumen output (high beam), 750 lumen output (low beam)

PART #	DESCRIPTION
2001-1777	Black

- Superior visibility, safety and durability
- Hardwire connection
- Die-cast aluminum housing
- 1600 lumen output (high beam), 1020 lumen output (low beam)

 PART #
 DESCRIPTION

 2001-1778
 Chrome



PART # DESCRIPTION
2001-1106 Mounting Kit

All part numbers in BLUE are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES &
BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR

SYSTEMS

ENGINE

18 CM (7") EVO 2 DUAL BURN HEADLIGHTS

J.W. SPEAKER

- Direct replacement for most 18 cm (7") PAR56 headlights
- Dual burn technology provides the rider with the spread of the low beam and the punch of the high beam simultaneously
- 1260 lumen output (high beam), 750 lumen output (low beam)

• Easy, plug-n-play H4-style connector

- Die-cast aluminum housing
- Includes mounting ring for easy installation

2001-1769

2001-2551

FOR 14-18 CHIEF CLASSIC, 14-21 CHIEF VINTAGE, 14-21 CHIEFTAIN, 16-21 SPRINGFIELD, 15-21 ROADMASTER, 16-21 CHIEF DARK HORSE, 16-21 CHIEFTAIN DARK HORSE, 17-21 ROADMASTER CLASSIC

2001-1768

PART # DESCRIPTION PART # DESCRIPTION 2001-1768 2001-1769 Chrome

TRANSMISSION **CLUTCH LINE**

& DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING

& LICENSE

PLATES HANDLEBARS, **CONTROLS**

& MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

> **DASHES** & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

> COVERS, LOCKS & **GENERAL**

WHEELS & AXLES

AUDIO, COMMUNICATION & MOUNTS **CULT-WERK**



HEADLIGHT KITS

- Gives your bike the popular look of the Harley-Davidson® Night Rod and fits all Harley-Davidson® Breakout models from 2013 to 2017 and Sportster S from 2021
- Includes LED "Daymaker" headlight with the appearance of the V-Rod/Night Rod
- Includes CNC lasered headlight bracket which lowers the headlight by approx. 30 mm
- Includes ABS plastic headlight mask
- Achieves an even more aggressive look

PART # DESCRIPTION FOR 18-24 SCOUT BOBBER/BOBBER SIXTY/BOBBER TWENTY 2001-2549 Gloss black; Night Rod style



2001-2549

- Mounts to original mounting points
- Must be soldered to the original wiring harness
- Contains TEILEGUTACHTEN/German Parts Certificate

PART # DESCRIPTION FOR 18-24 SCOUT BOBBER/BOBBER SIXTY/BOBBER TWENTY (CONT) 2001-2551 Raw paintable; Night Rod style





- Specialized high-performance LED headlights designed for motorcycle use
- Durable polycarbonate lens with IP67 waterproofing
- 5800 to 6500K daylight color temperature
- Low beam has 3 projection LEDs; 3600 raw lm/2651 effective lumens
- High beam has 4 direct-reflective LEDs: 9080 raw Im/4485 effective lumens
- · Low beam stays on while high beam is engaged
- 3 mm 304 stainless steel mounting bracket mounts to Memphis Shades Road Warrior® fairing

PART #	DESCRIPTION
2001-2932	For 18-24 Scout Bobber, 16-24 Scout Sixty, 15-24 Scout w/ Memphis Shades Road Warrior® Fairing PART #2330-0165
2001-2932 For 22-24 Chief Bobber/Bobber Dark Horse w/ Memphis Shades Road Warrior Fairing PART #2330-02	
2001-2932	For 22-24 Chief/Dark Horse w/ Memphis Shades Road Warrior Fairing PART #2330-0271









2001-2410 PROBEAM 18 CM (7") ADAPTIVE 2 LED HEADLAMPS

- Round headlamp with polycarbonate lens
- Die-cast aluminum housing
- Adaptive, plug-and-play technology

NOTE: PART #2001-2291 is required for 20-24 Challenger/Roadmaster/ Chieftain Limited/Chieftain Elite, 22-24 Pursuit Limited and Pursuit Dark Horse and Chieftain Dark Horse models (sold separately see page 113)

FOR 15-24 ROADMASTER/DARK HORSE/LTD, 15-21 ROADMASTER CLASSIC, 15-21/24 ROADMASTER ELITE, 15-20 CHIEF/CLASSIC/DARK HORSE/VINTAGE, 15-24 CHIEFTAIN/DARK HORSE/LTD, 15-21 CHIEFTAIN CLASSIC, 20-24 CHALLENGER/DARK HORSE/ELITE/LTD, 22-24 PURSUIT DARK HORSE/LTD, 16-24 SPRINGFIELD/DARK HORSE

PART #	DESCRIPTION	PART #	DESCRIPTION
2001-2410	Chrome	2001-2409	Black



18 CM (7")

TRUBEAM® HEADLIGHTS • Premium 18 cm (7") round LED

headlamp designed for custom

18 CM (7") PROBEAM® **LED HEADLAMPS**

- Low beam consists of three high-power advanced optical D lenses and a DRL
- High beam keeps low beam illuminated and adds two additional advanced optical D lenses with three projector lenses for an incredibly wide optical pattern producing an ideal beam pattern with illumination down the road as well as on either side
- Made from a heavy-duty, lightweight die-cast aluminum, the low-profile housing requires no trim ring and offers a plug-and-play installation
- Durable polycarbonate lens for long-term durability
- Headlamps are available with a chrome or True Black finish





2001-1825

2001-1826

2001-1397

NOTE: PART #2001-2291 is required for 20-24 Challenger/Roadmaster/ Chieftain Limited/Chieftain Elite, 22-24 Pursuit Limited and Pursuit Dark Horse and Chieftain Dark Horse models (sold separately see page 113).

FOR 15-24 ROADMASTER/DARK HORSE/LTD, 15-21 ROADMASTER CLASSIC, 15-21/24 ROADMASTER ELITE, 15-20 CHIEF/CLASSIC/DARK HORSE/VINTAGE, 15-24 CHIEFTAIN/DARK HORSE/LTD, 15-23 CHIEFTAIN ELITE, 15-21 CHIEFTAIN CLASSIC, 20-24 CHALLENGER/DARK HORSE/LTD/ELITE, 22-24 PURSUIT LTD/DARK HORSE, 16-24 SPRINGFIELD/DARK HORSE, 21 VINTAGE/DARK HORSE

PART #	DESCRIPTION	PART #	DESCRIPTION
2001-1825	Chrome	2001-1826	True Black





- 18 cm (7") headlight Complex reflector design features three low beam LEDs and two high beam LEDs with a combination of projector and reflector type LEDs and built-in halo ring
- LED combination provides superior low and high beam outputs
- Durable polycarbonate lens with H4 connector and mounting hardware included; no additional trim ring needed

PART #	DESCRIPTION
FOR 20-24	ROADMASTER LTD/DARK HORSE, 24 ROADMASTER ELITE, 16-20
CHIEF/VINT	TAGE/CLASSIC/DARK HORSE, 19-24 CHIEFTAIN/DARK HORSE/LTD,
10.23 CHIE	ETAIN ELITE 21 VINTACE/DAPK HOPSE

2001-1573¹ Chrome 2001-1572¹ Black chrome FOR 15-24 ROADMASTER, 15-21 ROADMASTER CLASSIC/ELITE, 15-18 CHIEFTAIN/DARK HORSE/LIMITED AND 15-20 CHIEFTAIN CLASSIC 2001-1575²



• 4210 raw lumens/2947 effective lumens; 5800K color temp • 1,1 amp low current draw, 1,5 amp high current

draw, 0,2 amp halo ring current draw

• Available in chrome or black chrome (smoked) reflector

PART # DESCRIPTION ADAPTER 2001-1397 Opt. hi/lo adapter and halo ring enabler (ea.)

- Headlight adapter PART #2001-2291 required for 20-24 Roadmaster/ Dark Horse/LTD/Elite, 20-24 Chieftain LTD/Dark Horse, 23-24 Chieftain, 20-23 Chieftain Elite and 23-24 Springfield/Dark Horse w/ OEM 7" LED headlamp (sold separately).
- ² Headlight adapter PART #2001-2291 required for 20-24 Roadmaster w/ OEM 7" LED headlamp (sold separately).

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FIIFI / AIR SYSTEMS

ENGINE

TRANSMISSION **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & **OIL FILTERS**

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO. COMMUNICATION & MOUNTS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

> WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS J.W. SPEAKER.





2001-1782



14,5 CM (5,75") PEDESTAL MOUNT **LED ADAPTIVE 2 HEADLIGHTS**

- The improved Adaptive 2 series headlights allow for the adaptive technology when using high beam, as well as low beam
- Senses leaning angles up to 30° and dynamically fills in dark areas while turning
- Pedestal mount accepts most 19 mm (3/4") headlight mounting blocks
- Direct replacement for most 14,5 cm (5,75") headlights, retrofits PAR46 headlights

DESCRIPTION 2001-1781 Black

- Superior visibility, safety and durability
- Easy plug-n-play H4-style connector
- Die-cast aluminum housing
- 1600 lumen output (high beam), 1020 lumen output (low beam)



PART #

2001-1782



14,5 cm (5,75") ADAPTIVE LED • Retrofit round, Adaptive 2 series headlights Available for 14,5 cm (5,75") PAR46 headlights • Includes bracket, rubber ring, lamp-to-bracket hardware and bracket-to-bucket hardware

PART # DESCRIPTION 2001-1779 Black

PART # 2001-1780

2001-1779

2001-2383

DESCRIPTION Chrome

2001-2382

DESCRIPTION

Chrome



2 HEADLIGHTS

14,5 CM (5,75") LED HEADLIGHTS

- Direct replacement for most 14,5 cm (5,75") headlights, retrofits PAR46 headlights
- Superior visibility, safety and durability
- Easy plug-n-play H4-style connector
- Die-cast aluminum housing
- 1600 lumen output (high beam), 1020 lumen output (low beam)

PART # DESCRIPTION 2001-2383 Black

PART # DESCRIPTION 2001-2382 Chrome





LED HEADLIGHT CAPSULES

- Vibration and water-resistant
- 120 mm (4,72")





PART # DESCRIPTION 2001-2456 Side mount, black 2001-2458 Bottom mount, black

2001-2471





HEADLIGHT BRACKETS

Made of CNC-machined aluminum (unless noted)

PART #	DIAMETER
55 MM(2,16") LENGTH (SHORT)	
2001-2469	35 mm (1 ³ / ₈ ")
2001-2470	39 mm (1 ⁹ / ₁₆ ")
2001-2471	41 mm (1 ⁵ / ₈ ")
2001-2472	43 mm (1 ¹¹ / ₁₆ ")
2001-2473	49 mm (1 ¹⁵ / ₁₆ ")

• Comes in a short 55 mm (2,16"), long 101 mm (3,97") and retro style

PART #	DIAMETER
RETRO STYLE	
2001-2479	39 mm

PART # 101 MM (3,97") LENGTH (LONG)	DIAMETER
2001-2464	35 mm (1 ³ / ₈ ")
2001-2465	39 mm (1 ⁹ / ₁₆ ")
2001-2466	41 mm (1 ⁵ / ₈ ")
2001-2467	43 mm (1 ¹¹ / ₁₆ ")
2001-2468	49 mm (1 15/16")

PART #	DIAMETER
RETRO STYLE (CONT)	
2001-2478	41 mm

DAYTONA

DUAL-AXIS HEADLIGHT BRACKET SETS

- Adjustable dual-axis headlight bracket set
- CNC-machined aluminum
- Suitable for fork tubes with a diameter of 35 mm (1,37")
- Fork clamp adjusts vertically allowing the headlight position to be adjusted in the front-back direction
- Joints on all four clamps allow the width of the headlight mount to be varied and the braces to run parallel
- M-Eight indicator mount kit is included
- Sold in pairs

PART #	DESCRIPTION	PART #	DESCRIPTION
2001-2474	35 mm (1 ³ / ₈ ")	2001-2475	39 mm (1 ⁹ / ₁₆ ")



PART #	DESCRIPTION	PART #	DESCRIPTION
2001-2476	41 mm (1 5/8")	2001-2477	49 mm (1 15/16")





HEADLIGHT MASKS

- Provides an aggressive, narrower look
- The original headlight remains (or can be replaced with an LED variant with an identical attachment) and will continue to be used in conjunction with the kit
- Kit includes a high-quality ABS plastic mask and a CNC-lasered mask holder that ensures a perfect fit
- The speedometer remains in the original position and no changes to the original cables are necessary
- All the holes needed to attach the mask are already there; kit is mounted on the original breakpoints to ensure a firm and secure hold

PART #	DESCRIPTION
FOR 18-24 SCOUT BOBBER/BOBB	ER SIXTY/BOBBER TWENTY
2001-2539	Custom; gloss blac



• Available in raw paintable or gloss black • Contains TEILEGUTACHTEN/German Parts Certificate

PART # **DESCRIPTION** FOR 18-24 SCOUT BOBBER/BOBBER SIXTY/BOBBER TWENTY (CONT) 2001-2541 Custom; raw paintable

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO. COMMUNICATION & MOUNTS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL LIGHTING

& LICENSE **PLATES** HANDLEBARS,

& MIRRORS

CONTROLS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

> WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS



11,5 CM (4,5") LED FOG LIGHTS

- Replacement for stock PAR36 fog lights
- Outperform bulb-based fog lights with superior visibility, extreme durability and unmatched longevity

PART #	DESCRIPTION
2001-1157	Black

- Compatible with most fog light housings
- Sold in pairs

PART # DESCRIPTION 2001-1158 Chrome





• Replacement for stock PAR36 fog lights

J.W. SPEAKER.

- Provide premium performance with a classic look
- Compatible with most fog light housings
- SAE compliant
- Sold in pairs

PART # DESCRIPTION 2001-1858 Black





PROBEAM® LED HALO FOG LIGHTS

- Utilize Cree LEDs to produce a superior beam pattern with a super-bright white LED halo
- Available in traditional clear polycarbonate lenses
- Clear lens produces a white halo and beam for optimizing light output and distance
- Easily mount to engine guards with ProBEAM® Tube clamps PART #s 2040-2345 and 2040-2346 (sold separately)

PART # DESCRIPTION FOR 15-23 ROADMASTER/DARK HORSE/LTD, 15-21 ROADMASTER CLASSIC/ ELITE, 15-20 CHIEF/CLASSIC/DARK HORSE/VINTAGE, 15-23 CHIEFTAIN/ DARK HORSE/ELITE/LTD, 15-21 CHIEFTAIN CLASSIC, 15-23 SPRINGFIELD/ DARK HORSE, 21 VINTAGE/DARK HORSE W/ 1.25" ENGINE GUARDS

2001-2206 2001-2205 Black



- Plug-and-play wire harness
- 20 watts, 430 effective lumens
- Short circuit and thermal overload protection
- Measure 81 mm L x 60 mm D (3.2" x 2.36")
- Sold in pairs

• • • • • • • • • • • • • • • • • • • •	
PART #	DESCRIPTION
FOR 20-23 CHALLENGER/DARK HORSE/LTD	
2001-2490	Chrome
2001-2489	Black

2001-2490





SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

DRIVING LIGHT SET

(RIVCO

- Super-bright rated at 3000 lumens
- Pure white light rated at 6000K
- Waterproof light housings
- Lights turn with steering for added visibility
- Includes a pair of 51 mm (2") LED lights, fork leg mounting and wiring

PART #	DESCRIPTION
2001-1819	For all 111" Chief models



60 MM (2 3/8") LED DRIVING LIGHT KIT FOR CRUISERS WITH 38 MM TO 41 MM FORKS

- MR16 high-output and high-intensity Litespan LED 60 mm (2 $^3/_8$ ") driving light kit is available in a universal cruiser fitment
- Custom die-cast aluminum lights and fork mounts make an ideal fit on many cruisers
- The Litespan LED reflector bulbs produce 400 lumens each from 7 watt 6-LED output in bright white 4000K color
- Their concentrated 20° beam angle puts more light down the road in front of riders for a true driving light function
- The die-cast clamps fit cruisers with 38 mm to 41 mm forks and come with a wire harness, relay and switch



PART #	DESCRIPTION
2001-1323	60 mm (23/8") LED driving light kit

2001-1339

2001-1340



MINI DRIVING LIGHTS

- \bullet Die-cast body with smooth design comes in aluminum or black finish
- Visor integrated into bezel; setscrew allows visor to rotate to desired position for custom installation
- 95 mm x 60 mm (3 $^{3}/_{4}$ " L x 2 $^{3}/_{8}$ ") dia.; 8 mm ($^{5}/_{16}$ ") stem
- Halogen features 55W, 12V bulb
- LED features 7W, six 12V bulbs
- Sold each

PART #	DESCRIPTION
HALOGEN	
2001-1340	Black



2001-1342



HIGHWAY BAR LED MINI DRIVING LIGHT KITS

- 7W/400 lumens/4000K LED lights
- \bullet Pair of die-cast 60 mm (2 $^3/_8{}^{\prime\prime})$ visored mini driving lights
- Includes pair of 32 mm (1¼") highway bar clamps; additional clamps available separately
- Comes complete with wiring harness and isolation relay to protect your bike's circuit along with a choice of two styles of switches
- Available in chrome

PART #	DESCRIPTION	PART #	DESCRIPTION
2001-1342	Halogen kit	2001-1343	LED kit

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

LAHAUJI

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

& SEALS

GASKETS

ELECTRICAL

LIGHTING

& LICENSE PLATES HANDLEBARS,

CONTROLS & MIRRORS

BRAKES &

BRAKE LINES

CABLES

TANKS & OIL FILTERS

> DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS



SPOT® DF (3 IN 1)

- Replacement 3-in-one, brake lights, taillights and turn signal
- Sensational look for the rear of the motorcycle
- EXtranz® Extreme Optical Transparency Technology
- Kellermann HighPower LED technology
- Long Life Protection Guard®, IC operated, 330 kHz
- High-quality metal housing

- Suitable for 12VDC applications
- Measures length 14 mm L, max diameter of 10 mm, glass diameter 7,8 mm

PART #	DESCRIPTION		
2020-2192	Black with clear lens		





SPOT® WL POSITION LIGHTS

- Replacement mini rear and brake light, rear on both sides (horizontal)
- EXtranz® Extreme Optical Transparency Technology
- High-quality metal housing
- Suitable for 12VDC applications
- M5 x 0,5 x 6,5 fastening screw
- Measures 14 mm L, max diameter of 10 mm, glass diameter of 7,8 mm

PART #	DESCRIPTION
2001-2723	Black with clear lens
2001-2724	Black with strongly tinted lens

SPOT® RB POSITION LIGHT

- Replacement LED position light, front on both sides
- EXtranz®- Extreme Optical Transparency Technology
- High-quality metal housing
- Suitable for 12VDC applications
- M5 x 0,5 x 6,5 fastening screw
- Measure 14 mm L, max diameter of 10 mm, glass diameter of 7,8 mm

PART #	DESCRIPTION	
2010-1522	Black with clear lens	
2010-1523	Black with strongly tinted lens	



SPOT® MINI INDICATOR LIGHT

- Replacment LED mini indicator, black, front and rear on both sides
- Lightly extended in length and a strong base that fits close to bike
- EXtranz® Extreme Optical Transparency Technology
- Kellermann HighPower LED Technology • High-quality metal housing
- Suitable for 12VDC applications
- Suitable for 12VDC applications

PART #	DESCRIPTION
2020-2190	Black with clear lens

- \bullet With M5 x 0,5 x 6,5 fastening screw
- Measures 14 mm L, max diameter of 10 mm, glass diameter 7,8 mm

PART #	DESCRIPTION
2020-2191	Black with strongly tinted lens



ATTO® LIGHTS

- Sensationally small, spectacularly bright
- EXtranz® Extreme Optical Transparency Technology
- Kellermann HighPower LED technology
- 330 kHz
- High-quality metal housing

PART #	DESCRIPTION
2040-2126	Indicator, clear lens, black finish
2010-1384	Indicator, clear lens, chrome finish

- Suitable for 12VDC applications
- With M5 x 0,5 x 6,6 fastening screw
- Measures 14 mm L and 10 mm D
- Glass diameter 7,8 mm

PART #	DESCRIPTION
2040-2127	Indicator, smoke lens, black finish
2010-1361	Taillight, black housing

2010-1361











& FAIRINGS SADDLEBAGS

WINDSHIELDS

& LUGGAGE

SEATS & SISSY BARS

EXHAUST

FIIFI / AIR SYSTEMS

ENGINE

TRANSMISSION **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXI FS

2040-2304

COVERS, LOCKS & **GENERAL**

AUDIO. COMMUNICATION & MOUNTS

ATTO® DF • Replaces existing rear and brake light and indicators

Sensational look for the rear of the motorcycle

• EXtranz® - Extreme Optical Transparency Technology

• Kellermann HighPower LED technology

• Long Life Protection Guard®, IC operated, 330 kHz

PART # DESCRIPTION 2040-2296 Black

• High-quality metal housing

• Suitable for 12VDC applications

ATTO® WL BRAKE LIGHTS

Small, but spectacularly bright

• Suitable for 12VDC applications

• High-quality metal housing

• M5x0,5x6,5 fastening screw

PART #

2010-1386

2010-1387

Horizontal mounting

Sold each

PART # DESCRIPTION 2040-2295 Chrome





ATTO® RB BRAKE LIGHTS

- · Horizontally or vertically mounted
- Small but spectacularly bright
- EXtranz® Extreme Optical Transparency Technology
- High-quality metal housing
- Suitable for 12VDC applications
- With M5 x 0,5 x 6,5 fastening screw
- Measure 14 mm L, max diameter 10 mm, glass diameter 7,8 mm

PART #	DESCRIPTION
2010-1390 ²	Black housing, clear lens
2010-1391 ¹	Black housing, smoke lens
2010-1392 ²	Black housing, smoke lens
2010-1389 ²	Chrome housing, clear lens

- ¹ Horizontal mounting.
- ² Vertical mounting.



ATTO® DF INTEGRAL

- Designed for a seamless and clean appearance
- EXtranz® Extreme Optical Transparency Technology
- High-quality metal housing
- Suitable 12VDC applications
- Comes with M5 x 0,5 x 6,5 fastening screw

		.,.	•	
PART #				DESCRIPTION
2010-1423	ξ			Atto® DE Integral

2010-1425

• EXtranz® (extreme optical transparency technology)

• Measures 14 mm L, max diameter of 10 mm, glass diameter of 7,8 mm



DESCRIPTION

Black housing, clear lens

Black housing, smoke lens

Chrome housing, clear lens

2010-1424

2010-1385

ATTO® RB INTEGRAL

- Designed so the rear of the bike can have a seamless and clean appearance
- EXtranz® Extreme Optical Transparency Technology
- High-quality metal housing
- Suitable for 12VDC applications
- Can be mounted in pairs or as a single light

PART #	DESCRIPTION	PART #	DESCRIPTION
2010-1425	Dark	2010-1424	Standard

2040-2692



ATTO® INTEGRAL • Designed for a seamless and

- clean appearance • High-quality metal housing
- EXtranz® Extreme Optical Transparency Technology
- Suitable for 12VDC applications

PART #	DESCRIPTION	
2010-1422	Dark	
2010-1426	Standard	



ATTO® MOUNTING PLATES/ACCESSORIES • Designed specifically for mounting Atto® indicators

PART #	DESCRIPTION
MOUNTING PLATES	
2040-2692	Black; 174 mm
2040-2297	Chrome;174 mm
2040-2298	Chrome; 204 mm

ı	PART #	DESCRIPTION
1	ACCESSORIES	
:	2040-2304	15 mm extension kit
- 3	2040-2302	M8 x 40 mm screw
-	2040-2303	M8 x 20 mm screw
3	2040-2301	M10 x 20 mm screw

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

TRANSMISSION, **CLUTCH LINE**

& DRIVELINE

ENGINE

GASKETS & SEALS

ELECTRICAL

LIGHTING

& LICENSE **PLATES** HANDLEBARS,

CONTROLS & MIRRORS

CABLES

BRAKES &

BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

> WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS





BULLET 1000® W/ SPECIAL FLASHING EFFECT

• Increased safety due to improved visibility

• HPT®- Homogenous Projection Technology • Kellermann HighPower LED Technology

Long life Protection Guard®, IC operated, 330 kHz

• Unique and homogeneous light ring

• Replaces the existing position light as well as the indicator

- High light output
- Special flashing effect

BULLET 1000® PL

Special flashing effect

• Extreme light power

PART #

2020-1402

BULLET 1000®

INDICATOR POSITION LIGHTS

 Together with the main light they boost the safety features of the bike

· High-quality metal housing

- Works with 12V applications
- Available in gloss chrome or black

PART #	DESCRIPTION	PART #	DESCRIPTION
2020-1080	Black	2020-1079	Gloss chrome
		'	

BULLET 1000® DARK

- Unique and homogeneous light ring with a tinted glass
- HPT® Homogenous Projection Technology
- Kellermann HighPower LED technology
- Long life Protection Guard®, IC operated, 330kHz
- High-quality metal housing
- Suitable for 12VDC applications
- With M8 x 20 fastening screw

PART #	DESCRIPTION
2020-1680	Bullet 1000® Dark





- Suitable for 12VDC applications
- With M8 x 20 fastening screw
- European design protection

PART #	DESCRIPTION
2020-1401	Chrome

2020-1682



DESCRIPTION

Black



BULLET 1000® RB

- Replaces the existing rear and brake light
- Unique and homogeneous light ring
- HPT® Homogenous Projection Technology
- Kellermann HighPower LED technology
- Long life Protection Guard®, IC operated, 330 kHz
- High-quality metal housing
- Suitable for 12VDC applications

PART #	DESCRIPTION	PART #	DESCRIPTION
2020-1692	Black	2020-1691	Chrome

• Enhances bike safety when combined with the main light Works with 12V applications PART # DESCRIPTION PART # DESCRIPTION 2020-1077 2020-1076 Black Gloss chrome

• Modern technology LED indicator with position light, front on both

• The Bullet 1000® PL is an indicator with an integrated

position light forming a continuous white light ring

sides, featuring a classic bullet style and Kellermann's elegant design



BULLET 1000 DF BRAKE/REAR LIGHTS

- Replace existing brake and indicator lights
- High light output
- Work with 12V applications
- Available in gloss chrome and black

PART #	DESCRIPTION	PART #	DESCRIPTION
2020-1073	Gloss chrome	2020-1074	Black



BULLET SERIES REPLACEMENT PARTS

PART #	DESCRIPTION
2040-1850	Rigid mounting M8 x 40, black
2040-1849	Rigid mounting M8 x 40, chrome







JETSTREAM TURN SIGNALS

- "IC"-chip technology
- 32MHz real time microprocessor controlled
- Kellerman HighPower LED technology
- Silent-Current, advanced Power Saving algorithm
- High measure of visibility across a wide-angle range

PART #	DESCRIPTION
2040-2905	Jetstream DF 3-in-1 rear turn signal/
	rear light/break light (amber/red)

- Suitable for 12VDC
- Flow-optimized metal housing, high-quality manufacturing
- M8 x 20 mm thread
- Sold individually

PART #	DESCRIPTION
2040-2906	Jetstream front/rear turn signal (amber)



BL 2000 TURN SIGNALS

- This spectacularly bright ring-shaped indicator provides an elegant complement to your handlebars
- Features Kellermann HighPower LED technology with Long Life Protection Guard®, IC controlled, set at 330 kHz

PART #	DESCRIPTION
2040-1338	Black



BL 1000 LED HANDLEBAR END INDICATORS

modern high power LEDs and innovative clear glass design Housing shape creates a clean line at the bar end

• Feature 330 kHz IC-operated Long Life Protection Guard® system,

2040-0738

PART #

2040-0738

- Designed for bikes with 12V electrical systems
- High-quality metal casing, available in black or chrome
- Sold each

PART # DESCRIPTION 2040-1662 Chrome



- **BL 1000 DARK HANDLEBAR END INDICATOR** • Indicator is hidden behind strongly tinted glass when not in use
- Housing shape creates a clean line at the bar end
- High-performance LED technology with 330 kHz IC-operated Long Life Protection Guard® system
- Also dampens the vibrations of the handlebar
- Includes all necessary adapters for mounting onto most handlebar models
- Suitable for 12V applications
- Available in black
- Sold each

DESCRIPTION

Chrome

PART #	DESCRIPTION
2040-0741	Black



Also dampens the vibrations of the handlebar

• Includes all necessary adapters for mounting

Black

DESCRIPTION

onto most handlebar models

• Suitable for 12V applications

 Sold each PART #

2040-0739

 Combine the function of an indicator with that of handlebar vibration damping

BL 1000 HANDLEBAR END INDICATORS

- Proven technology, classical elegance and xenon-blue reflective look
- 21W halogen lamp
- High-quality metal housing
- Suitable for 12V applications

- · Available with an amber lens in brass for heavy handlebar damping or aluminum for lighter damping
- Sold each

PART #	DESCRIPTION
2040-0778	Aluminum, black

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO. COMMUNICATION

& MOUNTS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

BRAKES &

CABLES

BRAKE LINES

TANKS & **OIL FILTERS**

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

> & AXLES COVERS. LOCKS &

GENERAL

WHEELS

AUDIO, COMMUNICATION & MOUNTS



BL 1000 SERIES REPLACEMENT PARTS

PART #	DESCRIPTION
BL 1000/BL 100 BL 1000 PL/BL	0 WHITE/BL 1000 SG/BL 1000 LED/ 1000 DARK
2040-0746	BL 1000 F glass (amber) only for BL 1000
2040-0756	BL 1000 cable with earth contact BL 1000/BL 1000 white
2040-0748	Halogen Jamp 12V/H21W BL 1000/1000 white/1000 white SG

DESCRIPTION BL 1000/BL 1000 WHITE/BL 1000 SG/BL 1000 LED/ BL 1000 PL/BL 1000 DARK (CONT) 2040-0750 Multi-function piece (without mounting rubber + nut) 2030-1378 M8 x 20 screw (black) 2030-1379 M8 x 20 screw (chrome)





MICRO 1000 DF DARK (3 IN 1)

- Replaces the existing brake lights, taillights and turn signals
- Sensational rear optics
- High-power LED technology with 330 kHz IC-operated Long Life Protection Guard® system
- Compact, high-quality metal housing for reduced weight
- Suitable for 12V applications
- Replaceable flexible rubber adapter protects the indicator from vibration damage and vandalism
- M8 x 20 thread with flexible mounting and tinted glass
- Suitable for all motorcycle models
- Sold each

PART #	DESCRIPTION
2020-0552	Black

MICRO 1000 DARK INDICATOR

- Strong glass tint with high-power LED technology and 330 kHz IC-operated Long Life Protection Guard® system
- Indicator is hidden behind the tinted glass when not in use
- Compact, high-quality metal housing for reduced weight
- Suitable for 12V applications
- Replaceable flexible rubber adapter protects the indicator from vibration damage and vandalism
- M8 x 20 thread with flexible mounting and clear glass
- Suitable for all motorcycle models
- Sold each

PART #	DESCRIPTION
2040-0679	Black



MICRO S DARK

- Strongly tinted glass but spectacularly bright
- EXtranz® Extreme Optical Transparency Technology
- High-quality metal housing
- Suitable for 12VDC applications
- With M5 x 0,5 x 6,5 mm thread

PART #	DESCRIPTION
2040-2436	Micro S dark



MICRO S DF DARK

- Replaces existing rear brake lights and indicators
- Sensational new look for the rear of the motorcycle
- EXtrans® Extreme Optical Transparency Technology
- Kellermann HighPower LED technology
- Long Life Protection Guard®, IC operated, 330 kHz
- High-quality metal housing
- Suitable for 12VDC applications
- With M5 x 0,5 x 6,5 fastening screw
- Sold each

PART #	DESCRIPTION
2040-2274	Micro S DF dark





• Extremely bright for increased safety by improving visibility • Utilizes two LEDs for an unmatched bright flashing signal

• High-power LED technology with 330 kHz IC-operated

• Replaceable flexible rubber adapter protects the

indicator from vibration damage and vandalism

• M8 x 20 screw with flexible mounting and clear glass

vehicles (ATVs, car, Super 7, trailers and Quads, etc.)

2040-0703

Compact, high-quality metal housing for reduced weight

• Suitable for all motorcycle models and applicable on many

DESCRIPTION

Black; left front or right rear

Black; right front or left rear

2040-0704

SADDLEBAGS

WINDSHIELDS & FAIRINGS

& LUGGAGE

SEATS & SISSY BARS

EXHAUST

FIIFI / AIR **SYSTEMS**

ENGINE

TRANSMISSION **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO. COMMUNICATION & MOUNTS

105

RHOMBUS S

- EXtranz® Extreme optical transparency technology
- Kellermann HighPower LED technology
- Long Life Protection Guard®, IC operated, 330 kHz
- High-quality metal housing
- Suitable for 12VDC applications
- With M5 x 0,5 x 6,5 mm fastening screw
- Sold each

DESCRIPTION	LEFT	RIGHT
Dark	2020-1684	2020-1685
DF dark	2020-1687 ¹	2020-1686 ¹
Extreme	2020-1679	2020-1683

¹ Rear light only.



MICRO RHOMBUS DARK INDICATORS

- Indicators are hidden behind strongly tinted glass when not in use
- High-power LED technology with 330 kHz IC-operated Long Life Protection Guard® system
- High-quality metal housing
- Suitable for 12V applications
- Replaceable flexible rubber adapter protects the indicator from vibration damage and vandalism
- Sold each

PART #	DESCRIPTION
2040-0695	Black; left front or right rear
2040-0696	Black; right front or left rear

MICRO RHOMBUS DF INDICATORS + REAR/BRAKE LIGHT

MICRO RHOMBUS EXTREME

Long Life Protection Guard® system

Suitable for 12V applications

Sold each

2020-0558

2020-0559

PART #

- Indicator/brake/rear light combination with bright double rear lights
- High-power LED technology with 330 kHz IC-operated Long Life Protection Guard® system
- High-quality metal housing
- Suitable for 12V applications
- Replaceable flexible rubber adapter protects the indicator from vibration damage and vandalism
- M8 x 20 thread with flexible mounting and clear glass
- Sold each

PART #	DESCRIPTION
2040-0704	Chrome; left rear
2040-0703	Chrome: right rear



2040-0726 2040-1092 2040-0725

2040-0730





2040-2319



2040-0719

MICRO SERIES REPLACEMENT PARTS

PART #	DESCRIPTION
2040-0726	20 mm flexible rubber adapter
2040-1092	30 mm silent rubber extension
2040-0725	40 mm flexible rubber adapter
2040-0730	Indicator glass Micro 1000 Evo
2040-0733	Posi-lock cable connector, 9 per set

PART #	DESCRIPTION
2040-0734	Posi-lock cable connector, 5 per set
2040-2319	Mini Posi-lock cable connector, 5 per set
2040-0719	Rigid mounting M8 x 20, chrome
2040-0720	Rigid mounting M8 x 20, black

REPLACEMENT PART FOR MICRO S/RHOMBUS S/ATTO®

PART # **DESCRIPTION** 2040-2466 M6 variable mounting adapter

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FIIFI / AIR

SYSTEMS

ENGINE





PART # 2040-3289

2040-32901

motogadget

mo.blaze DISC TURN SIGNALS

- Transparent light-emitting discs with TranzLight-Technology® that give handlebars a harmonious finish
- Features Motogadget's high-power LED technology (IntensiLED®)
- Made of scratch-resistant plastic with compact aluminum base
- Dark signals feature a tinted lens with black anodized housings for a seamless look

lized, left
lized, right



2040-2770

 Contains TEILEGUTACHTEN / German Parts Certificate (where noted)

Sold each

Dark, left

Dark, right

DESCRIPTION

PART #	DESCRIPTION
2040-3171	Polished, left
2040-3172	Polished, right

2040-3172

2040-2771

Contains TEILEGUTACHTEN/German Parts Certificate

2040-3290

TRANSMISSION **CLUTCH LINE** & DRIVELINE

> **GASKETS & SEALS**

ELECTRICAL

LIGHTING

& LICENSE **PLATES** HANDLEBARS,

CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES

& GAUGES

FRAMES & SUSPENSION

FOOTRESTS & **FLOORBOARDS**

FENDERS

WHEELS & AXLES

> COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS

mo.blaze tens5 **LED FRONT POSITION LIGHTS**

- CNC-machined aluminum housing
- Smallest front position light in the world
- High-power LED bulbs use Motogadget's IntensiLED® technologies plus an additional lateral beam angle provides precise illumination and intense visibility
- Two push-lock cable connectors
- M8 mounting thread; no mounting adaptor or special heat sink nut necessary
- Includes installation instructions
- Anodized black finish
- Sold each

PART #	DESCRIPTION
2040-2772	Left/right



2-IN-1 LED **FRONT TURN SIGNALS** CNC-machined aluminum housing

mo.blaze tens4

- Smallest turn signal with position light in the world
- High-power LED bulbs use Motogadget's IntensiLED® technologies plus an additional lateral beam angle provides precise illumination and intense visibility
- Three push-lock cable connectors
- M8 mounting thread; no mounting adaptor or special heat sink nut necessary
- Includes installation instructions
- Sold each

PART #	DESCRIPTION	PART #	DESCRIPTION
2040-2770	Anodized black, left/right	2040-2771	Polished, left/right





mo.blaze tens3 3-IN-1 LED REAR TURN SIGNALS

- CNC-machined aluminum housing
- The smallest 3-in-1 rear turn signal in the world operates as a turn signal, rear light and brake light in one light element
- High-power LED bulbs use Motogadget's IntensiLED® technologies plus an additional lateral beam angle provides precise illumination and intense visibility
- Four push-lock cable connectors
- M8 mounting thread; no mounting adaptor or special heat sink nut necessary
- Includes installation instructions
- Sold each

PART #	DESCRIPTION
2040-2768	Anodized black; left/right
2040-2769	Polished; left/right

mo.blaze tens2 **LED REAR TAILLIGHTS/BRAKE LIGHTS**

- CNC-machined aluminum housing
- Smallest taillight/brake light in the world
- High-power LED bulbs use Motogadget's IntensiLED® technologies plus an additional lateral beam angle provides precise illumination and intense visibility
- Three push-lock cable connectors
- M8 mounting thread; no mounting adapter or special heat sink nut necessary
- Includes installation instructions
- Sold each

PART #	DESCRIPTION
2040-2766	Anodized black, left/right
2040-2767	Polished, left/right

mo.blaze tens1 LED FRONT/REAR TURN SIGNALS

- CNC-machined aluminum housing
- Smallest front/rear turn signal in the world
- High-power LED bulbs use Motogadget's IntensiLED® technologies plus an additional lateral beam angle provides precise illumination and intense visibility
- Two push-lock cable connectors
- M8 mounting thread; no mounting adaptor or special heat sink nut necessary
- PART # DESCRIPTION 2040-2764 Anodized black, left/right

2040-2764



2040-2765

Includes installation instructions

Sold each

PART #	DESCRIPTION	
2040-2765	Polished, left/right	





2020-1888

PROBEAM® REAR BULLET RINGZ™

- Direct OEM turn signal replacement
- 8 red LEDs embedded into an outer aluminum bezel with an inner cluster
- Available in a red or smoke lens
- Installs with simple two-wire hookup
- Posi Lock® connectors provided for in-line connections to replace OEM turn signal lens and bulb
- · Operates as turn signal only
- Available in chrome or gloss black finishes

NOTE: Smart Triple Play® (PART #2050-0319) required for run/brake/turn signal function (sold separately; see page 113).



2020-1885

FOR 15-24 ROADMASTER, 18 ROADMASTER CLASSIC, 20-21 ROADMASTER ELITE, 15-19 CHIEF/CLASSIC/DARK HORSE, 15-20 CHIEF VINTAGE, 15-18 CHIEFTAIN/DARK HORSE, 18-20 CHIEFTAIN CLASSIC, 16-24 SPRINGFIELD, 18-19 SPRINGFIELD DARK HORSE, 21 VINTAGE

PART #	DESCRIPTION	PART #	DESCRIPTION
2020-1887	Chrome bezel, red lens	2020-1885	Gloss black bezel, red lens
2020-1888	Chrome bezel, smoke lens	2020-1886	Gloss black bezel, smoke lens



- FRONT LED TURN SIGNALS

 Outer ring of 24 white ProBEAM® LEDs showcase a smooth white halo that functions as a running light
- 12 center amber LEDs function as the turn signal
- When turn signal is activated, the white LEDs turn completely off for the entire turn signal cycle
- Aluminum bullet housing 79 mm L x 57 mm D (3,125" x 2,25") with $^{5}/_{16}$ " 18 mounting stud
- Include smoked lenses
- Sold in pairs
- Load equalizer may be required

FOR 15-24 SCOUT, 16-24 SCOUT SIXTY, 18-24 SCOUT BOBBER, 20-24 SCOUT BOBBER SIXTY/BOBBER TWENTY, 22-24 SCOUT ROGUE/ROGUE SIXTY (REPL. OEM #2412602)

PART #	DESCRIPTION	PART #	DESCRIPTION
2020-1911	Chrome	2020-1910	Gloss black





PROBEAM® DYNAMIC RINGZ $^{\mathsf{TM}}$ FRONT TURN SIGNAL INSERTS WITH SMOKED LENSES

- Maximize performance with a unique reflector technology and automotive-grade LEDs composed into a sealed unit for superior reliability
- Turn signals produce an even brighter light output with wider viewing angle
- Outer ring of 24 white LEDs showcase a smooth white halo that functions as the running light while 12 center amber LEDs function as the turn signal
- When a turn signal is activated, the white LEDs turn completely off for the entire turn signal cycle, providing greater visibility to the amber turn signal
- Smoked lenses
- Sold in pairs

FOR 14-18 CHIEF/CLASSIC, 14-21 CHIEF VINTAGE, 16-20 CHIEF	DARK HORSE, 1	6-23 SPRINGFIELD, 18-23 SPRINGFIELD DARK HORSE, 21 VINTAG	E DARK HORSE
PART #	DESCRIPTION	PART #	DESCRIPTION
2020-1795	Chrome	2020-1794	Black

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES &
BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

2020-1794

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FIIFI / AIR SYSTEMS

ENGINE

TRANSMISSION **CLUTCH LINE** & DRIVELINE

& SEALS **ELECTRICAL**

GASKETS

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

BRAKES & BRAKE LINES

CABLES

TANKS & OIL FILTERS

DASHES

& GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

> WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS



• Outer ring of 24 white ProBEAM® LEDs showcase a smooth white halo that functions as a running light

12 center amber LEDs function as the turn signal

• When a turn signal is activated, the white LEDs turn completely off for the entire turn signal cycle





2020-1741

- Aluminum bullet housing: 76 mm L x 61 mm D (3" x 2,4")
- 100% plug-and-play
- Sold in pairs

FOR 15-20 CHIEF/CLASSIC/DARK HORSE/VINTAGE, 15-24 SPRINGFIELD/DARK HORSE, 21 VINTAGE/DARK HORSE			
PART #	DESCRIPTION	PART #	DESCRIPTION
2020-1742	Chrome	2020-1741	Gloss black





PROBEAM® FRONT/REAR LED TURN SIGNALS

- 24 amber single-intensity turn, automotive-grade LEDs per unit
- Aluminum bullet housing: 76 mm L x 61 mm D x (3" x 2,4")
- · Available in gloss black or chrome finishes
- Sold in pairs

FRONT SIGNAL REPLACEMENT: FOR 15-20 CHIEF/CLASSIC/DARK HORSE/VINTAGE, 15-24 SPRINGFIELD/DARK HORSE, 21 VINTAGE/DARK HORSE REAR SIGNAL REPLACEMENT: FOR 15-24 ROADMASTER, 18 ROADMASTER CLASSIC, 20-21 ROADMASTER ELITE, 15-19 CHIEF/CLASSIC/DARK HORSE, 15-20 CHIEF VINTAGE, 15-18 CHIEFTAIN/DARK HORSE, 18-20 CHIEFTAIN CLASSIC, 16-24 SPRINGFIELD, 18-19 SPRINGFIELD DARK HORSE, 21 VINTAGE

PART # **DESCRIPTION** PART # **DESCRIPTION** 2020-1744 Chrome 2020-1743 Gloss black







PROBEAM® REAR LED TURN SIGNALS

- 24 red single-intensity turn, automotive-grade LEDs per unit
- Aluminum bullet housing: 76 mm L x 61 mm D x (3" x 2,4")
- 100% plug-and-play front turn signals
- Sold in pairs

FOR 15-24 ROADMASTER, 18 ROADMASTER CLASSIC, 20-21 ROADMASTER ELITE, 15-19 CHIEF/CLASSIC/DARK HORSE, 15-20 CHIEF VINTAGE, 15-18 CHIEFTAIN/DARK HORSE, 18-20 CHIEFTAIN CLASSIC, 16-24 SPRINGFIELD, 18-19 SPRINGFIELD DARK HORSE, 21 VINTAGE

PART # DESCRIPTION PART # DESCRIPTION 2020-1746 Chrome 2020-1745 Gloss black



- Plug-and-play
- Smart Triple Play® (PART #2050-0408) required for run/brake/turn signal function (sold separately)
- Sold in pairs

PART #

FOR 15-24 SCOUT/SCOUT SIXTY (EXCEPT BOBBER/ROGUE; REPL. OEM #2412541)	
2020-1915	Chrome finish, red lens
2020-1913	Chrome finish, smoke lens
2020-1914	Black finish, red lens
2020-1912	Black finish, smoke lens

DESCRIPTION

PART # DESCRIPTION FOR 18-24 SCOUT BOBBER/BOBBER SIXTY/BOBBER TWENTY/ROGUE/ROGUE SIXTY

2020-2162

2020-2162 Black finish, red lens



2020-2020



D-LIGHTS

- Modern LED technology
- Easy mount with M8 thread
- Integrated vibration damping
- Encased in metal housing

PART #	DESCRIPTION	
2020-2183	LED turn signal (2 pc.)	
2020-2020	Ray LED sequential turn signal	
2020-2021	Stellaris LED sequential turn signal (2 pc.)	
2020-2024	Sol turn signal, smoke lens	





2020-2023

DESCRIPTION			
Sol-W turn signal, orange lens			
Sol-W turn signal, taillight, orange lens (2 pc.)			
Sol-W turn signal, taillight, smoke lens (2 pc.)			





OLD SCHOOL TURN SIGNALS AND 3-IN-1 INDICATORS

- Mainly used at Cult-Werk on Sportster models due to the optics, be can used on various Harley models
- High-quality power LEDs are installed in the black aluminum housing and all turn signals are supplied with E-mark
- Available as turn signals only or as 3-in-1 (rear light, brake light and turn signals)

 Measure 45 mm (1,75") x approximately 70 mm (2 	2,75")
with M10 x 1,5 mm threaded bolt	

• Sold in pairs

2020-2048

NOTE: We recommend using the offered mini resistor PART #2050-0467 (sold separately) so that the display and the flashing frequency work properly.

DESCRIPTION

DESCRIPTION
For 18-24 Scout Bobber/Bobber Sixty/Bobber Twenty
For 15-24 Scout/Scout Sixty/Scout Twenty/Scout Rogue; 3-in-1 indicators



PART # 2020-2048

2020-2049

REAR RED LED TURN SIGNALS

- Plug-n-play
- For use with Badlands Illuminator module PART #2050-0260; sold separately

 Sold in pairs PART #

2020-1279







DESCRIPTION

For 14-24 Indian (except Scout, Challenger and FTR1200)













2020-1918

PROBEAM® TURN SIGNAL LENSES

- Replaces OEM front and rear turn signal lenses
- Include gasket to prevent moisture
- Use stock mounting screws
- Sold in pairs

PART #	DESCRIPTION
FOR 15-24 SCOUT/SCOUT SIXTY (EXCEPT SCOUT BOBBER/ROO	(UE)
2020-1916	Amber lens
2020-1917	Red lens

PART #	DESCRIPTION
FOR 15-24 SCOUT/SCOUT SIXTY (EXCEPT SCOUT BOBBER/	ROGUE) (CONT)
2020-1918	Smoke lens

All part numbers in **BLUE** are new for 2025.

SADDLEBAGS

& LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION **CLUTCH LINE** & DRIVELINE



REAR TURN SIGNAL ADAPTERS

- Use to mount any turn signals that mount with an 8 mm (5/16") thru-hole bolt to the license plate bracket
- CNC-machined billet aluminum construction
- · Hard black finish
- 8 mm (5/16") diameter mounting bolt hole



2020-2027



PART #	DESCRIPTION
2040-2008	For 15-24 Scout/Scout 60/Scout Bobber/Scott Rogue models

- For indicator mounting
- Constructed of aluminum

PART #	DESCRIPTION
2020-2027	For 35 mm (approx. 1,37") forks
2020-2028	For 39 mm (approx. 1,53") forks
2020-2029	For 41 mm (approx. 1,61") forks
2020-2030	For 43 mm (approx. 1,69") forks
2020-2031	For 47 mm (approx. 1,87") forks

- Sold in two-piece set
- Inside groove for hidden wiring

PART #	DESCRIPTION
2020-2032	For 48 mm (approx. 1,88") forks
2020-2033	For 49 mm (approx. 1,92") forks
2020-2034	For 53 mm (approx. 2,08") forks
2020-2035	For 57 mm (approx. 2,24") forks
2020-2036	For 59 mm (approx. 2,32") forks



ADAPTER COLLAR

2 pieces

PART #	DESCRIPTION	
0504-0367	Adapter collar M10	

ELECTRICAL

GASKETS & SEALS

& LICENSE **PLATES** HANDLEBARS, CONTROLS

CABLES

& MIRRORS

BRAKES &

TANKS & OIL FILTERS

BRAKE LINES

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS &

FLOORBOARDS WHEELS

> COVERS, LOCKS & **GENERAL**

& AXLES

AUDIO, COMMUNICATION & MOUNTS







2040-3138

RYDECULTURE™ BRYANT M1 SADDLEBAG LIGHTS

- Distinguish your motorcycle from the pack in a subtle and classy manner
- Red run and brake lights along with amber or red turn signals
- Plug-and-play
- No drilling required; easy to install with just adhesive

FOR 21-24 ROADMASTER LIMITED/DARK HORSE, 21-23 CHALLENGER/LIMITED/DARK HORSE, 22-23 CHALLENGER ELITE/DARK HORSE ICON, 22-23 CHIEFTAIN DARK HORSE ICON, 21-23 CHIEFTAIN ELITE/DARK HORSE, 23 PURSUIT ELITE/LIMITED W/ PREMIUM PACKAGE ICON, 22-23 PURSUIT DARK HORSE/LIMITED W/ OR W/O PREMIUM PACKAGE, 21-23 SPRINGFIELD DARK HORSE

2040-3136

PART #	DESCRIPTION	PART #	DESCRIPTION
2040-3137	Light smoke lens, amber turn signal	2040-3138	Red lens, amber turn signal
2040-3251	Light smoke lens, red turn signal	2040-3252	Red lens, red turn signal
	<u> </u>		



MACHETE™ BAG LED LIGHT

- Function and style in one stealthy package
- Smoked, shatterproof, polycarbonate lens with built-in optics
- · Low-profile housing maintains plenty of ground clearance while cornering
- Red run, turn and brake LED lights; 40 LEDs in each light
- Requires plug-and-play lighting controller or wiring adapter to work (sold separately; see note)



• No drilling required; installs easily with adhesive

NOTE: Will not fit models with saddlebag scuff guards.

NOTE: Roadmaster, Chieftain and Springfield models will require Ciro® Lighting Controller. Challenger and Pursuit models will require PART #2120-1244 (sold separately).

FARI #	DESCRIPTION
2040-3136	For 21-23 Roadmaster LTD, 22-23 Chieftain Dark Horse Icon, 20-23 Chieftain Elite/Dark Horse, 21-23 Challenger/LTD/Dark Horse, 22-23 Challenger Elite/Dark Horse, 23 Pursuit Elite, 22-23 LTD/Dark Horse w/ or w/o Premium Package Icon, 20-23 Springfield Dark Horse
2120-1244	Wiring adapter



DUAL-INTENSITY LOW-PROFILE SADDLEBAG LIGHTS

- 48 dual-intensity red LEDs are encased behind a red or smoke lens
- Mounts with tape
- In-line quick disconnect
- Include decorative chrome trim; gloss black trim sold separately (PART #3501-1861; see below)

• Smart Triple Play® PART #2050-0319 required for run/brake/turn function, sold separately (see page 113)

2040-3202

Plug-and-play technology

FOR 15-24 ROADMASTER, 18-21 ROADMASTER ELITE, 15-18 CHIEFTAIN/DARK HORSE, 18-20 CHIEFTAIN CLASSIC, 18 CHIEFTAIN LTD, 16-24 SPRINGFIELD, 18-19 SPRINGFIELD DARK HORSE

PART # DESCRIPTION PART # DESCRIPTION 2040-3201 2040-3202 Smoke lens Red lens



LOW-PROFILE BAGZ™

- Sleek low-profile design
- Mount to the top edge on OEM saddlebags
- Utilize super-bright LEDs behind a red or smoked lens
- Include run/brake functionality (except international fitments)
- In-line disconnect for quick removal of saddlebags
- Come pre-taped and include a plug-and-play wiring adapter for easy installation
- Units are completely sealed
- Sold in pairs

PART #	DESCRIPTION
FOR 19-24 ROADMASTER DARK HORSE, 21-24 ROADMAS 24 ROADMASTER ELITE, 19-24 CHIEFTAIN/LTD/DARK HOI 19-23 CHIEFTAIN ELITE, 20-24 SPRINGFIELD DARK HORSE	RSE,
2040-2693	Red lens
2040-2694	Smoke lens
FOR 20-24 CHALLENGER/DARK HORSE/LTD/ELITE, 22-24 PURSUIT LTD/DARK HORSE	
2040-2695	Red lens
2040-2696	Smoke lens
·	

PART # **DESCRIPTION**

FOR 19-24 ROADMASTER DARK HORSE, 24 ROADMASTER ELITE, 21-23 ROADMASTER LTD, 19-24 CHIEFTAIN/LTD/DARK HORSE, 20-23 CHIEFTAIN ELITE, 20-24 CHALLENGER/DARK HORSE/LTD/ELITE, 22-24 PURSUIT LTD/DARK HORSE, 19-24 SPRINGFIELD DARK HORSE (INTERNATIONAL MODELS ONLY)

2040-2726 Red lens 2040-2727 Smoke lens





2040-2694



GLOSS BLACK SADDLEBAG TRIM

- Upgrade the chrome decorative trim included with Custom Dynamics® Saddlebag Lights (PART #s 2040-2843, 2040-2844; sold separately) to gloss black
- Units are pre-taped for mounting and measure 26,3 cm (103/8")
- · Sold in pairs

PART #	DESCRIPTION	
3501-1861	For 15-24 Roadmaster, 18-21 Roadmaster Elite, 15-18 Chieftain/Dark Horse,	
	18-20 Chieftain Classic, 18 Chieftain LTD, 16-24 Springfield, 18-19 Springfield Dark Horse	

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

& LICENSE **PLATES** HANDLEBARS,

CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

> & AXLES COVERS, LOCKS &

GENERAL

AUDIO, COMMUNICATION & MOUNTS





- Include color-coded replacement rear fender harness and installation instructions
- Built-in load equalizer prevents rapid flashing
- Static sequential flashing: when the turn signal button is pressed, the first LED will light up followed by the second and third before all three shut off and the sequence starts again

	PART #	DESCRIPTION
2050-0303		For 14-22 Indian (except Scout, FTR1200)





- Designed to add running light, brake light and turn signal functions to each rear turn signal
- Features a built-in load equalizer that is perfect for switching out factory turn signals to LED versions
- Plug-n-play design for easy installation
- Includes new wiring harness for rear fender

- includes new wiring numers for real render				
PART #	DESCRIPTION	PART #	DESCRIPTION	
2050-0260	For 14-20 Indian (except Scout)	2050-0290	For 15-23 Scout	





2050-0290

PLUG-N-PLAY ILLUMINATOR

- Provides running light function to front turn signals
- Built-in load equalizer prevents turn signals from flashing rapidly

	PART #	DESCRIPTION
2050-0291 For 14-17 Indian (except Sco	2050-0291	For 14-17 Indian (except Scout)

PLUG-N-PLAY ILLUMINATOR

- Provides running light, brake light and turn signal functions to new rear turn signals
- Built-in load equalizer to prevent rapid flashing
- Includes new wiring harness for rear fender

PART #	DESCRIPTION
2050-0290	For 15-23 Scout









- Converts rear turn signals to run-brake-turn
- Works with LEDs or incandescent bulbs
- Ten user-selectable, built-in brake light strobe/flash patterns (user can also select no strobe/flash on brake)
- Ten user-selectable running light intensities allow user to match the running light brightness of turns to center taillight
- Ability to apply brake strobe/flash patterns on center taillight only, rear turns only, or rear turns and center taillight

• Built-in short circuit protection

2050-0408

- Sealed, weathertight case
- Slimline design: 10,6 cm L x 35,56 mm W x 15 mm H (4,2" x 1,4" x 0,6")

PART #	DESCRIPTION
2050-0319 For 15-24 Roadmaster, 18 Roadmaster Classic, 20-21 Roadmaster Elite, 15-19 Chief/Classic/Dark Horse, 15-20 Chief 15-18 Chieftain/Dark Horse, 18-20 Chieftain Classic, 16-24 Springfield, 18-19 Springfield Dark Horse, 21 Vintage	
2050-0408	For 15-24 Scout/Scout Sixty (except Scout Bobber/Rogue)

ISOLATOR MODULES

- Total isolation of all lighting and electrical accessories from vehicle
- Short circuit protection of all outputs without any relays or other mechanical devices
- Plug-and-play
- 30-amp max total capacity
- Left turn, right turn, brake, battery, accessory power inputs
- Ground to isolated outputs



- DLI will feed both brake and turn signal power on the output ports with LTOUT and RTOUT labels, if the motorcycle carries brake and turn function on the same circuit
- Isolated integrated output: turn/brake output

PART #	DESCRIPTION
2050-0296	For 15-24 Roadmaster, 18 Roadmaster Classic, 20-21 Roadmaster Elite, 15-19 Chief/Classic/Dark Horse, 15-20 Chief Vintage, 15-18 Chieftain/Dark Horse, 18-20 Chieftain Classic, 16-24 Springfield, 18-19 Springfield Dark Horse, 21 Vintage
2050-0447	For 22-23 Chief/Dark Horse/Bobber/Bobber Dark Horse, 22-23 Super Chief/LTD, 24 Sport Chief, 20-24 Challenger/Dark Horse/LTD/Elite, 22-24 Pursuit LTD/Dark Horse

MAGIC STROBES™ BRAKE LIGHT FLASHERS

- 10 user-selectable flash/strobe patterns
- Over-current/thermal/short circuit/ reverse wiring protection
- Plug-and-play
- Sealed weather-tight case
- Measure 57,2 mm L x 31,8 mm W x 12,7 mm H (2.25" x 1.25" x 0.5")



PART #	DESCRIPTION	
2050-0322	For 15-24 Scout/Scout Sixty (except Scout Bobber/Rogue)	
2050-0324	For 15-24 Roadmaster/LTD/Dark Horse/Elite, 22-24 Pursuit LTD/Dark Horse	
2050-0453	For 22-24 Chief/Dark Horse/Bobber/Bobber Dark Horse, 22-24 Super Chief/LTD, 24 Sport Chief, 20-24 Challenger/Dark Horse/LTD/Elite, 22-24 Pursuit LTD/Dark Horse	
2050-0454 For 19-24 Roadmaster Dark Horse, 24 Roadmaster Elite, 21-24 Roadmaster LTD, 20 Chief Dark Ho 19-24 Chieftain/LTD/Dark Horse, 19-23 Chieftain Elite, 21 Vintage Dark Horse, 20-24 Springfield		

HEADLIGHT ADAPTER

- Required when installing a Custom Dynamics TruBEAM® or ProBEAM® LED headlamp on 20-24 Indian models with factory OEM LED headlamp
- Plug-and-play headlamp harness
- One adapter needed per bike

PART #	FITS MODEL
2001-2291	For 20-24 Roadmaster/Dark Horse/LTD, 20 Roadmaster Elite, 20-23 Chieftain Elite/LTD, 20-23 Chieftain Dark Horse,
	23 Chieftain, 20-24 Challenger/Dark Horse/LTD/Elite, 22-23 Pursuit LTD/Dark Horse, Springfield/Dark Horse

WIRING ADAPTER

- Pass through wire harness is equipped with Delphi 6=position connectors that mate to the Indian main wire harness under the seat
- Pass through, color-coded wires have Posi-Tap quick connectors providing easy connections of the motorcycle's brake, running and turn signal wires
- Allows for quick and simple installation of low-current, aftermarket lighting accessories
- Lighting accessories are powered through OEM wiring

NOTE: To prevent overload and Vehicle Control Module (VCM) codes, ensure your chosen add-on lighting accessories do not exceed the thresholds of your year and model.

	• • • • • • • • • • • • • • • • • • • •	THE REAL PROPERTY AND ADDRESS OF THE PERSON NAMED IN COLUMN TO PERSON	
PART #	DESCRIPTION		
2020-1884	For 15-24 Roadmaster/Dark Horse/LTD, 15-21 Roadmaster Classic, 15-21/24 Road 22-24 Chief Bobber/Robber Dark Horse, 22-24 Super Chief/LTD, 24 Sport Chief, 15-23 Chieftain Elite, 15-21 Chieftain Classic, 20-24 Challenger/Dark Horse/LTD/I 15-24 Springfield/Dark Horse and 21 Vintage/Dark Horse	15-20 Chief Classic/LTD, 15-24 Chieftain/I	Dark Horse/LTD,

All part numbers in **BLUE** are new for 2025.



SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES &
BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

& LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS



PASSING LAMP ADAPTERS

- Plug-and-play H11/881 wire adapter compatible with Passing Lamp PART #s 2001-1751, 2001-1752 (sold separately)
- Sold in pairs

PART #	DESCRIPTION		
2001-1856	For 15-23 models		



PASSING LAMP ADAPTER FOR 11,5 CM (4,5") PASSING LAMPS

- Plug-and-play H11/881 wire adapter connects to OEM incandescent passing lamp connectors
- For use with aftermarket passing lamps that use H11/811 connector
- Sold each

PART #	DESCRIPTION
2001-1571	Passing lamp adapter for 15-23 Roadmaster,
	15-21 Roadmaster Classic/Elite



TURN SIGNAL POLARITY CONVERTERS

- For switch-ground turn signal circuits
- Works with multi-function lighting with common ground
- 500mA max per side
- · Sold in pairs

PART #	DESCRIPTION
2050-0410	For 15-24 Roadmaster, 15-21/24 Roadmaster Elite, 15-20 Chief/Classic/Dark Horse/Vintage, 15-24 Chieftain/Dark Horse/LTD, 15-23 Chieftain Elite, 15-24 Springfield/Dark Horse, 21 Vintage/Dark Horse, 15-24 Scout/Scout Sixty/Bobber/Bobber Sixty/Bobber Twenty/Rogue/Rogue Sixty


2050-0374

REAR SIGNAL SPLITTER MODULES

- Easily install any Kuryakyn by Kellermann or other custom LED turn signals
- Available in two versions to accommodate any custom turn signal application
- Modules are plug-and-play into stock wiring harness and stock taillight remains in place
- Custom turn signals need to be hardwired to pigtails that can then be plugged into the module outputs
- 3-wire: (run power, brake and turn power, and ground) allows replacement of stock amber turn signals with red custom turn signals for additional run and brake and turn lighting to the rear of the bike

PART # DESCRIPTION

FOR 15-23 SCOUT (EXCEPT BOBBER, BOBBER SIXTY AND BOBBER TWENTY)
2050-0373
3-wire



Sold each

PART # DESCRIPTION
FOR 15-23 SCOUT (EXCEPT BOBBER, BOBBER SIXTY AND
BOBBER TWENTY) (CONT)

2050-0374 4-wire



CANBUS MODULE

- Requires no cutting, splicing or soldering
- Prevents damage to your factory wiring
- Plug-and-play installation
- Allows CANbus signal to work with trailer lights
- Works with Rivco trailer wiring components

PART #	DESCRIPTION
3902-0194	For all 14-23 Indian models (except Scout, FTR)





HEADLIGHT ADAPTER

- Converts OEM headlight wire harness to 3-wire H4 connector
- Allows easy installation of aftermarket headlights
- Plug-and-play

PART #	DESCRIPTION
2001-2842	For 20-24 Roadmaster/Challenger/Chieftain,
	22-24 Pursuit Limited/Dark Horse







i.LASH

PART #

- Ensures that flashing frequency is correct after a turn signal conversion
- Easy to install
- Trouble-free operation of all Kellermann LED indicators

PART #	DESCRIPTION
FOR 15-22 SCOUT	
2040-2733	Rear indicator/taillight/brake lights

PART #	DESCRIPTION
FOR 18-22 SCOUT BOBBER	
2040-2731	Front indicator lights
2040-2732	Rear indicator lights

POWER RESISTORS

- When changing the original indicators to LED or halogen, the indicating frequency is automatically altered
- The indicating frequency is adjusted for parallel switched power resistors
- See application chart for guidance

NOTE: When using micro 1000 DF and a light control bulb, one additional resistor at 33 ohm (PART #2040-0712) for the rear light and one additional resistor at 7,5 ohm (PART #2040-0711) for the brake light are required.

DESCRIPTION

	25 to 100	
		a.

2040-0710



DESCRIPTION	PART #	DESCRIPTION
7,5-ohm	2040-0712	33-ohm

2040-0710	10-ohm	2040-0711	7,5-ohm	2040-0712	33-ohm
ADDITION CHADT					
APPLICATION CHART					
POWER INTAKE OF ORIG	GINAL INDICATORS	MICRO 1000 HALOGEN	MICRO 10	00 LED/RHOMBUS	MICRO BL 1000 LED
REQUIRED RESISTOR W	HEN CHANGING TO KELLER	RMANN INDICATORS (PER INDICATO	OR)		
21W		2040-0710	2040-071	1	2040-0710
REQUIRED RESISTOR W	HEN CHANGING TO KELLER	RMANN INDICATORS (PER SIDE)			
10W		2040-0710	2040-0710	D	2040-0710



PART #



- \bullet Ideal for use with LED or halogen indicators
- In addition to regulating the indicating frequency, this relay offers the advantage of cancelling the function of the unused indicator
- Optimally suited for motorcycles with one or two indicator lights and as a replacement for two- or three-poled original relays
- Includes all necessary mounting hardware


PART #	DESCRIPTION		
2040-0709	Load-independent indicator relay		



R1 LOAD-INDEPENDENT FLASHER RELAY

- Simple installation infeed to the turn indicator switch
- \bullet Connection to flasher dashboard light also possible
- Restricts the accompanying flashing of non-activated turn indicators
- Flashes independently of load at a steady 75 pulses per minute
- Dimensions: 21 mm L x 11 mm W x 6 mm H
- Suitable for turn indicator switches and motorcycles with 6- and 12-volt electrical systems
- Sold each

PART #	DESCRIPTION
2020-0625	R1 Flasher relay



FLASHER RELAYS

- Suitable for vehicles with 12V indicator application
- \bullet Higher wattage than stock equipment

PART #	DESCRIPTION
2020-1748	Flasher relays

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING

& LICENSE **PLATES** HANDLEBARS,

CONTROLS & MIRRORS

CABLES

BRAKES &

TANKS &

DASHES

BRAKE LINES

OIL FILTERS

& GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS &

FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS

















PART #	COUNTRY	SIZE	COLOR
2030-20721	Italy	177 mm x 177 mm	Black
2030-2073 ¹	Netherlands	210 mm x 140 mm	Black
2030-2069 ¹	Spain	220 mm x 160 mm	Black
2030-1315 ¹	Switzerland	180 mm x 140 mm	Chrome
2030-1314 ¹	Switzerland	180 mm x 140 mm	Black
2030-20741	For Sweden	170 mm x 150 mm	Black
2030-2071 ¹	United Kingdom	229 mm x 178 mm	Black

¹ Contains TEILEGUTACHTEN / German Parts Certificate

Bright LED tag lighting in slim, high-quality aluminum housing available in black anodized or chrome finishes • Contains TEILEGUTACHTEN / German Parts Certificate

2030-2072

PART #	COUNTRY	SIZE	COLOR
2030-1313 ¹	Austria	210 mm X 170 mm	Chrome
2030-1312 ¹	Austria	210 mm x 170 mm	Black
2030-2075 ¹	Belgium	210 mm x 140 mm	Black
2030-2070 ¹	France	210 mm x 130 mm	Black
2030-1311 ¹	Germany	180 mm x 200 mm	Chrome
2030-1954	Germany	220 mm x 200 mm	Chrome
2030-1310 ¹	Germany	180 mm x 200 mm	Black
2030-1953	Germany	220 mm x 200 mm	Black

GERMAN PARTS CERTIFICATE

SLIP-INN LICENSE PLATE MOUNTS • The new SLIP-INN opening allows easy mounting of the license plate without screws or glue

THE STATE OF THE S	TEG NDN 15 NDN 1
2030-153	HECKI OF UN DE NP OF THIS OF MT 2.22

SIDE-MOUNT LICENSE PLATE HOLDERS

• Fit Indian models with 25,4 mm (1") rear axle

GERMAN PARTS

CERTIFICATE

- SLIP-INN opening for screw-less mounting of the license plate
- Integrated LED license plate; light in slim aluminum housing
- Stable arm with guaranteed ANTI-TWIST safety
- Three different mounting options in width and invisible cable routing

PART #	COUNTRY	SIZE	COLOR
FOR 15-20 SCO	UT MODELS		
2030-1527 ¹	Austria	210 mm x 170 mm	Black
2030-1531 ¹	Belgium	210 mm x 140 mm	Black
2030-1535 ¹	France	210 mm x 130 mm	Black
2030-1951	Germany	180 mm x 200 mm	Black
2030-1539 ¹	Italy	177 mm x 177 mm	Black
2030-1541 ¹	Netherlands	210 mm x 140 mm	Black

- High-quality aluminum in black anodized finish
- Come in different sizes for 10 European countries
- Include all mounting material and axle nuts
- Contains TEILEGUTACHTEN / German Parts Certificate

PART #	COUNTRY	SIZE	COLOR
FOR 15-20 SCO	UT MODELS (CONT)		
2030-1533 ¹	Spain	220 mm x 160 mm	Black
2030-1529 ¹	Switzerland	180 mm x 140 mm	Black
2030-1543 ¹	Sweden	170 mm x 150 mm	Black
2030-1537 ¹	United Kingdom	229 mm x 178 mm	Black

¹ Contains TEILEGUTACHTEN / German Parts Certificate.



- market guarantees you a TOP look
- Made of high-quality steel, CNC-lasered and then powdercoated in black

PART #	COUNTRY	SIZE			
WITH MILLED SLIDE-I	WITH MILLED SLIDE-IN FRAME				
2030-2173 ¹	Austria	210 mm x 170 mm			
2030-2199 ¹	Germany	180 mm x 200 mm			
WITHOUT MILLED SLI	WITHOUT MILLED SLIDE-IN FRAME				
2030-2179	Austria	210 mm x 170 mm			
2030-2205	Germany	180 mm x 200 mm			
2030-2190	France	210 mm x 130 mm			

- Available with or without including slide-in frame for the license plate
- Includes LED license plate light with E-mark
- Contains TEILEGUTACHTEN/German Parts Certificate

PART #	COUNTRY	SIZE
WITHOUT MILLED SI	IDE-IN FRAME (CONT)	
2030-2213	Italy	170 mm x 170 mm
2030-2230	Netherlands	210 mm x 143 mm
2030-2237	Switzerland	180 mm x 140 mm

1 With the FLSB and FLHC/FLHCS, the license plate holder can only be used without the cases.



PART #	DESCRIPTION
2030-0905	For 15-24 Scout



SIDE-MOUNT LICENSE PLATE

- Billet 6061-T6 construction
- Includes a bright LED license plate light
- Mounts horizontally or vertically
- Mounts on the left side of the swingarm in place of the oval axle adjuster plate
- Window size: 15 cm x 83 mm (6" x 31/4")
- Outside dimensions: 19 cm x 11,5 cm (71/2" x 41/2")
- Mounting holes: 14,5 cm x 70 mm (53/4" x 23/4")
- Available in a black finish





RUN AND BRAKE AUXILIARY LED LICENSE PLATE FRAMES

- Provide: six bright white license plate LEDs and 40 super bright flushmount dual-intensity red running brake LEDs
- Plate dimensions measure: 108 mm H x 182,38 mm W (4¹/₄" x 7³/₁₆")
- Available in a curved style with a black or chrome finish

2030-1433

- Plug-and-play installation
- Mounting hardware included

FOR 15-24 ROADMASTER, 18 ROADMASTER CLASSIC, 20-21 ROADMASTER ELITE, 15-19 CHIEF/CLASSIC, 15-20 CHIEF DARK HORSE/VINTAGE, 15-18 CHIEFTAIN/DARK HORSE, 18-20 CHIEFTAIN CLASSIC, 16-24 SPRINGFIELD, 18-19 SPRINGFIELD DARK HORSE, 21 VINTAGE DESCRIPTION DESCRIPTION PART # PART # 2030-1434 2030-1433 Chrome Black

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & **OIL FILTERS**

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS &

SISSY BARS

LICENSE PLATE HOLDERS

- Plate stays visible, holders have built-in LED license plate light
- Model-specific swingarm mounts cast from quality aluminum
- Required to install Kuryakyn side-mount license plate holders (sold separately)

FIIFI / AIR SYSTEMS

EXHAUST

ENGINE

TRANSMISSION **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FOOTRESTS &

FENDERS

WHEELS

FLOORBOARDS

COVERS, LOCKS & **GENERAL**

& AXLES

AUDIO, COMMUNICATION & MOUNTS

MOUNT CLAMPS FOR SIDE-MOUNT

- Place the license plate in a sleek, side-mount position



LED LICENSE PLATE LIGHT

- Black LED license plate light made of high-quality ABS plastic
- 24 mm long M4 x 0,7 thread
- 49 mm L x 14 mm W x 19.8 mm H



KL1 LICENSE PLATE LIGHT

- High-quality metal casing can be mounted directly to license plate
- Complete illumination of license plate with pure white light (CRI 80)
- Suitable for motorcycles with 12V electrical systems
- Available in black
- Sold each PART #

2030-0796	KL1 License plate light



DESCRIPTION

LED REPLACEMENT FOR H8 BULBS

• Replace Indian H8 bulbs

ति RIVCO

- 1700 lumens of total output (850 per bulb)
- Intense white light rated at 6000 Kelvin
- Plug-and-play installation using factory bulb housing
- Sold as pair

PART # DESCRIPTION 2060-0627 H8 LED bulbs



PART # DESCRIPTION 2030-1196 For 15-23 Scout (except Bobbers)



PART # DESCRIPTION 2030-2153 LED license plate light





REFLECTOR

- CNC-milled
- Lightweight construction
- Multiple possibilities for positioning
- Measures 100 L x 13 mm H

PART # DESCRIPTION 2030-1375 Reflector





MR16 LED REPLACEMENT BULB

- Popular MR16 LED bulb introduced in 2015 is now pushed to an additional 90 lumens
- MR16 LED bulb now delivers 490 lumens with its high-output, high-intensity LED and now has a bright 5000K color temperature
- Dimmable design of this bulb also delivers less feedback to weak radio signals, making this a great upgrade to many of Big Bike Parts Mini LED Driving Light Kits
- Sold each

PART # DESCRIPTION 2060-0636 MR16 LED replacement bulb



- Accept standard 25,4 mm (1") controls
- Thread pitch: M12 x 1,25
- Mounting bolts sold separately

PART #	DESCRIPTION	HEIGHT	PULLBACK	RISER CENTER WIDTH	WIDTH
FOR 15-22 SCOUT					
0601-0871	Radius	18 cm (7")	18 cm (7")	124 mm (4 ⁷ / ₈ ")	85 cm (33 ¹ / ₂ ")
0601-0872	Super Radius	20,5 cm (8")	38 cm (15")	124 mm (4 ⁷ / ₈ ")	85 cm (33 ¹ / ₂ ")



32 MM (11/4") TWIN PEAK HANDLEBARS

- A perfect fit for your Indian Challenger
- Designed for internal wiring

FOR 20-24 CHALLENGER

0601-5589

- Pointed, mitered top for an aggressive look
- 32 mm (1¹/₄") diameter bar looks stout installed CHROME

0601-5591	30,5 cm (12") chrome	0601-5592	30,5 cm (12") black
			· · · · · · · · · · · · · · · · · · ·
0601-5	595		

CHROME

0601-5590

FOR 20-24 CHALLENGER (CONT)

0601-5596

DESCRIPTION

25,5 cm (10") chrome

32 MM (11/4") PRIMEAPE HANDLEBARS

- A new twist on the conventional Ape; mitered top with a traditional two-bend bottom
- Direct bolt-on; drilled for internal wiring

PART #	DESCRIPTION	PART #	DESCRIPTION
FOR 20-24 CHALLENGER		FOR 20-24 CHALLENGER (CONT)	
0601-5595	30,5 cm (12") chrome	0601-5596	30,5 cm (12") gloss black

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DESCRIPTION

25,5 cm (10") black

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

> WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS



• Seamless DOM mild steel construction with black powdercoated finish

• 22 mm (7/8") grip and clamping area, drilled for internal wiring and notched for Throttle-By-Wire (TBW)

DESCRIPTION For 22-24 Scout Rogue/Sixty, 20-24 Scout Bobber Twenty/Sixty 20 Scout Bobber Twenty/Sixty ABS, 20 Scout 100th Anniversary, 19-20 Scout/Sixty ABS, 18-24 Scout Bobber, 18-20 Scout Bobber ABS, 16-24 Scout Sixty, 15-24 Scout 0601-3056



32 MM (11/4") BRO BARS

- Made from 3 mm (0,120") wall tubing
- Dimpled and pre-drilled for internal wiring
- Measurements: 35,5 cm tall (14"), 40,5 cm pullback (16") and 91 cm wide (36")

PART #	DESCRIPTION	RISE
FOR 18-24 CHIEFT/	AIN/ROADMASTER	
0601-4155	Chrome	+10 cm (4")
0601-4156	Powdercoated black	+10 cm (4")
0601-4842	Chrome	+20,5 cm (8")
0601-4843	Powdercoated black	+20,5 cm (8")

PART #	DESCRIPTION	RISE
FOR 14-17 CHIEFTA	AIN/ROADMASTER	
0601-3731	Chrome	+10 cm (4")
0601-3730	Powdercoated black	+10 cm (4")
0601-5194	Chrome	+20,5 cm (8")
0601-5195	Powdercoated black	+20,5 cm (8")



32 MM (11/4) KLIP HANGER HANDLEBARS

- Innovative 32 mm (11/4") bars present the ultimate in rider personal adjustment and fit
- Allows 12,5 cm (5") of wrist adjustments
- Unique "Knuckles" allow control/grip portions of the handlebar to be adjusted in several directions; rider can tailor to his/her exact liking
- Bar sections are manufactured from DOM tubing, 'Knuckles' are machined from 6061 billet aluminum, all hardware is stainless steel

 All feature a fully knurled 	I riser clamp area
-------------------------------------------------	--------------------

- All are drilled/slotted for internal wiring
- All include chromed, billet aluminum, domed bar end plugs for a finished look

NOTE: PART #s 0601-5368 and 0601-5369 will fit most 99-07 H-D models if used with 08 and later FLHT-style master cylinder.

PART #	DESCRIPTION	CENTER WIDTH	UPRIGHT BAR RISE	GRIP-TO-GRIP WIDTH
FOR 18-24 CHIEF CLA	ASSIC/DARKHORSE/VINTAGE/SPI	RINGFIELD DARKHORSE		
0601-5373	Chrome	35,5 cm (14")	33 cm (13")	86 cm (34")
0601-5372	Black	35,5 cm (14")	33 cm (13")	86 cm (34")
FOR 20-24 CHALLENG	GER, 22-24 PURSUIT			
0601-5375	Chrome	35,5 cm (14")	33 cm (13")	86 cm (34")
0601-5374	Black	35,5 cm (14")	33 cm (13")	86 cm (34")
			·	



0601-3131



32 MM (11/4") PRAIRIE **HANDLEBAR FIT KITS**

- Combine traditional beach bar styling with a more comfortable, relaxed cruising position
- Wider and lower than the stock bars on your Indian Chief Classic or Vintage, with 76,2 mm (3") more pullback for reduced reach to the handgrips and controls
- Easy to replace your stock bars by including necessary cables in the convenient Prairie Bar Fit Kit
- Available in chrome or black;

Cables are black in be	JULI KILS				
PART #	DESCRIPTION	END RISE	GRIP-TO-GRIP WIDTH	CENTER WIDTH	PULLBACK
FOR 18-23 CHIEF DARKI	HORSE/CHIEF VINTAGE/SPRI	NGFIELD/SPRINGFIELD DA	RKHORSE, 19-23 CHIEF CLASSIC		
0601-5370	Black	12,5 cm (5")	84 cm (33")	17 cm (6,75")	43 cm (17")
0601-5371	Chrome	12,5 cm (5")	84 cm (33")	17 cm (6,75")	43 cm (17")
FOR 14-17 CHIEF/CHIEF	CLASSIC/CHIEF VINTAGE/SF	PRINGFIELD			
0601-3130	Chrome	20,5 cm (8")	94 cm (37")	20,5 cm (8")	35,5 cm (14")
0601-3131	Black	20,5 cm (8")	94 cm (37")	20,5 cm (8")	35,5 cm (14")
0601-3130	Chrome	20,5 cm (8")			

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & **OIL FILTERS**

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

> WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS



25,4 MM (1") KLIP HANGER **HANDLEBAR KITS**

- The ultimate in rider personal adjustment and fit
- Innovative "Klamps" allow the control/grip portions of the handlebar to be adjusted in several directions to allow the rider to find that perfect fit
- Included handlebars manufactured from DOM tubing, clamps machined from 6061 billet aluminum, chrome hardware, polished aluminum domed bar end plugs
- 25,4" diameter (1")
- Bars are drilled and slotted for internal wiring and work with heated grips
- Bar ends are slotted for Throttle-By-Wire option
- Fully knurled center section (riser clamp area) for use with stock riser clamp set-up

PART #	DESCRIPTION
FOR 15-23 SCOUT/SCOUT SIXTY	
0601-3427	12,5 cm (5") Black/chrome



PART #	DESCRIPTION
FOR 14-16 CHIEFTAIN/ROADMASTER	
0601-3255	30.5 cm (12") Black/chrome

0601-3593



25,4 MM	(1") KLASS	SIC HANDLE	BARS
• A great cho	oice for buildin	g a bobber, an	d/

- or just creating a vintage feel
- Low-profile bars give a more forward stance and traditional flat track style
- More aggressive position than stock bars, and they position rider's wrists/arms outward when compared to stock

PART #	DESCRIPTION	END RISE	WIDTH	CENTER WIDTH	PULLBACK	DIAMETER
FOR 15-24 SCOU	T/SCOUT SIXTY, 18-24 SC	OUT BOBBER				
0601-3593	Chrome	76 mm (3")	89 cm (35")	20,5 cm (8")	20,5 cm (8")	20,5 cm (1")
0601-3592	Black	76 mm (3")	89 cm (35")	20,5 cm (8")	20,5 cm (8")	20,5 cm (1")



28,6 MM (11/8") GT OVERSIZE LOW HANDLEBARS

- Constructed from 6061 aluminum
- Sandblasted and anodized
- · Available in black or gold
- Sold each
- ABE approved

NOTE: GT Oversize Low handlebars can only use 2D.GT risers with a 28.6 mm diameter clamping area, see below

With a 20,0 mm alame	cor clamping area, see k	, c. o			Ţ
PART #		DESCRIPTION	PART #		DESCRIPTION
FOR 19-24 FTR 1200/S			FOR 19-24 FTR 1200	/S (CONT)	
0601-3145		Black	0601-3146		Gold
HANDLEBAR TYPE	Α	В	С	D	PULLBACK ANGLE (°)
GT Oversize Low	755 mm	86 mm	94 mm	140 mm	24°



ACMA TOP YOKE NUT

- Lightweight, 7075 aluminum construction with an anodized finish
- Easy to use pin-interlock system to prevent it from loosening
- No special tools necessary
- M28 x 1.0 mm thread
- Sold each

NOTE: ACMA nut is designed solely for use as a top yoke nut. Do not use it on the rear axle or swingarm axle.

PART #	DESCRIPTION
FOR 19-24 FTR 1200/S	
0410-0273	Black





PART #	DESCRIPTION
FOR 19-24 FTR 1200/S (CONT)	
0410-0276	Red

back view

top view



2D.GT HANDLEBAR RISER

- Revolutionary design effectively assists in finding the perfect handlebar position for your ride
- Risers provide unseen adjustability and styling through up, down, forward and backward movements
- Raises handlebars 6 mm
- Forward and backward adjustable 7 mm in each direction
- Includes adjustable speedometer holder



PART # 0602-1093 For 19-24 FTR 1200/S



50,8 MM (2") PIVOTING **BAR RISER KIT**

FOR 15-24 INDIAN SCOUT

- 50,8 mm (2") fully adjustable bar riser allows you to dial in the perfect position for your build and riding style
- Designed to allow the Indian speedometer assembly to mount directly into the top side of the risers
- Comes with replacement caps to clamp the stem of the riser into the stock Indian bar clamp
- Also comes with four longer bolts to allow the speedometer assembly to securely attach to the top side of the risers
- · Works with stock bars
- Machined from solid aircraft-grade 6061-T6 billet aluminum
- · Black anodized finish
- Includes all mounting hardware

PART # For 15-24 Scout models 0602-1455



50.8 MM (2") PIVOTING **BAR RISERS**

- 50.8 mm (2") of rise
- 32 mm (11/4") stem
- Accept 32 mm (1 1/4") handlebar
- Bring the stock handlebar location back toward the rider by approximately 50,8 mm (2")
- These risers are a great option for riders who want to get more upright in the seat and/or get weight off of their arms, neck, and shoulders
- Work with stock cables on the Indian Chieftain/Roadmaster
- Riser positioning will be limited by the large OEM fairing assembly
- Black anodized finish

NOTE: Will not work on 17-23 models with Ride Command. US Patent #6,920,806.

PART # 0602-0908 For 12-24 Chieftain/Roadmaster

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FIIFI / AIR **SYSTEMS**

ENGINE

TRANSMISSION **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & **OIL FILTERS**

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE**

GASKETS & SEALS

& DRIVELINE

ELECTRICAL

PLATES HANDLEBARS, CONTROLS & MIRRORS

LIGHTING & LICENSE

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

> WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS



ANTHEM PRO LEVERS • The ultimate performance lever for V-Twin motorcycles

- Unbreakable spring-loaded hinge and folding lever design
- Adjustable from stock length to Shorty 38 mm (1,5") shorter
- Micro-Adjuster for precise custom ergonomics
- CNC-machined from high-quality aluminum
- Available in black with black Micro-Adjuster
- Sold as a set

PART #	DESCRIPTION
0610-2276	For 22-24 Pursuit, 20-24 Challenger, 18-24 Chieftain/Springfield/Roadmaster, 18-21 Chief Vintage, 18-20 Chief Dark Horse, 18-19 Chief Classic
0610-2277	For 22-24 Chief/Chief Bobber/Sport Chief
0610-2275	For 17-24 Scout/Scout Sixty, 18-24 Scout Bobber, 20-24 Scout Bobber Sixty/Scout Bobber Twenty, 22-24 Scout Rogue/Scout Rogue Sixty



- Easily adjust lever to bar reach for individual riders (limited inward adjustment)
- CNC-machined from high quality aluminum

DESCRIPTION	LEVER SET	REPL. CLUTCH LEVER
FOR 20-24 CHALLENG 18-24 SPRINGFIELD,	ER, 18-22 CHIEF, 18-24 CHI 18-24 ROADMASTER	EFTAIN, 22-24 PURSUIT,
Chrome	0610-2135	0613-1854
Black	0610-2136	-

DESCRIPTION	LEVER SET	REPL. CLUTCH LEVER
	OUT SIXTY, 18-24 SCOUT BOB R SIXTY/SCOUT BOBBER TWEN SCOUT ROGUE SIXTY	•
Chrome	0610-2133	-
Black	0610-2134	-





ANTHEM ADJUSTABLE LEVERS AND SETS Easily adjust lever to bar reach for individual

riders (limited inward adjustment)

 CNC machined from high-quality aluminum DESCRIPTION **LEVER SET** REPL. CLUTCH LEVER FOR 22-24 CHIEF/CHIEF BOBBER/DARK HORSE/SUPER CHIEF Chrome 0613-1860 Black Contrast FOR 20-24 CHALLENGER, 18-22 CHIEF, 18-24 CHIEFTAIN, 22-24 PURSUIT, 18-24 SPRINGFIELD, 18-24 ROADMASTER Chrome 0610-2140 Black 0610-2141 0610-2142 Contrast

DESCRIPTION	LEVER SET	REPL. CLUTCH LEVER
20-24 SCOUT BOBE	SCOUT SIXTY, 18-24 SCOUT BOB BER SIXTY/SCOUT BOBBER TWEI JE/SCOUT ROGUE SIXTY	
Chrome	0610-2137	-
Black	0610-2138	•



O613-1280

Brake

O613-1884

Clutch

O613-1940

O614-1113

O614-1113

O614-1113

O615-1356

CNC machined from 6061 billet aluminum with a chrome-plated or black anodized finish

Finger indents for a comfortable grip

• Sold each
PART # DESCRIPTION
FOR 17-24 SCOUT/SCOUT SIXTY/SCOUT BOBBER/SCOUT ROGUE
CLUTCH LEVERS
0613-1940 Black
0613-1941 Chrome
BRAKE LEVERS
0614-1723 Black
0614-1724 ChromeSubHeader

PART # DESCRIPTION

FOR 17-24 SCOUT/SCOUT SIXTY/SCOUT BOBBER/SCOUT ROGUE

CLUTCH LEVERS (REPL. OEM #5139545/1021514-658)

0613-1356 Black

BRAKE LEVERS (REPL. OEM #2205842/2205843)

0614-1112 Black

0614-1113 Chrome



PHANTOM LEVERS

- Feature a sculpted concave design that offers maximum leverage when engaging the clutch or front brake
- Constructed from A380 aluminum

• Uses stock mounting hardware

- Direct replacement for stock with easy installation
- Dished design provides leverage for any sized hands to effortlessly actuate the clutch or front brake
- Available in chrome or gloss black finish

PART #	DESCRIPTION
FOR 18-23 INDIAN (EXCEPT SCOUT, FTR)	
0610-2106	Gloss black
FOR 14-17 INDIAN (EXCEPT SCOUT)	
0610-2103	Chrome



KURYAKYN

LEGACY LEVERS

- Direct replacements for stock levers deliver clean, classic styling to match the smooth lines of the Indian Scout
- Aluminum construction with premium gloss black finish
- Clutch and brake lever placement is similar to stock
- Minimalist styling for a clean alternative to the stock levers

PART #	DESCRIPTION	
0610-2098	For 15-16 Scout	

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING

& LICENSE **PLATES** HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

> & AXLES COVERS, LOCKS &

GENERAL

WHEELS

AUDIO, COMMUNICATION & MOUNTS

FRINGED LEATHER LEVER COVERS

- Black leather lever covers feature 30.5 cm (12") L fringe
- Fit any of the larger, cruiser-style replacement levers
- Sold in pairs



DS-243062 Fringed leather lever covers





MASTER CYLINDER RESERVOIR COVER • Made of CNC-milled aluminum

€ GILLES

- Installs quickly and easily
- Features four colored inserts (gold, silver, blue and red), which can be installed to fit individual preferences

PART # 0602-0886 DESCRIPTION For 19-24 FTR 1200/S





WARRIOR FRONT BRAKE MASTER CYLINDER COVERS

- CNC-machined from 6061 billet aluminum
- Mounting hardware included

FOR 25 101	SCOUT,	15-24 SCOUT	

PART #	DESCRIPTION	PART #	DESCRIPTION
0610-1971	Chrome	0610-1970	Black anodized





HAND GUARDS

- Stylish wind protection for your hands
- Mounts are E-coated aluminum, guards are rubber-isolated
- Made of aircraft-grade Lucite® in black opaque
- Comes with black mounting

PART #	DESCRIPTION
0635-2301	For 22-24 Chief/Chief Bobber
0635-1578	For 15-24 Scout/Scout Sixty



PART #	DESCRIPTION
0635-1577	For 19-24 Scout Bobber













VANS V-TWIN LOCK-ON GRIPS


- The Vans V-Twin Lock-On Grip System feature the classic Vans® waffle sole pattern and are built to deliver an amazing riding experience
- 100% slip-free performance guaranteed
- In-molded throttle tube with integrated application specific throttle actuation
- Billet aluminum Lock-On™ style clutch side clamp eliminates the need for grip glue or safety setscrews, providing simple installation and removal

 T15 Torx bolts provide extra secure clamping
for solid, twist-free mounting

0630-3051

- Proprietary medium-compound durometer improves overall comfort and durability
- 130 mm overall grip length with flange

PART #	DESCRIPTION
FOR 18-24 INDIAN TOURING MODELS W/ TBW	
0630-3048	Black
0630-3049	Black/Silver
0630-3052	Brown/ Black







0630-3053









HART-LUCK SIGNATURE LOCK-ON™ GRIP SETS

- Moto-inspired grip system specifically designed for your Indian Touring bike
- Proprietary medium-compound materials provide excellent durability and comfort
- Full-waffle moto-pattern reduces vibration and provides improved grip in all conditions
- \bullet Heavily knurled base-pattern delivers solid traction and control

PART #	DESCRIPTION
FOR 18-24 INDIAN TOURING MODELS W/ TBW	
0630-2697	Black/black
0630-2699	Black/bronze
0630-2698	Black/gun metal

- Billet aluminum clutch-side clamp ensures 100% slip-free security (eliminates the need for setscrews)
- T15 Torx bolts ensure extra-secure clamping for solid, twist-free mounting
- Available in a variety of grip/clamp colors

PART #	DESCRIPTION
FOR 18-24 INDIAN TOURING MODELS W/ TBW (CONT)	
0630-2866	Black/red
0630-2867	Black/silver

KURYAKYN

GLOSS BLACK KINETIC GRIPS

- Designed to keep moving forward with the latest in styling and vibration-isolating technology
- Aluminum body and EPDM rubber to help ride with less fatigue and more control in a modern design
- Sold in pairs



 PART #
 DESCRIPTION

 0630-1823
 For 15-23 Scout

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, Controls & Mirrors

CABLES

BRAKES &
BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

AIR CUSHIONED GRIPS

• Feature ergonomic seamless rubber grip technology A special core bar creates

which dampens vibrations

• Fit 25,4 mm (1") handlebars

GEL GRIPS • Ergonomic grip Soft, gel rubber

• Tacky, rubber feel

Vibration dampening

Billet aluminum ends

air pockets inside the grip body

• Billet aluminum end caps and collars

FUEL/AIR

SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

BRAKES &

BRAKE LINES

CABLES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS FOOTRESTS &

FLOORBOARDS WHEELS

> COVERS. LOCKS & **GENERAL**

& AXLES

AUDIO, COMMUNICATION & MOUNTS





- Available with chrome or black anodized finishes
 - Sold in pairs
 - · Matching pegs sold separately

FOR 18-24 CHIEF VINTAGE/SPRINGFIELD/CHIEFTAIN/ROADMASTER		
PART #	DESCRIPTION	
CHROME		
0630-2565	3-ring	
0630-2566	3-ring w/ throttle boss	
0630-2567	Spike	

PART # DESCRIPTION BLACK 3-ring 0630-2568 0630-2569 3-ring w/ throttle boss 0630-2570 Spike



PART #	DESCRIPTION
FOR 14-17 INDIAN (EXCEPT SCOUT)	
0630-1510	Chrome
0630-1511	Black anodized

DESCRIPTION FOR 18-24 CHIEF VINTAGE/SPRINGFIELD/CHIEFTAIN/ROADMASTER 0630-2576 3-ring, chrome 3-ring, black anodized 0630-2575

0630-2571 0630-2574 PART # DESCRIPTION

0630-1904

PART #	ART # DESCRIPTION	
FOR 18-24 CHIEF VINTAGE/SPRINGFIELD/CHIEFTAIN/ROADMASTER		
0630-2571 Custom contour, chrome		
0630-2573	Custom contour, anodized	

FOR 18-24 CHIEF VINTAGE/SPRINGFIELD/CHIEFTAIN/ROADMASTER (CONT) 0630-2572 Custom contour spike, chrome 0630-2574 Custom contour spike, anodized

0630-2578

MEMORY FOAM GRIPS

CUSTOM CONTOUR GRIPS

end caps and collars

Sold in nairs

• Manufactured with Kraton® rubber

• Features a very soft serrated texture to help hang on to your bike • Finished with 6061 billet aluminum

- The softest, most durable, chemical resistant grips on the market today
- A true vibration dampening grip
- 38 mm (1,5") in dia. and 11,5 cm (4,6") IL
- Chrome or black anodized aluminum ends
- Sold in pairs

PART #	DESCRIPTION
FOR 14-17 INDIAN (EXCEPT SCOUT)	
0630-1904	Black anodized
FOR 15-24 SCOUT	
0630-1905	Chrome
0630-1906	Black anodized





DIAMONDBACK GRIPS

- \bullet Universal fitment for 22 mm $(^{7}\!/_{8}")$ and 25,4 mm (1") handlebars
- Embossed Burly Brand logo
- Available in Black
- Provides a secure and comfortable grip for improved control and stability on the road

PART #	DESCRIPTION
0630-3089	For 22 mm (7/8") handlebars



• Bold and stylish look, perfect for making a statement on your motorcycle

 Improves overall ride experience, providing a confident grip for any type of ride

PART #	DESCRIPTION
0630-3090	For 25,4 mm (1") handlebars





AIR CUSHIONED HEATED AND NON-HEATED GRIPS

- Feature billet end caps and rings with ergonomic Avon seamless rubber grip technology
- Designed with a very soft, tacky and durable material
- Fit 25,4 mm (1") handlebars (unless noted)
- Available in chrome or black anodized design with or without throttle boss

PART #	DESCRIPTION
FOR 14-17 CHIEFTAIN	
NON-HEATED	
0630-1496 ¹	3-ring, chrome
0630-14971	3-ring, chrome w/ throttle boss
0630-1502 ¹	3-ring, black-anodized
0630-1503 ¹	3-ring, black-anodized w/ throttle boss
0630-1505 ¹	Excalibur, black-anodized
0630-1504 ¹	Spike, black-anodized
HEATED	
0631-0223	3-ring, chrome w/ throttle boss
0631-0225	3-ring, black-anodized
0631-0227	Spike, black-anodized
	-

PART #	DESCRIPTION
FOR 15-24 SCOUT	
HEATED	
0631-0215	3-ring, black-anodized
0631-0217	Spike, black-anodized

0631-0217

¹ For 22 mm (⁷/₈") bars

0631-0223





CUSTOM CONTOUR HEATED GRIPS

- Feature 6061 billet end caps and collars
- Designed with a very soft, tacky and durable Kraton rubber construction

PART #	DESCRIPTION
FOR ALL 14-17 CHIEFTAIN W/ 22 MM (7/8") BARS	
0631-0230	Spike, chrome
0631-0229	Black anodized
0631-0231	Spike, black anodized

- Available in chrome or black anodized design
- Sold in pairs

PART #	DESCRIPTION
FOR 15-24 SCOUT W/ 25,4 MM (1") BARS	
0631-0218	Chrome

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

> HANDLEBARS, Controls & Mirrors

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR

SYSTEMS

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

FRAMES & SUSPENSION

DASHES & GAUGES

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS



HEATED GRIP XTENSION HARNESS

- 61 cm (24") wire harness extension
- Plug-n-play



FRINGED LEATHER GRIP COVERS

- Black leather grip covers with 30,5 cm (12") L fringe for grips on 25,4 mm (1") bars
- Available for rubber-covered grips
- Sold in pairs; grips not included

DAYTONA

W HANDLEBAR ENDS

- "W" handlebar end weights made of CNC-machined aluminum in red anodized with dual function
- The handlebar weights can also be used as a mount for handlebar end mirrors; approx. 30 mm (1,18") and 12 mm (0,47") width
- Suitable for handlebars with an inner diameter of 14 mm ($^{9}/_{16}$ ") to 19 mm ($^{3}/_{4}$ ") and 31 mm (approx. $^{1}/_{4}$ ") outer diameter
- Sold in pairs



FUSION ALLOY THROTTLE TUBE

- Durable 6061 aluminum
- Hard-anodized black finish
- Integrated PTFE sleeve delivers smooth throttle pull and return
- Geared for Indian Throttle-By-Wire housing

DAYTONA

GRIP SPACERS

- Outer diameter: 50 mm (1,96")
- Inner diameter: 22 or 26 mm (0,86" or 1,02")
- Thickness: 5 mm (0,19")
- Slit for hand-cut
- Sold in pairs



PART # 2120-0892

DESCRIPTIONFor 14-22 Indian (except Scout, FTR1200)



PART # DESCRIPTION
DS-243060 For rubber grips



 PART #
 DESCRIPTION

 0634-0597
 Black



PART # DESCRIPTION
0632-0855 For 18-24 Chief and Touring models



PART # DESCRIPTION
0632-0880 Grip spacers

SADDLEBAGS

& LUGGAGE

SEATS & SISSY BARS

EXHAUST

FIIFI / AIR

SYSTEMS

ENGINE

TRANSMISSION **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING

& LICENSE

HANDLEBARS, CONTROLS & MIRRORS

PLATES

DAYTONA







D-MIRRORS TYPE-3

- Simple and minimal design
- Aluminum bodies and stems
- Mirrors measure 156 mm L x 99 mm H
- Bar-end mount includes adapter rings for direct mounting to 22,2 mm or 25,4 mm handlebars
- Rod mount includes M10 x 1,25 screws (left-hand and right-hand threads)
- Fits left or right side
- Sold each

PART #	DESCRIPTION
0640-1527	Round, bar-end mount
0640-1530	Round, rod mount

D-MIRRORS TYPE-4

- Simple and minimal design
- Aluminum bodies and stems
- Mirrors measure 156 mm L x 99 mm H
- Bar-end mount includes adapter rings for direct mounting to 22,2 mm or 25,4 mm handlebars
- Rod mount includes M10 x 1,25 screws (left-hand and right-hand threads)
- Fits left or right side
- Sold each

PART #	DESCRIPTION
0640-1528	Bar-end mount, hexagon
0640-1531	Rod mount, hexagon





D-MIRRORS TYPE-5

- Simple and minimal design
- Mirrors measure 156 mm L x 99 mm H
- Aluminum bodies and stems
- Bar-end mount includes adapter rings for direct mounting to 22,2 mm or 25,4 mm handlebars
- Rod mount includes M10 x 1,25 adapter (left-hand and right-hand threads)
- Fits left or right side
- Sold each

PART #	DESCRIPTION	MIRROR POSITION
0640-1529	Bar-end mount	R/L
0640-1532	Rod mount	R/L



D-MIRRORS TYPE-6

- Simple and minimal design
- Mirror length and angle designed for Harley-Davidson bikes
- Mirrors measure 138 mm L x 87 mm H

SHORT AND LONG BAR-END MOUNTS

- Aluminum bodies and stems
- Inner diameter clamps measure 30mm
- Include two spacers (22,2 and 25,4 mm) for direct mounting
- Optional bar end-adapters can be used
- Fits left or right side

ROD MOUNTS

- Aluminum housing and steel stems
- Include M10 x 1,25 adapter (left-hand and right-hand threads)
- Left or right side available

PART #	DESCRIPTION
0640-1533	Bar-end mount, short
0640-1534	Bar-end mount, long
0640-1539	Rod mount, right
0640-1540	Rod mount, left

0640-1536





CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO. COMMUNICATION & MOUNTS



D-MIRRORS TYPE-7

- Simple and minimal design
- Mirrors measure 138 mm L x 87 mm H
- Sold each

SHORT AND LONG BAR-END MOUNTS

- Aluminum housings and stems
- Inner diameter clamps measure 30 mm
- Include two spacers (22,2 and 25,4 mm) for direct mounting
- Optional bar end adapters can be used
- Fits left or right side

ROD MOUNTS

- Aluminum housings and steel stems
- Includes M10 x 1,25 adapter (left-hand and right-hand threads)
- Left or right side available

PART #	DESCRIPTION
0640-1535	Bar-end mount, short
0640-1536	Bar-end mount, long



SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, **CLUTCH LINE**

& DRIVELINE

GASKETS & SEALS

ELECTRICAL

& LICENSE **PLATES** HANDLEBARS.

LIGHTING

& MIRRORS **CABLES**

CONTROLS

BRAKES & BRAKE LINES

TANKS & **OIL FILTERS**

> **DASHES** & GAUGES

FRAMES & SUSPENSION

FENDERS FOOTRESTS &

WHEELS & AXLES

FLOORBOARDS

COVERS. LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS

DAYTONA



DESCRIPTION

Bar-end mount, short

Bar-end mount, long

Rod mount, right

Rod mount, left





D-MIRRORS TYPE-9

- Simple and minimal design
- Mirrors measure 113 mm L x 104 mm H
- Sold in pairs

SHORT AND LONG BAR-END MOUNTS

- ABS housings and aluminum stems
- Inner diameter clamps measure 30 mm
- Include two spacers (22,2 and 25,4 mm) for direct mounting
- Optional bar-end adapters can be used • Fits left or right side

ROD MOUNT

- ABS housings and steel stems
- Includes three adapters for direct mounting
- Fits left or right side

PART #	DESCRIPTION
0640-1545	Bar-end mount, short
0640-1546	Bar-end mount, long
0640-1547	Rod mount





D-MIRRORS TYPE-8 • Simple and minimal design

Sold each

• Mirrors measure 138 mm L x 87 mm H

• Aluminum housings and stems

• Fits left or right side

• Left or right side available

ROD MOUNT

PART #

0640-1537

0640-1538

0640-1543

0640-1544

SHORT AND LONG BAR-END MOUNTS

• Inner diameter clamps measure 30 mm

• Optional bar end adapters can be used

Aluminum housings and steel stems

• Include two spacers (22,2 and 25,4 mm) for direct mounting

• Includes M10 x 1,25 adapter (left-hand and right-hand threads)

- Simple and minimal design
- Mirrors measure 133 mm L x 104 mm H
- Sold in pairs

SHORT AND LONG BAR-END MOUNTS

- ABS housings and aluminum stems
- Inner diameter clamps measure 30 mm
- Include two spacers (22,2 and 25,4 mm) for direct mounting
- Fits left or right side

ROD MOUNT

- ABS housings and steel stems
- Includes three adapters (one left-hand side, two right-hand side) for direct mounting
- Fits left or right side

• • • • • • • • • • • • • • • • • • • •	
PART #	DESCRIPTION
0640-1548	Short, bar-end mount
0640-1549	Long, bar-end mount
0640-1550	Rod mount

0640-1555





- Simple and minimal design
- · ABS housings and aluminum and stems
- Mirrors measure 165 mm L x 90 mm H
- Left or right side available
- Sold each

PART #	DESCRIPTION
0640-1551	Fairing set, cowl type, left
0640-1552	Fairing set, cowl type, right
0640-1553	Stem set, left
0640-1554	Stem set, right

0640-1708



D-MIRRORS TYPE-12

- Simple and minimal design
- ABS housings and aluminum stems
- Mirrors measure 166 mm L x 92 mm H
- Sold each

PART #	DESCRIPTION
0640-1555	Fairing set, cowl type, left
0640-1556	Fairing set, cowl type, right
0640-1557	Stem set, left
0640-1558	Stem set, right



D-MIRRORS TYPE-20

- Simple and minimal design
- · Aluminum bodies and stems; flat and thin mirror housings
- Mirror measures 132 mm L x 91 mm H
- Sold each

PART #	DESCRIPTION
0640-1708	Flat square, stem mount, left
0640-1705	Flat square, stem mount, right

DAYTONA





D-MIRRORS TYPE-21

- Simple and minimal design
- Aluminum bodies and stems; housing thickness measures approx. 5 mm
- Mirror measures 100 mm in diameter
- Adapter M10 × 1,25 included

• Sold each

PART #	DESCRIPTION
0640-1706	Round, stem mount, left
0640-1707	Round, stem mount, right



D-MIRRORS TYPE-22

- Simple and minimal design
- Aluminum bodies and stems
- Mirrors measure 124 mm L x 83 mm H
- Fits left or right side
- Sold each

PART #	DESCRIPTION
0640-1709	Stem mount, teardop



DESCRIPTION PART # 0640-1710 Hexagon, bar-end type



D-MIRROR TYPE-23

- Aluminum mirror head and mirror arm
- Inner diameter clamp measures 30 mm
- Includes two spacers (22,2 and 25,4 mm) for direct mounting
- Optional bar end adapters can be used
- Fits left or right side
- Sold each



CAGED SERIES MIRRORS

- Lightweight multi-piece design
- Forged from aluminum then CNC machined to perfection
- Forged mirror stem
- Stainless steel machined pivot hardware
- Matches many popular lines of Ness accessories

PART #	DESCRIPTION
CHROME	
0640-1206	Deep Cut, left
0640-1208	Deep Cut, right
BLACK ANODIZED	
0640-1205	Deep Cut. left



- Oval mirror heads measure 13,8 cm W x 64 mm H (5,45" x 2,5")

PART #	DESCRIPTION
BLACK ANODIZED (CONT)	
0640-1207	Deep Cut, right
0640-1201	10-Gauge, left
0640-1203	10-Gauge, right





DOWNDRAFT MIRRORS

- Elongated, smooth flowing design
- Mirror head and stem forged from billet aluminum
- Heavy-duty stainless steel internal pivot hardware
- Medium sized mirror head blends in with the lines of the motorcycle, but shaped for great rear vision

PART #	DESCRIPTION
0640-1522	Chrome

- Laser engraved Arlen Ness logo
- Standard and metric mounting hardware included
- 15 cm W x 59 mm T (5,87" x 2,303")
- Sold in pairs

PART #	DESCRIPTION
0640-1521	Black anodized

All part numbers in BLUE are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

> COVERS, LOCKS & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

& LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES COVERS,

LOCKS & GENERAL AUDIO,

AUDIO, COMMUNICATION & MOUNTS





TEARCHOP MIRRORS

- A new take on the classic teardrop
- Large enough for a good field of vision, yet small enough to blend in with the lines of the motorcycle
- Combination of the smooth body lines and angled outer shape make it a perfect fit for any style
- Forged and CNC machined from billet aluminum
- Premium mirror glass
- Heavy-duty stainless steel internal pivot hardware
- Laser-engraved Arlen Ness logo
- Includes mounting hardware
- Sold each

PART #	DESCRIPTION
0640-1459	Chrome, left
0640-1461	Chrome, right
0640-1458	Black anodized, left
0640-1460	Black anodized, right
0640-1462	Blue anodized, left
0640-1467	Blue anodized, right
0640-1463	Gold anodized, left

50	
0640-1464	0640-1466

PART #	DESCRIPTION
0640-1468	Gold anodized, right
0640-1465	Orange anodized, left
0640-1470	Orange anodized, right
0640-1464	Red anodized, left
0640-1466	Titanium anodized, left
0640-1471	Titanium anodized, right



MINI STOCKER MIRRORS

- Forged billet aluminum construction
- Features convex glass
- 11,5 cm W x 70 mm H ($4^{1}/_{2}$ " x $2^{3}/_{4}$ ") glass dimensions
- Hardware included
- Sold each

PART #	DESCRIPTION
CHROME	
0640-1393	Left
0640-1395	Right
BLACK POWDERCOAT	
0640-1392	Left
0640-1394	Right

PART #	DESCRIPTION
BLUE ANODIZED	
0640-1386	Left
0640-1389	Right
GOLD ANODIZED	
0640-1387	Left
0640-1390	Right

PART #	DESCRIPTION
RED ANODIZED	
0640-1388	Left
0640-1391	Right

FORGED OVAL MIRRORS

- 14 cm W (51/2") mirror heads
- 12,5 cm (5") stems
- Hardware included
- Sold each

PART #	DESCRIPTION
0640-1397	Gold anodized, left
0640-1400	Gold anodized, right

(S)	AB 114500
0640-1397	0640-1398

PART #	DESCRIPTION
0640-1398	Red anodized, left
0640-1401	Red anodized, right

motogadget



mo.view RACE XL MIRRORS

- CNC machined from solid aluminum with stainless steel screws and glass-free mirror
- Weightless design features convex mirror with no edge or frame
- Mirror is resistant to corrosion, oxidation and scratching; approx. 4,5 mm thick
- Can be mounted on left or right side; above or below 22 mm or 25,4 mm handlebar end with included 12 mm W clamp
- Measures 129 mm dia.; 180 mm long stem
- Sold each for left or right side

0640-1432 mo.view race xl mirror; left side	

PARI #	DESCRIPTION
0640-1433	mo.view race xl mirror; right side





mo.view RACE MIRRORS

- CNC machined from solid aluminum with stainless steel screws and glass-free mirror
- Weightless design features convex mirror with no edge or frame
- Mount above or below 22 mm or 25,4 mm handlebar end with included 12 mm W clamp
- Resistant to corrosion, oxidation and scratching; approx. 4,5 mm thick
- Measures 129 mm W x 80 mm H; stem length 150 mm
- Sold each for left or right side

PART #	DESCRIPTION	PART #	DESCRIPTION
0640-1349	Left side	0640-1350	Right side

mo.view CLUB XL MIRROR

- CNC machined from solid aluminum with stainless steel screws and glass-free mirror
- Weightless design features convex mirror with no edge or frame
- Mirror is resistant to corrosion, oxidation and scratching; approx. 4,5 mm thick
- Can be mounted on left or right side; above or below 22 mm or 25,4 mm handlebar end with included 12 mm W clamp
- Measures 114 mm dia.; 180 mm long stem
- Sold each

PART #	DESCRIPTION	
0640-1430	mo.view club xl mirror	





mo.view CLUB MIRROR

- CNC machined from solid aluminum with stainless steel screws and glass-free mirror
- Weightless design features convex mirror with no edge or frame
- Can be mounted on left or right side; above or below 22 mm or 25,4 mm handlebar end with included 12 mm W clamp
- Mirror is resistant to corrosion, oxidation and scratching; approx. 4,5 mm thick
- Measures 114 mm W x 80 mm H; stem length 150 mm
- Sold each

PART #	DESCRIPTION
0640-1347	mo.view club mirror

mo.view ROAD MIRROR

- CNC machined from solid aluminum with stainless steel screws and glass-free mirror
- Weightless design features convex mirror with no edge or frame
- Can be mounted on left or right side; above or below 22 mm or 25,4 mm handlebar end with included 12 mm W clamp
- Mirror is resistant to corrosion, oxidation and scratching; approx. 4,5 mm thick
- Measures 114 mm W x 80 mm H; stem length 110 mm
- Sold each

PART #	DESCRIPTION
0640-1353	mo.view road mirror

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

> HANDLEBARS, Controls & Mirrors

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

& AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FIIFI / AIR SYSTEMS

ENGINE

TRANSMISSION. **CLUTCH LINE** & DRIVELINE

> **GASKETS & SEALS**

ELECTRICAL

LIGHTING

& LICENSE

PLATES HANDLEBARS. CONTROLS

CABLES

& MIRRORS

BRAKES & BRAKE LINES

DASHES & GAUGES

TANKS & **OIL FILTERS**

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

> WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS



mo.view BLADE MIRROR • CNC machined from solid aluminum with stainless

- steel screws and glass-free mirror
- Weightless design features convex mirror with no edge or frame
- Mirror is resistant to corrosion, oxidation and scratching; approx. 4 mm thick
- Can be mounted left or right side; above or below 22 mm handlebar end with included 8 mm W clamp
- Measures 100 mm dia.; 61 mm long stem
- Sold each

PART # DESCRIPTION 0640-1495 mo.view blade mirror



 CNC machined from solid aluminum with stainless steel screws and glass-free mirror

- Weightless design features convex mirror with no edge or frame
- Mirror is resistant to corrosion, oxidation and scratching; approx. 4 mm thick
- Can be mounted left or right side; above or below 22 mm handlebar end with included 8 mm W clamp
- Measures 75 mm dia.; 61 mm long stem
- Sold each

PART # DESCRIPTION 0640-1494 mo.view spy mirror





mo.view SPORT MIRROR

- CNC machined from solid aluminum with stainless steel screws and glass-free mirror
- Weightless design features convex mirror with no edge or frame
- Can be mounted on left or right side
- · Mirror is resistant to corrosion, oxidation and scratching; approx. 4,5 mm thick
- Flip mirror allows for manipulation of the mirror at 45° intervals for navigating tight spaces
- mo.view 130 includes fixed mounting arm at 90° relation to the handlebar

DESCRIPTION	PART #
mo.view sport 60 mirror	0640-1754
mo.view sport 60 flip mirror	0640-1753
mo view sport 130 mirror	0640-1755

- mo.view 150 and 180 include M10 threads and three different mounting screws
- Mirror bodies measures 122 mm W x 83 mm H
- mo.view 60 stem length: 72 mm
- mo.view 130 stem length: 110 mm
- mo view 150 stem length: 150 mm
- mo.view 180 stem length: 180 mm
- Sold each

DESCRIPTION	PART #
mo.view sport 150 mirror	0640-1756
mo.view sport 180 mirror	0640-1757



0640-1793 mo.view CLASSIC MIRRORS

- CNC machined from solid aluminum with stainless steel screws and glass-free mirror
- Weightless design features convex mirror with no edge or frame
- Can be mounted on left or right side
- · Mirrors are resistant to corrosion, oxidation and scratching; approx. 4,5 mm thick
- Flip mirrors allow for manipulation of the mirror at 45° intervals for navigating tight spaces • Pivot mirrors include the flip mechanism but also incorporate a
- slim folding clamp designed for mounting location flexibility • mo.view 130 mirrors include fixed mounting arm at 90° relation to the handlebar

PART #	DESCRIPTION
0640-1793	mo.view classic 60 mirror
0640-1794	mo.view classic 60 flip mirror
0640-1796	mo.view classic 110 mirror
0640-1797	mo.view classic 110 flip mirror
0640-1798 ¹	mo.view classic 110 pivot mirror
0640-1799 ²	mo.view classic 110 pivot mirror
0640-1795	mo.view classic 130 mirror



- mo.view 150 and 180 mirrors include M10 threads and three different mounting screws
- Mirror bodies measure 99 mm in dia
- mo.view 60 stem length: 72 mm
- mo.view 110 stem length: 110 mm
- mo.view 130 stem length: 110 mm
- mo.view 150 stem length: 150 mm
- mo.view 180 stem length: 180 mm
- Sold each

PART #	DESCRIPTION
0640-1791	mo.view classic 150 mirror
0640-1792	mo.view classic 150 flip mirror
0640-1789	mo.view classic 180 mirror
0640-1790	mo.view classic 180 flip mirror

- ¹ For 22 mm ($\frac{7}{8}$ ") handlebars.
- ² For 25,4 mm (1") handlebars.





motogadget

mo.view CRUISE FLIP BAR END MIRROR

- Mirror face and arms are CNC machined from billet aluminum
- · Lightweight, frame-less design
- \bullet Swivel mirror joint with defined detent angles at 45 $^\circ$ intervals allows the mirror to be pivoted upwards without changing any settings
- Perfect for narrow passages, trailers or tight fits in the garage
- The mo.view cruise flip is slightly larger than the mo.view street and fits perfectly with our bar end blinkers, mo.grip, mo.grip soft, mo.switch and mo.switch mini
- Mounts above or below the handlebars
- Fits left or right side
- Measures 100 mm dia.; 61 mm long stem
- Sold each

PART #	DESCRIPTION		
0640-1697	mo.view cruise flip bar end mirror		

motogadget

mo.view CRUISE MIRROR

- CNC machined from solid aluminum with stainless steel screws and glass-free mirror
- Weightless design features convex mirror with no edge or frame
- Mirror is resistant to corrosion, oxidation and scratching; approx. 4,5 mm thick
- Can be mounted on left or right side; above or below 22 mm or 25,4 mm handlebar end with included 10 mm W clamp
- Measures 114 mm dia.; 72 mm long stem
- Sold each

0640-1666

PART #	DESCRIPTION
0640-1427	mo.view cruise mirror

motogadget mo.view SCREW KIT

• Enables the mounting of all mo.view and mo.view xl mirrors (with 150 mm and 180 mm stem) to the H-D standard mounting, to M10 x 1,5 right-hand thread, to M10 x 1,25 right-hand thread, and to M10 x 1,25 left-hand thread

Sold in 4-pack



0640-1668

0640-1676



MICRO MIRRORS WITH V2 CUT-OUT STEMS

- Constructed from billet aluminum with a stainless steel pivot that rides in a unique nylon bushing
- Mirrors never lose adjustment or rust at the pivot
- \bullet Include all necessary mounting hardware
- Micro head measures 11,5 cm x 7,6 cm (4,5" x 3")
- V2 cut-out stem measures 14 cm x 5,8 cm (5,5" x 2,5")
- Sold each

PART #	DESCRIPTION
LEFT-HAND SIDE	
0640-1665	Chrome
0640-1666	Black
0640-1667	Gold



0640-1675

0640-1667



MINI MIRRORS WITH V2 CUT-OUT STEMS

- Constructed from billet aluminum with a stainless steel pivot that rides in a unique nylon bushing
- \bullet Mirrors never lose adjustment or rust at the pivot
- Include all necessary mounting hardware
- \bullet Mini tear drophead measures 11,5 cm x 7 cm (4,5" x 2,75")
- \bullet V2 cut-out stem measures 14 cm x 5,8 cm (5,5" x 2,5")
- Sold each

PART #	DESCRIPTION
LEFT-HAND SIDE	
0640-1671	Chrome
0640-1672	Black
0640-1673	Gold

PART #	DESCRIPTION
RIGHT-HAND SIDE	
0640-1674	Chrome
0640-1675	Black
0640-1676	Gold

All part numbers in **BLUE** are new for 2025.

0640-1671

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, Controls & Mirrors

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

LIGHTING

& LICENSE PLATES HANDLEBARS,

CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS







⋘ GILLES

HANDLEBAR END MIRRORS

- To ensure optimal visibility of the traffic, mirror offers the flexibility of dual adjustable positions that can be continuously adjusted
- Plug-and-play design, mirrors can be easily mounted on your motorcycle and adjusted to your personal, ergonomic needs
- Features a universal clamp, the mirror is suitable for most models and offers simple and secure attachment
- Delicate look ensures that the mirror blends seamlessly into the overall design of the vehicle without being obtrusive
- Simple and space-saving installation directly on the handlebar end, for optimal visibility without impairment
- Offers an optimal balance between weight and strength, resulting in improved performance and longevity
- Made of high-strength aluminum, a material known for its exceptional strength, durability and lightness

 BLACK PART #
 BLACK/MATTE PART #
 DESCRIPTION

 0640-1787
 0640-1788
 Moon

- Can be used on either the left or right side
- Mirror thickness 6 mm
- Mirror weight 600 g
- Symmetrical
- Sold each

BLACK PART #	BLACK/MATTE PART #	DESCRIPTION	
0640-1785	0640-1786	Stratos	









0641-0315

0641-0317



0641-0332 0641-0324



0641-0326





0641-0334

0641-0330

DAYTONA

MIRROR PLUG BOLTS

- CNC mirror hole plug bolts
- With M10 x 1,25 thread anodized

17 MM X 11 MM 0641-0313 Black left mirror plug bolt 0641-0314 Black right mirror plug bolt 0641-0315 Gunmetal left mirror plug bolt 0641-0316 Gunmetal right mirror plug bolt 0641-0319 Orange left mirror plug bolt 0641-0320 Orange right mirror plug bolt 0641-0317 Red left mirror plug bolt 0641-0318 Red right mirror plug bolt	PART #	DESCRIPTION			
0641-0314Black right mirror plug bolt0641-0315Gunmetal left mirror plug bolt0641-0316Gunmetal right mirror plug bolt0641-0319Orange left mirror plug bolt0641-0320Orange right mirror plug bolt0641-0317Red left mirror plug bolt	17 MM X 11 MM	1			
0641-0315Gunmetal left mirror plug bolt0641-0316Gunmetal right mirror plug bolt0641-0319Orange left mirror plug bolt0641-0320Orange right mirror plug bolt0641-0317Red left mirror plug bolt	0641-0313	Black left mirror plug bolt			
0641-0316 Gunmetal right mirror plug bolt 0641-0319 Orange left mirror plug bolt 0641-0320 Orange right mirror plug bolt 0641-0317 Red left mirror plug bolt	0641-0314	Black right mirror plug bolt			
0641-0319 Orange left mirror plug bolt 0641-0320 Orange right mirror plug bolt 0641-0317 Red left mirror plug bolt	0641-0315	Gunmetal left mirror plug bolt			
0641-0320Orange right mirror plug bolt0641-0317Red left mirror plug bolt	0641-0316	Gunmetal right mirror plug bolt			
0641-0317 Red left mirror plug bolt	0641-0319	Orange left mirror plug bolt			
	0641-0320	Orange right mirror plug bolt			
0641-0318 Red right mirror plug bolt	0641-0317	Red left mirror plug bolt			
	0641-0318	Red right mirror plug bolt			

PART #	DESCRIPTION
15 MM X 11 M	M
0641-0331	Black left mirror plug bolt
0641-0332	Black right mirror plug bolt
0641-0323	Blue left mirror plug bolt
0641-0324	Blue right mirror plug bolt
0641-0325	Gold left mirror plug bolt
0641-0326	Gold right mirror plug bolt
0641-0327	Green left mirror plug bolt
0641-0328	Green right mirror plug bolt

PART #	DESCRIPTION			
15 MM X 11 MM	/I (CONT)			
0641-0321	Red left mirror plug bolt			
0641-0322	Red right mirror plug bolt			
0641-0329	Silver left mirror plug bolt			
0641-0330	Silver right mirror plug bolt			
0641-0333	Titanium left mirror plug bolt			
0641-0334	Titanium right mirror plug bolt			





FEATHERLIGHT CLUTCH CABLES

- Marine-grade stainless steel inner wire that runs through a PTFE liner
- Reduced friction provides a light action, easing pressure on the hand, especially in stop/start traffic and during long rides
- PTFE lining removes the need for lubrication
- "Bird-cage" process is applied to inner wire, allowing solder to penetrate the weave of the cable and making the bond with the nipple much stronger

PART #	DESCRIPTION	P
0652-2582	For 15-23 Scout, Scout Sixty, Scout Bobber Twenty	0
0652-2583 For 18-23 Scout Bobber, Scout Bobber Sixty		

PART #	DESCRIPTION
0652-2584	For 14-22 Chief, Chieftain, Springfield, Roadmaster









BLACK PEARL

BRAIDED HIGH EFFICIENCY CLUTCH CABLES

- The Industry's highest-quality braid available in two color choices to complement your bike; Sterling Chromite® and Black Pearl braided with real black wire braid
- Braid color and weave match on all Magnum control cables and brake lines
- Coated with a non-yellowing, crystal-clear outer jacket for exceptional protection against scuffing paint or chrome
- All fittings are polished then chrome or black-chrome plated
- Low-effort, high-efficiency cable design
- All cables are factory lubricated for smooth, consistent, long lasting-operation

checkson and procession against seaming paint of one one						
STERLING CHROMITE®						
FITS MODEL	OEM #	STOCK	+51 MM (+2")	+102 MM (+4")	+152 MM (+6")	+203 MM (+8")
For 14-20 Chief/Chieftain/Springfield/Roadmaster	7082130	0652-2036	-	-	0652-2047	0652-2048
For 20-24 Challenger	7082637, 7082863	1132-1513	-	-	1132-1516	-
For 15-24 Scout Sixty	7082099, 7082203	0652-2037	0652-2049	0652-2050	0652-2051	-
For 24 Scout, 18-24 Scout Bobber/ Bobber Twenty/Bobber Sixty	7082318	-	0652-2037	0652-2049	0652-2050	0652-2051
BLACK PEARL						
FITS MODEL	OEM #	STOCK	+51 MM (+2")	+102 MM (+4")	+152 MM (+6")	+203 MM (+8")
For 14-20 Chief/Chieftain/Springfield/Roadmaster	7082130	0652-2039	0652-2056	0652-2057	0652-2058	0652-2059
For 20-24 Challenger	7082637, 7082863	1132-1518	1132-1519	1132-1520	1132-1521	1132-1522
For 15-24 Scout Sixty	7082099, 7082203	0652-2040	0652-2060	0652-2061	0652-2062	-
For 24 Scout, 18-24 Scout Bobber/ Robber Twenty/Robber Sixty	7082318	0652-2074	0652-2040	0652-2060	0652-2061	0652-2062

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

& GAUGES

DASHES

FRAMES & SUSPENSION


FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS



XR HIGH EFFICIENCY CLUTCH CABLES

- Magnum XR clutch cables offer a great fit and excellent quality at an economical price
- Fitments for Scout, Chief and Challenger models
- Available in stock and plus lengths

STAINLESS STEEL/CHROME

- Three color choices; clear-coated stainless with chrome fittings or OE style black vinyl with either chrome or black chrome-plated fittings
- Fittings are polished and chrome or black chrome-plated
- Braided Stainless Steel Cables are coated with a non-yellowing, crystal-clear PVC outer jacket for exceptional protection against scuffing paint or chrome

+152 MM

+203 MM

+254 MM


• Low-effort, high-efficiency cable design for OE type fitment, construction and endurance

+51 MM

 All clutch cables are factory lubricated for smooth, consistent, long lasting operation

+102 MM

FITS MODEL	OEM #	STOCK LENGTH	STOCK	(+2")	(+4")	(+6")	(+8")	(+10")
For 14-20 Chief/Chieftain/								
Springfield/Roadmaster	7082130	170,5 cm (67 ¹ / ₈ ")	1132-1523	1132-1524	1132-1525	1132-1526	1132-1527	-
For 20-24 Challenger	7082637, 7082863	147 cm (57 ⁷ / ₈ ")	1132-1534	1132-1535	-		-	-
For 15-24 Scout Sixty	7082099, 7082203	170 cm (66 ⁷ / ₈ ")	1132-1529	1132-1530	1132-1531	1132-1532	1132-1533	-
For 24 Scout, 18-24 Scout Bobber/ Bobber Twenty/Bobber Sixty	7082318	165 cm (64 ⁷ / ₈ ")	1132-1528	1132-1529	1132-1530	1132-1531	1132-1532	1132-1533
BLACK/CHROME								
FITS MODEL	OEM #	STOCK LENGTH	STOCK	+51 MM (+2")	+102 MM (+4")	+152 MM (+6")	+203 MM (+8")	+254 MM (+10")
For 14-20 Chief/Chieftain/								
Springfield/Roadmaster	7082130	170,5 cm (67 ¹ / ₈ ")	1132-1539	1132-1540	-	1132-1542	1132-1543	-
For 20-24 Challenger	7082637, 7082863	147 cm (57 ⁷ / ₈ ")	1132-1550	1132-1551	-	-	1132-1554	-
For 15-24 Scout Sixty	7082099, 7082203	170 cm (66 ⁷ / ₈ ")	1132-1545	1132-1546	1132-1547	1132-1548	1132-1549	-
For 24 Scout, 18-24 Scout Bobber/ Bobber Twenty/Bobber Sixty	7082318	165 cm (64 ⁷ / ₈ ")	1132-1544	1132-1545	1132-1546	1132-1547	1132-1548	1132-1549
BLACK/BLACK								
BLACK/ BLACK					400	450		
FITS MODEL	OEM #	STOCK LENGTH	STOCK	+51 MM (+2")	+102 MM (+4")	+152 MM (+6")	+203 MM (+8")	+254 MM (+10")
For 14-20 Chief/Chieftain/								
Springfield/Roadmaster	7082130	170,5 cm (67 ¹ / ₈ ")	1132-1555	1132-1556	1132-1557	1132-1558	1132-1559	-
For 20-24 Challenger	7082637, 7082863	147 cm (57 ⁷ / ₈ ")	-	1132-1567	1132-1568	1132-1569	1132-1570	-
For 15-24 Scout Sixty	7082099, 7082203	170 cm (66 ⁷ / ₈ ")	1132-1561	-	1132-1563	1132-1564	1132-1565	-
For 24 Scout, 18-24 Scout Bobber/ Bobber Twenty/Bobber Sixty	7082318	165 cm (64 ⁷ / ₈ ")	1132-1560	1132-1561	-	1132-1563	1132-1564	1132-1565



FITS MODEL DESCRIPTION STAINLESS STEEL PART # BLACK VINYL PART # For 14-21 Chief/Chieftain/Roadmaster/Springfield 0652-2934 0652-2936 Std. +15 cm (6") 0652-2935 0652-1970 For 15-23 Scout Std. 0652-1975 0652-1973 +15 cm (6") 0652-1974





HANDLEBAR CABLE KITS

- Take "cable calculation" headaches out of swapping handlebars
- Kit includes the correct length brake/clutch lines to complete a handlebar swap; electrical wire extensions not included
- Black vinyl/stainless kit includes black vinyl clutch line and black stainless brake lines with chrome fittings, banjo bolts and crush washers

BLACK VINYL/STAINLESS BRAIDED KITS AND COMPONENTS	
DESCRIPTION	CABLE KIT
FOR 15-24 SCOUT/SCOUT SIXTY/SCOUT BOBBER W/O ABS	
For use w/ 30,5 cm - 35,5 cm handlebars (12"-14")	0662-0458

 The midnight kit includes stainless steel brake lines and clutch lines covered in a black smoke-tinted coating with pure black fittings throughout; lines appear graphite or carbon fiber in appearance providing that ultra-custom look and the black fittings seamlessly blend with blacked-out controls and covers on the bike

MIDNIGHT BRAIDED KITS AND COMPONENTS	
DESCRIPTION	CABLE KIT
FOR 15-24 SCOUT/SCOUT SIXTY/SCOUT BOBBER W/O ABS	
For use w/ 30,5 cm - 35,5 cm handlebars (12"-14")	0662-0459

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR

SYSTEMS

ENGINE

TRANSMISSION,

CLUTCH LINE & DRIVELINE **CUBIO® BRAKE ROTORS**

WAVE® BRAKE ROTORS

· Laser cut, never stamped

Sold each

FITS MODEL

14-23 Chief (all)

14-23 Chieftain (all)

15-23 Roadmaster

• Made from 420 high-carbon stainless Tier 1 steel

parallel ground to assure perfect flatness

• Every rotor is individually heat-treated and double-disc

• Wave design is lighter than the stock round rotor design

• Named after the crystal steel molecules, the Cubiq® brake rotor combines state-of-the-art technology with modern design

 Rotor shape promotes uniform brake pad wear - the same contact surface between the pad and disc every revolution generates regular wear

• Less unsprung weight (up to 40% lighter than standard round rotors) reduces gyroscopic effect and improves the manueverability of the motorcycle

• Increased perimeter surface design generates more cooling surface around the rotor for better temperature dissipation

Available in fixed (solid mount) or floating designs

Sold each

NOTE: For maximum braking performance and rotor longevity, Galfer recommends using Galfer brake pads with Galfer rotors. See page 147 for Galfer brake pads.

Wave® design allows for lower operating temperatures in extreme use conditions

NOTE: For maximum braking performance and rotor longevity, Galfer recommends using Galfer brake pads with Galfer rotors. See page 147 for Galfer brake pads.

DESCRIPTION

Front/rear, floating

Front/rear, floating

Front/rear, floating

FITS MODEL	STYLE	PART #
14-23 Chief (all)	Front/rear, floating	1710-4117
14-24 Chieftain (all)	Front/rear, floating	1710-4117

FITS MODEL	STYLE	PART #
15-20 Roadmaster	Front/rear, floating	1710-4117
16-20 Springfield	Front/rear, floating	1710-4117

1710-4117

1710-3633

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS &

OIL FILTERS DASHES

& GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**



COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS



ROUND ROTORS

- Classic look and has more braking power than the original disc
- Low working temperature and less tendency to warp
- Excellent resistance to corrosion
- Stainless steel high carbon content
- Floating discs are made from anodized or chromed high-resistance aluminum (7075 T6-6082) or stainless steel (AISI 420) carrier

FITS MODEL	DESCRIPTION	PART #
11-24 Chief (all)	Front/rear, floating	1710-4239
14-24 Chieftain (all)	Front/rear, floating	1710-4239

1710-4239	20
	295
	3-60
-a()	000
0	5

DESCRIPTION

Front/rear, floating

Front/rear, floating

Front/rear, fixed

PART #

1710-3633

1710-4241

1710-4242

FITS MODEL	DESCRIPTION	PART #
15-20 Roadmaster	Front/rear, floating	1710-4239
16-20 Springfield	Front/rear, floating	1710-4239

All part numbers in **BLUE** are new for 2025.

FITS MODEL

16-20 Springfield

15-23 Scout/Scout Sixty, 18-23 Scout

Bobber/Bobber Sixty/Bobber Twenty


1710-3633

1710-3633

1710-3633











REPLACEMENT FLAME AND HALO ROTORS

FLAME SERIES ROTORS

- Bolt-on performance upgrade
- Flame design ensures optimal heat dissipation and a perfect cleaning of the brake pad surface
- Durable, premium-quality stainless steel outer ring, mounted with lightweight stainless floaters
- Precision double-ground for excellent rider feedback, eliminating any pulsation at the lever
- Equal brake pad contact throughout entire rotation of disc ensures linear braking action
- CNC-machined 6082 billet aluminum, black anodized carrier is lightweight and strong
- Can be used with any type of brake pad
- Fixed design unless noted
- Sold each

HALO SERIES ROTORS

- A new standard in aftermarket circular-round brake rotors
- Durable, premium quality stainless steel outer ring is laser-cut and precision-ground
- Carrier is crafted from CNC-machined billet aircraft aluminum, black anodized and laser marked
- Venting holes are sized and positioned exactly to ensure equal heat dispersion, even under high thermal stress, while the brake pad contact surface stays clean
- Lightweight stainless steel floaters complete the package
- Halo front floating rotors are left and right, unless noted
- Sold each

FITS MODEL	FLAME LEFT FRONT ROTOR PART #	FLAME RIGHT FRONT ROTOR PART #	FLAME REAR ROTOR PART #	HALO LEFT FRONT ROTOR PART #	HALO RIGHT FRONT ROTOR PART #	HALO REAR ROTOR PART #
14-24 Chieftain	1710-1805 ¹	1710-1829 ¹	-	•	-	•
15-24 Roadmaster	1710-1805 ¹	1710-1829 ¹	-	•	•	
16-24 Springfield/ Dark Horse	1710-1805 ¹	1710-1829 ¹		-	-	
22-24 Super Chief	1710-1805 ¹	1710-1829 ¹			•	
21-24 Vintage	1710-1805 ¹	1710-1829 ¹	-		-	
20-24 Challenger	1710-4616	1710-4617		1710-4638	1710-4638	
22-24 Pursuit	•	•	-	1710-4638	1710-4638	
23-24 Sport Chief	•	-	-	1710-4638	1710-4638	-
25 Scout 101	•	-	-	1710-4638	1710-4638	-
19-24 FTR1200/ Rally/Sport	1710-4616	1710-4617	1710-4615	1710-4638	1710-4638	1710-4639

¹ Floating disc.







STAINLESS STEEL FLOATING BRAKE ROTORS

- High-quality stainless steel construction with a high carbon content
- Provides strong stopping power in all conditions
- Quiet, vibration-free operation
- Anti-corrosion treatment and high temperature resistance
- Low rotor weight

FITS MODEL	FRONT PART #	REAR PART #
11-13 Chief Blackhawk	1710-3664	-
15-18 Roadmaster Classic	1710-4387	1710-4387

- Matches OEM rotor dimensions
- Rotors install using OEM hardware
- Floating rotors feature heat-treated stainless steel center hubs
- Listed models require two front discs and one rear disc

FITS MODEL	FRONT PART #	REAR PART #
18 Roadmaster Elite	1710-4387	1710-4387

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

TRANSMISSION, CLUTCH LINE & DRIVELINE

ENGINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS





BRAKES

BRAKE ROTOR APPLICATION CHART

DESCRIPTION	PART #
FRONT	
FTR 1200/S/Race Replica/Rally 18-22	1710-2825
16-21 Chief Dark Horse (Nissin Calipers)	1710-4199 ¹
14-21 Chief Vintage (Nissin Calipers)	1710-4199 ¹
14-21 Chieftain (Cast Wheel/Nissin Calipers)	1710-4199 ¹
14-23 Chieftain Dark Horse/Limited/Elite	
(Cast Wheel/Nissin Calipers)	1710-4199 ¹
15-23 Roadmaster/Dark Horse/Limited	
(Cast Wheel/Nissin Calipers)	1710-4199 ¹
16-23 Springfield	1710-4199 ¹
19-21 Springfield Elite	1710-4199 ¹
17-23 Scout	1710-4197 ²
18-23 Scout Bobber	1710-4197 ²
15-16 Scout (Cast Wheel/Toso Calipers)	1710-4197 ²
17-22 Scout Sixty	1710-4197 ²
16 Scout Sixty (Cast Wheel/Toso Calipers)	1710-4197 ²

DESCRIPTION	PART #
REAR	
FTR 1200/S/Race Rep/Rally 19-22	1710-4200 ¹
16-21 Chief Dark Horse (Nissin Calipers)	1710-4198 ¹
14-21 Chief Vintage (Nissin Calipers)	1710-4198 ¹
14-21 Chieftain (Cast Wheel/Nissin Calipers)	1710-4198 ¹
14-23 Chieftain Dark Horse/Limited/Elite (Cast Wheel/Nissin Calipers)	1710-4198 ¹
15-23 Roadmaster/Dark Horse/Limited (Cast Wheel/Nissin Calipers)	1710-4198 ¹
16-23 Springfield	1710-4198 ¹
19-21 Springfield Elite	1710-4198 ¹
17-23 Scout	1710-4197 ²
18-23 Scout Bobber	1710-4197 ²
15-16 Scout (Cast Wheel/Toso Calipers)	1710-4197 ²
17-21 Scout Sixty	1710-4197 ²
16 Scout Sixty (Cast Wheel/Toso Calipers)	1710-41972

- ¹ Not ABE approved.
- ² X-Series rotor.







- 2-piece floating brake rotors
- Made from premium stainless steel
- Inner rotor carrier coated in black finish

PART #	DESCRIPTION
FOR 14-24 CHIEF/CHIEFTAIN/SPRINGFIELD/ ROADMASTER/CHALLENGER/PURSUIT (EXCEPT SCOUT)	
1710-4578	Front

- 300 mm OEM diameter
- Front brake rotor width: 5 mm
- Rear brake rotor width: 7 mm

PART # DESCRIPTION
FOR 14-24 CHIEF/CHIEFTAIN/SPRINGFIELD/
ROADMASTER/CHALLENGER/PURSUIT (EXCEPT SCOUT) (CONT)
1710-4579 Rear



ARLEN

FLOATING BRAKE ROTOR HARDWARE KIT

- Made from forged stainless steel
- Bolt and bushing are forged into one, giving each full floating bolt head its unique custom shape
- Each bolt is CNC machined into a custom radius shape
- Torque style fastener helps provide proper torque during rotor installation
- \bullet Includes five full floating rotor bolts and five spring washers



PART # 2401-1526

For 20-24 Challenger









BRAKE PADS AND SHOES

ORGANIC BRAKE PADS

- The world's #1 selling organic disc brake pads
- EBC Organic brake pads contain Aramid fibers; these are man-made high-performance fibers used widely for their light weight, high strength, abrasion resistance and thermal stability
- Aramid fibers have high strength-to-weight, thermal stability and abrasion resistance to provide advantages over cheaper steel fiber-based products
- Provide excellent stopping power without noise and rotor galling, even on polished rotors
- Fingertip control and strong, predictable brake response

DOUBLE-H SINTERED METAL PADS

- Feature the HH friction rating the highest in the industry
- Provide maximum brake effect and last twice as long as organic pads

SEMI-SINTERED "V" PADS

- All-new semi-sintered construction containing 30% copper by weight within an organic matrix
- This design has the long life of a sintered pad with the great feel and are more rotor-friendly than the more aggressive sintered pads
- Can be used to replace organic or sintered metal compound pads



Semi-sintered "V" pads

EPFA EXTREME PERFORMANCE BRAKE PADS

- The latest in sintered metal brake pad fusion technology
- Has the highest friction rating possible 0.6 for strong, fade-free stopping power
- Pad blend includes molybdenum metal and tungsten additives to enhance friction performance for the life of the pad
- No lead, iron or steel additives; no more rotor outline etching or rotor stiction
- Super-fast bed-in, full friction after 10 to 15 hard stop uses
- Great heat cycle ability

FITS MODEL	ORGANIC PAD PART #	V SEMI SINTERED PART #	HH SINTERED PART #	EPFA EXTREME PART #
FRONT BRAKE PADS				
22-24 Chief/Bobber/Bobber Dark Horse/Super Chief		-	FA347HH ¹	
15-24 Roadmaster/Classic/Elite (Nissin calipers)	•	-	FA347HH ¹	•
14-24 Chieftain (Cast Wheel/Nissin calipers)	-	-	FA347HH ¹	•
14-18 Chief Classic/Vintage (Spoke Wheel/Nissin calipers)	•	-	FA347HH ¹	•
16-24 Chief Dark Horse (Nissin calipers)	•	-	FA347HH ¹	•
11 Chief Blackhawk (Brembo calipers)	FA95 ¹	1721-1450 ¹	FA95HH ¹	1721-1222
11 Chief Blackhawk Dark (Brembo calipers)	FA95 ¹	1721-1450 ¹	FA95HH ¹	1721-1222
11-13 Chief Classic (Brembo calipers)	FA95 ¹	1721-1450 ¹	FA95HH ¹	1721-1222
09-11 Chief Standard (Brembo calipers)	FA95 ¹	1721-1450 ¹	FA95HH ¹	1721-1222
09 Chief Deluxe (Brembo calipers)	FA95 ¹	1721-1450 ¹	FA95HH ¹	1721-1222
09-11 Chief Roadmaster (Brembo calipers)	FA95 ¹	1721-1450 ¹	FA95HH ¹	1721-1222
09-13 Chief Vintage (Brembo calipers)	FA95 ¹	1721-1450 ¹	FA95HH ¹	1721-1222
13 Chief Vintage FE/LE	FA95 ¹	1721-1450 ¹	FA95HH ¹	1721-1222
10-11 Bomber (Brembo Calipers)	FA95 ¹	1721-1450 ¹	FA95HH ¹	1721-1222
10-13 Dark Horse (Brembo calipers)	FA95 ¹	1721-1450 ¹	FA95HH ¹	1721-1222
16-18 Scout 1200 (Cast Wheel/Toso calipers)	1720-0021 ¹	-	FA196HH ¹	1721-2842
16-19 Scout 1200 (Nissin Calipers)	FA209/2 ¹	1721-1415 ¹	FA209/2HH1	-
15-16 Scout (Cast Wheel/Toso caliper)	1720-0575	-		-
18 Scout Bobber	FA209/2 ¹	1721-1415 ¹	FA209/2HH1	-
17-24 Scout Sixty and 19-24 Bobber (Nissin Calipers)	FA209/2 ¹	1721-1415 ¹	FA209/2HH1	-
16 Scout Sixty (Cast Wheel/Toso caliper)	1720-0575	-	•	•
All 02-08 models	FA216/3	1721-1416 ¹	1721-0139 ¹	•
All 09 models	FA95 ¹	1721-1450 ¹	FA95HH ¹	1721-1222
REAR BRAKE PADS				
22-24 Chief/Bobber/Bobber Dark Horse/Super Chief	1720-0021 ¹	-	FA196HH ¹	-
15-24 Roadmaster/Classic/Elite (Nissin calipers)	1720-0021 ¹	-	FA196HH ¹	
14-24 Chieftain (Cast Wheel/Nissin calipers)	1720-0021 ¹	-	FA196HH ¹	-
14-21 Chief Classic/Vintage (Spoke Wheel/Nissin calipers)	1720-0021 ¹	-	FA196HH ¹	-
16-24 Chief Dark Horse (Nissin calipers)	1720-0021 ¹	•	FA196HH ¹	•
16-23 Scout 1200 (Nissin Calipers)	1720-0021 ¹	•	FA196HH ¹	•
19-24 Scout Bobber 1200	-		1721-0651	•
17-21 Scout Sixty	-	•	1721-0651	-
All 02-08 models	FA216/3	1721-1416 ¹	1721-0139 ¹	-
1 ARE approved				

¹ ABE approved.

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FIIFI / AIR **SYSTEMS**

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES &

BRAKE LINES
TANKS &

DASHES & GAUGES

OIL FILTERS

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS











BRAKE PADS

metal

 Sintered metal brake pads are the OEM-type replacement pads for most bikes

 Sintered metal brake pads are proudly made in the U.S.A.; second-to-none in their stopping abilities and wear characteristics, while still providing excellent reduction in noise and dust

 Organic pads with aramid high-performance fibers are the perfect choice for polished or chromed rotors and billet steel rotors Both compounds of Drag Specialties brake pads are asbestos-, nickel- and lead-free

NOTE: If you are using aftermarket billet steel rotors, it is recommended you use our Organic pads with aramid high-performance fiber brake pads to avoid damage to them. Sintered pads are not recommended for billet steel rotors as the pad material is too aggressive for those rotors.

FRONT BRAKE PADS		
DESCRIPTION	SINTERED METAL	ORGANIC ARAMID FIBER
20-24 Challenger	1721-3373	-
20-24 Challenger Dark Horse (Cast wheels/Brembo calipers)	1721-3373	-
22-24 Challenger Limited, Pursuit Limited (Cast wheels/Brembo calipers)	1721-3373	-
23-24 Challenger Elite (Cast wheels/Brembo calipers)	1721-3373	-
22-23 Chief/Chief Bobber/Chief Bobber Dark Horse/Super Chief	1721-1952	-
22 Super Chief Limited	1721-1952	-
14-18 Chief Classic (Spoke Wheel/Nissin calipers)	1721-1952	
14-21 Chief Vintage (Spoke Wheel/Nissin calipers)	1721-1952	-
16-23 Chief Dark Horse (Nissin calipers)	1721-1952	-
14-24 Chieftain/Dark Horse/Limited/Elite (Cast Wheel/Nissin calipers)	1721-1952	-
18-23 FTR1200	1721-3373	
21-22 FTR1200 R Carbon	1721-3373	-
19-23 FTR1200S	1721-3373	-
19-20 FTR1200S Race Replica	1721-3373	-
20-23 FTR1200 Rally	1721-3373	•
22-24 Pursuit Limited/Dark Horse/Elite	1721-3373	-
15-24 Roadmaster/Dark Horse/Limited/Elite (Cast Wheel/Nissin calipers)	1721-1952	-
19-23 Springfield Dark Horse	1721-1952	-
16-23 Springfield	1721-1952	-
17-24 Scout, Scout Sixty, Scout Bobber	1721-1949	1720-0279
15-16 Scout, Scout Sixty (Cast Wheel/Toso calipers)	1721-3025	1720-0646
02-08 (all models)	1721-1360	1720-0209

REAR BRAKE PADS		
DESCRIPTION	SINTERED METAL	ORGANIC ARAMID FIBER
20-24 Challenger/Dark Horse/Limited/Elite	1721-1948	1720-0278
22-24 Pursuit/Icon/Dark Horse/Limited	1721-1948	1720-0278
22-23 Chief/Chief Bobber/Chief Bobber Dark Horse/Super Chief	1721-1948	1720-0278
14-18 Chief Classic (Spoke Wheel/Nissin calipers)	1721-1948	1720-0278
16-19 Chief Dark Horse (Nissin calipers)	1721-1948	1720-0278
14-21 Chief Vintage (Spoke Wheel/Nissin calipers)	1721-1948	1720-0278
14-24 Chieftain/Dark Horse/Limited/Elite (Cast Wheel/Nissin calipers)	1721-1948	1720-0278
15-24 Roadmaster/Dark Horse/Limited/Elite (Cast Wheel/Nissin calipers)	1721-1948	1720-0278
22-24 Scout Rogue/Rogue Sixty	1721-3372	-
17-24 Scout/Scout Sixty	1721-3372	-
15-16 Scout, Scout Sixty (Cast Wheel/Toso calipers)	1721-1948	1720-0278
19-24 Scout Bobber/Scout Bobber Twenty	1721-3372	
21-24 Scout Bobber Sixty	1721-3372	-
02-08 (all models)	1721-1360	1720-0209











BRAKE PADS

SEMI-METALLIC CARBON (1054)

- Great feel and modulation for OEM brake pad replacement
- Long-lasting brake pad and very little rotor wear
- Good in wet and/or dry conditions
- Overall a very versatile brake pad compound for almost every need
- GG Rated

HH SINTERED (1370/1371)

- For moderately aggressive everyday or sport street riding
- Advanced ceramic composites ready to withstand higher temperatures than regular semi-metallic carbon brake pads
- HH friction-rated compounds deliver excellent feel and modulation
- Great heat recovery and easy on rotor discs
- Developed for aggressive street riding and sport touring, great choice for heavier street bike

HH SINTERED CERAMIC (1375)

- For moderately aggressive everyday and sport street riding
- Ceramic-coated backing plate to assist with temperature management and dissipate heat
- Advanced ceramic composites ready to withstand higher temperatures than regular semi-metallic carbon brake pads
- HH friction-rated compounds deliver excellent feel and modulation
- Capable of handling almost any type of riding you throw at them
- Brake pads do not fade
- Performance street, track days, canyon riding, amateur racing

FITS MODEL	FRONT COMPOUND TYPE	FRONT PART #	REAR COMPOUND TYPE	REAR PART #
17-23 Roadmaster	HH Sintered Ceramic	1721-2343	-	-
15-17 Roadmaster	Semi-metallic Carbon	1721-2342	-	•
	Semi-metallic Carbon	1721-2347	-	-
17-23 Springfield	Sintered Ceramic	1721-2343	-	-
16 Springfield	Semi-metallic Carbon	1721-2342	-	-
	Semi-metallic Carbon	1721-2347	-	-
14-16 Chieftain all	Semi-metallic Carbon	1721-2347	-	-
09-13 Chief	Semi-metallic Carbon	1721-2372	Semi-metallic Carbon	1721-2372
	HH Sintered	1721-3057	-	-
14-23 Chief	HH Sintered Ceramic	1721-2343	-	-
	HH Sintered	1721-3202	-	-
	Semi-metallic Carbon	1721-3538	-	-
15-16 Scout	HH Sintered	1721-2326	Semi-metallic Carbon	1722-0795
15-23 Scout/Scout Sixty/Bobber	HH Sintered	1721-2326	-	-
	Semi-metallic Carbon	1721-2946	-	-
18-23 Scout FTR	HH Sintered Ceramic	1722-0798	-	-
20-23 Challenger Dark Horse	HH Sintered	1721-2327	-	-
19-23 FTR1200/R/S	HH Sintered	1721-2327	Semi-metallic Carbon	1721-2959
	HH Sinter Sport	1721-2328	HH Sintered	1721-3053
	HH Sintered Ceramic	1721-2943	HH Sintered	1721-3203
	HH Sintered Ceramic	1721-2969	-	-

All part numbers in **BLUE** are new for 2025.



SINTERED RACING COMPOUND (1375R)

- Designed for the quick temperature changes of Superbike racing from corner to corner
- Fast recovery from long and heavy brake applications in race conditions
- Strong, consistent feel and modulation during the race
- Easy on rotors, no excessive material build up or rotor wear
- HH rated compound with ceramic and carbon sintered fibers
- Race use only, not suitable for street or recreational use
- Tested and used by Moto GP and MotoAmerica athletes

1721-29	943

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & **OIL FILTERS**

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

TRW





See chart for details

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EVILATION

EXHAUST

FUEL/AIR SYSTEMS

FUEL /AID

DISC BRAKE PADS STANDARD BRAKE PADS

- Organic pad compound
- Long service life
- Suitable for use with all brake disc types
- Solid brake performance, even in wet conditions



Standard

RO BRAKE PADS

- Pads have an organic high-performance mix without general type approval
- Characterized by exceptionally good feedback and controllability even at high working temperatures
- In conjunction with their high friction coefficient and extremely low noise emission levels, RQ pads are ideally suited to use in motorsport, scooter racing, carting or carriage driving, indoor trials or in custom brake calipers made by different manufacturers

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake Lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

SV SINTERED METAL BRAKE PADS

- For front brake use ONLY
- · Completely metallic sinter pad
- Good performance
- Can be used with nearly any brake disc type
- Should only be used with bikes that were originally equipped with sintered metal brake pads
- Limited race track use; not heat resistant above 400 °C



SV

CRQ HYPER-CARBON BRAKE PADS

- For front brake caliper use ONLY
- Carbon-based racing brake pad
- Greater durability than the SRQ pad
- Low-level pressure required, good friction rate
- Suitable for high-performance sport motorcycle use



CRO

SH SINTERED METAL BRAKE PADS

- For rear brake use ONLY
- Completely metallic sinter pad
- Good performance
- Can be used with nearly any brake disc type
- Should only be used with bikes that were originally equipped with sintered metal brake pads
- Friction rate is matched to the SV pad



SH

SRT SINTERED ROAD/TRACK PADS

- Premium compound pad with state-of-the-art technology for high durability, performance and ideal modulation (feel)
- Completely metallic sinter pad compound
- Provide stable non-fade performance; excellent choice for track days or club racing
- Compatible with nearly all brake disc types

TRQ TRACK RACING QUALITY BRAKE PADS

- Designed for maximum track performance while being street legal; enjoy a full day on the track and ride home on the same bike
- For front brake caliper use ONLY
- Higher, more stable friction coefficient for greater braking performance
- Optimized direct response characteristics
- Innovative sintering process for exceptional thermal resistance
- Low pad and disc wear

FRONT BRAKE PAD PART #	REAR BRAKE PAD PART #
•	1722-0467
-	1722-0467
-	1722-0369
-	1722-0369
-	1722-0369
1722-0462	-
1722-0565	1722-0467
	1722-0369
1722-0462	-
1722-0565	1722-0467
	PAD PART #

NOTE: ABE approved unless noted.

NOTE: All brake pad application PART #s shown are STANDARD compound pads unless noted in chart.

NOTE: Some brake pad applications are available in multiple compound types. To see if additional brake pad compound type is available for your application, check your brake pad PART # in the cross-reference charts provided.

FITC MODEL	FRONT BRAKE	REAR BRAKE
FITS MODEL	PAD PART #	PAD PART #
Chief Deluxe 09-13		1722-0369
Chief Roadmaster 09-13	-	1722-0369
Chief Standard 09-13	•	1722-0369
Chief Vintage 09-13	•	1722-0369
Chief Vintage ABS 17-	1722-0565	1722-0467
Chieftan ABS 14-16	1722-0462	-
Roadmaster ABS 15-16	1722-0565	1722-0467
Scout Sixty ABS 17-	1722-0511	1720-0166
Scout ABS 17-	1722-0511	1720-0166
Scout Bobber ABS 18-	1722-0511	1720-0166







DISC BRAKE PADS (CONT)

See chart for details

TRW TO PARTS EURO	PE BRAKE PAD PART # CROSS	-REFERENCE				
TRW PAD STYLE #	STANDARD PAD PART #	SV PAD PART #	SH PAD PART #	CRQ PAD PART #	SRT PAD PART #	TRQ PAD PART #
MCB 19	1722-0369			-	-	-
MCB 540	-	1721-1028		1721-1026 ^{1, 2}	-	1721-3174 ¹
MCB 595	1722-0462	1721-1053		-	-	-
MCB 599	1722-0467		1721-1057	-	-	-
MCB 671	1722-0511	1721-1098	1721-1097	-		-
MCB 672	1720-0166			-		-
MCB 683	1722-0522	1721-1113	•	1721-1111 ^{1, 2}	•	•
MCB 704	1722-0544	1721-1124		-	-	-
MCB 737	1722-0565	1721-1139		-	-1	1721-3185 ¹
MCB 792	-	•	•	-	-	1721-3190 ¹

¹ Not ABE approved.

² WARNING: SCR/CRQ pads are for Race/Track only; not for street use. These pads are for Race/Track use only. Any other use could result in death or serious injury.



1721-1745



1720-0997



BRAKE PADS

- SBS brake pads feature asbestos-free brakes using patented Unified Composite Technology (UCT)
- UCT technology completely blends all brake pad materials into a balanced, unified pad
- This balance ensures no hot spots, glazing, premature fading or excessive rotor wear
- The result is powerful, fade-free braking performance, even in extreme conditions

EXCEL SINTERED BRAKE PADS (HS/LS)

- \bullet The right choice for modern sportbikes and big touring bikes
- OE-replacement or upgrade choice when replacing sintered metal pads
- Class-leading HH friction rating was developed in racing, then tuned for street use
- Front (HS) and rear (LS) compounds for correct brake balance
- Compounds formulated for low wear and high performance
- Leading noise-reducing technology for the lowest risk of noise

	SINTERED	ORGANIC
FITS MODEL	PART #	PART #
FRONT BRAKE PADS		
19-24 FTR 1200	1721-1745	-
17-24 Scout/Sixty/Bobber	-	1720-1002
15-16 Scout/Sixty	1721-2306	-
14-24 Chief, all models		
(Spoke Wheel/Nissin calipers)	1721-3343	1720-0906 ²
16-24 Chief Dark Horse (Nissin calipers)	1721-3343	1720-0906 ¹
14-24 Chieftain (Cast Wheel/Nissin calipers)	1721-3343	1720-0906 ¹
15-24 Roadmaster (Cast Wheel/Nissin calipers)	1721-3343	1720-0906 ¹
16-24 Springfield/Dark Horse	1721-3343	1720-0906 ¹
20-24 Challenger	1721-1745	-

CERAMIC ORGANIC BRAKE PADS (HF)

- OE replacement pad for bikes with non-sintered pads
- Designed for general-purpose street and cruising use
- Ceramic compound gives long life to both the pads and rotors
- Excellent, consistent performance in wet and dry conditions
- NUCAP NRS-bonding secures the highest possible performance and quality

FITS MODEL	EXCEL SINTERED PART #	CERAMIC ORGANIC PART #
REAR BRAKE PADS		
19-24 FTR 1200	1722-0712	-
17-24 Scout/Sixty/Bobber	1721-3322	1720-0942
15-16 Scout/Sixty	1721-2307	-
16-24 Chief Dark Horse (Nissin calipers)	1721-3321	1720-0997
14-24 Chieftain (Cast Wheel/Nissin calipers)	1721-3321	1720-0997
14-24 Chief (all)	1721-3321	1720-0997
15-24 Roadmaster (Cast Wheel/Nissin calipers)	1721-3321	1720-0997
16-24 Springfield/Dark Horse	1721-3321	1720-0997
1 Requires two sets		

Requires two set

 2 Requires two sets (except on Bobber models).

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake Lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES &

SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS

& AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

& GAUGES

DASHES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES


COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS





See chart for details





SDP Sort HH+

DP Sintered

DP BRAKES

THE ORIGINAL SINTERED BRAKES

- DP Brakes brake pads are designed with sintered metal compounds to give your bike high-tech performance in all conditions
- Pads have a quick break-in period so you get maximum performance fast
- DP Brakes design and materials ensure consistent hard stops and fade-free performance
- Sintered metal compounds outlast more conventional organic or aramid fiber pads

STANDARD SINTERED METAL BRAKE PADS

- GG friction-rated and made with DP Brakes' proven sintered metal material
- Gray-colored aluminum oxide-based ceramic material on rear of backing plate keeps heat away from caliper piston and fluid in extreme conditions for fade-free performance
- Pad compound gives equal performance in wet or dry conditions
- Ideal replacement for street and touring machines where durability is the prime requirement
- No brake fade

FITS MODEL	STANDARD PAD PART #	SPORT HH+ PAD PART#
FRONT BRAKE PADS		
15-24 Roadmaster (Cast Wheel/Nissin calipers)	1721-2560 ¹	SDP-922HH
14-23 Chieftain (Cast Wheel/Nissin calipers)	1721-2560 ¹	SDP-922HH
14-20 Chief Classic/Vintage (Spoke Wheel/Nissin calipers)	1721-2560 ¹	SDP-922HH
14-23 Chief Dark Horse (Nissin calipers)	1721-2560 ¹	SDP-922HH
10-11 Bomber (Brembo Calipers)	1721-1927 ¹	SDP-911HH
02-08 All models	1721-1927 ¹	SDP-911HH
REAR BRAKE PADS		
20-24 Challenger, 22-24 Pursuit	DP-118 ¹	1721-3575
22-24 Chief/Chief Bobber	DP-118 ¹	1721-3575
22-24 Chief Bobber Dark Horse	DP-118 ¹	1721-3575
22-24 Chief Dark Horse	DP-118 ¹	1721-3575
22-24 Super Chief, 22-23 Super Chief LTD	DP-118 ¹	1721-3575
14-24 Chieftain, 20-24 Chieftain Dark Horse/LTD	DP-118 ¹	1721-3575
16-24 Springfield, 20-24 Springfield Dark Horse	DP-118 ¹	1721-3575

SPORT HH+ SUPERSPORT PADS

- Powerful, industry-high HH+ friction rating with no mileage penalty
- High-tech ceramic heat shield eliminates brake fade
- Dust-free compound design
- Quick break-in so you get maximum braking ability fast
- For front wheel use only

FITS MODEL	STANDARD PAD PART #	SPORT HH+ PAD PART#
REAR BRAKE PADS (CONT)		
15-24 Roadmaster (Cast Wheel/Nissin calipers)	DP-1181	1721-3575
09-11 Chief Roadmaster (Brembo calipers)	DP-701 ¹	•
14-24 Chieftain (Cast Wheel/Nissin calipers)	DP-1181	1721-3575
14-20 Chief Classic/Vintage (Spoke Wheel/Nissin calipers)	DP-118 ¹	1721-3575
16-24 Chief Dark Horse (Nissin calipers)	DP-118 ¹	1721-3575
09-13 Chief Classic/Standard/Deluxe/ Vintage/FE/LE (Brembo calipers)	DP-701 ¹	-
10-13 Dark Horse (Brembo calipers)	DP-701 ¹	-
11 Chief Blackhawk/Blackhawk Dark (Brembo calipers)	DP-701 ¹	-
10-11 Bomber (Brembo Calipers)	DP-7011	-
18-20 Scout Bobber	1721-2729	-
17-21 Scout/Scout Sixty/Scout Bobber (Nissin calipers)	1721-2729	-
09 All models	DP-701 ¹	-
02-08 All models	1721-1927 ¹	SDP-911HH

¹ ABE approved.



- XR Stainless DOT brake lines offer a great fit and excellent quality at an economical price
- Manufactured with an enhanced construction for great braking response and durability
- Two color choices: clear-coated stainless steel with chrome fittings or OE-style black coated stainless steel with black chrome fittings
- Available in stock and plus lengths to fit most ABS or non-ABS Scout, Chief ABS and Challenger ABS models
- E-Z Align rotating line fittings for perfect no-kink fitments
- Fittings are highly polished and chrome or black chrome-plated
- Inner PTFE tubing braided with XR Stainless Steel reinforcement embedded in a tough Nylon outer jacket offers exceptional protection for paint or chrome
- Brazed construction eliminates leaks and alignment problems
- NOTE: Complete kits contain brake line assemblies to connect the caliper(s) to the master cylinder.

NOTE: All non-ABS kits are complete kits.

NOTE: ABS Upper kits contain a brake line assembly to connect the ABS controller or lower brake line assembly to the master cylinder. A lower brake line assembly is not required.

STAINLESS W/ CHROME FITTINGS						
FITS MODEL	OEM #	STOCK	+51 MM (+2")	+102 MM (+4")	+152 MM (+6")	+203 MM (+8")
ABS UPPER BRAKE LINES						
For 20-24 Chieftain/Springfield/Vintage	1913689	-	1741-6177	1741-6178	-	-
For 15-19 Chief/Chieftain/Springfield/ Roadmaster/Vintage	1912040/1912487	1741-6174	-	-	1741-6177	1741-6178
NON-ABS BRAKE LINES						
For 15-24 Scout/Scout Sixty	1912581/1912666	-	1741-6185	-	-	-
For 18-24 Scout Bobber/Bobber Twenty/Bobber Sixty	1913356/1913375, 1912900		-	1741-6185	-	-
DI ACK W/DI ACK FITTINGS						


BLACK W/ BLACK FITTINGS							
FITS MODEL	OEM #	STOCK	+51 MM (+2")	+102 MM (+4")	+152 MM (+6")	+203 MM (+8")	+254 MM (+10")
ABS UPPER BRAKE LINES							
For 20-24 Chieftain/Springfield/Vintage	1913689	1741-6198	1741-6199	1741-6200	-	-	-
For 15-19 Chief/Chieftain/Springfield/ Roadmaster/Vintage	1912040/1912487	-		1741-6198	1741-6199	1741-6200	
For 20-24 Challenger	1913248/1913851	-	1741-6202	-	1741-6204	-	-
For 18-24 Scout/Scout Sixty	1913334 (upper only)	1741-6191	-	-	1741-6194	1741-6195	-
For 18-24 Scout Bobber/Bobber Twenty/Bobber Sixty	1913335 (upper only)	1741-6190	1741-6191	-	-	1741-6194	1741-6195
NON-ABS BRAKE LINES							
For 15-24 Scout/Scout Sixty	1912581/1912666	1741-6206	1741-6207	1741-6208	-	1741-6210	-
For 18-24 Scout Bobber/Bobber Twenty/Bobber Sixty	1913356/1913375, 1912900	-	1741-6206	1741-6207	1741-6208	-	1741-6210



BRAIDED FRONT ABS BRAKE LINES

- The industry's highest quality braid available in two color choices to complement your bike; Sterling Chromite® and Black Pearl with real black wire braid
- Available in stock and plus lengths for most ABS Chief, Challenger and Scout models
- Inner PTFE tubing braided with aramid fiber greatly reduces line expansion and provides the ultimate in high performance
- E-Z Align rotating line fittings for perfect no-kink fitments
- All fittings are polished and chrome or black chrome-plated
- Braid color and weave match on all Magnum control cables and brake lines
- Crystal-clear outer jacket offers exceptional protection against scuffing paint or chrome and will never discolor
- Brake lines are constructed with PTFE inner tubing, DuPont™ Kevlar® aramid fiber, premium Signature Magnum braids and an outer PVC jacket

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.



NOTE: ABS kits contain either an upper brake line assembly to connect the ABS controller to the master cylinder or a lower brake line assembly to connect the controller to the caliper.

NOTE: ABS lower kits are optional and are not required for upper line installation.

BRAIDED FRONT ABS BRAKE LINES continued on next page.

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake Lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

BRAIDED FRONT ABS BRAKE LINES (CONT)

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

> WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS

sand, mud and other debris

DESCRIPTION

Sold in 4-pack

PART #

0703-0888

STERLING CHROMITE® +51 MM +102 MM +152 MM +203 MM ±254 MM ОЕМ # **STOCK** FITS MODEL (+10") (+2")(+4")(+6")(+8")**ABS UPPER BRAKE LINES** For 20-24 Chieftain/Chieftain Elite/Springfield/ 1912040/1913689 1741-5056 1741-5057 Roadmaster/Vintage For 15-19 Chief/Chieftain/Springfield/Roadmaster/Vintage 1912040/1912487 1741-5056 1741-5057 1741-6219 1741-6220 1741-6221 1741-6222 For 20-24 Challenger 1913248/1913851 For 18-24 Scout/Scout Sixty 1913334 (upper only) 1741-6213 1741-6214 1741-6215 1741-6216 1741-6217

BLACK PEARL							
			+51 MM	+102 MM	+152 MM	+203 MM	+254 MM
FITS MODEL	OEM #	STOCK	(+2")	(+4")	(+6")	(+8")	(+10")
ABS UPPER BRAKE LINES							
For 20-24 Challenger	1913248/1913851	-	1741-6231	1741-6232	1741-6233	1741-6234	-
For 18-24 Scout/Scout Sixty	1913334 (upper only)	1741-6225	1741-6226	-	1741-6228	1741-6229	-
For 18-24 Scout Bobber/Bobber Sixty/Bobber Twenty	1913335 (upper only)	-	1741-6225	1741-6226	-	1741-6228	1741-6229
ABS LOWER BRAKE LINE							
For 18-24 Scout/Scout Sixty/Scout Bobber/ Bobber Twenty/Bobber Sixty	1913335/1913334 (lower only)	1741-6223	-	-	-	-	-



PART #

0703-0887

For 18-24 Scout Bobber/Bobber Sixty/Bobber Twenty



1913335 (upper only) **1741-6212 1741-6213 1741-6214 1741-6215 1741-6216 1741-6217**

- CNC machined from 6061 billet aluminum
- Black anodized finish
- Mounting hardware included
- Easy installation

DESCRIPTION

Green

PART #	DESCRIPTION
1731-0581	For 25 101 Scout, 15-24 Scout

For 14-17 Indian (except Scout, FTR)

REAR MASTER CYLINDER COVER

- Direct replacement for the OEM reservoir cap, with the additional benefit of covering the rear master cylinder and sleeve for an ultra-clean look
- Easy, two-bolt installation
- Durable, die-cast aluminum construction
- · Available in chrome finish

All part numbers in **BLUE** are new for 2025.

1731-0614



• Check-valve/anti-drain back valve prevents

- drain-back and dry starts (where applicable) • Pre-lubed base gasket
- 17 mm hex nut (pre-drilled for safety wire security) allows easy-on, wrench-off removal (where applicable)

PART #	DESCRIPTION
0712-0655	For 15-22 Scout/Sixty, 22 Scout Rogue/Sixty
0712-0655	For 15-22 Scout Bobber/Sixty/Twenty



PERFORMANCE OIL FILTERS

- K&N® delivers a premium oil filter which is built with a synthetic media specifically designed to withstand the high concentrates of synthetic racing oils
- A large filter media provides high-flow rates and outstanding oil filtration to keep your motor running clean and smooth
- Uniform pleated synthetic filter media provides high capacity and outstanding filtration
- Synthetic media allows for the higher-flow rates associated with synthetic and synthetic blended oils
- Protected by a heavy-duty canister and baseplate, with a double-rolled seal

PART #	DESCRIPTION
0712-0654	For 15-22 Chief/Chief Bobber/Super Chief/
	Chieftain/Roadmaster/Springfield
0712-0654	For 20-22 Challenger/Pursuit

HIIFLOFILTRO

HIFLOFILTRO® STANDARD OIL FILTERS

- The original Hiflofiltro® factory was founded in 1955 and has been manufacturing filters for the OEM motor industry since 1963
- With the experience of more than five decades, constant research and development and featuring a completely modern production facility, Hiflofiltro offers some of the best quality filters in the world
- Production monitored to ensure OEM or better quality
- Constructed using the best materials available
- One of the broadest ranges of aftermarket coverage

PART #	DESCRIPTION
0712-0503	For 14-24 Chief Classic/Dark Horse/ Vintage/Vintage LE/Springfield
0712-0503	For 14-24 Chieftain





0712-0503 0712-0301

PART #	DESCRIPTION
0712-0503	For 15-23 Roadmaster
0712-0503	For 20-24 Challenger, 22-24 Pursuit
0712-0301	For 15-22 Scout/Sixty/Bobber/Roque



OIL FILTERS

• High-quality spin-on filter

A dependable replacement for DEM	
BLACK	CHROME
FOR 20-24 CHALLENGER, 22-24 PURSUIT	
0712-0479	0712-0480
FOR 14-22 CHIEF CLASSIC/DARK HORSE/VINTAGE/VINTAGE LE/S	PRINGFIELD
0712-0479	0712-0480
FOR 15-22 ROADMASTER	
0712-0479	0712-0480





0712-0480

BLACK CHROME FOR 15-23 SCOUT, SCOUT SIXTY, SCOUT BOBBER 0712-0480 0712-0479 FOR 19-20 FTR 0712-0480 0712-0479

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & **OIL FILTERS**

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

UNIVERSAL OIL COOLER

- Fully-brazed construction, powdercoated gloss black
- Perfect for the fabricator, customizer and racer
- Same oil cooler that is used in all high-quality Jagg oil cooler systems
- Sold without mounting hardware
- Dimensions: A = Length, B = Width, C = Depth

DIMENSIONS 0713-0214

10-row w/ 2 mounting tabs and 2 mounting bosses A: 21 cm, B: 10 cm, C: 3,75 cm (A: 8,25", B: 4,00", C: 1,50")

SYSTEMS **ENGINE**

FUEL/AIR

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & **OIL FILTERS**

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

> WHEELS & AXLES

COVERS. LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS



FRAME CLAMP

- For mounting Jagg's universal oil coolers, custom oil coolers, and many other applications
- Great for mounting anything on tubular frames
- Sold each



PART # 0713-0236 DESCRIPTION For 25,4 mm (1") dia. frames





KURYAKYN®

CHROME OIL COOLER COVER

- · Mounts directly over the oil cooler
- Does not restrict airflow
- Simple to install

PART # 0713-0130

For 14-23 Indian (except Challenger, Scout/Scout Sixty/Scout Bobber, FTR)

KURYAKYN

REAR OIL PANEL ACCENT

- Quality die-cast aluminum construction with a chrome finish
- Surrounds the oil filler cap and covers the wrinkle black base of the motor
- Installs using high-strength 3M® VHB™ adhesive

PART # **DESCRIPTION**

1011-4536 For 19-23 Indian (except Challenger, Scout and FTR)

DAYTONA



PART # 2210-0588 DESCRIPTION

DEVA multi-functioning gauge

ABE

• Black ABS housing

• LED indicators

• 8.0 to 18.0 V

ASURA MULTI-FUNCTION COMPUTER

- Functions as speedometer, odometer, clock
- Dual temperature gauge, air and engine

DEVA MULTI-FUNCTION GAUGE

• Measures 132 mm L x 58 mm W x 25 mm H

• Water, oil and air temperature

• Speedometer, odometer, engine speed display

- Oil changing time notification
- LCD indicators
- Measures 120 mm L x 28,5 mm W x 40 mm H
- Waterproof



PART # DESCRIPTION 2210-0589 Asura multi-function computer



PART # DESCRIPTION 2210-0590 Nano 2 speedometer



NANO 2 SPEEDOMETER

- Km/h and mph selectable
- White LED display for night riding
- Dimensions: 60 mm L x 40 mm W x 17,5 mm H (23/8" x 19/16" X11/16")
- 9V with PP3 battery available separately



"CUBE" DIGITAL LCD SPEEDOMETER AND TACHOMETER

- Speedometer: 0 to 399 km/h or 0 to 250 mph
- Voltmeter: 8 to 18V
- 0 to10.000 rpm or 0 to 20.000 rpm
- Shift-up warning by blinking bar graph
- Odometer: 0 to 99.999 km (mile)
- Trip meter 1 and 2: 0 to 9.999,9 km (mile)
- Aluminum housing, black anodized
- Compact size 50 mm L (1,96") x 50 mm W (1,96") x 25 mm H (0,98")
- Waterproof



PART # DESCRIPTION 2212-0894 "Cube" digital LCD speedometer and tachometer

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES &

TANKS & OIL FILTERS

BRAKE LINES

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

> WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS

DAYTONA



PART # DESCRIPTION 2210-0578 Digital Velona speedometer



PART # DESCRIPTION 2210-0569 Velona-W speedometer

• Shows speed up to 200 km/h and rpm up to 9,000 Control lights for right and left turn signals,

Black with white letters and white LED back light

DIGITAL VELONA SPEEDOMETER

• Black LCD display with white LED back light

Stainless steel housing

V-shaped bracket included

VELONA-W SPEEDOMETER

high beams and hazard lights

• Km/h or mph selectable

• Stainless steel housing (80 mm D)

VELONA 80 SPEEDOMETER

- Measures speed and rpm
- LCD readout with multiple functions
- Km/h or mph selectable
- 80 mm matte black body made
- 200 max (km/h or mph depending on user selection) from stainless steel
- V-shaped bracket included



PART # **DESCRIPTION** 2210-0570 Velona 80 speedometer




2210-0572

VELONA 60 SPEEDOMETERS

- 60 mm matte black body made from stainless steel
- Measures speeds up to 200 km/h or 200 mph depending on user selection

DESCRIPTION Black speedometer w/ turn signals 2210-0572

2210-0574



- Black scale with white LED backlight
- V-shaped bracket included

PART # DESCRIPTION 2210-0574 Black speedometer

DESCRIPTION PART # 2210-0575 Polished speedometer

2210-0575



PART # 2210-0579 **DESCRIPTION** Velona 48 mm speedometer

All part numbers in **BLUE** are new for 2025.



VELONA 48 MM SPEEDOMETER

- 48 mm matte black body made from stainless steel
- Km/h or mph selectable
- 200 max (km/h or mph depending on user selection)
- Three different selectable LED colors for display (white/blue/orange)

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR

SYSTEMS

DAYTONA



VELONA 80 TACHOMETER

- LCD readout with multiple functions
- Simple, two-button operation
- Max rpm of 9,000
- Voltmeter measures 0,0 to 18,0V
- 80 mm matte black body constructed from stainless steel
- V-shaped bracket included



2211-0190

DESCRIPTION Velona 80 tachometer

2211-0192

DESCRIPTION

9000 rpm max, black

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS

VELONA 60

TACHOMETERS

- Stepping motor-driven tachometer
- 0 to 18,0V
- White display LED color
- Shift-up warning with red LED
- 60 mm body constructed from stainless steel

PART #	DESCRIPTION
2211-0196	8000 rpm max, polished
2211-0195	8000 rpm max, black

2211-0196

PART # 2211-0192

2211-0195





VELONA 48 ANALOG VOLTMETERS

- High quality analog Velona 48 voltmeter for monitoring the battery voltage of the motorcycle
- Stepper motor with precise volt display
- Voltmeter Range: 8,0 to 16,0V
- Battery warning: Low voltage alert by red LED backlight when less than 12V
- Stainless steel housing
- Includes V-shaped bracket

PART #	DESCRIPTION	PART #	DESCRIPTION
2212-0875	Clear face	2212-0876	Red face

VELONA 48 TACHOMETER

- Three different selectable colors for LED display (white/blue/orange)
- Voltmeter range of 0,0-18,0 V
- Shift-up warning with red LED
- 48 mm body constructed from stainless steel

PART # DESCRIPTION 2211-0199 9,000 rpm max

All part numbers in BLUE are new for 2025.

157

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

Extension wire sold separately

PART #

2212-0850

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

& LICENSE **PLATES** HANDLEBARS,

LIGHTING

CONTROLS & MIRRORS

BRAKES &

CABLES

BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

> WHEELS & AXLES COVERS,

LOCKS &

GENERAL

AUDIO, COMMUNICATION & MOUNTS

DAYTONA

PART #

2212-0851



PART #	DESCRIPTION
2212-0847	Extension wire (1.200 mm) (11/16")



DESCRIPTION



COMPACT VOLTMETER

• Universal voltmeter with LCD display

OIL TEMPERATURE GAUGE WITH SENSOR

- Easy-to-mount
- Waterproof
- 42 mm L x 25 mm W x 10,8 mm H



2212-0852

MICRO INDICATORS

- Constructed of CNC-machined aluminum
- 100% waterproof
- Alpha measure 47 mm L x 14 mm W x 11,7 mm H
- Beta measure 46,8 mm L x 13,8 mm W x 11,5 mm H

• Gamma measure 47 mm L x 12 mm W x 16 mm H			
PART #	DESCRIPTION	PART #	DESCRIPTION
ALPHA		BETA	
2212-0853	Chrome	2212-0855	Chrome
2212-0852	Black	2212-0854	Black



PART #	DESCRIPTION
GAMMA	
2212-0895	Black

DESCRIPTION

Compact voltmeter

NANO 2 GEAR SHIFT INDICATOR

- Selectable top gear 4/5/6/7/8
- Shift warning with bar graph
- White LED display at night
- Waterproof
- Dimensions: 60 mm L x 40 mm W x 17,5 mm H (23/8" x 19/16" x11/16")
- 9V with PP3 battery available separately

PART #	DESCRIPTION
2212-0849	Nano 2 gear shift indicator

SADDLEBAGS & LUGGAGE

DAYTONA



PART #

DESCRIPTIONVelona gauge remote

EXHAUST

SEATS & SISSY BARS

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

VELONA GAUGE REMOTE

- Operates Velona gauges remotely instead of pressing bottom buttons
- For 22,5/25,4 mm handlebars
- Can wire outside or inside handlebars
- Max current capacity of 50mA
- 12 mm wide

CNC TWO-BUTTON SWITCHES FOR VELONA

- CNC aluminum housing and button
- For 22,2 (7/8") and 25,4 mm (1") handlebars
- Max. current capacity 50mA
- Width measures 12 mm (15/32")
- Wiring outside or inside handlebar possible
- Operates Velona gauges remotely
- Can be used for other purpose if using additional relay

 PART #
 DESCRIPTION
 PART #
 DESCRIPTION

 2106-0608
 Chrome
 2106-0606
 Black

2106-0608



VELONA GAUGE BRACKETS

• CNC-machined aluminum (unless noted)

PART #	DESCRIPTION	
2212-0842	2-0842 Anti-vibration center bracket for Velona 60	
2212-0841	Anti-vibration center bracket for Velona 60, 10° bend	
2212-0843	Anti-vibration left offset bracket for Velona 60, 10° bend	
2212-0844	Anti-vibration, right offset bracket for Velona 60, 10° bend	
2212-0845	Anti-vibration, right offset bracket for Velona 60	
2212-0837	Combinative bracket for Velona 48, black	

binative bracket for Velona 60, black
binative bracket for Velona 60, polished
ole meter bracket for Velona 48, black
er bracket for Velona 60
acket

2106-0606



PART # DESCRIPTION

2212-0846 Velona 60 U-shaped bracket

• U-shaped steel bracket easily mounts Velona 60 to a vintage headlight

VELONA 60 U-SHAPED BRACKET

2212-0848 2130-0334

AIR TEMPERATURE SENSOR• Extension wire sold separately

 PART #
 DESCRIPTION
 PART #
 DESCRIPTION

 2212-0848
 Air temperature sensor
 2130-0334
 3,17 mm (1/6") extension wire

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

PART #

2130-0336

TANKS & OIL FILTERS

> **DASHES** & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS &

FLOORBOARDS

WHEELS & AXLES

COVERS,

LOCKS & **GENERAL**

AUDIO,

AZTEC STEREO ACCENTS

- Bring life to the panel surrounding the Indian Ride Command touchscreen and controls for a completely new look
- Hassle-free installation using high-strength 3M[™] VHB[™] adhesive
- Durable, injection-molded ABS available in chrome

AZTEC GAUGE CLUSTER ACCENTS • Feature a grooved and beveled design that delivers a clean,

- custom style to the recessed area surrounding the gauges
- \bullet Hassle-free installation using high-strength $3M^{\tiny \circledR}$ VHB $^{\tiny \intercal}$ adhesive
- Durable, injection-molded ABS available in chrome

DAYTONA



PART #	DESCRIPTION
2210-0587	Proximity speed sensor



SPEED CONVERTERS

PROXIMITY SPEED SENSOR

• Can generate electrical pulse signal from most vehicles

• Non-contact speed sensor

• 2.000 mm (78,75") wire length

 Available in a variety of styles and wire lengths

RPM PULSE RECTIFIER

• Induction wire set sold separately

PART #	DESCRIPTION	WIRE LENGTH
2210-0581	10 mm D insert	1.280 mm (50")
2210-0582	18 mm D plug connection	1.280 mm (50")
2210-0583	15 mm D insert	1.800 mm (70,8")

PART #	DESCRIPTION	WIRE LENGTH
2210-0584	M12 female thread	1.200 mm (47,2")
2210-0586	Twin signal universal	650 mm (25,5")







PART #	DESCRIPTION
4405-0502	For 17-23 Chieftain/Roadmaster



PART # **DESCRIPTION** 2202-0288 For 17-23 Chieftain/Roadmaster

All part numbers in **BLUE** are new for 2025.

Pulse rectifier

COMMUNICATION

& MOUNTS





FREEWAY BARS

- Made from stout 32 mm (11/4") diameter thick-wall steel and with heavy-duty welded flanges
- Constructed for strength and long-lasting good looks
- Available in chrome or black anodized finish

CAUTION: Highway bars are designed for appearance only and may provide only a small amount of protection for the motorcycle. They are not intended to provide bodily protection in any circumstance.

PART #	DESCRIPTIO
FOR 15-24 SCOUT	
0505-2113	Chrome



- Hitch is hidden when tongue is removed
- Bolt-on installation
- Made from high-tensile steel
- Chrome-plated tongue
- Includes mounting instructions and hardware

PART #	DESCRIPTION
3902-0204	For all 17-24 Indian models (except Scout/FTR)





0505-2114

TRAILER WIRING SUB-HARNESS

- Six-pin Molex plug-and-play motorcycle trailer wiring sub-harness
- No splicing or soldering
- No damage to your factory wiring
- Plugs directly into your factory taillight harness

PART #	DESCRIPTION
3902-0193	For 14-24 Chief/Chieftain







2010-1355

TRAILER ISOLATOR HARNESS

- Five-wire features left, right, brake, turn and ground wire outputs
- Four-wire features a molded flat connector with left/brake, right/brake, run and ground wire outputs

PART #	DESCRIPTION
FOR 14-24 INDIAN MODELS (EXCEPT SCOUT)	
2010-1356	4-wire harness

PART #	DESCRIPTION
FOR 14-24 INDIAN MODELS (EXCEPT SCOUT) (CONT)	
2010-1355	5-wire harness

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

Black

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & Suspension

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FIIFI / AIR

SYSTEMS

CHIN FAIRING

- Clean up the lower front end of the frame by covering the oil filter, voltage regulator and exposed wiring
- Made from durable, high-impact injection-molded ABS and includes steel mounting bracket for easy bolt-on installation
- Open grilled design does not restrict airflow
- Installs on Indian Big Twins with or without an oil cooler
- High-impact ABS construction available in chrome



PART # DESCRIPTION 0504-0315 For 14-23 Indian (except Scout, Scout Sixty, FTR and Challenger)

ENGINE

TRANSMISSION **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

OIL FILTERS

TANKS &

DASHES

& GAUGES

FRAMES 8



FENDERS

FOOTRESTS & **FLOORBOARDS**



COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS



DEFLEX HEAT SHIELDS

- Redirects hot air from the engine away from your legs so you can focus on the thrill of the ride
- Engineered for both performance and style
- 3M[™] VHB[™] adhesive for easy installation

Aid in removing the side covers

PART # DESCRIPTION FOR 15-24 ROADMASTER, 20-24 ROADMASTER DARK HORSE, 21-24 ROADMASTER LTD, 17-18 ROADMASTER CLASSIC, 21-24 ROADMASTER LID, 17-18 ROADMASTER CLASSIC, 18 ROADMASTER ELITE, 16/18 CHIEF, 14-19 CHIEF CLASSIC/VINTAGE, 17-19 CHIEF DARK HORSE, 14-23 CHIEFTAIN, 16-23 CHIEFTAIN DARK HORSE, 17-23 CHIEFTAIN LTD, 22-23 CHIEFTAIN DARK HORSE ICON, 18-20 CHIEFTAIN CLASSIC, 16-24 SPRINGFIELD, **18-24 SPRINGFIELD DARK HORSE**

0504-0433 Chrome



- Available in chrome or matte black
- Mounts to side covers
- Doesn't impede leg position
- Sold in pairs

0410-0192

DESCRIPTION FOR 15-24 ROADMASTER, 20-24 ROADMASTER DARK HORSE, 21-24 ROADMASTER LTD, 17-18 ROADMASTER CLASSIC, 18 ROADMASTER ELITE, 16/18 CHIEF, 14-19 CHIEF CLASSIC/VINTAGE, 17-19 CHIEF DARK HORSE, 14-23 CHIEFTAIN, 16-23 CHIEFTAIN DARK HORSE, 17-23 CHIEFTAIN LTD, 22-23 CHIEFTAIN DARK HORSE ICON, 18-20 CHIEFTAIN CLASSIC, 16-24 SPRINGFIELD, 24-24 PRINGFIELD, 24-24 P 18-24 SPRINGFIELD DARK HORSE (CONT) 0504-0434 Black

0504-0434

€X> GILLES

REAR STAND HOOK KIT BOLT SETS

• Bolt sets for rear stand lift kits

DESCRIPTION FOR 19-24 FTR 1200/S 4101-0402 Bolt set 12x100 mm

PART # DESCRIPTION FOR 19-24 FTR 1200/S (CONT) 4101-0403 Bolt set 20x135 mm



STEERING STEM BEARING KITS

- Designed as a drop-in replacement to upgrade OEM ball-type bearings to taper bearings (where ball-type bearings are used by the OEM)
- Designed as a replacement taper bearing seat (where taper bearings are original equipment)
- Kit comes complete with both upper and lower taper bearing cups and cones and seals (both top and bottom seals are included in most kits)
- Tapered roller bearings decrease maintenance along with less wear and longer life

PART # DESCRIPTION 0410-0192 For 14-23 Chief Classic/Chief Vintage/Chieftain/Super Chief, 15-22 Roadmaster/Scout/Scout Sixty, 16-22 Springfield 0410-0474 For 19-22 FTR 1200

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FIIFI / AIR

SYSTEMS

ENGINE

TRANSMISSION

CLUTCH LINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES** HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

& DRIVELINE





FORK COVER KITS

- Complete 6-piece fork cover kit in black with the lower covers made of aluminum or with bellows
- With this kit you cover the fork tubes above, between and below the fork bridges, if the original mask and the original turn signals including holders are removed
- This covers the fork tubes and the entire fork appears bulkier and completely black
- This fork cover kit can be used with the Original Equipment front fender or custom fenders
- The individual covers are attached using concealed grub screws and thus center themselves on the fork tubes; this ensures that the cover is held securely
- To ensure that the gaps between the covers and the triple clamps are exactly parallel, the covers have been provided with the same bevels as the triple clamps
- Our covers are made of high-quality aluminum and are milled on the most modern 5-axis machining centers and then powdercoated in glossy black
- Assembly is very simple, the upper and the lower cover are only pushed over the fork tube and screwed tight
- On the inside of the lower cover there is a cut-out for clearance on the fender and is therefore hardly visible

FOR 18-24 SCOUT BOBBER

PART #	DESCRIPTION	
SHORT UPPER FORK CO	OVERS	
0411-0220 Unmilled fork caps and aluminum lower for		
0411-0221 Milled fork caps and aluminum lower fork covers		
0411-0222 Milled fork caps and bellows		
MID UPPER FORK COVE	RS	
0411-0216	Unmilled fork caps and aluminum lower fork covers	
0411-0217 Milled fork caps and aluminum lower fork		
0411-0218	Milled fork caps and bellows	

PART #	DESCRIPTION		
MID UPPER FORK COVE	MID UPPER FORK COVERS (CONT)		
0411-0219	Unmilled fork caps and bellows		
0411-0223	0411-0223 Unmilled fork caps and bellows		
LONG UPPER FORK COVERS			
0411-0212 Unmilled fork caps and aluminum lower fork cover			
0411-0213	0411-0213 Milled fork caps and aluminum lower fork covers		
0411-0214	Milled fork caps and bellows		
0411-0215	Unmilled fork caps and bellows		

0411-0233

UPPER FORK COVERS

- High-quality milled aluminum
- Powder-coated in gloss black
- Inner cut-out for fender clearance
- Simple assembly; the pieces are pushed over the fork tube and screwed tight
- Sold in pairs

PART #	DESCRIPTION
FOR 18-24 SCOUT BOBBER/BOBBER SIXTY/BOBBER TWENTY	
0411-0233	Long
0411-0234	Mid







BRAKES & BRAKE LINES

> TANKS & **OIL FILTERS**

DASHES & GAUGES

RAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO. COMMUNICATION & MOUNTS



LOWER FORK COVERS

- High-quality milled aluminum
- Powder-coated in gloss black

FORK CAPS

- Inner cut-out for fender clearance
- Simple assembly: the pieces are pushed over the fork tube and screwed tight

 Cover the fork tubes above the fork bridge and are securely fastened with a concealed set screw

PART # 0411-0224



DESCRIPTION



For 18-24 Scout Bobber/Bobber Sixty/Bobber Twenty



0404-0651

 Sold in pairs DESCRIPTION PART # FOR 18-24 SCOUT BOBBER/BOBBER SIXTY/BOBBER TWENTY

Made of high-quality aluminum and are milled on the most modern.

5-axis machining centers and then powdercoated in glossy black

PART # DESCRIPTION FOR 18-24 SCOUT BOBBER/BOBBER SIXTY/BOBBER TWENTY (CONT) 0404-0654 Black w/machined logo

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

OIL FILTERS

TANKS &

DASHES & GAUGES

FRAMES 8 SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

> WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS Suspension Technology

FRONT FORK SPRING KITS

- Shorter braking distance
- Better balance in the bike, more comfortable riding, even with passenger
- Easy cornering
- Improved tire life

PART #	DESCRIPTION
0405-1285	21-23 Challenger (including Dark Horse/Limited)
0405-1100	15-23 Chieftain/Roadmaster (models w/ air-supported shock)
0405-1284	14-21 Chief Vintage/Classic/Dark Horse
0405-1286	16-23 Springfield
0405-0515	15-17 Scout

- More grip in dry and wet weather
- More confidence; it makes your ride more comfortable and/or faster
- Overall sense of confidence in the bike
- Include front fork oil

PART #	DESCRIPTION
0405-1104	18-23 Scout
0405-1059	18-22 Scout Bobber
0405-1281	20-22 Scout Bobber Sixty
0405-1282	22-23 Scout Bobbery (includes Twenty/Rogue)
0405-1283	18-23 Scout Sixty



FRONT FORK SPRING

PROGRESSIVE

- Progressive springs offer a soft initial spring rate for a plush ride
- Progressively wound design provides increased resistance to bottoming as spring compresses
- Improve handling while retaining OEM geometry
- Sold in pairs

PART #	DESCRIPTION
0405-0528	For 15-23 Scout models
0405-1098	For 19-23 FTR1200/S models



FORK LOWERING KITS

- Give Cruiser bike front ends that custom lowered look by lowering the forks
- Your choice of 25 mm (1") or 51 mm (2") lowering height is available at time of installation
- To maintain proper balanced geometry, it is recommended lowering the rear of the bike the same amount as the front (Progressive Suspension Series shocks available for lowering the rear): see page 165
- Installing a lowering kit will decrease initial ground clearance; motorcycle will be lower to the ground, and care should be taken to avoid bottoming, especially over bumps or in turns

0407-0684



PART # DESCRIPTION 0416-0095 For 15-23 Scout models



FORK BUSHING KITS

- PTFE-coated bushings are dyno-tested to 500.000 strokes with less wear than OEM
- Kit includes two slider bushings and two leg bushings
- Kit includes all copper washers and O-rings
- Kit includes two fork seal snap rings

PART #	DESCRIPTION
0407-0684	For 14-18 Chief Classic, 14-21 Chief Vintage, 14-22 Chieftain,
	15-22 Roadmaster, 16-22 Springfield

PART # DESCRIPTION For 15-21 Scout, 16-21 Scout Sixty 0407-0855 0407-0856 For 19-22 FTR 1200



NOTE: Heavy-Duty Applications are recommended for bikes

1310-1576







444 SERIES

- Features the Frequency Sensing Technology (FST) which allows the shocks to sense the frequency of a bump and automatically adjust damping for superior ride quality
- Deflective disc valving
- · Adjust spring pre-load by hand, no special tool needed
- Includes a progressive-rate spring and is high-pressure gas charged for consistent performance
- Standard or heavy-duty spring rate with a black or chrome finish
- Contains TEILEGUTACHTEN/German Parts Certificate

NOTE: A shock which is slightly longer than stock may alter the head angle slightly and provide somewhat quicker steering.

NOTE: A shock which is slightly shorter than stock may slightly alter the head angle and provide somewhat slower steering.

that are operated at or near the manufacturer's maximum load rating over 50% of the time

NOTE: Before purchasing or attempting to install shocks that are different than the OEM length, confirm that your wheel travel can be altered without causing clearance issues such as swingarm/axle to exhaust contact as well as chain/belt guard or tire contact.

FOR 15-23 SCOU	T, SCOUT SIXTY, SCO	JT BOBBER	
DESCRIPTION	279 MM (11")	292 MM (11,5")	305 MM (12")
STANDARD			
Chrome	-	1310-1584	-
Black	1310-1576	1310-1578	1310-1580

DESCRIPTION	279 MM (11")	292 MM (11,5")	305 MM (12")
HEAVY-DUTY			
Black	1310-1577	-	1310-1581





REAR SHOCK SPRING

- Progressive rear spring is designed to smoothly transfer engine power to the road while controlling your bike, ensuring more stability and will significantly reduce tire wear
- Shorter braking distance
- Better balance in the bike, more comfortable riding, even with passenger
- Easy cornering
- More grip in dry and wet weather
- More confidence, it makes you feel more comfortable and/or faster
- Overall sense of confidence in the bike
- Available in black

PART #	DESCRIPTION
1312-1114	18-21 Scout Bobber



PART # DESCRIPTION 1312-1115 22-23 Scout Bobber (including Twenty/Rogue)



REAR SUSPENSION LOWERING KIT

- Replace the stock suspension arms
- Give your bike the low look without losing suspension travel
- Kit includes everything needed for a complete installation
- Lowers bike approximately 38 mm (1,5")



All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FIIFI / AIR SYSTEMS

ENGINE

TRANSMISSION **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & **OIL FILTERS**

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

PART #

1402-0436

1402-0437

1402-0415

1402-0416

FOR 20-24 CHALLENGER

16"/17"/18"/19" FRONT WHEEL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES &

TANKS &

BRAKE LINES

OIL FILTERS DASHES

& GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS


> WHEELS & AXLES

COVERS. LOCKS &

GENERAL

AUDIO, COMMUNICATION & MOUNTS







Wrapper

Henry

Slicer

Wrapper

FRONT FENDERS

• All fenders come predrilled and E-coated and are stamped, not spun, for the ultimate smooth, long-lasting fender

FOR 22-24 CHIEF/BOBBER/BOBBER DARK HORSE/ DARK HORSE/DARK HORSE ICON/BOBBER DARK HORSE ICON,

16"/17"/18"/19" FRONT WHEEL (19" WHEEL W/ 130/60R19 TIRE)

22-23 SUPER CHIEF/LIMITED/LIMITED ICON

• Steel fenders are thick enough to add rigidity to the front end by acting like a fork brace, but can still be cut or shaped enough for an even more Kustom appearance

- 16", 17", 18" and 19" fenders for Indian Scout models
- Benchmark is a more slammed, lower profile look
- Outrider is a tire-hugging style
- All are direct bolt-on replacement front fenders that use stock mounting hardware

FOR 15-24 SCOUT MODELS					
PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION
16"/17"/18"/19" FRONT WHEEL		16"/17"/18"/19" FRONT WHEEL (CONT)		16"/17"/18"/19" I	RONT WHEEL (CONT)
1402-0362	Klassic	1402-0363	Outrider	1402-0364	Benchmark





FRONT FENDERS

- Fender comes pre-drilled and E-coated and is stamped, not spun, for the ultimate smooth, long-lasting fender
- Steel fender is thick enough to add rigidity to the front end by acting as a fork brace
- Can still be cut or shaped enough for an even more Kustom appearance; you decide
- Direct bolt-on replacement front fender that uses stock mounting hardware
- Gives the Klassic full-fender look that still shows off the wheel

FOR 14-20 CLASSIC VINTAGE, 15-21 DARK HORSE, 16-20 SPRINGFIELD, 14-21 CHIEFTAIN, 15-21 ROADMASTER			
PART #	DESCRIPTION	PART #	DESCRIPTION
1402-0382	16"/17"/18"/19"	1402-0383	21"









OLD SCHOOL FRONT FENDERS

- \bullet Shorter, narrower and clears the view of the front wheel
- Provides a clean and cool look
- A 100% custom-fit ABS plastic part, so it offers 100% fitting accuracy
- No adjustment work necessary

PART #	DESCRIPTION
FOR 15-24 SCOUT/SCOUT BOBB	BER
1402-0424	Gloss black

- All bores and millings are milled on the most modern
 5-axis CNC machining centers, so that the fender only has to be exchanged for the original
- Available in gloss black or a raw finish ready for painting
- Contains TEILEGUTACHTEN/German Parts Certificate

PART #	DESCRIPTION
FOR 15-24 SCOUT/SCOUT BOBBER (CONT)	
1402-0425	Raw

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR Systems

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> GASKETS & SEALS

ELECTRICAL

LIGHTING

& LICENSE

PLATES HANDLEBARS, CONTROLS

& MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS





OUTRIDER REAR FENDER

- Direct bolt-on replacement fender offers an instant bobber style, using stock mounting locations and hardware
- Complete with bolt-in taillight/license plate mount (included)
- Stamped from 14-gauge steel using precision, deep-draw stamping technology that ensures a consistently smooth and flawless finish that minimizes bodywork
- 13-step E-coated process prevents rust and corrosion, from manufacture to paint booth and beyond, as it continues to resist rust after paint
- Precision, laser-cut technology ensures accurate fitment
- Works with stock 150/80-16 rear and up to a 180 rear tire





 PART #
 DESCRIPTION

 1402-0365
 For 15-24 Scout







REAR FENDERS

- Made of high quality ABS plastic and all holes and milled on the latest 5-axis CNC machining centers
- Can be attached to the original mounting points
- All mounting hardware is included and no modifications need to be made to the frame
- Available in raw paintable or gloss black
- Contains TEILEGUTACHTEN/German Parts Certificate

PART #	ART # DESCRIPTION	
FOR 18-24 SCOUT BOBBER	BOBBERY SIXTY/BOBBER TWENTY	
1402-0426	Gloss black; clean	
1402-0428	Raw paintable; clean	



FOR 18-24 SCOUT BOBBER/BOBBERY SIXTY/BOBBER TWENTY (CONT)


1402-0427 Gloss black; w/ brake light and indicators

1402-0429 Raw paintable; w/ brake light and indicators



REAR FENDER SIDE RAILS

- \bullet CNC machined from 6061 billet aluminum
- Hard black anodize plating
- Mounting hardware included
- Easy installation
- Sold in pairs



 PART #
 DESCRIPTION

 1412-0014
 For 15-24 Scout, 25 Scout 101

⋘ GILLES

RCT10GT REARSETS

- CNC-machined for reduced weight
- Adjustable footpeg positioning for comfort or sport riding
- Adjustable toe pieces on brake and gear lever
- Includes carbon heel guards and fixed footpegs
- Standard or GP shifting possible
- Hard anodized black/silver finish



FOOT CONTROL EXTENSION KIT

- Extension kit adds 64 mm (21/2") of length to the foot controls for a more comfortable ride
- Cut from steel sheets for extra strength. vet thinner than other aftermarket plates
- Kit comes complete with everything needed to mount for a fast installation
- Shift rod and mounting hardware included
- Works with front engine guard highway crash bar
- Black powdercoated finish
- Easy installation



ISO® DRIVER AND PASSENGER FLOORBOARDS WITH SPLINED ADAPTER MOUNTS

- Kits include our chromed ISO®-Boards with full-length rubber inserts and a cast bracket to connect with Kuryakyn's splined adapter mounts (sold separately)
- Floorboards measure approximately 23 cm long (91/8")
- Passenger peg-only bracket positions the floorboards 25 mm (1") higher than the stock footpeg height
- Sold in pairs

NOTE: Require Kuryakyn bike-specific splined adapters for installation (sold separately; see page 176).

PART # DESCRIPTION 1621-0088 Driver floorboards



For 19-24 FTR 1200/S



PART # DESCRIPTION 1622-0575 For 15-24 Scout





PART # DESCRIPTION 1621-0144 Passenger floorboards



DRIVER FLOORBOARDS

- Machined from 6061-T6 billet aluminum
- Extended Drilled Instigator front floorboards are extended 64 mm $(2^{1}/2^{n})$ in the front and rear and are 19 mm (³/₄") wider than stock floorboards
- Extended Drilled Vintage front floorboards are extended 64 mm (2 $^{1}/_{2}$ ") in front and 19 mm ($^{3}/_{4}$ ") wider and 25 mm (1") longer in the rear
- Feature multi-directional slip-resistant black pyramid-top rubber inserts
- Available in a black finish
- Sold in pairs

DESCRIPTION PART # FOR 14-24 CHIEFTAIN/ROADMASTER/CHIEF CLASSIC/CHIEF VINTAGE 1621-1034 Extended drilled Instigator, full knurled



PART # DESCRIPTION

FOR 14-24 CHIEFTAIN/ROADMASTER/CHIEF CLASSIC/CHIEF VINTAGE (CONT) Extended drilled Vintage, rubber heel 1621-0888

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO. COMMUNICATION & MOUNTS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FIIFI / AIR SYSTEMS

ENGINE

TRANSMISSION **CLUTCH LINE** & DRIVELINE

GASKETS

& SEALS

ELECTRICAL

LIGHTING & LICENSE

CABLES

BRAKES &

TANKS & OIL FILTERS

DASHES

& GAUGES

BRAKE LINES

RYDECULTURE™ CHARLES CHAPA FLOORBOARD INSERTS

- Vibrational damping EPDM textured rubber floorbard inserts give maximum comfort and style to your bike
- Feature signature RydeCulture™ logo
- Brushed stainless steel accents
- Install easily and securely with built-in rubber grommets
- Sold in pairs

PART #	DESCRIPTION
1621-1142	For 15-24 Roadmaster, 21-24 Roadmaster LTD, 20-24 Roadmaster Dark Horse, 18/20 Roadmaster Elite, 17-18 Roadmaster Classic
1621-1142	For 16/18 Chief, 14-18 Chief Classic, 14-19 Chief Vintage, 17-20 Chief Dark Horse
1621-1142	For 14-24 Chieftain, 16-24 Chieftain Dark Horse, 17-24 Chieftain LTD, 18-20 Chieftain Classic, 17/20-24 Chieftain Elite, 22-24 Chieftain Dark Horse Icon

PART #	DESCRIPTION
1621-1142	For 20-24 Challenger, 21-24 LTD/Dark Horse, 22-24 Challenger Elite/Dark Horse Icon
1621-1142	For 23-24 Pursuit Elite/LTD/Dark Horse w/ or w/o Premium Package Icon, 22-24 LTD/Dark Horse w/ or w/o Premium Package
1621-1142	For 16-24 Springfield, 18-24 Springfield Dark Horse



MINI SERRATED DRIVER FLOORBOARDS

- CNC machined from 6061 billet aluminum
- Strong yet lightweight two-piece construction
- Serrated for exceptional grip
- 360° footpeg adjustment
- Pitch adjustment screw for a level riding position
- Black anodized finish
- Dimensions: 12,7 cm L x 76 mm W x 1,7 mm T (5" x 3" x 0,0675")
- Easy installation



PART #	DESCRIPTION
1621-0806	For 15-24 Scout models

PLATES HANDLEBARS,

CONTROLS & MIRRORS MINI SERRATED

PASSENGER FLOORBOARDS • CNC machined from 6061 billet aluminum

- Strong yet lightweight two-piece construction
- Serrated for exceptional grip
- 360° rotational adjustment
- Pitch adjustment screw for a level riding position
- 12,5 cm L x 76 mm W (5"x 3")
- Sold in pairs





The state of the s
Black anodized
A A B

FOR 15-24 SCOUT

PART #	DESCRIPTION
1621-1183	Raw aluminum

1621-1183

1621-0898



KURYAKYN®

PHANTOM MINI BOARDS FRAMES & SUSPENSION

- Feature a pass-through design with sharp, sculpted lines, along with a much larger area to rest your foot compared to standard footpegs
- Constructed from quality A380 aluminum
- Durable EPDM rubber inserts offer traction and long-haul vibration dampening comfort
- Sold in pairs

NOTE: Require Kuryakyn bike-specific splined adapters for installation (sold separately, see page 176).

PART # DESCRIPTION PART # DESCRIPTION 1621-0897 Chrome 1621-0898 Gloss black



FENDERS

WHEELS & AXLES

COVERS. LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS

KURYAKYN

RIOT MINI FLOORBOARDS

- Rugged, MX-style mini floorboards made from durable cast aluminum
- Serrated, toothed top surface for no-slip secure footing
- Tapered bottom design provides excellent cornering clearance
- Measure 14 cm L x 95 mm W x 38 mm H $(5^{1}/_{2}" \times 3^{3}/_{4}" \times 1^{1}/_{2}")$
- Sold in pairs

NOTE: Require Kuryakyn bike-specific splined adapters for installation (sold separately; see page 176).



PART #	DESCRIPTION	
1621-0803	Riot mini floorboards	

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FIIFI / AIR

SYSTEMS

ENGINE

TRANSMISSION

CLUTCH LINE & DRIVELINE

GASKETS

& SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES** HANDLEBARS, **CONTROLS**

& MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS &

DASHES

& GAUGES

OIL FILTERS



FLOORBOARD MOUNTING KIT

- Replaces the stock forward control pegs with a more comfortable option
- Allows the rider to adjust their feet for comfort and preferred riding position
- Uses the stock mounting locations and is easy to install
- Utilizes OEM Indian floorboards



1621-0734

PART #

1621-1027

For 15-23 Scout/Scout Sixty

KURYAKYN

PASSENGER BOARD MOUNTS

- Accepts the stock Indian passenger boards, or any aftermarket passenger boards designed to fit the stock mount
- Relocates passenger board location to a more comfortable, ergonomically friendly position
- Durable aluminum construction with gloss black finish that blends in with its surroundings
- Allows installation of Kuryakyn Adjustable Passenger Pegs on Indian Roadmaster and Springfield models; also compatible with Chief. Chieftain and Challenger models to convert passenger peg mounts to passenger board mounts



DESCRIPTION

For 15-23 Roadmaster and Springfield



DRIVER FLOORBOARD SPREADERS

- Manufactured from billet aluminum with black finish
- Floorboard spreaders measure 31,8 mm (11/4")
- Easy installation
- Kit includes necessary hardware for easy installation
- Sold in pairs

NOTE: Roadmaster models require some trimming on lower fairing.

MID CONTROLS

- Moves the foot controls approximately 15" back and 1" higher than the stock position
- Combination frame- and engine-mount kit with full steel construction for strength and durability
- Relocates factory peg mounts, rear brake master cylinder, brake lever and shift lever
- Includes shift linkage, and pivoting MX-styled knurled short pegs for greater ground clearance
- Includes all necessary hardware and components for installation



PART # DESCRIPTION

1621-0906 For 14-24 Chief/Chieftain/Roadmaster/Springfield



PART #

1623-0497

DESCRIPTION

1602-1130

FRAMES & For 15-23 Scout SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO. COMMUNICATION & MOUNTS

HEEL SHIFT LEVERS

- Feature an ergonomic design that extends past the rear of the floorboard for effortless shifting
- Accepts Kuryakyn Spear, Kinetic and ISO shift pegs, or any Indian OEM shift peg (all sold separately)
- Easy bolt-on install to the factory toe shift location with included hardware and spacer
- Does not include shift peg
- Durable aluminum construction available in chrome or gloss black finish

PART # DESCRIPTION FOR 14-23 INDIAN (EXCEPT SCOUT, CHALLENGER AND FTR) 1602-1129 Chrome

PART # DESCRIPTION FOR 14-23 INDIAN (EXCEPT SCOUT, CHALLENGER AND FTR) (CONT) 1602-1130 Gloss black

1602-1129

SADDLEBAGS & LUGGAGE

SEATS 8 SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

& GAUGES

DASHES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

> WHEELS & AXLES

COVERS. LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS



- Fully CNC machined from solid 6061-T6 bar
- Super strong, yet lightweight two-piece construction
- Wider foot surface for a comfortable ride

FOR 25 101 SCOUT, 15-24 SCOUT

LONG PASSENGER FOOTPEGS: 11,5 CM L X 64 MM W X 25 MM THICK (4¹/₂" X 2¹/₂" X 1")

LONG DRIVER FOOTPEGS: 11,5 CM L X 64 MM W X 25 MM THICK

PART #

1620-1709

1620-2651

1620-2650

(4¹/₂" X 2¹/₂" X 1")

Serrated surface provides a good bite to the bottom of your shoe

DESCRIPTION

Black anodized

Black anodized

Clear anodized

- footpegs perfect for any application
- Pitch adjustment screw always keeps them in a good riding position
- Available with a hard black or clear anodized finish

PART #	DESCRIPTION
SHORT PASSENGER FOOTPEGS: 8,4 CM L X 64 MM W X 25 MM T (3 ⁵ / ₁₆ " X 2 ¹ / ₂ " X 1")	
1620-2653	Black anodized
1620-2652	Clear anodized
NARROW PASSENGER FOOTPEGS: 10,6 CM L X 38 MM W X 2,5 CM T (4 ³ / ₁₆ " X 1 ¹ / ₂ " X ¹³ / ₁₆ ")	
1620-2655	Black anodized
1620-2654	Clear anodized

1620-2641

PART #	DESCRIPTION
HEEL PASSENGER FOOTPEGS: 10,6 CM L X 98 MM W X 2 CM T (4 ³ / ₁₆ " X 3 ⁷ / ₈ " X ¹³ / ₁₆ ")	
1620-2657	Black anodized
1620-2656	Clear anodized
STUBBY PASSENGER FOOTPEGS: 76 MM L X 38 MM W X 2 CM T (3" L X 1 ¹ / ₂ " X ¹⁵ / ₁₆ ")	
1620-2659	Black anodized
1620-2658	Clear anodized

1620-2646

BEAR CLAW FOOTPEGS

- Serrated for exceptional grip and look
- Strong yet light weight aluminum CNC-machined two piece construction
- Ride position leveling screw to avoid footpeg sag related issues
- Footpegs measure 10,7 cm L x 73 mm W x 20 mm thick (4,21" x 2,87" x 0,8")
- Sold in pairs
- Easy installation


PART #	DESCRIPTION
FOR 25 101 SCOUT, 15-24 SCOUT	
1620-2641	Driver pegs, black anodized
1620-2640	Driver pegs, raw aluminum

PART #	DESCRIPTION	
FOR 25 101 SCOUT, 15-24 SCOUT (CONT)		
1620-2647	Passenger pegs, black anodized	
1620-2646	Passenger pegs, raw aluminum	

1620-1719







- Footrests feature an intricately CNC-machined tread pattern in the top surface for optimal footing
- Much lighter than stock and have an angled design for better road clearance when cornering
- · Machined from solid blocks of 6061-T6 billet aluminum
- Full 360° footpeg rotation makes these footpegs perfect for any application
- Footpegs have Joker's exclusive pitch adjustment screw to maintain the proper upward angle of the peg
- Dimensions 83 mm L x 32 mm W (3 1/4" x 1 1/4")

FOR 25 101 SCOUT, 15-24 SCOUT			
PART #	DESCRIPTION	PART #	DESCRIPTION
DRIVER FOOTPEGS		PASSENGER PEGS	
1620-1719	Black anodized	1620-2649	Black anodized
		1620-2648	Raw aluminum



EZ SHIFT/BRAKE PEGS

- Billet aluminum peg doesn't damage shoes
- CNC-machined from 6061 billet aluminum
- Works as shift peg and brake pedal
- O-rings can be replaced
- Simple installation with 8 mm mounting bolt
- Dimensions: 51 mm L x 35 mm W x 25 mm T (2" x 1³/₈" x 1")

PART #	DESCRIPTION
1603-0413	Black anodized
1603-0414	Silver



ISO®-PEGS

- Give you a custom look and dampen vibration
- Hollow-core neoprene inserts are long-lasting
- Small peg measures 32 mm in diameter x 11,5 cm long $(1^{1}/_{4}" \times 4^{5}/_{8}")$
- Sold in pairs

NOTE: Require the use of Kuryakyn tapered footpeg adapters; Kuryakyn PART #KUR8835.



PHANTOM FOOTPEGS

- Constructed from quality A380 aluminum
- Durable EPDM rubber pads provide traction, vibration dampening, and will not harden, crack or wear over time
- Peg angle adjustability to dial in your preferred placement
- Available in chrome or gloss black

PART #	DESCRIPTION
1620-1867	Chrome



PART #	DESCRIPTION
1620-0157	Small ISO®-Pegs w/o adapters



Sold in pairs

NOTE: Require the use of Kuryakyn splined footpeg adapters, see page 176.

PART # DESCRIPTION

1620-1868 Gloss black

PHANTOM SHIFT/BRAKE PEG

- Constructed from A380 aluminum
- Durable EPDM rubber provides traction and will not harden, crack or wear over time
- Direct replacement for the stock shift peg on all Indian models, and also replaces the brake peg on Indian Scout models
- Sold each

PART #	DESCRIPTION

1603-0358 For 20-21 Cha

For 20-21 Challenger, 14-23 Chief Classic/Vintage, Chieftain, Roadmaster, Dark Horse (shift peg only) and 15-23 Scout (shift and brake peg)

SWINGWING PEGS

- A convenient alternative to forward controls
- Our clever cruise pegs feature a fold-forward design
- Secondary fold-out peg extends 76 mm (3") forward and locks into place for added legroom and comfort
- Sold in pairs

NOTE: Require the use of Kuryakyn splined footpeg adapters; see page 176.

PART # 1620-0423





1603-0329

DESCRIPTION

SwingWing pegs w/o adapters

0329 1603-0330

HEAVY INDUSTRY SHIFT AND BRAKE PEG• Direct replacement for stock with rugged

- Direct replacement for stock with rugged style and durable construction
- Cast from quality aluminum with premium EPDM rubber
- Coordinated style with the complete line of Kuryakyn Heavy Industry accessories
- Available in chrome or satin black
- Sold each

PART # DESCRIPTION
FOR 20-21 CHALLENGER, 14-23 CHIEF CLASSIC/VINTAGE,
CHIEFTAIN, ROADMASTER, DARK HORSE (SHIFT PEG ONLY)
AND 15-23 SCOUT (SHIFT AND BRAKE PEG)

1603-0329 Chrome

FOR 20-21 CHALLENGER, 14-23 CHIEF CLASSIC/VINTAGE, CHIEFTAIN, ROADMASTER, DARK HORSE (SHIFT PEG ONLY)

AND 15-23 SCOUT (SHIFT AND BRAKE PEG) (CONT)

1603-0330 Satin I

Satin black

DESCRIPTION

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES** HANDLEBARS,

CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & **OIL FILTERS**

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARD:

> WHEELS & AXLES

COVERS. LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS



KURYAKYN®

DILLINGER FOOTPEGS

- Multi-piece construction with contrasting finishes and a unique pass-through design for an aggressive look and feel
- Cast from high-quality aluminum with steel splined adapters
- Multi-piece housing blends textured and smooth surface finishes for a killer look
- Raised features on the top surface provide traction
- Splined adapters allow precise peg angle adjustability to dial in preferred placement
- Sold in pairs

NOTE: Require the use of Kuryakyn splined footpeg adapters, see page 176.

PART # DESCRIPTION 1620-1876 Footpegs w/ male-mount ends

KURYAKYN®

RIOT FOOTPEGS

- Industrial MX-style pegs
- Durable cast-aluminum construction
- Serrated, toothed footpeg top surface provides non-slip traction during aggressive riding
- Measure 11,5 cm L x 42 mm W x 33 mm thick (4,6" x 1,64" x 1,29")
- Sold in pairs

NOTE: Require Kuryakyn model-specific adapters (sold separately, see page 176).



KURYAKYN®

THRESHER FOOTPEGS

- Sleek and subtly aggressive with a unique shark tooth-inspired knurled rubber surface that delivers sharp style, excellent grip, and all-day vibration-dampening comfort
- Streamlined aluminum housings combined with soft EPDM rubber and sturdy steel adapters
- Available with without adapters for a wide range of fitment using model-specific splined adapters (sold separately)
- Sold in pairs

PART #	DESCRIPTION
1620-1787	Thresher footpegs



1620-1706





RYDECULTURE™ FOOTRESTS

- · Hits the sweet spot between a footpeg and a floorboard for maximum comfort and a clean style
- Features signature RvdeCulture™ logo
- Easy bolt on installation

PART # DESCRIPTION Chrome

- Footrests measure 41/2"W x 31/8" H
- Fits 1/2" clevis mount
- Sold in pairs

PART # **DESCRIPTION** 1620-2520



ENGINE GUARD TOE RESTS

- Discreet toe rests that mount directly to the engine quard
- Add a secure spot for your toes while your heel sits on the floorboard, letting you stretch safely and comfortably
- Designed for an elegant profile with a rubber edge that prevents slipping
- Mount to any 32 mm (11/4") round engine guard
- Sold in pairs

PART # DESCRIPTION 1620-2218 Chrome

PART # DESCRIPTION 1620-2219 Black



SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION,

CLUTCH LINE

& DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES &

TANKS &

OIL FILTERS

BRAKE LINES





MX FOOTPEGS

- CNC machined from billet aluminum
- Lightweight, cut-through design with integrated rubber inserts for excellent foot traction
- Each peg features CNC machined cuts on the top and side of the peg body for style that can be seen at every angle

PART #	DESCRIPTION	
FOOTPEGS		
1620-2000	Black anodized	
1620-1962	Gold anodized	
1620-1963	Red anodized	



- Rubber inserts offer foot traction and protect the finish of the peg (inserts are replaceable)
- Footpegs and mounts sold in pairs
- Required footpeg mounts are splined for adjustability (sold separately)

PART #	DESCRIPTION		
SPLINED FOOT	SPLINED FOOTPEG MOUNTS		
1620-1959	For 14-24 Chieftain/Elite/Darkhorse, Chief Vintage/Classic/ Darkhorse, 16-24 Springfield (passenger pegs only)		
1620-1958	For 15-24 Scout/Scout Sixty, 18-24 Scout Bobber (driver or passenger pegs)		





AIRTRAX FOOTPEGS

- Aggressive yet comfortable rubber design
- Repeating pattern rubber offers excellent foot traction and vibration reduction
- Forged inner structure offers maximum strength
- CNC-machined billet end cap with laser-engraved logo
- Sold in pairs

PART #	DESCRIPTION
FOR 14-24 CHIEFTAIN/ELITE/DARKHORSE, CHIEF VINTAGE/ CLASSIC/DARKHORSE, 16-24 SPRINGFIELD (PASSENGER PEGS	ONLY)
1620-1993	Chrome
1620-1995	Brass

PART # FOR 15-24 SCOUT/SCOUT SIXTY, 18-24 SCOUT BOBBER (DRIVER OR PASSENGER PEGS)	DESCRIPTION
1620-1992	Chrome
1620-1994	Brass



RACING FOOTPEGS

- Footpegs are milled from an aluminum part and then powdercoated in glossy black
- In addition, an elaborately designed rubber cover with Cult-Werk lettering was produced to ensure a perfect hold and to round off the optics
- Installs just like the original parts



PART #	DESCRIPTION
1620-2400	For 15-24 Scout/Scout Bobbe



FOOTPEG COVER KIT

- Manufactured from CNC-machined billet aluminum
- Add protection from dirt and debris while enhancing the overall look of the bike

 PART #
 DESCRIPTION

 1620-2061
 For 19-24 FTR 1200/S



All part numbers in **BLUE** are new for 2025.

DASHES & GAUGES

SUSPENSION

FRAMES &

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

SADDLEBAGS & LUGGAGE

SEATS &

SISSY BARS

FIIFI / AIR SYSTEMS

ENGINE

EXHAUST

TRANSMISSION **CLUTCH LINE** & DRIVELINE

> **GASKETS & SEALS**

ELECTRICAL LIGHTING

PLATES HANDLEBARS, **CONTROLS**

& LICENSE

& MIRRORS **CABLES**

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

> **DASHES** & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

> WHEELS & AXLES COVERS,

> > LOCKS &

GENERAL

AUDIO, COMMUNICATION & MOUNTS

DRIVER HIGHWAY PEG MOUNT KITS

- Durable, all-steel mounting plates that securely bolt to the underside of stock floorboards
- Works with Ciro's® 1/2" male mount H-D style pegs, footrests and floorboards (sold separately)
- Fully adjustable components for maximum comfort
- Kit includes a set of mounting plates. Ciro splined clevises with ratcheting springs and all mounting hardware

RYDECULTURE™ **CHARLES CHAPA**

Fully adjustable

ADJUSTABLE PASSENGER

COMFORT PEG MOUNT KITS Allows for more movement and adjustability than stock pegs

 Allows for alternative foot positions for a more comfortable ride

• High strength steel construction

Work with or without engine guards and lower fairings

FOR 14-24 INDIAN TOURING W/ OEM FLOORBOARDS 1624-0399 Chrome

Bolts directly to the frame of the motorcycle with no modification

DESCRIPTION DESCRIPTION PART # FOR 14-24 INDIAN TOURING W/ OEM FLOORBOARDS (CONT)

1624-0399

1624-0400





Black

1620-2516

- Includes all required hardware
- Mounts work with any RydeCulture[™] or Ciro[®] passenger pegs or footrests (sold separately)

1620-2515

16/18 CHIEF, 17-19 CHIEF DARK HORSE, 14-24 CHIEFTAIN, 22-24 CHIEFTAIN DARK HORSE ICON, 17-19/21-24 CHIEFTAIN LTD/ELITE, 20 CHIEFTAIN CLASSIC, 16-24 CHIEFTAIN DARK HORSE, 23-24 PURSUIT ELITE, 22-24 PURSUIT LTD/DARK HORSE W/ OR W/O PREMIUM PACKAGE, 16-24 SPRINGFIELD, **18-20 SPRINGFIELD DARK HORSE**

PART # DESCRIPTION PART # DESCRIPTION 1620-2517 Chrome 1620-2518

PASSENGER PEG ADAPTERS

- Allows you to mount any Ciro® passenger footpeg. footrest or floorboard to your motorcycle
- Stainless steel construction
- Easy installation; uses OEM mounting hardware
- Sold in pairs

FOR 15-24 ROADMASTER, 21-24 ROADMASTER LTD, 20-24 ROADMASTER DARK HORSE, 18/20/24 ROADMASTER ELITE, 17-18 ROADMASTER CLASSIC, 16/18 CHIEF, 14-18 CLASSSIC/VINTAGE, 17-19/22-24 CHIEF DARK HORSE, 23-24 SPORT CHIEF, 14-24 CHIEFTAIN, 16-24 CHIEFTAIN DARK HORSE, 17-18/21-23 CHIEFTAIN ELITE, 17-19/21-24 CHIEFTAIN LTD, 22-23 CHIEFTAIN DARK HORSE ICON, 16-23 SPRINGFIELD, 18-24 SPRINGFIELD DARK HORSE

DESCRIPTION DESCRIPTION PART # PART # 1620-2515 1620-2516

PASSENGER PEG MOUNTS KURYAKYNM

- Allows installation of Kurvakyn adjustable passenger pegs on Chief, Chieftain and Dark Horse models
- Can reuse stock passenger pegs on any Kuryakyn pegs using splined adapters, sold separately
- Accepts any aftermarket footpegs designed for the passenger peg mount
- Relocates passenger peg location to a more comfortable, ergonomic position
- Durable aluminum construction with a gloss black finish
- Adjustable passenger pegs, PART #s 1620-1315 and 1620-1725 sold separately
- Sold in pairs

PART # DESCRIPTION 1622-0555 For 14-23 Indian (except Scout and FTR)

KURYAKYNM

SPLINED ADAPTER MOUNTS

- Provide slip-free mounting of Kuryakyn ISO®-Boards™ and other Kuryakyn footpeg and foot control accessories that require splined peg adapter mounts
- Sold in pairs

PART # DESCRIPTION For 15-24 Scout (front only) 1620-1801



SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR

SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS















0210-0374

ELECTRICAL



HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS



FORGED BILLET RIMS

- All rims are CNC machined from radial forged 6061-T6 aluminum for maximum road durability and strength-to-weight ratio
- Features a rolled rim lip for the custom look and detailed CNC machine work from the center of the hub to the edge of the rim

0210-0403

• Each rim can be used on both front and/or rear of the motorcycle when correct hub kit is installed

• Rims accept Arlen Ness hub kits (sold separately), which allows full wheels to be assembled in minutes with basic tools NOTE: Rims do not include hubs. Hubs are purchased separately.

0210-0355

DESCRIPTION	DRIFT CHROME	DRIFT BLACK	PROCROSS CHROME	PROCROSS ALL I		OCROSS BLACK W/ CHINED ACCENTS	7 VALVE CHROME	7 VALVE BLACK
FRONT RIMS								
21" x 3,50"	0210-0396	0210-0395	-	0210-0407	021	0-0333	0210-0351	0210-0345
REAR RIMS								
18" x 5,50"	0210-0394	0210-0393	0210-0338	0210-0406	-		0210-0350	0210-0344
	WIGHT BOW DI BOW	40000 E DI 44W	V CDOVE CUDOME	V 400VE DI 44V	V 400VE 4010	V 454VE EIEANIII.	V 404VE DI III	V 400VE 000
DESCRIPTION	KICKBACK BLACK	SPEED-5 BLACK	Y-SPOKE CHROME	Y-SPOKE BLACK	Y-SPOKE GOLD	Y-SPOKE TITANIUM	Y-SPOKE BLUE	Y-SPOKE RED
FRONT RIMS	KICKBACK BLACK	SPEED-5 BLACK	Y-SPORE CHROWE	Y-SPOKE BLACK	Y-SPOKE GOLD	Y-SPOKE TITANIUM	Y-SPOKE BLUE	Y-SPOKE RED
	-	0210-0404	0210-0378	0210-0377	9-SPORE GOLD 0210-0380	-	- Y-SPOKE BLUE	-
FRONT RIMS							- 0210-0374	
FRONT RIMS 19" x 3,25"	•	0210-0404	0210-0378	0210-0377	0210-0380	•		-
FRONT RIMS 19" x 3,25" 21" x 3,50"	•	0210-0404	0210-0378	0210-0377	0210-0380	•		-

SAFETY WARNING: WHEN SELECTING CUSTOM WHEELS, THE TIRES USED FOR YOUR APPLICATION MUST HAVE A LOAD INDEX AND SPEED RATING EQUAL TO OR GREATER THAN THE TIRES FITTED AS ORIGINAL EQUIPMENT. CONSULT MANUFACTURER'S PUBLICATION(S) AND/OR WEBSITE(S) FOR COMPLETE TIRE INFORMATION. All part numbers in **BLUE** are new for 2025.

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FIIFI / AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

& LICENSE **PLATES** HANDLEBARS,

LIGHTING

CONTROLS & MIRRORS

BRAKES &

BRAKE LINES

CABLES

TANKS & **OIL FILTERS**

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

> COVERS, LOCKS & **GENERAL**

WHEELS & AXLES

AUDIO, COMMUNICATION & MOUNTS





CARTRIDGE HUBS KITS

VESS

- These billet aluminum hub kits are designed for Arlen Ness forged billet rims
- Cartridge hub design features wheel bearings pre-set in one hub for optimum radial and lateral runout accuracy
- Lightweight coped design provides form and function
- Each hub kit includes everything you need for Indian Bagger applications with TPMS or without TPMS: regardless of your wheel diameter
- Hub kits mount to your Arlen Ness forged rims in minutes with basic tools offering excellent flexibility for stock or custom applications. and allowing all sizes to be available for most applications
- Available in chrome or black anodized finish, each hub kit includes everything needed for simple installation

NOTE: Hubs listed accept factory or aftermarket 5-bolt hub mounted rotors (3,25" bolt circle).

ii mo, regardiess of your writer diameter		
DESCRIPTION	CHROME	BLACK
FRONT HUB KIT		
For 14-24 Chieftain/Chief/Road Master/Classic/Vintage/Dark Horse/Springfield (w/o TPMS)	0213-0825	-
REAR HUB KITS		
For 14-24 Chieftain/Chief/Road Master/Classic/Vintage/Dark Horse/Springfield (w/ TPMS)	0213-0827	0213-0826



WHEEL BEARING AND SEAL KIT

- Exact OEM replacement bearing and seal kits bring back the steering and braking control lost due to worn or rusted wheel bearings
- Each kit includes necessary bearings and seals to completely rebuild each hub
- Double-sealed ball bearings keep moisture and contamination from entering bearing
- Seals ensure proper fitment
- For front applications



PART #	DESCRIPTION
0215-0316	For 19-24 FTR 1200

0215-0092



FRONT WHEEL BEARING AND SEAL KIT

- High-speed bearings are manufactured to ABEC 3 precision levels
- Triple-lip rubber seals keep the grease in and the water and dirt out
- Chevron SRI 2 grease contains rust and oxidation inhibitors (-29 °C to 177 °C (-20 °F to 350 °F))
- Double-lip type TC seals with stainless steel garter springs

PART # FITS MODEL FRONT WHEEL BEARING KIT

0215-0092 For 20-22 Challenger, 14-22 Chief Classic/Chief Vintage/Chieftain, 15-22 Roadmaster, 15-22 Scout/Scout Sixty, 16-22 Springfield, 22 Super Chief

REAR WHEEL BEARING KIT

For 20 Challenger, 14-20 Chief Classic/Vintage, 14-20 Chieftain, 15-20 Roadmaster, 16-20 Springfield 0215-1028





AXLE COVERS

- Powdercoated axle covers made out of CNC-machined aluminium
- Sold in pairs

PART # DESCRIPTION FOR 18-24 SCOUT BOBBER/BOBBER SIXTY/BOBBER TWENTY 0214-2165 Front

PART # DESCRIPTION FOR 18-24 SCOUT BOBBER/BOBBER SIXTY/BOBBER TWENTY (CONT) 1313-0227 Rear

1313-0227



DEFENDER EXTREME ROUTE 1 HALF COVER

- Innovative UltraMax™ durable polyester material
- · Highest UV protection in the industry
- 100% waterproof with electronically taped seams
- Soft windshield liner protects against scratching
- Elastic hem and sewn-in elastic bungee straps make for snug fit
- Packed in integrated carry bag small enough to fit any storage compartment
- Sized to fit all touring motorcycles and adventure bikes with hard bags



Defender Extreme Route 1 half-cover







DEFENDER® EXTREME MOTORCYCLE COVERS

- Innovative UltraMax™ durable polyester material
- Highest UV-rated cover in the industry
- 100% waterproof, including electronically-taped seams
- Reflective strip along sides and back for increased visibility
- Integrated heat-resistant panels for exhaust pipe protection
- Exclusive Perma-Venting® system allows air circulation
- Soft windshield liner protects against scratching
- Snug elastic hem and quick-release belly strap secures cover to bike
- Packed in multi-use compression bag for compact storage
- Grommets at front wheel for cable lock (not included)
- Sizes to fit every model

PART #	SIZE	PART #	SIZE
4001-0185	Medium	4001-0186	Large



PART #	SIZE
4001-0187	X-large

PART #	SIZE
4001-0188 ¹	2X-Large

¹ Includes antenna grommet kit.



DRINK HOLDERS

- Hold virtually any can, bottle or cup secure with a contoured rubber net
- Infinite adjustment with a Ciro® Gen 1 ball-mount design
- Rubber-lined ring keeps your can or bottle from vibrating
- Soft rubber net won't scratch if it comes in contact with paint
- Reducer ring PART #0636-0551 helps hold taller, narrower drinks in standard holder (sold separately)

PART #	DESCRIPTION
0636-0021	W/ 22 mm $(\frac{7}{8}")$ and 25,4 mm $(1")$ handlebar mount, chrome
0636-0023	W/ 32 mm (1 ¹ / ₄ ") handlebar mount, chrome



PART #	DESCRIPTION
0636-0024	W/ 32 mm (1 ¹ / ₄ ") handlebar mount, black/chrome
0636-0551	Reducer ring



0636-0024



DRINK HOLDER ACCESSORIES

- Passenger Drink Holder Mount PART #0636-0415 allows for quick removal of Ciro® Drink and Big Ass® Drink Holders and works on left or right side (sold separately)
- Reducer ring allows you to put taller/narrower drinks in Ciro standard or Big Ass Drink Holdersholder

NOTE: Passenger Drink Mount Holder fits 14-24 Indian models with Indian Touring trunk (except low profile trunk).

PART #	DESCRIPTION
0636-0415	Passenger mount, black finish



0636-0415	0636-0552	
PART #	DESCRIPTION	
0636-0552	Reducer ring	

All part numbers in **BLUE** are new for 2025.



WINDSHIELDS & FAIRINGS

& LUGGAGE

SEATS & SISSY BARS

EXHAUST

FIIFI / AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & **OIL FILTERS**

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

WHEELS & AXLES

> COVERS, Locks & **GENERAL**

SADDLEBAGS & LUGGAGE

SEATS &

EXHAUST

SISSY BARS

BEVERAGE HOLDER

SHOW CHROME

For cruiser models with 32 to 40 mm hole spacing on clamp halves

- Beverage holder has been designed for easy installation and removal; just install the bracket and the beverage holder itself can be quickly snapped into place or removed
- No plastic here; made from durable steel for unequaled performance
- Added security is available with a setscrew to ensure it does not walk away while rider is away







DESCRIPTION Satin black

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

BRAKES & BRAKE LINES

CABLES

TANKS & OIL FILTERS

DASHES

& GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

WHEELS

COVERS, LOCKS 8 **GENERAL**

& AXLES

AUDIO, COMMUNICATION & MOUNTS

12" FLAGPOLE WITH FLAG AND FINIAL

- Flagpole mounts to any 1/2" tubular rack or rail; does not fold down
- O-rings keep the flag in place
- Includes heavy-duty polyester 6" x 9" American flag
- Available with acorn



FLARE WINDSHIELD DEMO DISPLAY KITS

- Eye-catching display for Flare Windshields
- Includes flyers and windshields listed
- Contact your Drag rep for details

INDIAN DEMO KITS

- (1) 10" FLARE black demo 2312-0263
- (1) 12" FLARE dark smoke demo 2312-0260
- (1) 14" FLARE tint demo 2312-0480
- Packet of dealer support items

PART #	DESCRIPTION
9904-1652	For 14-23 Chieftain, 15-23 Roadmaster





CHALLENGER DEMO KITS

- (1) 8" FLARE dark smoke demo 2312-0506
- (1) 11" FLARE dark smoke demo 2312-0836
- Packet of dealer support items

31.5" W x 78.5" L

rion
Challenger



LOGO FLOOR MATS


- Perfect for any motorcycle shop, garage or man cave
- Three different sizes to fit any space
- Durable nylon build works both inside and outside
- Non-slip rubber backing

	•
PART #	SIZE
9905-0242	24" W x 36" L





9905-0243



SADDLEME



MAT

 Designed to not only dress up your pit area or shop floor, but are also environmentally friendly

• Bike mats can absorb up to 6 liters of fluid like radiator coolant, oil, and any other solvent-based products that can harm the environment, by being contained within the mat, or help absorb mud and water

• Not only are they lightweight, but can easily be washed and reused



PART #	DESCRIPTION
9201-0074	Floor mat



SW-MOTECH STICKER

• Perfect for personalizing any bike or luggage

PART #	DESCRIPTION	
4320-2482	Reflective Bull (130 mm x 97 mm)	

All part numbers in BLUE are new for 2025.

9905-0243







PART # DESCRIPTION

0521-1578 For 14-18 Chieftain and Roadmaster, 17-18 Chieftain Dark Horse



DYNAMAT SOUND CONTROL FAIRING KITS

- High-efficiency sound-dampening material
- Achieve tighter bass and clearer music with your stock stereo
- Stops fairing vibration and directs music out towards the rider
- No measuring, no cutting, easy to install; peel and stick
- Custom cut per motorcycle, resulting in no waste and no guesswork

DESCRIPTION PART # **0521-1802** For 20-23 Challenger, 22 Pursuit **0521-1770** For 19-24 Chieftain Limited/Chieftain Dark Horse



PART #

2120-1204 For 19-22 Indian Touring



SHORT SPIRAL ANTENNA

- Great replacement for the long, stock OEM whip style antennas
- Easy-to-install, direct replacement
- Features grommet that remains in place and completes the installation process
- Includes a removable M6-1.0 threaded screw to mount on any model
- Measures 19 cm (71/2") tall

PART # **DESCRIPTION** 4401-0214 For 14-23 Chieftain/Roadmaster



4401-0271



HIGH CALIBER FLEXIBLE ANTENNAS

- Bullet-style antenna is a sleek, sturdy upgrade over long whip-style antennas
- AM/FM/WB reception is equivalent to OEM antenna
- Flexible rubber base prevents antenna from breaking
- No need to worry about bike cover
- Comes in 8" length

PART #	DESCRIPTION
4401-0270	Chrome
4401-0271	Black anodized

All part numbers in **BLUE** are new for 2025.

SHOW CHROMF

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR **SYSTEMS**

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & **OIL FILTERS**

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, Communication & MOUNTS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

SPC+ CREATOR KIT

Robust and secure

• Includes 1 tripod adapter, 1 "Actioncam"

• Selfie stick with practical telescopic rod

wrist strap, one quickscrew, one swivel

• Extremely light and easy to store • Includes one 20" POV pole with adjustable

adapter and one creator mount

clip, 1 swivel adapter, 1 MicroRail

adapter and 1 creator mount

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

POV POLE

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

> WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO COMMUNICATION & MOUNTS







PART # 0636-0619 DESCRIPTION SPC+ creator kit



PART # 0636-0618

DESCRIPTION POV pole



SPC+ TRIPOD GRIP

- Take static photos and dynamic video clips from exciting perspectives
- Attach your phone or GoPro® action camera to the tripod head with a simple 90° clockwise rotation
- Equipped with a 360° ball head
- Lightweight and pocket-sized
- Magnetic tripod legs
- Includes SPC+ Tripod Grip, quick screw, SPC+ swivel adapter and SPC+ creator mount

PART # **DESCRIPTION** 0636-0624 SPC+ tripod grip

TRIPOD POLE

- Practical mobile phone tripod that fits in any pocket
- Create great photos and dynamic videos from exciting perspectives
- Compatible with SPC and SPC+ Phone Cases
- Magnetic tripod legs
- Telescopic pole and 360° rotating ball head
- Secure hold thanks to lightning fast 90° locking
- Height measures approx. 18.5" when pole is fully extended

PART # DESCRIPTION 0636-0625 Tripod pole





SPC+ UNIVERSAL CLAMP KIT

- Easy and secure smartphone mounting on all SPC+ mounting heads
- Fits almost all smartphone models
- Suitable for smartphones with a maximum thickness of 12 mm and a width between 58 mm and 85 mm
- Mirror attach point features 360° adjustment option
- Simple and bombproof locking system
- Sold each

PART #	DESCRIPTION
0636-0319	SPC+ universal clamp kit





SPC+ UNIVERSAL PHONE CLAMP

- Easy and secure smartphone mounting on all SPC+ mounting heads
- Adjustable universal mount for almost all cell phone models
- Suitable for oversized smartphone models and rugged cases
- Durable and 100% waterproof

- Darable and 100% Water proof		
	PART #	DESCRIPTION
	0636-0316	Universal Max, fits all smartphone models with a width between approx. 2,56" to 3,52"
	0636-0317	Universal, fits smartphone models with a width between approx. 2,25" to 3,4"

SPC+ UNIVERSAL MOUNT

- Universal phone mount with hook-and-loop fastener (two hook-and-loop lengths)
- For bicycles, motorbikes, golf carts, baby carriages and more
- Mounting and alignment without tools

PART #	DESCRIPTION	
0636-0328	SPC+ universal mount	



0636-0326

SPC+ BALL HEAD MOUNTAttaches your SPC+ Phone Case to

- Attaches your SPC+ Phone Case
 any RAM® mount on your bike
- Diameter measures approx. 25 mm
- GoPro®-compatible

 PART #
 DESCRIPTION

 0636-0345
 SPC+ ball head mount





- Provides quick and secure magnetic mounting of your SPC+ Phone Case on the car air vent
- With the SPC+ vent phone mount, your navigation is always in view and you can use the hands-free function of your smartphone while driving
- Flexible and compact design
- Charging vent mount allows for easy inductive charging in the car

PART #	DESCRIPTION	PART #	DESCRIPTION
0636-0325	Black	0636-0326	Black, charging



SPC+ MAGNETIC RING MOUNT

- With this magnetic cell phone finger holder, your device is more secure in your hand
- Can also be used as a stand or for handling your cell phone
- Diameter measures 1,41"
- Sold each

PAKI #	DESCRIPTION
0636-0465	SPC+ magnetic ring mount

SPC+ RING MOUNT

- This practical cell phone finger holder can be attached to your SPC+ Phone Case in just a second, giving you a more secure grip on your device
- Lightweight and flat design
- Also suitable as a stand or for hanging up your smartphone

PART #	DESCRIPTION
0636-0324	SPC+ ring mount

All part numbers in **BLUE** are new for 2025.



SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR

SYSTEMS

SPC+ SUCTION MOUNT

- Magnetic attachment of the SPC+ Phone Case
- 360° positioning
- Vibration-free
- Includes fast inductive charging function with 15W of power

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

& LICENSE **PLATES** HANDLEBARS, CONTROLS

LIGHTING

& MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS &

OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

> COVERS, LOCKS & **GENERAL**

WHEELS & AXLES





SPC+ UNIVERSAL ADHESIVE KIT

- Attach your smartphone quickly and securely to almost any smooth, flat and non-porous surface
- Use in combination with the SPC+ Phone Case
- Flexible adhesive mounts for many applications
- Can be used as a spare part if required
- Easy to stick on surfaces
- Includes five practical adhesive mounts, which stick to the surface thanks to the strong 3M[™] VHBTM adhesive

PART #	DESCRIPTION
0636-0320	SPC+ universal adhesive kit





PART #	DESCRIPTION
0636-0327	SPC+ suction mount





SPC+ ADHESIVE PHONE MOUNT

- Secure, flat and sturdy adhesive pad
- For bicycles, motorbikes, cars, golf carts and more
- SP Connect[™] 3M[™] adhesive film for flexible use
- Compatible with all SPC+ mounts

PART #	DESCRIPTION	
0636-0313 Universal interface SPC+ phone mount		
2130-0366	Universal interface SPC+ phone mount mini	

0636-0486







- thanks to the specially developed elastomer inlay • Simply replace the compatible mounting head with the SPC+ Anti-Vibration Module and mount your smartphone directly to the vibration dampening module with a 90° clockwise rotation
- Offers additional protection for sensitive smartphone parts
- CNC machined from aircraft grade aluminum

SPC+ ANTI-VIBRATION MODULES

• Diameter measures 2"


PART #	DESCRIPTION	PART #	DESCRIPTIO
0636-0322	Chrome	0636-0486	Chrome wit







- The Sprocket Adapter makes it easy to use the SP Connect™ Anti Vibration Module on many other mount
- Retrofit existing brackets
- Includes sprocket adapter and one screw



All part numbers in **BLUE** are new for 2025.



0636-0321

SADDLEBAGS & LUGGAGE







SISSY BARS **EXHAUST**

SEATS &

SYSTEMS

TRANSMISSION **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

CONTROLS

CABLES

DASHES

FRAMES &

FOOTRESTS &

& AXLES

COVERS, LOCKS & **GENERAL**

WIRELESS POWER BANK

- With the compact SP Connect™ wireless power bank, you can charge your smartphone's battery quickly and conveniently wirelessly when you're on the go
- With an output of 10W and a capacity of 5.000mAh it can be stowed in any pocket thanks to its handy design
- Connect your SPC+ phone case and smartphone simply with the twist-to-lock mechanism with the wireless power bank and the energy is already flowing without a charging cable
- When the power bank is empty, it can quickly be recharged via USB

PART #

2130-0359

2130-0356

SPC+ CHARGING MODULES

- This inductive charger lets you charge your phone wirelessly in combination with the SPC+ Phone Case
- Mounts on all SPC+ bracket heads
- Versatile applications (motorbike, e-bike, powerbank)
- 100% weatherproof
- USB cable included
- Measures approx. 2" x 0,47" x 7,8"

SPC+ CHARGING ANTI-VIBRATION MODULE

- Innovative vibration dampener and weatherproof inductive charger for the SPC+ Phone Case
- Provides up to 60% reduction in vibration
- CNC machined from aircraft grade aluminum
- Diameter measures approx. 2"

SPC+ CHARGING STAND

• Secure magnetic attachment

Fast inductive charging with

MagSafe®-compatible accessories

of the SPC+ Phone Case

15 watts of power

• Includes USB cable

PART #

2130-0357

Phone holder for desk or home use

PART # DESCRIPTION 2130-0356 SPC+ charging module



DESCRIPTION

SPC+ charging stand

- Thanks to built-in magnets, your SPC+ Phone Case automatically moves to the correct charging position on this MagSafe®-compatible wireless charger
- With its practical foldable stand, the inductive charger also supports charging at an angle
- Fast wireless charging with 15W of power
- Includes USB cable

PART # DESCRIPTION

• Features two USB ports (USB-C and

multiple devices at the same time

Equipped with an intelligent IC chip that

to ensure fast and efficient charging

automatically detects the charging needs

of your devices and delivers optimal power

USB-A) that allow you to charge

WALL CHARGER 30W

WIRELESS CHARGING PAD

0636-0323

2130-0358

PART #

0636-0323

UNIVERSAL CHARGING PHONE CLAMP

- Waterproof, adjustable universal mount for most smartphone models
- Fast, inductive charging with 15W of power
- Durable and 100% waterproof
- Includes waterproof USB cable

0636-0318 Universal charging phone clamp

PART # DESCRIPTION

HARDWIRE CABLE FOR SPC+

- Weatherproof cable for wiring to the motorcycle battery to power your inductive charger
- Simply wire the free ends of the cable to the motorcycle battery and connect the USB-C connector to the charging module
- Equipped with an integrated voltage converter (12V to 5V/2A)
- Cable length measures 59"
- Sold each



PART #

2130-0376



Wireless charging pad

DESCRIPTION

Wall charger 30W

DESCRIPTION Wireless power bank

DESCRIPTION

SPC+ charging anti-vibration module

FIIFI / AIR

ENGINE

LIGHTING & LICENSE **PLATES**

HANDLEBARS, & MIRRORS

BRAKES & BRAKE LINES

TANKS & **OIL FILTERS**

& GAUGES

SUSPENSION

FENDERS

FLOORBOARDS

WHEELS

COMMUNICATION & MOUNTS

185

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING

& LICENSE

HANDLEBARS,

CONTROLS

& MIRRORS

PLATES

SPC+ MAGNETIC FLIP COVER • Upgrade your phone protection with the SP Connect™ SPC+ Magnetic Flip Cover

- Fast magnetic attachment and detachment
- FUEL/AIR Closing latch for secure
 - Holds up to four cards
 - Integrated RFID blocking
 - Comes in sizes M (up to 5,8") and XL (up to 6,5")





SPC+ PHONE CARD WALLETS

- The perfect solution for those who like to have everything at hand
- Compatible with the SPC+ Phone Case
- Holds up to four cards
- RFID Blocking
- Quick and secure mounting with 90° locking mechanism
- Compact and durable
- Measures approx. 3,85" L x 2,62" W x 0,29" D

DESCRIPTION 0636-0459 SPC+ phone card wallet

SPC+ MAGNETIC CARD WALLET

- Magnetic attachment to SPC+ Phone Case with included phone stand
- Quick and secure magnetic attachment
- Use as smartphone stand
- Compact and durable

PART #	DESCRIPTION
0636-0460	SPC+ magnetic card wallet

CABLES

BRAKES & BRAKE LINES

OIL FILTERS

TANKS &

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FLOORBOARDS

FOOTRESTS &

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS

SPC+ MOTO PRO CHROME HEAD

- SPC+ Head Chrome for SP Connect[™] Phone Cases
- Smartphone mounting on mounts with SPC head
- Light and flat design
- · Easy to attach
- Strong hold

PART #

0636-0558



DESCRIPTION

SPC+ Moto Pro chrome head

SPC+ MOTO LT HEAD

- SPC+ Head for SP Connect[™] Phone Cases
- Smartphone mounting on mounts with SPC head
- Light and flat design
- Easy to attach, strong hold

PART # DESCRIPTION 0636-0557 SPC+ Moto LT head

SPC+ MOTO PRO HEAD

- Make your trusted SP Connect™ mount compatible with the new generation of SPC+ phone cases
- Light and flat design
- Easy to attach: strong hold
- Fits Moto Pro mount PART #s 0636-0272 and 0636-0267

PART # DESCRIPTION 0636-0331 SPC+ Moto Pro head



- SPC+ Adapter for SPC+ Phone Cases
- Smartphone mounting on mounts with SPC head
- Lightweight and low profile design
- Easy to mount, strong hold

PART # DESCRIPTION 0636-0554 SPC+ adapter

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST





0636-0311

0636-0637

0636-0295

0636-0292

SPC+ PHONE CASES

 Securely mounts to any SP Connect[™] holder in just one second

• Thanks to a 40% thinner design, the SPC+



0636-0342





0636-0651



0636-0652









TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS



0636-0298

ELECTRICAL



HANDLEBARS, CONTROLS & MIRRORS



CABLES



TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, COMMUNICATION & MOUNTS



0636-0341



0636-0299



0636-0296



0636-0289





0636-0631		0636-0632
PART #	DESCRIPTION	
0636-0292	Case for iPhone 13/1	4
0636-0293	Case for iPhone 13 Pr	ro
0636-0416	Case for iPhone 15	
0636-0417	Case for iPhone 15 Pr	ro
0636-0418	Case for iPhone 15 Pl	us
0636-0419	Case for iPhone 15 Pr	ro Max
0636-0630	Case for iPhone 16	
0636-0631	Case for iPhone 16 Pr	ro
0636-0632	Case for iPhone 16 Pl	us
	•	

SPC+ PHONE CASES continued on next page.





0636-0294

0636-0293



0636-0291

0636-0416



0636-0288

0636-0417



model is fully MagSafe®-compatible				
Ready for inductive charging and magnetic attachment			0636-0630	
PART #	DESCRIPTION	PART #	DESCRIPTION	
0636-0311	Case for Google® Pixel 6	0636-0296	Case for iPhone 11 Pro/XS/X	
0636-0312	Case for Google Pixel 6 Pro	0636-0297	Case for iPhone 11/XR	
0636-0341	Case for Google Pixel 7	0636-0298	Case for iPhone 11 Pro Max/XS Max	
0636-0651	Case for Google Pixel 8	0636-0295	Case for iPhone 12/Pro	
0636-0652	Case for Google Pixel 8 Pro	0636-0294	Case for iPhone 12/13 Pro Max	
0636-0636	Case for Google Pixel 9	0636-0291	Case for iPhone 12/13 Mini	
0636-0637	Case for Google Pixel 9 Pro	0636-0288	Case for iPhone 14 Pro	
0636-0342	Case for Google Pixel 7 Pro	0636-0289	Case for iPhone 14 Plus	
0636-0299	Case for iPhone® SE/6S/7/8	0636-0290	Case for iPhone 14 Pro Max	

All part numbers in **BLUE** are new for 2025.

FENDERS

FOOTRESTS & FLOORBOARDS



SPC+ PHONE CASES (CONT)

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

> **GASKETS & SEALS**

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

> DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, Communication & MOUNTS



0636-0634



0636-0300



0636-0301



0636-0302



0636-0303



0636-0633

0636-0304



0636-0305



0636-0306



0636-0307



0636-0308



0636-0309



0636-0310



0636-0338



0636-0524



0636-0635



0636-0339



0636-0340



0636-0521



0636-0522



0636-0523



0636-0525



0636-0315





0636-0403



0636-0402

PART #	DESCRIPTION
0636-0633	Case for iPhone 16 Pro Max
0636-0634	Case for Samsung® Galaxy A55
0636-0300	Case for Samsung Galaxy S22
0636-0301	Case for Samsung Galaxy S22 Plus
0636-0302	Case for Samsung Galaxy S22 Ultra
0636-0303	Case for Samsung Galaxy S21
0636-0304	Case for Samsung Galaxy S21 Plus
0636-0305	Case for Samsung Galaxy S21 Ultra
0636-0306	Case for Samsung Galaxy S21 FE

PART #	DESCRIPTION
0636-0307	Case for Samsung Galaxy S20 Plus
0636-0308	Case for Samsung Galaxy S20 Ultra
0636-0309	Case for Samsung Galaxy \$20
0636-0310	Case for Samsung Galaxy S20 FE
0636-0338	Case for Samsung Galaxy S23
0636-0524	Case for Samsung Galaxy S23 FE
0636-0635	Case for Samsung Galaxy S24 FE
0636-0339	Case for Samsung Galaxy S23 Plus
0636-0340	Case for Samsung Galaxy S23 Ultra

PART #	DESCRIPTION
0636-0521	Case for Samsung S24
0636-0522	Case for Samsung S24 Plus
0636-0523	Case for Samsung S24 Ultra
0636-0525	Case for Samsung A54
0636-0315	Universal phone case, large
0636-0565	Universal phone case, XL
0636-0403	Xiaomi® 13
0636-0402	Xiaomi 13 Pro





MOTO BUNDLES

- SP Connect™ Moto Bundles make it simple to securely mount and protect your smartphone on your motorcycle. ATV. golf cart, bicycle and much more
- Universal Clamp SPC+ provides easy and secure "twist-to-lock" mounting on SP Connect mounts and fits almost all smartphone models
- Moto Mount LT mounts your mobile phone quickly and securely, has interchangeable heads for SPC/SPC+, has a durable lightweight construction, made from fiberglass-reinforced polyamide, has super stable 360° adjustment in 6° steps and is for standard and oversized handlebars
- Universal Interface SPC+ makes any phone case and other devices SPC+ compatible

 Universal Interface SPC+ simply snaps on and mounts device securely

- Universal Interface SPC+ includes a secure, flat and sturdy adhesive pad and 3M™ adhesive film for flexible use
- Universal Phone Case L SPC+ fits all mobile phone models up to approx. 6,4" x 3,14", has secure mounting on all SPC+ holder heads, protects against rain, sweat, mud and dust and has good touchscreen operability and camera window

PART #	DESCRIPTION	INCLUDES
0636-0412	Moto Bundle LT Universal Clamp SPC+	Universal Clamp SPC+, Moto Mount LT, SPC+ head, direct adapter, plastic spacing inserts, stand tool
0636-0413	Moto Bundle LT Universal Interface SPC+	Universal Interface SPC+, Moto Mount LT, SPC+ head, direct adapter, plastic spacing inserts, stand tool
0636-0414	Moto Bundle LT Universal Case SPC+	Universal Phone Case (L) SPC+, Moto Mount LT, SPC+ head, direct adaptor, plastic spacing inserts, stand tool

3D MOTO MOUNTS

- Unlimited positioning with a 360° adjustment option
- CNC machined from aircraft grade aluminum
- Vibration reduction
- Mobile phone can be fixed in portrait or landscape format
- \bullet PART #0636-0620 includes 3D Moto Mount 1 $^{1}\!/_{2}$ ", spacing adapter measuring 1,25" and Allen key
- \bullet PART #0636-0621 includes chrome 3D Moto Mount 1 $^{1}\!/_{2}$ ", 1 spacing adapter measuring 1,25",1 Allen key
- PART #0636-0622 includes black 3D Moto Mount, 2 mounting rods measuring 3,14" and 1,57", 4 spacing adapters measuring 1,125", 1,063", 1" and 0,875", 1 conical adapter 2°, 1 conical adapter 3.5°, 2 Allen keys

PART #	DESCRIPTION
0636-0620	3D moto mount 1 ¹ / ₂ " black
0636-0622	3D moto mount black



 PART #
 DESCRIPTION

 0636-0621
 3D moto mount 1½" chrome

0636-0267

MOTO MOUNT PRO

- Attaches your smartphone to your motorbike with an SP Connect™ Phone Case or other SP Connect™ -compatible device
- CNC milled from aircraft-grade aluminum with stainless steel hardware
- Fits standard and oversized handlebars (2,22/2,54/2,86/3,17 cm)
- 360° rotation

PART #	DESCRIPTION	PART #
0636-0267	Chrome	0636-0272



SPACER RINGS FOR MOTO MOUNT PRO

- For secure and stable mounting on the handlebar
- Suitable for Moto Mount Pro PART #s 0636-0267 and 0636-0272
- Set of three; includes plastic spacing inserts measuring 1,12", 1" and 87,4"

All part numbers in BLUE are new for 2025.

0636-0562



WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES &
BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

0636-0272

DESCRIPTION

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

OIL FILTERS

TANKS &

DASHES

& GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & **FLOORBOARDS**

> WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO COMMUNICATION & MOUNTS





DESCRIPTION

GPS cradle mount





- Securely mounts your smartphone to your motorcycle
- Swiveling/rotating head allows for easy positioning
- CNC machined from aircraft-grade aluminum with a black finish
- Portrait/landscape orientation option
- Stainless steel hardware

PART #	DESCRIPTION	PART #	DESCRIPTION
0636-0282	Chrome	0636-0279	Black





DESCRIPTION 0636-0277 Black



BRAKE MOUNT PRO

GPS CRADLE MOUNT

Shock-absorbing head

PERCH MOUNT PRO

Stainless steel hardware

clutch or brake lever perch

PART #

PART #

0636-0278

0636-0548

• Adjustable positioning angle

• Mounting in portrait and landscape format

CNC machined from aircraft-grade aluminum

• Mounts your smartphone to your motorbike's

• Portrait/landscape orientation option

• Positions your smartphone in your field of vision

• Compatible with Garmin® AMPS hole pattern 38 mm x 30 mm

- Securely mounts your smartphone to your motorcycle with the SP Connect™ Phone Case or Universal Interface
- · Glass fiber reinforced polyamide
- Easily attaches to most brake fluid reservoirs (Fits brake fluid reservoir with M4 x 16/18 screws)
- Portrait/landscape orientation option
- 360° rotation
- Stainless steel hardware

PART #	DESCRIPTION	
0636-0281	Brake mount pro	
0030-0201	Brake mount pro	



LARGE BRAKE MOUNT PRO

DESCRIPTION

Chrome

- Mounts to the lid of the brake fluid reservoir 20" to 32"
- Wide range of adjustment possibilities
- Mobile phone can be fixed in portrait or landscape format

PART #	DESCRIPTION	
0636-0423	Large brake mount pro	



MIRROR MOUNT PRO

- CNC-machined parts from aluminum
- Swiveling/rotating head for easy alignment
- Portrait/landscape orientation option
- Fits most motorcycle mirror stems (0,39 to 0,63")

PART #	DESCRIPTION
0636-0280	Mirror mount pro





- · Easily mount your smartphone to your motorcycle's mirror or crossbar
- Securely positions your smartphone in your field of vision for simple navigation
- 360° rotation
- Fits most motorcycle mirrors (10 to 16 mm or 0,39 to 0,63")

PART # DESCRIPTION 0636-0270 Mirror mount









Suitable for Mirror Mount PART #0636-0270

and Mirror Mount Pro PART #0636-0280

 For diameters of approx. 0,39", 0,47" and 0,55" • Set of three with different sizes

PART # 0636-0563 Diameter adapters





ADHESIVE MOUNT PRO

- Securely mount your smartphone to your motorbike or car so it's positioned in your field of vision
- Easy mounting with 3M™ adhesive

MOTO STEM MOUNT PRO

and horizontal positioning

(stub handlebars)

Vibration damping

PART #

0636-0485

• Mount for super sport motorbikes

Angle-adjustable for individual vertical

CNC machined from aircraft grade aluminum

• Navigation and apps directly in the field of vision

- 360° ball head adjustment
- Measures approx. 4,5" L x 4" W x 1,5" H

PART # DESCRIPTION
0636-0275 Adhesive mount pro

MOTO MOUNT LT

 Attaches your smartphone to your motorbike with an SP Connect™ Phone Case or other SP Connect-compatible device

- Durable, lightweight construction; made from fiberglass-reinforced polyamide
- Super-stable 360° adjustment in 6° steps
- Fits standard and oversized handlebars $(\frac{7}{8}", 1", \frac{11}{8}", \frac{11}{4}", \frac{11}{2}")$

PART #	DESCRIPTION
0636-0401	Moto mount LT



MOTO STEM MOUNT

- Securely mounts your smartphone to your motorbike with an SP Connect™ Phone Case or Universal Interface
- For sport motorcycles (clip-on handlebars)
- Portrait/landscape orientation option
- CNC machined from aircraft-grade aluminum
- Stainless steel hardware
- For diameters 0,5 to 1", 0,5 to 0,6", 0,6 to 0,7", 0,7 to 0,8", 0,8 to 0,9", 0,9 to 1", 1 to 1,2"
- Does not replace stem nut

PART # DESCRIPTION
0636-0276 Moto stem mount

ARM BAND

- \bullet Multifunctional mobile phone holder for upper arm
- \bullet Comfortable to wear against the skin and over clothing
- $\bullet \textbf{Two included anti-pinch strap attachments made of light, breathable and stretchable neoprene } \\$

DESCRIPTION

Moto stem mount pro

- \bullet Anti-slip coating inside for jogging, training and daily use
- Hand washable, fully breathable, weatherproof
- \bullet Includes one arm band, one adjustable S/M strap and one adjustable L/XL strap





- A compact, elastic leash and safety tag to keep your phone safe in any situation
- Flexible cord
- Adjustable clip
- \bullet Carabiner for quick attachment
- Secure safety tag
- Measures approx. 7,4" to 13,77" (without carabiner)

CLIP MOUNT

- Practical, lightweight mobile phone clip mount for the SP Connect™ Phone Case
- \bullet Securely attaches to belts, bags and backpacks
- \bullet Bracket with functional clamping mechanism
- \bullet Optimum protection for your device on the go
- Weather-proof
- Includes SPC+ clip mount and SPC+ tool



PART # 0636-0359



PART # 0636-0623



Small phone case lanvard

DESCRIPTION Clip mount

All part numbers in BLUE are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES &
BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, Communication & Mounts

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

0636-0475

0636-0467

0636-0640

0636-0476

0636-0468

0636-0641

TRANSMISSION, **CLUTCH LINE** & DRIVELINE

> **GASKETS** & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS



WHEELS

& AXLES

COVERS,

LOCKS &


GENERAL

& MOUNTS

- Rugged and waterproof case
- 360° protection for your phone in any terrain

SPC+ XTREME PHONE CASES

- Integrated locking mechanism and magnets for easy attachment
- Magsafe®-compatible for quick and convenient charging on the go
- Full touchscreen usability (works with a glass screen protector)
- Additional camera lens protection



PART #	DESCRIPTION
0636-0468	iPhone 15 Pro
0636-0469	iPhone 15 Plus
0636-0470	iPhone 15 Pro Max
0636-0638	iPhone 16
0636-0639	iPhone 16 Pro
0636-0640	iPhone 16 Plus
0636-0641	iPhone 16 Pro Max





0636-0469

0636-0477







0636-0473



0636-0470 0636-0638



0636-0478





0636-0479



0636-0482 0636-0481

PART #	DESCRIPTION
0636-0477	Samsung® S23
0636-0478	Samsung S23 Plus
0636-0479	Samsung S23 Ultra
0636-0480	Samsung S24
0636-0481	Samsung S 24 Plus
0636-0482	Samsung S24 Ultra

All part numbers in **BLUE** are new for 2025.

AUDIO, COMMUNICATION

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE













& DRIVELINE **GASKETS** & SEALS



ELECTRICAL

PLATES HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES &

BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

0636-0381 0636-0380 0636-0377 0636-0378 0636-0376 0636-0379 0636-0375 0636-0373 0636-0374 0636-0422 0636-0647 0636-0648 0636-0649 0636-0650 0636-0531

GLASS SCREEN PROTECTORS

- Tempered glass screen protector protects your phone from scratches, stains and heat
- 0,5 mm thin

0636-0532

- Compatible with SP Connect™ Phone Cases
- Includes one glass screen protector, one microfiber cloth, one alcohol prep pad and one dust removal sticker

0636-0533

PART #	DESCRIPTION
0636-0381	iPhone® SE/8/7
0636-0380	iPhone 11 Pro
0636-0377	iPhone 12 mini
0636-0378	iPhone 12/Pro
0636-0376	iPhone 13 mini
0636-0379	iPhone 12 Pro Max
0636-0375	iPhone 13/14 Pro

PART #	DESCRIPTION
0636-0373	iPhone 14/13
0636-0374	iPhone 14 Pro
0636-0422	iPhone 15 Pro
0636-0647	iPhone 16
0636-0648	iPhone 16 Pro
0636-0649	iPhone 16 Plus
0636-0650	iPhone 16 Pro Max
	'

0636-0528

PART #	DESCRIPTION
0636-0531	Samsung® S23
0636-0532	Samsung S23 Plus
0636-0533	Samsung S23 Ultra
0636-0528	Samsung S24
0636-0529	Samsung S24 Plus
0636-0530	Samsung S24 Ultra

0636-0529

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

0636-0249

0636-0238

0636-0421

0636-0250

0636-0239

0636-0642



TRANSMISSION, CLUTCH LINE & DRIVELINE

> **GASKETS & SEALS**

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS



WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

WEATHER COVERS

- Protects your smartphone from weather, mud and dust
- Touchscreen remains fully functional
- Provides shock resistance for your smartphone

PART #	DESCRIPTION
0636-0249	Google® Pixel 6
0636-0250	Google Pixel 6 Pro
0636-0343	Google Pixel 7
0636-0344	Google Pixel 7 Pro
0636-0645	Google Pixel 9
0636-0646	Google Pixel 9 Pro
0636-0238	iPhone® SE/8/7/6S/6
0636-0239	iPhone 11 Pro/XS/X
0636-0240	iPhone 11 Pro MAX/XS Max

PART #	DESCRIPTION
0636-0243	iPhone 13 Mini/12 Mini
0636-0244	iPhone 13 Pro/13/12 Pro/12
0636-0245	iPhone 13 Pro MAX/12 Pro Max
0636-0420	iPhone 15 Pro
0636-0421	iPhone 15 Pro Max
0636-0642	iPhone 16 Pro
0636-0643	iPhone 16 Pro Max
0636-0246	Samsung® Galaxy S21
0636-0247	Samsung Galaxy S21+

0636-0644

0636-0246

PARI#	DESCRIPTION
0636-0248	Samsung S21 Ultra
0636-0526	Samsung S24
0636-0527	Samsung S24+
0636-0644	Samsung 24 FE
0636-0251	Samsung Galaxy \$22
0636-0252	Samsung Galaxy S22+
0636-0253	Samsung S22 Ultra

0636-0252

CONNECT



0636-0343

0636-0240

0636-0643

0636-0527







0636-0646



0636-0247

0636-0251





0636-0253

All part numbers in **BLUE** are new for 2025.

& MOUNTS 194

AUDIO, COMMUNICATION

PHONE/GPS CASES WITH MOUNTS • Padded, splash-proof device pouch holds your smartphone or GPS in place

- Circumferential zipper for easy opening
- Durable case shell with reinforced base plate
- Touchscreen operation window
- Foam rubber inserts and hook-and-loop straps for custom positioning of the smartphone/GPS
- Rubber lining keeps out moisture
- Opening for power cables
- Stable EVA construction
- Removable inner padding
- PART # 0636-0307 includes T-Lock holder on the back for quick, easy quarter-turn attachment to appropriate holders/mounts
- PART # 3512-0306 is universal kit, includes 25 mm ball (1") can be mounted on M6 or M8 threads, mirror thread holders or round handlebars up to 28 mm (1") in diameter

PART #	DESCRIPTION
3512-0307	Phone case w/ T-Lock mount



PART #	DESCRIPTION
3512-0306	Phone case w/ ball/socket mount clamp kit

0636-0407



T-LOCK SMARTPHONE HOLDERS

- For quick mounting of smartphones
- Smartphone holder is placed on the matching T-Lock holder and secured with a quarter turn clockwise
- Use PART #0636-0404 for mounting on socket arms in the cockpit or PART #3502-0597 for mounting on MOLLE attachments (sold separately)
- Silicone straps allow flexible and secure mounting of smartphones
- Small smartphone holder: maximum outer dimensions of 150 mm x 75 mm x 10 mm and minimum outer dimensions of 130 mm x 70 mm x 6 mm
- Large smartphone holder: maximum outer dimensions of 165 mm x 80 mm x 12 mm and minimum outer dimensions of 144 mm x 71 mm x 7 mm

PART # DESCRIPTION 0636-0407 Small smartphone case

T-LOCK HOLDER FOR SOCKET ARM

- Various accessory bags such as the Navi Case, Phone Case or the Smartphone Drybag can be attached to the handlebar quickly and securely
- Bottom side of the accessory bags is equipped with a matching counterpart for the T-Lock holder
- Bags are attached to the holder and secured by a clockwise quarter rotation
- By means of the ball-and-socket joint, the T-Lock holder can be secured to a compatible socket arm and individually aligned on motorcycle's handlebar
- Includes one T-Lock holder, one ball joint with mounting plate and mounting instructions
- T-Lock smartphone cases sold separately



NOTE: Accessory bags with a MOLLE system on the bottom can also be attached to the T-Lock holder for socket arm. This requires the T-Lock holder with Molle adapter PART #3502-0597 (sold separately).

PART #	DESCRIPTION
0636-0404	T-Lock holder for socket arm



- Features two clamping sockets to attach to head tubes with an inner diameter between 12,5 cm to 25 cm
- Compatible with clamp arm and device holders

BALL CLAMPS FOR HEAD TUBE

- Allows rider to individually position a GPS device, GoPro® or camera on a sport bike
- Includes one socket arm, one T-lock holder, one ball joint with mounting plate, one M8 ball adapter and mounting instructions

All part numbers in **BLUE** are new for 2025.

0636-0405

T-Lock ball clamp for head tube

195

SADDLEBAGS

& LUGGAGE

SEATS & SISSY BARS

EXHAUST

FIIFI / AIR SYSTEMS

ENGINE

TRANSMISSION **CLUTCH LINE** & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE **PLATES**

HANDLEBARS, **CONTROLS** & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

AUDIO, Communication & MOUNTS

SADDLEBAGS & LUGGAGE

SEATS &

SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

TRANSMISSION,

ENGINE

CLUTCH LINE & DRIVELINE

> **GASKETS** & SEALS

> > PART #

0603-0957

ELECTRICAL

& LICENSE **PLATES** HANDLEBARS,

LIGHTING

CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS &

OIL FILTERS DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

> WHEELS & AXLES

COVERS, LOCKS & **GENERAL**

COMMUNICATION & MOUNTS



UNIVERSAL GOPRO® CAMERA KIT

• Highly adaptable universal mount kit that offers a variety of installation options

UNIVERSAL GPS MOUNT KITS • Allows for safe position of a GPS device or smartphone in the motorcycle cockpit

• Provides various mounting options

• Includes a Navi Pro Case (unless noted) to

to keep instruments and the road in view

Comes with all material required for mounting

UNIVERSAL GPS MOUNT KIT BALL

• Handlebar mounting is recommended

PIVOTING RAM EXTENSION

• 3" extension for all RAM 1" ball systems

• Fits M8 and M6 threads

protect device from wind and weather Swiveling socket arm allows precise positioning

- Compatible with GoPro® HD Hero/Hero2/Hero3
- Fits almost all motorcycle models
- Durable mounting clamps
- Can be mounted on the handlebars, frame, crash bar and top clamp

DESCRIPTION

Mounting kit with Navi Pro S case

• Includes 25,4 mm (1") ball, M8 ball adapter, RAM socket arm, RAM ball adapter and mounting plate for mirror thread



PART # 0603-0956 Universal GoPro camera kit

0603-0957



0636-0406

DESCRIPTION T-Lock mount kit with large smartphone case



PART #	DESCRIPTION
0603-0850	Universal GPS mount kit ball



PART #	DESCRIPTION
0603-1053	Pivoting RAM extension







U.S. Design Patent #D832.694.

NOTE: Fits brake side on Indian Scout models only.

NOTE: Pursuit models require additional hardware Ciro® Perch Mount extended spacer and bolt kit.

PART #	DESCRIPTION
REPLACEMENT HARDWARE KITS	
2401-1619	Screw kit for perch mount; chrome
2401-1620	Screw kit for perch mount; black



GEN 1 ACCESSORY PERCH MOUNTS

- Helps keep Ciro® Gen 1 device holders, cup/drink holders, cameras and more close at hand
- Offset perch mounts allow phone or drink holder to be offset 2" from the hand controls (drink and phone holders sold separately)
- Perch mounts can be used on right or left side: 11/16" to 111/16" fully adjustable mounting system

PART #	DESCRIPTION
OFFSET PERCH MOUNTS	
0636-0334	Chrome
0636-0335	Black















KLOCK WERKS DEVICE MOUNTS

- Easy-to-install motorcycle model-specific mounts that incorporate the iOmounts™ system
- Ultra-strong 5,4 kg (12 lb) magnetic interface and mount retention lip secures devices in the most severe off-road environments
- Attach razor-thin iOadapt stainless steel adapter to your device and connect to the powerful iOcore magnetic carrier
- No special case needed; device is held in place by the strong iOcore magnet and can be adjusted to preferred angle
- Purchase additional iOadapt discs to use multiple devices on same mount

PART #	COLOR
FOR 20-24 CHALLENGER, 22-24 PURSUIT	
AMBIDEXTROUS MOUNTS	
0636-0349	Chrome, left and right side
0636-0348	Black, left and right side
PERCH MOUNTS	
0636-0347	Chrome, left side
0636-0346	Black, left side
FOR 14-24 CHALLENGER/DARK HORSE/CLASSIC, ROADMASTER/SPRINGFIELD/VINTAGE W/ STOC	
AMBIDEXTROUS MOUNTS	
0636-0186	Chrome, left and right side
0636-0186 0636-0185	Chrome, left and right side Black, left and right side
0636-0185	

- Nomad and Nomad XL strap assembles onto any bars 13 mm to 76 mm (0,5" to 3") in diameter (universal mount)
- Mount kit includes a Nomad or Nomad XL mount and two iOadapt[™] adapters
- Can be remounted onto other vehicles or for other uses
 NOTE: Not for use with phones that have inductive charging.
 NOTE: Not for use with Samsung Galaxy S4 phones.

PART #	COLOR			
FOR 15-24 SCOUT/SCOUT SIXTY, 18-24 SCOUT BOBBER				
AMBIDEXTROUS MOUNTS				
0636-0188	Chrome, left and right side			
0636-0187	Black, left and right side			
FOR 15-24 SCOUT, 16-24 SCOUT SIXTY, 18-24 SCOUT BOBBER				
PERCH MOUNTS				
0636-0100	Chrome, left side			
0636-0098	Chrome, right side			
0636-0101	Black, left side			
	<u> </u>			



PART # DESCRIPTION
OPTIONAL MAGNETIC IOCORE

0636-0038 Black iOcore

0636-0039 Blue iOcore

REPLACEMENT COMPONENTS (EA.)
0636-0045 iOadapt disc

All part numbers in **BLUE** are new for 2025.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & Brake lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

SADDLEBAGS & LUGGAGE

SEATS &

EXHAUST

FIIFI / AIR

SYSTEMS

ENGINE

SISSY BARS

UNIVERSAL IO PHONE MOUNT

• Secure devices within any vehicle with a flat mounting surface (stick-on or bolt-on options)

 Universal kit is perfect not only for UTVs but also boats, tractors, semis, hot rods and more

 Attach razor-thin iOadapt™ stainless steel adapter to your device and connect to the powerful iOcore™ magnetic carrier

• No special case needed. Device is held in place by the strong iOcore magnet, and can be adjusted to preferred angle

• Included in box: one Semisphere mount, adhesive patch, two iOadapt steel discs and one magnetic black iOcore

• Adhesive requires 72 hours for proper cure time

• Purchase additional iOadapt discs to use multiple devices on same mount

NOTE: Not for use with phones that have inductive charging.

NOTE: Not for use with Samsung Galaxy S4 phones.

ELSON-RIGG

Wire NA

CLUTCH LINE & DRIVELINE

GASKETS

& SEALS

ELECTRICAL

LIGHTING

& LICENSE

HANDLEBARS,

CONTROLS

& MIRRORS

CABLES

PLATES

TRANSMISSION,

ROUTE 1 MAGNETIC PHONE HOLDER

- Innovative UltraMax™ durable polyester material
- Highest UV protection in industry
- Sized to fit all current plus-size phones
- Attaches to metal tanks with strong magnets
- Can be adjusted to different positions for sun glare and optimal viewing
- Reverse coil zippers help keep out dust and dirt
- Clear top is touchscreen device-friendly
- Protective base material prevents slipping or marking
- Inner sleeves to hold credit cards, license and/or small documents
- 16,5 cm L x 89 mm W x 38 mm D (6,5" x 3,5" x 1,25")



PART # DESCRIPTION 3502-0334 Route 1 magnetic phone holder

BRAKES & BRAKE LINES

OJ HOLDER AND HOLDER PLUS **TANKS & OIL FILTERS** • Double fixing system attaches to handlebar

by means of a clip and to mirror by means of a comfortable and articulated arm **DASHES** & GAUGES

 Attachment versatility allows the user to choose how best to use holder in order to improve driving experience

Waterproof double-slider zip

• Foam inserts for a better fit in case

• OJ Holder dimensions: 10 cm x 16 cm x 3 cm; touch window dimensions: 6 cm x 13.4 cm

 OJ Holder Plus dimensions: 11 cm x 18 cm x 3 cm; touch window dimensions: 7 cm x 15 cm

PART # DESCRIPTION 3512-0293 OJ Holder

DESCRIPTION PART # 3512-0294 OJ Holder Plus

3512-0294

FENDERS

& AXLES

COVERS,

LOCKS &

GENERAL

FOOTRESTS & **FLOORBOARDS**

FRAMES &

SUSPENSION

WHEELS

MAGNETIC TANK POUCH

Convenient magnetic phone and GPS tank pouch for steel tanks

• Generous 20,5 cm x 11,5 cm (8" x 41/2") size easily accommodates most cell phones or GPS units in a clear-faced pocket

• Six ultra-strong magnets securely hold pocket in place and the felt backing protects against scratching

3502-0311 Magnetic tank pouch



AUDIO COMMUNICATION & MOUNTS

All part numbers in **BLUE** are new for 2025.

3512-0293

PART # DESCRIPTION Universal phone mount 0636-0192

QUICK REFERENCE GUIDE

INDIAN REFERENCE GUIDE

MODEL	YEAR	BATTERY	SPARK PLUG (NGK)	SPARK PLUG (CHAMPION)	CHAIN/BELT	SPROCKET FRONT	SPROCKET REAR	FRONT TIRE SIZE LOAD INDEX	REAR TIRE SIZE LOAD INDEX
INDIAN									
FTR1200 /S/Sport/Carbon	2022-2024	YTX14H-BS	MR7F	RG4PHP	-	17T	45T	120/70R17 58W	180/55R17 73W
FTR1200 Rally	2019-2024	YTX14H-BS	MR7F	RG4PHP	525 x 120	17T	49T	120/70R19 60V	150/70R18 70V
Scout	2015-2024	YTX14AH-BS	MR7F	RG4PHP	22 mm x 141T	28T	66T	130-90B16 67H	150/80B16 67H
Scout Sixty	2016-2024	YTX14AH-BS	MR7F	RG4PHP	22 mm x 141T	28T	66T	130/90-16 72H	150/80-16 71H
Scout Bobber	2018-2024	YTX14AH-BS	MR7F	RG4PHP	22 mm x 141T	28T	66T	130/90-16 73H	150/80-16 71H
Scout Bobber Sixty	2020-2024	YTX14AH-BS	MR7F	RG4PHP	22 mm x 141T	28T	66T	130/90-16 73H	150/80-16 71H
Scout Bobber Twenty	2020-2024	YTX14AH-BS	MR7F	RG4PHP	22 mm x 141T	28T	66T	130/90-16 73H	150/80-16 71H
Scout Rogue/Rogue Sixty	2022-2024	YTX14AH-BS	MR7F	RG4PHP	22 mm x 141T	28T	66T	130/60B19 61H	150/80B16 77H
Scout 100th Anniversary	2020	YTX14AH-BS	MR7F	RG4PHP	22 mm x 141T	28T	66T	130/90-16 73H	150/80-16 71H
Chief Dark Horse	2016-2020	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/90B16 73H	180/65B16 81H
Chief	2018	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/90B16 73H	180/65B16 81H
Chief Classic	2014-2018	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/90B16 73H	180/65B16 81H
Chief Vintage	2014-2018,2020	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/90B16 73H	180/65B16 81H
Vintage	2020-2021	YTX20HL	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/90B16 73H	180/65B16 81H
Springfield Dark Horse	2018-2021	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/60B19 61H	180/60R16 80H
Springfield	2016-2021	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/90B16 73H	180/60R16 80H
Chieftain	2014-2024	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/60B19 61H	180/60R16 80H
Chieftain Dark Horse	2016-2024	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/60B19 61H	180/60R16 80H
Chieftain Classic	2018-2020	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/90B16 73H	180/60R16 80H
Chieftain Limited	2017-2024	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/60B19 61H	180/60R16 80H
Chieftain Elite	2017-2018, 2020-2024	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/60B19 61H	180/60R16 80H
Roadmaster Classic	2017-2018	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/90B16 73H	180/60R16 80H
Roadmaster	2015-2024	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/90B16 73H	180/60R16 80H
Roadmaster Elite	2018-2020	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30Т	66T	130/90B16 73H	180/60R16 80H
Challenger	2020-2024	YTX20HL		-	24 mm x 152T	29T	69T	130/90B16 66H	180/60R16 80H
Challenger Dark Horse	2020-2024	YTX20HL	-	-	24 mm x 152T	29T	69T	130/90B16 66H	180/60R16 80H
Challenger Limited	2020-2024	YTX20HL		-	24 mm x 152T	29T	69T	130/90B16 66H	180/60R16 80H
Challenger Elite	2022-2024	YTX20HL		-	24 mm x 152T	29T	69T	130/60B19 61H	180/60R16 80H
Chief	2022-2024	YTX20HL	DCPR8E	-	22 mm x 146T	30T	66T	130/60B19 61H	180/65B16 81H
Sport Chief	2022-2024	YTX20HL	DCPR8E	-	22 mm x 146T	30T	66T	130/90B19 61H	180/65B16 81H
Super Chief	2022-2024	YTX20HL	DCPR8E	-	22 mm x 146T	30T	66T	130/90B16	180/65B16
Chief Bobber	2022-2023	YTX20HL	DCPR8E	-	22 mm x 146T	30T	66T	130/90B16	180/65B16
Chief Bobber Dark Horse	2022-2024	YTX20HL	DCPR8E	-	22 mm x 146T	30T	66T	130/90B16	180/65b16
Roadmaster Dark Horse	2021-2024	YTX20 HL	DCPR8E	-	24 mm x 152T	30T	66T	130/90B16	180/60R16
Roadmaster Limited	2021-2024	YTX20HL	DCPR8E		24 mm x 152T	30T	66T	130/90B16	180/60R16

INDIAN® MOTORCYCLE MODEL DESIGNATIONS ARE UTILIZED IN THIS CATALOG FOR REFERENCE PURPOSES ONLY:

FTR 1200, FTR 1200S, FTR 1200 Sport, FTR 1200 Rally, FTR 1200 Carbon, FTR 1200 Carbon R, FTRX 100% Carbon, FTR Super Hooligan, Scout, Scout Sixty, Scout Bobber, Scout Bobber Twenty, Scout Bobber Sixty, 101 Scout, Scout Classic, Scout Rogue, Scout Rogue Sixty, Sport Scout, Super Scout, Chief, Sport Chief, Super Chief, Super Chief Limited, Chief Bobber, Chief Bobber Dark Horse, Chief Dark Horse, Chief Vintage, Indian Springfield Dark Horse, Indian Springfield, Chieftain, Chieftain Classic, Chieftain Dark Horse, Chieftain Limited, Chieftain Elite, Pursuit Limited, Pursuit Dark Horse, Pursuit Elite, Roadmaster, Roadmaster Dark Horse, Roadmaster Elite, Roadmaster Limited, Super Chief, Super Chief Limited, Challenger, Challenger Dark Horse, Challenger Limited, Challenger Elite, Vintage, Vintage Dark Horse, Chieftain Dark Horse

ECE TYPE APPROVED

This logo symbolizes that the article conforms to applicable UN ECE regulations. Type approved means that a product meets a minimum set of regulatory, technical and safety requirements.

PPE (Personal Protective Equipment)

This logo indicates the article's conformity with the Essential Health and Safety Requirements of Regulation (EU) 2016/425.



EU TYPE APPROVED

This logo symbolizes that the article conforms to applicable EU Regulation (generally for newer products). Type approved means that a product meets a minimum set of regulatory, technical and safety requirements.



ECE R22.06

ECE R22.06

This logo symbolizes that a helmet, helmet visor/shield or other helmet accessory has been tested and certified to ECE 22.06 regulation.

ABE

This logo symbolizes the article has been approved by KBA (German Federal Motor Transport Authority) for specific vehicle application.

TEILEGUTACHTEN (German Parts Certificate)



This logo symbolizes that the article contains a TEILEGUTACHTEN (German Parts Certificate) to ensure the legal part installation. Issued by a German inspection body.

SOLD SECURE

The logo symbolizes that the lock is tested and approved according to Sold Secure (UK's testing and certification house for security products) standards for theft prevention.



ECE R90 TYPE APPROVED

This logo symbolizes that the article conforms to applicable UN ECE R90 regulations. Type approved means that a product meets a minimum set of regulatory, technical and safety requirements.

EC TYPE APPROVED

This logo symbolizes that the conforms to applicable EU EC directives. Type approved means that a product meets a minimum set of regulatory, techical and safety requirements.



PPE

This logo indicates the article's conformity with the Essential Health and Safety Requirements of Regulation (EU) 2016/425. (non-motorcycle articles, e.g. Watercraft articles)



ART

The ART quality mark symbolizes that the lock is independently tested according to the standard for two-wheeler theft prevention. (MBT-04) and certified by the ART Foundation. The locks are rated according to a 5 stars category designation system based on the use of a lock (bicycle, E-bike, scooter, motorcycle, other). The more stars a lock has, the higher its preventative value and the better it protects against theft.

CLASSE S.R.A.

The logo symbolizes that the anti-theft device is tested and approved according to the SRA (SÉCURITÉ et RÉPARATION AUTOMOBILES



France) rules for theft prevention. The classification in the "SRA classes" includes electronic protection systems (engine cut-off, alarm, etc.) and mechanical protection systems (U-locks, chains and disc locks).

ELECTRICAL WIRING

WIRE GAUGE CONVERTER

GAUGE	MM ²	MM Ø
22	0,33	0,65
20	0,5	0,8
18	0,8	1,0
16	1,0	1,3
14	2,0	1,7
12	3,0	2,1

GAUGE	MM ²	MM Ø
10	5,0	2,6
8	8,0	3,3
6	13,0	4,1
4	19,0	5,2
2	32,0	6,5
0	52,0	8,3



WIRE GAUGE SELECTOR

It's important to match up wire diameter and current properly. To choose the right gauge wire, you will need to know how much Wattage (or Amperage) you will draw and what the length of the cable will be.

NOTE: The chart below is based on a 12V system. To find the appropriate wire for 6V systems, the Amp and Watt numbers should be divided in half.

AMP	WATT	91 CM (3 FT)	152 CM (5 FT)	213 CM (7 FT)	305 CM (10 FT)	457 CM (15 FT)
5A	30W	18 AWG	18 AWG	18 AWG	18 AWG	18 AWG
6A	36W	18 AWG	18 AWG	18 AWG	18 AWG	18 AWG
7A	42W	18 AWG	18 AWG	18 AWG	18 AWG	18 AWG
8A	48W	18 AWG	18 AWG	18 AWG	18 AWG	18 AWG
10A	60W	18 AWG	18 AWG	18 AWG	18 AWG	16 AWG
11A	66W	18 AWG	18 AWG	18 AWG	18 AWG	16 AWG
12A	72W	18 AWG	18 AWG	18 AWG	18 AWG	16 AWG
15A	90W	18 AWG	18 AWG	18 AWG	18 AWG	14 AWG
18A	108W	18 AWG	18 AWG	16 AWG	16 AWG	12 AWG

AMP	WATT	91 CM (3 FT)	152 CM (5 FT)	213 CM (7 FT)	305 CM (10 FT)	457 CM (15 FT)
20A	120W	18 AWG	18 AWG	16 AWG	16 AWG	12 AWG
22A	132W	18 AWG	18 AWG	16 AWG	16 AWG	12 AWG
24A	144W	18 AWG	18 AWG	16 AWG	16 AWG	12 AWG
30A	180W	18 AWG	16 AWG	16 AWG	14 AWG	10 AWG
40A	240W	18 AWG	16 AWG	14 AWG	12 AWG	10 AWG
50A	300W	16 AWG	14 AWG	12 AWG	12 AWG	10 AWG
100A	600W	12 AWG	12 AWG	10 AWG	10 AWG	6 AWG
150A	900W	10 AWG	10 AWG	8 AWG	8 AWG	4 AWG
200A	1200W	10 AWG	8 AWG	8 AWG	6 AWG	4 AWG

METRIC AND U.S.A STANDARD CONVERSIONS

METRIC TO U.S.A	
METRIC	U.S.A
VOLUME	
Milliliter (ml)	0,0338 fluid ounce (fl oz)
Milliliter (ml)	0,001057 quart
Milliliter (ml)	0,06102 cubic inch
Liter (L)	0,264 gallon (gal)
Liter (L)	61,02 cubic inch
Liter (L)	0,0353 cubic feet
LENGTH	
Millimeter (mm)	0,039 inch (in)
Centimeter (cm)	0,393 inch (in)
Centimeter (cm)	0,0328 feet (ft)
Meter (m)	3,28 feet (ft)
Kilometer (km)	0,62 mile (mi)
WEIGHTS	
Gram (g)	0,035 ounce net weight (oz net wt)
Kilogram (kg)	2,2 pounds (lbs)
PRESSURE	
Bar	14,5 psi
TEMPERATURE	
Degrees Celsius (°C)	Degrees Fahrenheit (°F -32) x 5/9
POWER	
Kilowatt (kw)	1,34 horsepower (hp)
SPEED	
Kilometers per hour (km/h)	0,62 miles per hour (mph)
TORQUE	
Newton meters	8,85 inch force-pounds (in lbs)
Newton meters	0,738 foot force-pounds (ft lbs)
ENGINE CAPACITY	
Cubic centimeters (cc) (cm ³)	0,06102 (ci)
FUEL CONSUMPTION	
Kilometers per liter (km/l)	2,35 miles per gallon (mpg)
Liters per kilometer (I/km)	0,425 gallons per mile (gpm)

U.S.A TO METRIC	
U.S.A	METRIC
VOLUME	
Fluid ounce (fl oz)	29,57 milliliter (ml)
Quart	946,4 milliliter (ml)
Cubic inch	16,39 milliliter (ml)
Gallon (gal)	3,785 liter
Cubic inch	0,01639 liter
Cubic feet	28,3169 liter
LENGTH	
Inch (in)	25,4 milimeters (mm)
Inch (in)	2,54 centimeters (cm)
Foot (ft)	30,5 centimeters (cm)
Foot (ft)	0,305 meter (m)
Mile (mi)	1,609 kilometer
WEIGHTS	
Ounce net weight (oz net wt)	28,35 grams (g)
Pound (lb)	0,45 kilograms (kg)
PRESSURE	
PSI	0,0689 Bar
TEMPERATURE	
Degrees Fahrenheit (°F)	Degrees Celsius (°C x 1,8) + 32
POWER	
Horsepower (hp)	0,7457 kilowatt (kw)
SPEED	
Miles per hour (mph)	1,6093 kilometers per hour (km/h)
TORQUE	
Inch force-pounds (in lbs)	0,113 newton meters (nm)
Foot force-pounds (ft lbs)	1,356 newton meters (nm)
ENGINE CAPACITY	
Cubic Inch Displacements (CID)	16,39 cubic centimeters (cc) (cm ³)
FUEL CONSUMPTION	
Miles per gallon (mpg)	0,425 kilometers per liter (km/l)
	2,35 liters per kilometer (I/km)

FORMULAS DISPLACEMENT

Bore x bore x stroke x 1,5708 = Displacement in Cubic Inches Bore x bore x stroke x 25,744019 = Displacement in Cubic Centimeters

Example: A stock 96" Twin Cam has a bore of 3.750" and a stroke of 4.375"

Formula: 3,750" x 3,750" x 4,375" x 1,5708 = 96,64 cubic inch

3,750" x 3,750" x 4,375" x 25,744019 = 1583,86cc



Ratio = Cylinder displacement plus combustion chamber volume divided by combustion chamber volume.

Example: A 96" cubic inch Twin Cam has 794cc per cylinder. Combustion chamber volume is approximately 86cc

Formula: 794 + 86 = 880 : 86 = 10,2:1 Compression Ratio (CR)

Note: When calculating compression ratio, do not forget to include gasket thickness, valve pockets and ringlands in the piston. CC-ing the heads, filling them with fluid after heads have been installed, will give you accurate numbers.



Bore x bore x 12,87 x compressed gasket thickness =

Gasket volume in cubic centimeters

Example: A head gasket has a thickness of 0,045"; bore is 3,750".

Formula: 3,750" x 3,750" x 12,87 x 0,045" = 8,144cc

AREA OF CIRCLE

The radius is the diameter of a circle divided in half.

Radius x radius x 3,1416 = Area of a circle

Example: A stock 96" Twin Cam has a bore of 3.750"

Formula: 1,875" x 1,875" x 3,1416 = 11,05 Inch²

 $47,63 \text{ mm x } 47,63 \text{ mm x } 3,1416 = 7127,09 \text{ mm}^2 (71,271 \text{ cm}^2)$




Understanding electrical current is important to prevent a meltdown within the electrical wiring of a motorcycle. It is useful to calculate what fuse you will need for a certain application.

Watt divided by Volt = Amp Amp multiplied by Volt = Watt

Watt divided by Amp = Volt







A = number of tooth transmission pulley

B = number of tooth rear wheel pulley

C = center to center distance between both pulleys

Formula

THE 3-STEP BELT FORMULA

Step 1)
$$\frac{(C \times 2)}{13.8} = D$$

Step 2)
$$\frac{A+B}{2} = E$$

Step 3) D + E = Number of teeth

Example

Transmission pulley has 32 tooth Rear wheel pulley has 66 tooth Center to center distance is 584 mm

Step 1)
$$\frac{584 \times 2 = 1168}{13.8 \text{ (belt pitch)}} = 84.6$$

Step 2)
$$\frac{32+66}{2} = 49$$

Step 3) 84,6 + 49 = 133,6 teeth

This means you must use a 133 tooth belt, because 137 tooth is not manufactured



DEALER POLICIES

Please visit: www.partseurope.eu

CATALOG CONTENTS

We believe the contents and specifications of this catalog are correct. We assume no liability for errors in listings, specifications, part numbers, prices or model applications. We reserve the right to change specifications, product descriptions, product quality, pricing and application at any time without further notice and without further obligation. The reproduction of any material from this catalog is forbidden without our written approval.

iPad®, iPhone®, iPhoto®, iPod®, iPod classic®, iPod nano®, iPod shuffle®, iPod touch®, MacBook®, MacBook Air® and PowerBook® are registered trademarks of Apple Inc.

DuPont[™] and Kevlar[®] are trademarks or registered trademarks of E.I. du Pont de Nemours and Company. Supplex® and Cordura® are registered trademarks

of Invista North America S.A.R.L. D30® is a registered trademark of Design Blue Limited. YKK® Vision® and AquaGuard® are registered trademarks of YKK Corporation.

All model designations and applications used herein are determined by the manufacturer as USA and/or European specific. Contact the individual manufacturer for additional international model information.

WARRANTIES AND GUARANTEES

We do not guarantee the items sold by us or warrant the merchantability or fitness of purpose. Manufacturers supply their own warranties and guarantees and most of them do not permit a wholesaler or distributor to make any adjustment, replace any part or accept for return or exchange any defective or unsatisfactory item. Please follow the guarantee instructions when provided by the manufacturer. Any damages arising from the design or manufacturing of any item are the sole responsibility of the manufacturer.





partseurope.eu

Parts Europe GmbH

Conrad-Röntgen-Strasse 2 54332 Wasserliesch/Trier, Germany

Sales: +49 6501 9695-2000

Fax: +49 6501 9695-2650

Reception: +49 6501 9695-0

info@partseurope.eu

A DIVISION OF LEMANS CORPORATION

PO Box 5222, Janesville, WI 53547-5222 • 608-758-1111









