

PARTS EUROPE®

WATERCRAFT

2020



Launch A Great Sales Season With Us!

The 2020 Parts Europe Watercraft catalog is a showcase of the best parts, accessories and gear from top brands in the industry. And every product shown is backed with the latest fitment data and technical information available.

We add new products throughout the year! Check partseurope.eu for the latest parts and gear.

Use this along with the rest of the Parts Europe 2020 catalogs to keep your customers happy and ready to enjoy the year!

All model designations and applications used herein are determined by the manufacturer as USA-specific. Contact the individual manufacturer for additional international model information.

Table Of Contents

Apparel..... 4-13
Sunglasses & Goggles..... 14-25
Audio/Video & Mounts..... 26-35
Accessories..... 36-46
Body & Hull..... 47-58
Handlebars & Hand Controls..... 59-69
Propulsion, Driveline & Handling..... 70-88
Engine..... 89-106



PARTS EUROPE®

WE SUPPORT THE SPORT®

Fuel/Air Systems 107-123

Electrical 124-154

Lubes 155-158

Transport & Trailer 159-168

Tools 169-184

Merchandising 185-186



Apparel

Sunglasses & Goggles

SAFETY WARNING: Riding watercraft is a dangerous activity. When riding, always wear a helmet, eye protection, appropriate clothing and the appropriate type of approved Personal Flotation Device. There is no assurance that serious injury or death can be avoided even if you wear the product shown in this catalog and take all precautions to avoid every risk. Please ensure that your products fit properly. Improperly fitting products can impair your ability to control your watercraft.



Back view

MEN'S BREAKER PRO WETSUIT

- Designed with the serious competitor in mind
- Maximized to provide comfort, flexibility and breathability
- Coupled with a glide-skin chest panel to keep the rider's core temperature optimal
- Features 1.5mm airprene, 1.5mm glide-skin at chest for added comfort and 1.5mm latex at knee for abrasion-resistance
- Hook-and-loop shoulder closure

SIZE	BLACK
S	**3201-0252**
M	**3201-0253**

SIZE	BLACK
L	**3201-0254**
XL	**3201-0255**

SIZE	BLACK
2X	**3201-0256**
3X	**3201-0257**

MEN'S SIZE GUIDE

MEASUREMENT	S	M	L	XL	2X	3X
Height	5'6" - 5'9"	5'8" - 5'11"	5'10" - 6'1"	5'11" - 6'3"	6'1" - 6'4"	6'2" - 6'5"
Chest	35" - 37"	37" - 39"	39" - 41"	41" - 43"	43" - 45"	45" - 47"
Weight (lb.)	120 - 140	140 - 170	170 - 190	180 - 210	200 - 225	215 - 240

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING.

A



Shown without jacket



Back view



B



BREAKER JOHN & JACKET

- Designed for active riders
- Breaker John & Jacket combo offers performance and mobility while providing a lightweight layer of protection between the rider and the watercraft
- This versatile suit allows the rider to take control of the elements by utilizing the pieces individually or together for maximum warmth and coverage
- Material is 2mm neoprene with flat-stitched seams for ultimate comfort
- Hook-and-loop shoulder closure on suit
- Front-zip jacket

COLOR	S	M	L	XL	2X	3X
(A) Charcoal/black	**3201-0258**	**3201-0259**	**3201-0260**	**3201-0261**	**3201-0262**	**3201-0263**
(B) Black/lime	**3201-0264**	**3201-0265**	**3201-0266**	**3201-0267**	**3201-0268**	**3201-0269**

MEN'S SIZE GUIDE

MEASUREMENT	S	M	L	XL	2X	3X
Height	5' 6" - 5' 9"	5' 8" - 5' 11"	5' 10" - 6' 1"	5' 11" - 6' 3"	6'1" - 6' 4"	6' 2" - 6'5"
Chest	35" - 37"	37" - 39"	39" - 41"	41" - 43"	43" - 45"	45" - 47"
Weight (lb.)	120 - 140	140 - 170	170 - 190	180 - 210	200 - 225	215 - 240

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING.



Back view



MEN'S BREAKER SPRING SUIT

- Perfect for those times when a full suit is too much, but shorts aren't enough
- 2mm neoprene construction for supreme fit and flexibility
- Flat-stitched seams for ultimate comfort
- Rear 3/4 zip closure for added lower-back flex and ease of entry

SIZE	BLACK/LIME
S	**3210-0081**
M	**3210-0082**
L	**3210-0083**

SIZE	BLACK/LIME
XL	**3210-0084**
2X	**3210-0085**
3X	**3210-0086**

MEN'S SIZE GUIDE

MEASUREMENT	S	M	L	XL	2X	3X
Height	5' 6" - 5' 9"	5' 8" - 5' 11"	5' 10" - 6' 1"	5' 11" - 6' 3"	6'1" - 6' 4"	6' 2" - 6'5"
Chest	35" - 37"	37" - 39"	39" - 41"	41" - 43"	43" - 45"	45" - 47"
Weight (lb.)	120 - 140	140 - 170	170 - 190	180 - 210	200-225	215-240

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING.

Slippery WETSUITS



Back view



TOUR COAT

- The ideal addition for cold days on the water
- Oversized cut allows coat to be worn over PFD (personal flotation device)
- 2mm neoprene construction
- Heavy-duty, two-way front zip
- Flat-stitched seams
- Two front zip pockets with mesh drainage ports
- Removable hood

SIZE	BLACK
S/M	3270-0047

SIZE	BLACK
L/XL	3270-0048

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING.

Slippery WETSUITS

A



B



SURGE NEO VEST

- U.S. Coast Guard-approved Type 3 PFD (Personal Flotation Device)
- Two 1.5" adjustable belts with buckle closure
- Hidden back belts
- Heavy-duty zipper
- D-ring for clip-style lanyards

COLOR	XS	S	M	L	XL	2X	3X
(A) Lime/black	**3240-0793**	**3240-0794**	**3240-0795**	**3240-0796**	**3240-0797**	**3240-0798**	**3240-0799**
(B) Black/charcoal	**3240-0800**	**3240-0801**	**3240-0802**	**3240-0803**	**3240-0804**	**3240-0805**	**3240-0806**

SIZE GUIDE

MEASUREMENT	XS	S	M	L	XL	2X	3X
Chest	28" - 32"	32" - 36"	36" - 40"	40" - 44"	44" - 48"	48" - 52"	52" - 56"



PET VEST

- Three adjustable belts with buckle closure
- Carry handle at top
- "D" ring for leash connection
- Fluoresecent color for high visibility

SIZE	YELLOW/GREEN
S	**3240-0845**

SIZE	YELLOW/GREEN
M	**3240-0846**

SIZE	YELLOW/GREEN
L	**3240-0847**

VEST SIZE	WEIGHT (LB.)	NECK	CHEST	WAIST
XXS	Less than 8 lb.	Less than 10"	Less than 18"	Less than 14"
XS	8 - 15	10"- 13"	18"- 22"	14"- 20"
S	15 - 30	12"- 16"	22"- 28"	18"- 24"

VEST SIZE	WEIGHT (LB.)	NECK	CHEST	WAIST
M	30 - 60	15"- 19"	26"- 32"	22"- 28"
L	60 - 80	18"- 22"	30"- 38"	26"- 32"
XL	80 lb. and over	18"- 24"	30"- 42"	26"- 36"

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING.

Slippery WETSUITS



A



B



C



D



FLEX LITE GLOVES

- Hook-and-loop wrist closure
- Four-way stretch mesh
- Sublimated fade-free graphics
- Perforated palm
- Anti-slip gel print on palm and fingertips
- Reinforced thumb overlay

SIZE	(A) CHARCOAL	(B) NAVY/ORANGE	(C) BLACK/LIME	(D) BLACK
XS	3260-0378	3260-0384	3260-0390	3260-0396
S	3260-0379	3260-0385	3260-0391	3260-0397
M	3260-0380	3260-0386	3260-0392	3260-0398
L	3260-0381	3260-0387	3260-0393	3260-0399
XL	3260-0382	3260-0388	3260-0394	3260-0400
2X	3260-0383	3260-0389	3260-0395	3260-0401



E



F



G



H



CIRCUIT GLOVES

- Perforated palm
- TPR hook-and-loop closure
- Anti-slip gel print on palm and fingertips; integrated neoprene finger padding for added coverage
- Innospan backhand for ultimate flexibility
- Flat-stitch seams for comfort

SIZE	(E) BLACK	(F) BLACK/RED	(G) BLACK/LIME	(H) CHARCOAL
XS	3260-0402	3260-0408	3260-0414	3260-0420
S	3260-0403	3260-0409	3260-0415	3260-0421
M	3260-0404	3260-0410	3260-0416	3260-0422
L	3260-0405	3260-0411	3260-0417	3260-0423
XL	3260-0406	3260-0412	3260-0418	3260-0424
2X	3260-0407	3260-0413	3260-0419	3260-0425

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING.

BOLD MAGENTA part numbers are new for 2020



LIQUID RACE BOOTS

- Internal heel and athletic sole structure provide stability
- Airmesh and perforated chassis for ventilation and drainage
- Removable inner 1.5mm neoprene booty
- Pull-tabs and laces for easy and fast on/off
- Anti-abrasion, highly durable heel and toe

SIZE	BLACK	SIZE	BLACK	SIZE	BLACK
XS	3261-0157	M	3261-0159	XL	3261-0161
S	3261-0158	L	3261-0160	2X	3261-0162

SIZE GUIDE

SHOE TYPE	XS	S	M	L	XL	2X
Men	6-6.5	7-7.5	8-8.5	9-9.5	10-10.5	11-11.5
Women	8-8.5	9-9.5	10-10.5	11-11.5	-	-



AMP BOOTS

- 2mm neoprene construction
- Flat-stitched seams for added comfort
- Heel cup for support
- Molded rubber sole
- Rear zip and locking draw cord provide a secure fit

SIZE	BLACK	SIZE	BLACK	SIZE	BLACK
XS	3261-0170	M	3261-0172	XL	3261-0174
S	3261-0171	L	3261-0173	2X	3261-0175

SIZE GUIDE

SHOE TYPE	XS	S	M	L	XL	2X
Men	6-6.5	7-7.5	8-8.5	9-9.5	10-10.5	11-11.5
Women	8-8.5	9-9.5	10-10.5	11-11.5	-	-

AMP SHOES

- 2mm neoprene construction
- Flat-stitched seams for added comfort
- Heel cup for support
- Molded rubber sole
- Barrel-lock draw-cord closure for a secure fit



SIZE	BLACK	SIZE	BLACK	SIZE	BLACK
XXS	3261-0163	M	3261-0166	2X	3261-0169
XS	3261-0164	L	3261-0167		
S	3261-0165	XL	3261-0168		

SIZE GUIDE

SHOE TYPE	XXS	XS	S	M	L	XL	2X
Men	5-6	6-7	7-8	8-9	9-10	11-12	12-13
Women	7-8	8-9	9-10	10-11	11-12	12-13	13-14

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING.

Slippery WETSUITS



A



Back view



B

RASHGUARDS

- Protects against vest and wetsuit chafing and the sun's rays
- Flat-stitch Lycra® construction; no rash pattern design
- Form-fitting for style and comfort
- Available in short or long sleeve

SIZE	BLACK/CAMO
(A) LONG SLEEVE	
XS	3250-0128
S	3250-0129
M	3250-0130
L	3250-0131
XL	3250-0132
2X	3250-0133
3X	3250-0134

SIZE	BLACK/CAMO
(B) SHORT SLEEVE	
XS	3250-0135
S	3250-0136
M	3250-0137
L	3250-0138
XL	3250-0139
2X	3250-0140
3X	3250-0141

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING.



A



Back view



B



Back view

MEN'S T-SHIRT AND TANK TOP

- 100% cotton construction
- Features screen-printed graphics on front and heat transfer-style neck label
- Transfer-style neck labels for maximum comfort

(A) MEN'S T-SHIRT

SIZE	BLACK
S	3030-17962
M	3030-17963
L	3030-17964

SIZE	BLACK
XL	3030-17965
2X	3030-17966

(B) MEN'S TANK

SIZE	WHITE
S	3030-17957
M	3030-17958
L	3030-17959

SIZE	WHITE
XL	3030-17960
2X	3030-17961



Back view



BOARD SHORTS

- 100% polyester for durability
- Knee-length shorts with draw-string closure at waist
- Features a cargo pocket with key keeper and pocket drain eyelets for drainage

SIZE	BLACK/CAMO
28	3230-0232
30	3230-0233
32	3230-0234

SIZE	BLACK/CAMO
34	3230-0235
36	3230-0236
38	3230-0237


SIZE	BLACK/CAMO
40	3230-0238
42	3230-0239
44	3230-0240

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING.

BOBSTER®

BOBSTER® DNA

Bobster® prides itself on leading the pack when it comes to technology. All our products feature optically correct, polycarbonate shatter-resistant lenses that offer 100% UVA & UVB protection. We also offer products with Rx ready frames, polarized lenses, photochromic lenses, and all-new High-Definition lenses.



HIGH-DEFINITION LENSES

High-Def lenses will enhance your vision whenever worn.

What this technology does is elevate individual colors, which enables you to see imperfections in the road, changes in the water, or divots in the dirt much easier.

Without having to strain your eyes to see what is coming up, you can anticipate and react with more precision while filtering out harmful UV rays, leading to overall greater visual comfort.

POLARIZED LENSES

While ordinary tinted lenses reduce brightness, only polarized lenses eliminate glare.

To ensure the impact resistance of the lenses, Bobster® uses polycarbonate polarized lenses while most other companies use polarized lenses that will shatter on high impact.





PHOTOCHROMIC TECHNOLOGY

Bobster® photochromic lenses are available in a variety of eyewear styles and are precisely designed to automatically darken/lighten to the amount of ultraviolet (UV) light that reaches the lens.

The advantage of a photochromic lens is that you can wear your eyewear all day and not have to carry multiple sets of eyewear with you or change your lenses according to light conditions.

Do not leave photochromic lenses in direct sun or extreme heat for long periods of time as it will decrease the performance of the lenses.

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING.

BOBSTER®

BOBSTER® GOGGLES

Expect superior functionality, comfort and durability from Bobster® Goggles. Specifically designed to conform to various shapes of faces, the goggle frame creates an effective seal that significantly reduces wind blasts and vibrations. The adjustable head strap provides maximum retention and security, while the foam allows ultimate airflow to reduce lenses from fogging.



CRUISER 3 GOGGLES WITH INTERCHANGABLE LENSES

- Four sets of lenses: anti-fog smoked, amber, clear and smoked with Blue Revo
- Include shatter-resistant polycarbonate lenses
- Lenses provide 100% UV protection
- Frame size: large
- Matte black rubber frame
- Open cell foam
- Come with carry case and cleaning cloth
- Meet CE standards



FRAME COLOR	PART #
Black	2610-1179



BUGEYE 3 GOGGLES

- 100% UV Protection
- Shatter resistnat polycarbonate lenses (includes smoked, amber, clear)
- Thermoplastic elastomer frame w/ open cell foam
- ANSI Z80.3, CE, RX ready (RX lenses not included)



FRAME/LENS COLOR	PART #
Matte black/clear	2610-1265







CROSSFIRE FOLDING GOGGLES

- Fold them up and take them anywhere
- Use a flexible and durable Grilamid® TR-90 frame with closed-cell EVA frame foam
- 100% UVA/UVB protection provided by the anti-fog polycarbonate lenses
- Keep goggles snug over eyes with the soft adjustable strap
- Carry pouch with clip and belt loop and a microfiber cleaning cloth are included
- Frame color: black
- Available with clear, smoke or amber lenses
- Do not accept prescription lenses



LENS COLOR	PART #
(A) Smoke	2601-0731

LENS COLOR	PART #
(B) Clear	2601-0732

LENS COLOR	PART #
(C) Amber	2601-0733



BUG-EYE 2 INTERCHANGEABLE GOGGLES

- Include three shades of shatter-resistant lenses: anti-fog smoke, for most standard riding conditions; amber, for overcast conditions; clear, for nighttime riding
- Strong, durable black frame with classic elastic band that is adjustable for comfort and can be worn over hats during inclement weather
- Black nylon belt pouch stores goggles and lenses; microfiber cleaning cloth included
- Accept prescription lenses (not included)



FRAME COLOR	PART #
Black	BA2C31AC



DIESEL GOGGLES WITH INTERCHANGEABLE LENSES

- Three sets of lenses: anti-fog smoked, yellow, and clear
- Include shatter-resistant polycarbonate lenses
- Lenses provide 100% UV protection
- Thermoplastic elastomer frame
- Open cell foam with fleece
- Meet CE standards
- Come with cleaning cloth and carrying case



FRAME COLOR	PART #
Gloss Black	2610-1181

PILOT GOGGLES WITH INTERCHANGEABLE LENSES

- Sleek, aviator-style black frame with leather-like cushion padding
- Include clear and smoke shatter-resistant polycarbonate lenses
- Provide 100% UVA and UVB protection
- Come with microfiber pouch





FRAME COLOR	PART #
Black	2610-1018

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING.

BOBSTER®





PHOENIX OTG
INTERCHANGEABLE GOGGLES

- Side groove allows goggles to fit over most prescription glasses
- Switch from anti-fog smoke, amber or clear, scratch-resistant polycarbonate lenses, depending on the light conditions
- Increased comfort is provided by the polyurethane frame, which has two layers of neoprene and open-cell foam
- Carrying pouch and cleaning cloth are included
- 100% UV protection
- Meet CE standards

FRAME COLOR	PART #
Black	2601-0735



BALA GOGGLES

- Matte black TPEE frame with closed-foam for a comfortable fit
- Impact-resistant anti-fog polycarbonate lenses and ANSI Z87.1-2010+ approved
- Provides 100% UV protection
- Microfiber storage pouch included

LENS COLOR	PART #
Clear	2601-2246



A



B

NIGHT HAWK OTG GOGGLES

- The perfect goggles for riders who wear prescription glasses
- Side groove allows goggle to fit over most prescription glasses
- Anti-fog polycarbonate lenses are scratch-resistant and offer 100% UVA/UVB protection
- Flexible polyurethane frame with a double layer of neoprene and open-cell foam
- A carrying pouch and cleaning cloth are included
- Meet CE standards



LENS COLOR	PART #
(A) Smoke	2601-0734

LENS COLOR	PART #
(B) Clear	2601-1005



C



D

WRAP GOGGLES

- Shatterproof polycarbonate lens
- 100% UV protection
- Wraparound design gives wide peripheral vision
- Lined with neoprene foam
- Do not accept prescription lenses
- Include microfiber pouch that doubles as a cleaning cloth
- Meet CE standards



LENS COLOR	PART #
(C) Clear	BW201C

LENS COLOR	PART #
(D) Yellow	2601-0270

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING.

BOBSTER®


E


F


G


H

PISTON GOGGLES

- Sleek, aerodynamic goggles that combine form and function
- Flexible, matte black rubber frame with open-cell foam for cushion
- Optically-correct, shatter-resistant polycarbonate lenses offer 100% UVA/UVB protection
- Frame ventilation keeps lenses clear of fog
- Adjustable strap
- Microfiber carry pouch doubles as a cleaning cloth
- Accept prescription lenses (not included)
- Meet CE standards



LENS COLOR	PART #
(E) Smoke	2601-0878

LENS COLOR	PART #
(F) Amber	2601-0879

LENS COLOR	PART #
(G) Clear	2601-0880

LENS COLOR	PART #
(H) Reflective	2601-0881

BOBSTER® CONVERTIBLES

Bobster® Convertibles are stylishly sleek and versatile, having the ability to easily convert from sunglasses to goggles. Our convertible eyewear are for those that desire the look of a sunglass and the functionality of a goggle, by simply removing the temples and inserting the goggle strap. Two styles, one price, the same amazing look.



FORCE

CONVERTIBLE PHOTOCHROMIC SUNGLASSES

- 100% UV Protection
- Anti-fog photochromic shatter resistant lenses
- Polycarbonate frame
- Convert from sunglasses to goggles with included adjustable goggle strap
- Removable magnetic closed cell foam
- ANSI Z80.3 & CE approved

FRAME/LENS COLOR	PART #
Matte black/clear	2610-1267



CROSSOVER

CONVERTIBLE SUNGLASSES/GOGGLES

- Convert from sunglasses to goggles with removable/adjustable strap
- Polycarbonate frame in matte black
- Include shatter-resistant, anti-fog/ anti-scratch smoke polycarbonate lenses
- Lenses provide 100% UV protection
- Removable temple, strap and foam
- Protective storage/carrying case and microfiber cleaning cloth included
- ANSI Z87.1-2010+ approved
- Meet CE standards
- Accept prescription lenses (not included)

FRAME COLOR	PART #
Black	2601-2603

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING.

BOBSTER®



DECODER 2

PHOTOCHROMIC CONVERTIBLE SUNGLASSES/GOGGLES

- Polycarbonate frame with removable neoprene foam backing
- Temples can be replaced with included strap, transforming the sunglasses into goggles
- Anti-Fog photochromic lenses (V.L.T. 22%-85%)
- Shatter-resistant, anti-fog polycarbonate lenses provide 100% UVA/UVB protection
- Carry case with microfiber cleaning cloth included
- Do not accept prescription lenses
- Meet CE Standards

FRAME COLOR	PART #
Black	2610-0933



ROAD HOG II

CONVERTIBLE SUNGLASSES/GOGGLES

- Patented Quick Release System (QRS) for rapid conversion from sunglasses to goggles
- Two quick attach/detach soft cloth top foam inserts
- Lightweight, flexible Grilamid® frame
- Four sets of easy-change lenses provided; anti-fog smoke, amber, clear and dual-grade reflective
- Polycarbonate lenses are shatter-resistant and give 100% protection against UVA and UVB ultraviolet rays
- Protective belt case and lens cleaning cloth included
- Accept prescription lenses (not included)
- Meet CE standards

FRAME COLOR	PART #
Black	2601-0266



SPORT AND STREET

CONVERTIBLE SUNGLASSES/GOGGLES

- 100% UV Protection
- Shatter resistant lenses (anti-fog smoked, amber, clear) included
- Frame is vented for breathability and features closed-cell foam for protection and comfort
- Removable and adjustable goggle strap quickly converts from sunglasses to goggles
- Carrying case and microfiber cleaning cloth included
- Accept prescription lenses (not included)
- ANSI Z80.3, EN166

FRAME COLOR	PART #
Black	BSSA001AC



SPORT AND STREET 2

CONVERTIBLE SUNGLASSES/GOGGLES

- Come with three sets of shatterproof polycarbonate lenses that provide 100% protection from UVA, UVB and short blue light rays
- Anti-fog coating on smoke lenses
- Lenses snap in and out easily
- Comfort-fit foam padding
- Adjustable straps
- Protective storage case and microfiber cleaning cloth included
- Accept prescription lenses (not included)
- Meet CE standards

FRAME COLOR	PART #
Black	BSSA201AC



SPEKTRAX

CONVERTIBLE SUNGLASSES/GOGGLES

- Comfortable sunglasses/goggles with soft foam backing
- Polycarbonate, shatter-resistant lenses in smoke, amber or clear
- Anti-fog coating on smoke lenses
- Quick-adjust lenses for various lighting conditions
- Strap and carrying pouch included
- Rx insert allows use of prescription lenses (not included)
- Meet CE standards
- ANSI Z80.3, CE, EN166

FRAME COLOR	PART #
Black	2601-0000



RENEGADE CONVERTIBLE

PHOTOCHROMIC SUNGLASSES/GOGGLES

- Convertible sunglasses/goggles with a unique style
- Photochromic lenses start out clear and darken to smoke when in bright sunlight; (V.L.T. 85-32%)
- Polycarbonate frame with removable, closed-cell foam
- Include goggle strap, carrying case and microfiber cleaning cloth
- 100% UV protection
- Meet CE standards

FRAME COLOR	PART #
Black	2610-0429

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING.

BOLD MAGENTA part numbers are new for 2020

BOBSTER®

BOBSTER® SUNGLASSES

Comfort, durability, and functionality are three things that distinguish Bobster® Sunglasses from all the others. We offer a variety of designs, colors, and frame shapes. Our unique line of sunglasses have features such as wrap-around frames, over-the-glass capabilities, photochromic lenses that darken in sunlight, interchangeable lenses, and more.

ANCHOR SUNGLASSES

- Polarized lenses
- Include shatter-resistant polycarbonate lenses
- Lenses provide 100% UV protection
- Polycarbonate frame
- Meet CE standards
- Come with microfiber pouch
- Accept prescription lenses (not included)



FRAME/LENS COLOR	PART #
(A) Matte black/smoke	2610-1175
(B) Matte tortoise/brown	2610-1176

BOOST SUNGLASSES

- HD/Revo lenses help create contrast when looking through the lenses
- Include shatter-resistant polycarbonate lenses
- Lenses provide 100% UV protection
- TR90 frame
- Meet CE standards
- Come with carry case and cleaing cloth



FRAME/LENS COLOR	PART #
(C) Matte black/purple HD w/ silver mirror exterior and anti-reflash blue Revo interior	2610-1177
(D) Gloss white/purple HD w/ silver mirror exterior and anti-reflash blue Revo interior	2610-1178

VAST SUNGLASSES

- Anti-fog lenses
- Include shatter-resistant polycarbonate lenses
- Lenses provide 100% UV protection
- Polycarbonate frame
- Come with adjustable temple strap, carry case and cleaning cloth
- Ballistics impact approved
- ANSI Z87.1-2010+ approved
- Meet CE standards
- Accept prescription lenses (not included)



FRAME/LENS COLOR	PART #
Matte black/clear	2610-1185

ROUTE SUNGLASSES

- High Definition/Revo lenses help create contrast while looking through the lenses
- Include shatter-resistant polycarbonate lenses
- Lenses provide 100% UV protection
- Polycarbonate frame
- Meet CE standards
- Come with microfiber pouch
- Accept prescription lenses (not included)



FRAME/LENS COLOR	PART #
(E) Matte black/purple HD and light blue Revo interior	2610-1183
(F) Gloss brown tortoise/purple HD and light blue Revo interior	2610-1204
(G) Matte gray tortoise/purple HD and light blue Revo interior	2610-1205

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING.

BOBSTER®





AXL SUNGLASSES

- Unique lens shape and wraparound frame provide ultimate peripheral vision
- Gloss black flexible frame
- Anti-fog, polycarbonate lenses provide 100% UVA/UVB protection
- Microfiber carrying pouch included
- Do not accept prescription lenses
- Meet CE standards





FRAME/LENS COLOR	PART #
(A) Black/smoke	2610-0606

FRAME/LENS COLOR	PART #
(B) Black/clear	2610-0607

FRAME/LENS COLOR	PART #
(C) Black/yellow	2610-0608

CAPONE SUNGLASSES

- Masculine, square-shaped frame design with a low based curve to comfortably fit most faces
- Luxurious, soft-touch rubberized frame finish
- Smoke tint anti-fog polycarbonate lenses are shatter-resistant
- Provide 100% UVA and UVB protection
- Microfiber storage pouch included
- RX ready
- Meet CE standards





FRAME COLOR	PART #
Black	2610-1016









CHARGER SUNGLASSES

- Sleek and durable frame with high-speed-impact-rated lenses
- Gloss black nylon frame
- Polycarbonate lenses with anti-fog coating and ANSI Z87 impact certification
- Include microfiber carrying pouch
- Do not accept prescription lenses
- 100% UV protection
- Anti-fog lenses
- Meet CE standards



LENS COLOR	PART #
(D) Smoke	2610-0441
(E) Clear	2610-0442

LENS COLOR	PART #
(F) Yellow	2610-0690
(G) Black/rose	2610-0938

HOOLIGAN

PHOTOCHROMIC SUNGLASSES

- Photochromic lenses and sleek lines make these sunglasses ideal for any ride
- Gloss black Grilamid® TR-90 wraparound frames with a slight "cup" on the edges to reduce wind without needing foam
- Photochromic polycarbonate lenses provide 100% UVA/UVB protection; shift from a light tint to medium gray
- Feature VLT rate of 32%-85%
- Microfiber carrying pouch included
- Accept prescription lenses (not included)
- 100% UV protection
- Meet CE standards





FRAME COLOR	PART #
Black	2610-0349

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING.

BOBSTER


A


B


C

PARAGON SUNGLASSES

- Sturdy, athletic frame with a single-lens design for maximum field of vision
- Anti-fog polycarbonate lens provide 100% UVA/UVB protection
- Meet CE 1836 certification
- Include microfiber carry pouch
- Do not accept prescription lenses
- Impact-resistant lenses



FRAME/LENS COLOR	PART #
(A) Matte black/red mirrored	2610-0803

FRAME/LENS COLOR	PART #
(B) Crystal clear/blue mirrored	2610-0804

FRAME/LENS COLOR	PART #
(C) Matte black/smoke	2610-0805



SWIFT SUNGLASSES

- 100% UV Protection
- Easy Snap lens locking system, with 3 sets of lenses included (smoked, amber, clear)
- Grilamid TR90 Frame
- ANSI Z80.3, CE, & OSHA compliant

FRAME COLOR	PART #
Matte black	2610-1269



EAGLE SUNGLASSES

- 100% UV Protection (UV 400)
- Fits over prescription glasses
- Anti-scratch, shatter-resistant polycarbonate lenses
- Polycarbonate frame
- ANSI Z80.3, CE, OSHA compliant
- RX-ready (RX lenses not included)

FRAME/LENS COLOR	PART #
Matte black/smoke	2610-1271



VIRTUE SUNGLASSES

- Killer looks
- Grilamid® TR-90 frame with rubber temple and nose pieces
- Matte black frame finish with smoke lenses
- Lenses are shatter-resistant, anti-fog, anti-scratch and provide 100% UVA/UVB protection
- Meet CE standards
- Special coating on the lenses helps prevent finger smudges and water spotting so your field of vision remains clear
- Zip closure carrying case and microfiber carrying pouch included
- Accept prescription lenses (not included)

FRAME COLOR	PART #
Black	2610-0940



WHISKEY SUNGLASSES

- Sleek styling
- Eight-base wrap design provides excellent peripheral vision and shields against wind, debris, dust and fragmentation
- Scratch-resistant, anti-fog, ballistic-grade lenses provide 100% UV protection and are ANSI Z87.1 impact certified
- Lightweight, flexible frame
- Include carry case and microfiber cleaning cloth
- Accept prescription lenses (not included)

FRAME/LENS COLOR	PART #
Matte black/smoke	2610-0808

CONDOR 2 OTG SUNGLASSES

- Three sizes available to fit over most prescription lenses
- Frame is durable Grilamid® TR-90 with a gloss black finish
- Shatter-resistant, anti-fog polycarbonate lenses with a smoke tint
- Provide 100% UVA/UVB protection
- Small size measures 139mm temple-to-temple; frame height is 41mm
- Regular size measures 144.5mm temple-to-temple; frame height is 47mm
- Large size measures 148.7mm temple-to-temple; frame height is 51.5mm
- Microfiber carrying pouch included
- Do not accept prescription lenses
- Meet CE EN1836:2005 standards

SIZE	PART #
Regular	2610-0931



SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING.

BOBSTER®

BOBSTER® SUNGLASSES WITH FOAM

Comfort, durability and functionality are three things that distinguish Bobster® Sunglasses from all the others. We offer a variety of designs, colors and frame shapes. Our unique line of sunglasses have features such as wrap-around frames, over-the-glass capabilities, photochromic lenses that darken in sunlight, interchangeable lenses and more.

MISSION SUNGLASSES



- Anti-fog lenses
- Include shatter-resistant polycarbonate lenses
- Lenses provide 100% UV protection
- TR90 frame
- Closed cell removeable foam
- Come with carry case and cleaning cloth
- Ballistics impact approved
- ANSI Z87.1-2010+ approved
- Meets CE standards
- Accept prescription lenses (not included)

FRAME/LENS COLOR	PART #
Matte gray/clear	2610-1182

TREAD SUNGLASSES





- Anti-fog lenses
- Impact-resistant polycarbonate lenses
- Lenses provide 100% UV protection
- Polycarbonate frame
- Closed cell foam
- Come with carry case and cleaning cloth
- ANSI Z87.1-2010+ approved
- Meet CE standards
- Accept prescription lenses (not included)

FRAME/LENS COLOR	PART #
Matte black/clear	2610-1184


A


B


C


D



FAT BOY SUNGLASSES

- Our popular Fat Boy frame style, all feature HD/Revo lenses except PART# 2610-0939
- Anti-fog, anti-scratch polycarbonate lenses provide 100% UVA/UVB protection
- Closed-cell memory foam seals out wind and debris, and molds to face
- Microfiber carrying pouch doubles as a cleaning cloth
- Meet CE standards
- Accept prescription lenses (not included)

FRAME/LENS COLOR	PART #
(A) Black/cyan	2610-0939
(B) Matte black/purple-yellow HD/Revo	2610-1186

FRAME/LENS COLOR	PART #
(C) Matte black/purple-red HD/Revo	2610-1187
(D) Matte black/silver HD/Revo	2610-1206

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING.

BOBSTER®





FAT BOY

PHOTOCHROMIC SUNGLASSES



- The latest in transitional lens technology; molecular reactions to UV light allow lenses to change rapidly
- Wearable in any light conditions; feature VLT rate of 47%-87%
- Closed-cell memory foam seals out wind and debris, and molds to face
- Microfiber carrying pouch doubles as a cleaning cloth
- Accept prescription lenses (not included)
- Meet CE Standards

FRAME COLOR	PART #
Black	2610-0192

RIDER SUNGLASSES



- Polycarbonate frame in matte black
- Include shatter-resistant, anti-fog smoke polycarbonate lenses
- Lenses provide 100% UV protection
- Removable foam
- Protective storage/carrying case and microfiber cleaning cloth included
- ANSI Z87.1-2010+ approved
- Meet CE standards

FRAME/LENS COLOR	PART #
Matte black/smoke	2610-1126



A



B

DESPERADO SUNGLASSES

- Wrap-style sunglasses perfect for larger heads
- Float in water
- Gloss black Grilamid® TR-90 frame
- Frames feature closed-cell foam
- Anti-fog, shatter-resistant, polycarbonate lenses provide 100% UVA/UVB protection
- Microfiber carrying pouch included
- Do not accept prescription lenses



C

FRAME/LENS COLOR	PART #
(A) Black/smoke	2610-0583

FRAME/LENS COLOR	PART #
(B) Black/clear	2610-0584

FRAME/LENS COLOR	PART #
(C) Black/yellow	2610-0585



D



E



F



G

GXR SUNGLASSES/GOGGLES

- Wraparound polycarbonate frame with a removable strap
- Polycarbonate, shatter-resistant anti-fog treated lenses
- Provide 100% UVA/UVB protection
- Wrap your face against dust and wind
- Closed-cell memory foam backing
- Accept prescription lenses (not included)
- Float in water
- Come with microfiber pouch
- Meet CE Standards



LENS COLOR	PART #
(D) Smoke	2601-0005
(E) Amber	2601-0006

LENS COLOR	PART #
(F) Clear	2601-0007
(G) Blue mirror	2610-1017

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING.

BOBSTER®


A


C


B

FOAMERZ 2

- Flexible, black polycarbonate wraparound frame with closed-cell memory foam pads for ventilation, comfort and protection from wind and dust
- ANSI Z87 approved
- Anti-fog, polycarbonate lenses provide 100% UVA/UVB protection
- Small rubber strips at the end of each temple keep the sunglasses from moving
- Include microfiber carrying case
- Do not accept prescription lenses
- Float in water
- Meet CE standards



LENS COLOR	PART #
(A) Smoke	2610-0351

LENS COLOR	PART #
(B) Amber	2610-0352

LENS COLOR	PART #
(C) Clear	2610-0353


D


F


E

FOAMERZ

- Shatter-resistant polycarbonate lenses offer 100% UV protection and an anti-fog coating
- Soft molded closed-cell foam around the eyes
- Come with a convenient belt pouch
- Do not accept prescription lenses
- 100% UV protection
- Meet CE standards



LENS COLOR	PART #
(D) Smoke	ES114

LENS COLOR	PART #
(E) Amber	ES114A

LENS COLOR	PART #
(F) Clear	ES114C

RAPTOR II

INTERCHANGEABLE SUNGLASSES

- Feature a slightly aggressive, sculpted frame
- Shatter-resistant polycarbonate anti-fog smoke, amber and clear lenses provide 100% UVA/UVB protection
- Come with two removable foams
- Carrying pouch, microfiber cleaning cloth and a removable/adjustable strap included
- Do not accept prescription lenses
- Meet CE standards



FRAME COLOR	PART #
Black	2610-0294

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING.

BOLD MAGENTA part numbers are new for 2020


G


I


H


J


L


K

SHIELD II SUNGLASSES

- High-gloss temples securely hold the "frameless" one-piece lenses comfortably in place
- Precision crafted and shatter-resistant polycarbonate lenses slightly wrap around face to minimize wind disruption and turbulence
- 100% UVA/UVB protection is provided by the closed-cell EVA foam-lined lenses
- Microfiber carrying pouch which doubles as a cleaning cloth is included
- Do not accept prescription lenses
- Meet CE standards



FRAME/LENS COLOR	PART #
(G) Black/smoke	**2610-0297**
(H) Black/amber	**2610-0298**

FRAME/LENS COLOR	PART #
(I) Black/clear	**2610-0299**
(J) Black/yellow	**2610-0851**

FRAME/LENS COLOR	PART #
(K) Blue/smoke	**2610-0300**
(L) Red/smoke	**2610-0301**


A-2280


A-2282


A-2287


A-2291


A-2292

SPEC FLOATS

FLOATING SUNGLASSES CORDS

- Keeps sunglasses from sinking to the murky bottom
- Universal ends fit all types of frames – just slide them on

COLOR	PART #
Silver	**A-2280**
Blue	**A-2282**

COLOR	PART #
Black	**A-2287**
Yellow	**A-2291**

COLOR	PART #
Red	**A-2292**

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING.



Audio/Video & Mounts

Accessories

PARTS EUROPE

RAM® MOUNTS

X-GRIP® KITS

- High-strength composite and stainless steel construction and powdercoated marine-grade aluminum
- Includes a 1" diameter patented rubber ball and socket system with adjustment points at both ends of the socket arm; this, with a twist of the arm knob, allows you to move the X-Grip® mount to optimum viewing position
- Spring-loaded holder expands and contracts for perfect fit of device
- Rubber-coated tips will hold device firm and stable
- The mounting hardware for brake/clutch reservoirs include both standard and metric mounting bolts
- Kits include U-bolts that fit bars .5" to 1.25" in diameter
- Socket technology allows for multiple adjustment angles and articulation of device
- Grip includes a device tether
- Includes all necessary mounting hardware
- Compatible with devices (with or without case) that measure 1.875" minimum width, 3.25" maximum width and 0.875" depth
- Made in the U.S.A.









DESCRIPTION	PART #
Combination brake/clutch reservoir U-bolt mount	0603-0614
Handlebar rail mount with zinc-coated U-bolt base	0603-0615
Forks stem mount with short double-socket arm	0603-0616

DESCRIPTION	PART #
ACCESSORIES	
4-pk. replacement post caps for all X-Grip® cradles	0603-0645
X-grip replacement tether	0603-0685

RAM SMALL TOUGH-CLAW™ BASE WITH LONG DOUBLE-SOCKET ARM AND UNIVERSAL RAM® X-GRIP® LARGE PHONE/ PHABLET CRADLE

- High-strength composite, powdercoated marine-grade aluminum and marine-grade stainless steel construction
- Consists of a Tough-Claw™ rail clamp base, long length double-socket arm and universal spring-loaded RAM X-Grip® cradle for large phones and phablets
- Spring-loaded holder expands and contracts for perfect fit on your device; rubber-coated tips will hold device firm and stable
- Mount is designed with a RAM B-sized 1" diameter patented rubber ball and socket system that features adjustment points at both ends of the double-socket arm; allows for almost infinite adjustment and perfect viewing angles
- X-Grip also includes a device tether recommended for outdoor applications
- Clamping range on rail/tube surfaces is 0.625" to 1.5"; clamping range on flat surface is 0" to 1.14"



- Cradle is compatible with handheld devices that will fit the following dimensions: minimum width of 1.75" with a minimum height of 5.5"; maximum width of 4.5" with a minimum height of 3.25"; depth of 0.875"
- Made in the U.S.A.

NOTE: It is important to verify the dimensions of your handheld device with a case/sleeve/skin when determining the overall size.

PART #	0636-0130

RAM TOUGH-CLAW™ MOUNTS WITH UNIVERSAL X-GRIP® PHONE CRADLE

- Features a small Tough-Claw™ mounting base and universal X-Grip® cradle
- Mount rotates 360°
- Included spring-loaded, X-Grip cradle has a clean and clever four-leg design that provides great holding power without hiding your phone; X-Grip cradle expands and contracts, allowing for a perfect custom fit
- X-Grip also includes a device tether recommended for outdoor applications
- Regular version (PART #0636-0119) cradle is compatible with handheld devices that will fit the following dimensions: minimum width of 1.875" with a minimum height of 4.25"; maximum width of 3.25" with a minimum height of 2.25"; depth of 0.875"
- Large version (PART #0636-0126) cradle is compatible with handheld devices that will fit the following dimensions: minimum width of 1.75" with a minimum height of 5.5"; maximum width of 4.5" with a minimum height of 3.25"; depth of 0.875"





- Both versions feature a clamping range of 0.625" to 1.5" on rail/ tube surfaces and a clamping range of 0" to 1.14" on flat surfaces
- Made in the U.S.A.

NOTE: It is important to verify the dimensions of your handheld device with a case/sleeve/skin when determining the overall size.

DESCRIPTION	PART #
Regular size	0636-0119

DESCRIPTION	PART #
Large size	0636-0126

RAM MOUNTS

RAM HANDLEBAR RAIL MOUNT WITH U-BOLT BASE AND UNIVERSAL X-GRIP® FOR LARGE PHONE/PHABLET CRADLE



- Consists of a zinc-coated U-bolt base, double-socket arm and universal spring-loaded X-Grip® IV cradle for large phones and phablets
- Package includes hardware that will accommodate rails from 0.50" to 1.25" in diameter
- Base comes with black cover caps to place over exposed ends of the U-bolt
- Included composite rail adapter narrows the rail to a minimum width of 0.5"
- Mount is designed with a RAM B-sized 1" diameter patented rubber ball and socket system that features adjustment points at both ends of the double-socket arm; allows for almost infinite adjustment and perfect viewing angles
- Spring-loaded X-Grip IV cradle expands and contracts, allowing for a perfect custom fit of phone or phablet
- X-Grip also includes a device tether recommended for outdoor applications
- Cradle is compatible with handheld devices that will fit the following dimensions: minimum width of 1.75" with a minimum height of 5.5"; maximum width of 4.5" with a minimum height of 3.25"; depth of 0.875"
- U-Bolt dimensions: 0.50" to 1.25"
- Made in the U.S.A.

NOTE: It is important to verify the dimensions of your handheld device with a case/sleeve/skin when determining the overall size.

PART # 0636-0122

RAM CLUTCH/BRAKE MOUNT WITH X-GRIP® HOLDER



- Features hardware for mounting to either brake or clutch reservoirs, rails that are 0.5" to 1.25" in diameter, double-socket arm and universal X-Grip® large phone/phablet holder
- Mount features a 1" rubber ball and socket mounting system with adjustment points at both ends of the socket arm
- The mounting hardware for brake/clutch reservoirs includes both standard and metric mounting bolts
- Included spring-loaded, X-Grip cradle has a clean and clever four-leg design that provides great holding power without hiding your phone; X-Grip cradle expands and contracts, allowing for a perfect custom fit
- X-Grip also includes a device tether recommended for outdoor applications
- Cradle is compatible with handheld devices that will fit the following dimensions: minimum width of 1.75" with a minimum height of 5.5"; maximum width of 4.5" with a minimum height of 3.25"; depth of 0.875"
- Made in the U.S.A.

NOTE: It is important to verify the dimensions of your handheld device with a case/sleeve/skin when determining the overall size.

PART # 0636-0123

RAM TORQUE™ HANDLEBAR AND RAIL MOUNTING BASE FOR PHONES



- Features a B-sized 1" rubber ball mounting base that accommodates handlebars 3/4" - 1" in diameter paired with the dynamic X-Grip® for phones
- Sizing inserts included to provide a snug fit and offer additional protection for the rail
- Low-profile mount utilizes nylon-insert locknuts to secure personal electronics and small accessories to prevent loosening in high-vibration environments
- Included spring-loaded, X-Grip cradle has a clean and clever four-leg design that provides great holding power without hiding your phone; X-Grip cradle expands and contracts, allowing for a perfect custom fit
- X-Grip also includes a device tether recommended for outdoor applications
- Cradle is compatible with handheld devices that will fit the following dimensions: minimum width of 1.875" with a minimum height of 4.25"; maximum width of 3.25" with a minimum height of 2.25"; depth of 0.875"

NOTE: It is important to verify the dimensions of your handheld device with a case/sleeve/skin when determining the overall size.

PART # 0636-0118

RAM QUICK-GRIP™ PHONE MOUNTS WITH HANDLEBAR U-BOLT BASE

- High-strength composite and powdercoated marine-grade aluminum
- B-size 1" rubber ball
- Provides a secure fit for a variety of smartphones, GPS units, Bluetooth® speakers and other electronics
- Includes a short RAM double-socket arm and zinc-coated handelbar U-bolt base
- PART #0636-0157 is compatible with handheld devices that will fit the following dimensions: 4.75" - 5.75" H, 2.19" - 3.25" W and 0.72" D
- PART #0636-0158 is compatible with handheld devices that will fit the following dimensions: 5.75" - 8.25" H, 2.625" - 3.625" W and 0.72" D
- Accommodates rails from 0.5" to 1.25" in diameter



0636-0157



0636-0158

PART # 0636-0157

PART # 0636-0158

BOLD MAGENTA part numbers are new for 2020


0603-0826


0603-0830

RAM QUICK-GRIP™ UNIVERSAL PHONE HOLDERS WITH BALL

- High-strength composite
- Capable of holding smartphones, GPS, Bluetooth® speakers and other electronic devices
- Spring-loaded mechanism and adjustable side keepers allow for a secure grip
- PART #s 0603-0826 and 0603-0829 are compatible with handheld devices that will fit the following dimensions: 4.75" - 5.75" H, 2.19" - 3.25" W and 0.72" D
- PART #0603-0830 is compatible with handheld devices that will fit the following dimensions: 5.75" - 8.25" H, 2.625" - 3.625" W and 0.72" D

PART #	0603-0826[1]
PART #	0603-0829[2]
PART #	0603-0830

[1] Comes w/ retail header card.
[2] Comes in a poly bag.

RAM® LEVEL CUP™ XL


0636-0115


0636-0114

- Designed for bigger insulated cups, plastic water bottles or even vacuum-insulated bottles
- Can hold the biggest gulps with an oversized opening cradle and an adjustable bottom piece that can move up and down for taller cups
- Rubber feet flex for a snug fit, keeping beverages steady
- Fits cups up to 3.5" wide and 11" tall
- Adjustable bottom can adapt to fit any cup or bottle
- Durable and fluid self-leveling action keeps drinks upright
- Flexible grips adapt to the bottom of the cup to keep it secure

DESCRIPTION	PART #
U-Bolt/Perch mount XL cup holder kit	0636-0115
Ball mount w/ XL cup holder	0636-0114

RAM HANDLEBAR RAIL MOUNT WITH U-BOLT BASE, LEVEL CUP™ DRINK HOLDER AND KOOZIE



- High-strength composite and powdercoated, marine-grade aluminum mount with drink holder designed with two pivot points to keep your drink upright, regardless of conditions
- Kit includes a zinc coated U-bolt base, double-socket arm and RAM Level Cup Self-Leveling Drink Holder with koozie; base includes black cover caps to be placed over exposed ends of U-bolt
- Integrated eyelet and hook provide an optional tethering function to help secure any small or open container
- U-bolt accommodates rails from 0.5" to 1.25" in diameter
- Fits cans, cups, mugs, etc. ranging from 2.5" to 3.5" diameter
- 1" rubber "B" ball size

PART #	0636-0129

RAM SELF-LEVELING CUP HOLDER AND COZY WITH 1" BALL



- The perfect accessory for any vehicle including motorcycles and ATVs
- Includes a 1" rubber ball for easy mounting to any arm
- Easy installation and positions to keep your favorite beverage within reach
- Comes with a RAM can insulator

PART #	0603-0476

RAM® MOUNTS


0603-0571


0603-0686

RAM X-GRIP® LARGE PHONE HOLDER WITH BALL

- High-strength composite and stainless steel construction
- Spring-loaded holder expands and contracts for perfect fit
- Features a clean and clever four-leg design that sports great holding power
- Rubber-coated tips will hold device firm and stable
- Compatible and interchangeable with a wide range of popular RAM Mounting products
- 1" rubber ball
- Cradle Dimensions: Minimum Width = 1.75" (Minimum Height = 5.5") Maximum Width = 4.5" (Minimum Height = 3.25") Depth = 0.875"
- Clamping Range: Rail/Tube Surfaces: 0.625" to 1.5" Flat Surfaces: 0" to 1.14"
- X-Grip® includes a device tether
- Made in the U.S.A.

DESCRIPTION	PART #
Ram X-Grip® Large	0603-0571
ACCESSORY	
4-pk. replacement post caps for all X-Grip® cradles	0603-0645
X-grip phablet replacement tether	0603-0686

RAM LEVEL CUP™ XL WITH SMALL TOUGH-CLAW™



- High-strength composite drink holder designed for bigger insulated cups, plastic water bottles or even a steel coffee cup
- Keeps your drink upright, regardless of conditions
- Oversized opening cradles tops of large drink holders and adjustable bottom piece moves up and down to accommodate taller drink holders; rubber feet flex to fit various sized drink holders
- Kit includes a Level Cup™ XL with integrated Tough-Claw™; Tough-Claw allows for tool less removal and adjustments on any rail/tube or flat surface
- Clamping range on rail/tube surfaces is 0.625" to 1.5"; clamping range on flat surface is 0" to 1.14"
- Fits cans, cups, water bottles, etc. with a width range of 2.6"-3.5" and a height range of 3.75"-11"
- Comes with RAM can koozie

PART #	0636-0127

RAM TOUGH-CLAW™ MOUNT WITH LEVEL CUP™ DRINK HOLDER



- High-strength composite and stainless steel mount with drink holder designed with two pivot points to keep your drink upright, regardless of conditions
- Kit includes small Tough-Claw™ base and RAM Level Cup™ Self-Leveling Drink Holder; Tough-Claw allows for toolless removal and adjustments on any rail/tube or flat surface
- Mount rotates 360°
- Integrated eyelet and hook provide an optional tethering function to help secure any small or open container
- Clamping range on rail/tube surfaces is 0.625" to 1.5"; clamping range on flat surface is 0" to 1.14"
- Fits cans, cups, mugs, etc., ranging from 2.5" to 3.5" diameter
- 1" rubber "B" ball size
- Comes with RAM can koozie

PART #	0636-0128

RAM® MOUNTS


RAM MOUNTING SYSTEMS

- Offer the most complete selection of mounting solutions designed specifically for motorcycles, ATV/UTVs, snowmobiles and personal watercraft
- RAM's patented rubber ball and socket design is ideally suited for these high-vibration applications
- In addition, the ball and socket design allows the user to adjust their mounted device to the perfect viewing angle quickly and easily
- RAM will give you the ability to help you mount your cell phone, GoPro® camera, GPS device and much more

THREE STEPS TO CONFIGURING YOUR MOUNT:


STEP 1: PICK A BASE


STEP 2: PICK AN ARM


STEP 3: PICK A CRADLE

RAM MOUNT MOTORCYCLE BRAKE/CLUTCH RESERVOIR COVER BASES WITH 1" BALL CENTERED

- Fits cleanly over your existing reservoir cover with the 1" ball centered
- Made of die-cast aluminum with an over-molded rubber ball
- Easy installation
- Each kit includes black oxide SM420 screws (M4 x 20mm hex drive stainless steel machine screw), black oxide SM430 screws (M4 x 30mm hex drive stainless steel machine screw) and black oxide SM435 screws (M4 x 35mm hex stainless steel machine screw)
- Powdercoated marine-grade aluminum


0603-0464


0603-0465

DESCRIPTION	PART #
Rectangle	0603-0464

DESCRIPTION	PART #
Diamond	0603-0465

RAM MOUNT UNIVERSAL BASES

- Marine-grade aluminum with a black powdercoat finish
- 1" rubber ball
- Mirror post base fits any open mirror mount hole on motorcycles with relocated mirrors
- Mounting hardware included


0603-0456


0603-0458


0603-0459


0603-0460


0603-0461


0603-0462


0603-0466

DESCRIPTION	PART #
Handlebar clamp M8	0603-0456
Handlebar U-bolt/brake/clutch perch mount (.5-1.25" diameter)	0603-0458[1]
U-bolt (.5-1.25" diameter)	0603-0459
9mm hole	0603-0460
11mm hole	0603-0461
Adhesive	0603-0462[2]

DESCRIPTION	PART #
Twist/Tilt with M8 and M10 bolts	0603-0466
3/8"-16 post	0603-0463
Tough-Ball™ mirror base for Harley Davidson	0603-0501
V-clamp 1"-2" diameter	4402-0294

[1] Includes two 1/4"-20 x 2" screws and two 6mm x 55mm screws for American and metric thread applications.

[2] High-strength composite.

RAM MOUNT BASE WITH U-BOLT AND UTV STRAP BASE



- Consists of a 1" diameter rubber ball connected at right angles to a base that contains a flexible metal strap
- Strap base tightening screw is encased in a compact housing for a clean, safe finish
- Strap is long enough to wrap around handlebar posts, measuring 1.57"-3.15"
- U-bolt dimensions accommodate rails from 0.5"-1" in diameter
- Powdercoated, marine-grade aluminum

PART #	4402-0295

1" BALL MOUNT SUCTION CUP BASE



- Made from high-strength composite and powdercoated marine-grade aluminum
- 3 1/4" twist-locking suction cup base for an extra-strong hold
- 1" rubber ball mount
- Connects to a large variety of RAM mounts and cradles

NOTE: For best results, use suction cup on glass or other non-porous plastic surfaces.

PART #	2350-0230

RAM TOUGH-MAG™ MAGNETIC BASES


0603-0932

- Industrial strength N35 grade magnets
- Rubber-coated to protect metal attachment surface
- Features 1/4"-20 threaded post
- 66mm base accommodates RAM B-size (1") balls
- 88mm base accommodates B- and C-size (1.5") balls

DESCRIPTION	PART #
66mm	0603-0932
88mm	0603-0933

BOLD MAGENTA part numbers are new for 2020

RAM MOUNTS

RAM MOUNT MOTORCYCLE FORK STEM BASE WITH 1" BALL



- Cleanest way to mount small electronics on your motorcycle
- Slide the assembly into the hole of the stem and tighten the machine screw to create a tight fit
- Designed to fit into the cylindrical bore wall of fork stems and will work with stems that measure from .5"-1.10"
- Powdercoated marine-grade aluminum

NOTE: Certain motorcycles require adding electrical tape to the area of the plug that has the largest diameter until it fits snugly in the stem.

PART #	
	0603-0457

RAM TOUGH-BALL® WITH 6MM THREADED STUD



- 1" diameter rubber ball connected to a M6-1 x 6mm male-threaded post
- High-strength composite and steel
- B-size 1" rubber ball

PART #	
	0636-0151

RAM MOUNT GAS TANK BASES WITH 1" BALL



0636-0056

- Low-profile way to attach your electronic device where it can be quickly accessible
- Powdercoated aluminum construction
- Mounts directly to stock gas tank or fill port
- Includes hardware

DESCRIPTION	PART #
For Honda, KTM, Suzuki, Victory and Yamaha models	0636-0056
For BMW and Kawasaki models	0636-0057

RAM MOUNT MALE-THREAD BASES WITH 1" BALL



0636-0063

- Powdercoated marine-grade aluminum and rubber construction
- Choice of M10 x 1.25 pitch or M10 x 1.50 pitch thread; both with 1" B-size rubber ball
- PART #0636-0063 features M10 1.25 pitch male thread connected to a 1" rubber ball; the diameter of the round flange is 14.5mm and the thread length is 10.15mm
- PART #0636-0064 features M10 x 1.5 pitch male thread connected to a 1" rubber ball; the diameter of the round flange is 14.3mm and the thread length is 10.5mm

DESCRIPTION	PART #
M10 x 1.25 base	0636-0063
M10 x 1.5 base	0636-0064

RAM MEDIUM TOUGH-CLAW™ WITH 1" DIAMETER RUBBER BALL



- High-strength glass-filled nylon construction with corrosion-resistant stainless steel hardware
- Rubber pads provide stable, even gripping and protection of mounting surface
- Clamp jaw is configured for round, flat and odd shapes
- Quick installation and removal of Tough-Claw™
- 1" rubber ball size
- Clamping range 1" to 1.875"

PART #	
	0636-0143

TOUGH-CLAW™ WITH 1" DIAMETER RUBBER BALL



0636-0011

0636-0012

- The perfect mounting base for quick and easy toolless installation and removal on round, square, odd-shaped rails and bars
- High-strength glass-filled nylon construction with corrosion-resistant stainless steel hardware
- Rubber pads provide stable, even gripping and protection of mounting surface
- PART #0636-0011 can be clamped on rails from 0.625" to 1.5" outer diameter
- PART #0636-0012 can be clamped on rails from 1" to 2.25" outer diameter
- Ideal for mounting tablets, action cameras, smartphones and much more in a wide variety of applications
- Perfectly suited for mounting on the handlebars, racks and roll cages
- Made in the U.S.A.

DESCRIPTION	PART #
4.25" H x 1.18" W	0636-0011

DESCRIPTION	PART #
6" H x 2.25" W	0636-0012

RAM MOUNT TORQUE™ HANDLEBAR/RAIL BASES WITH 1" BALL



0636-0059



0636-0061

- Low-profile mounts are the perfect way to secure your personal electronics and small accessories in any high-vibration environment
- Bases utilize nylon-insert locknuts to prevent loosening from vibration
- Includes sizing inserts to provide a snug fit and rail protection

DESCRIPTION	PART #
Mini rail base for $^{3}/_{8}$" - $^{5}/_{8}$" dia. rails	0636-0059
Handlebar/rail base for $^{3}/_{4}$" - 1" dia. rails	0636-0060

DESCRIPTION	PART #
Handlebar/rail base for $1^{1}/_{8}$" - $1^{1}/_{2}$" dia. rails	0636-0061

RAM® MOUNTS



RAM MOUNT MOTORCYCLE BRAKE/CLUTCH RESERVOIR BASE WITH 1" BALLS

- Mounts electronic devices to your handlebar clutch/brake clamp
- Holds two 1" diameter mounting balls
- Ball that is connected between hole centers is removable
- Includes 40mm x 6mm stainless steel hardware

NOTE: To see if this base will mount to your motorcycle, check hole spacing of base against your clutch/brake reservoir. The holes centers have a minimum width of 0.94" and a maximum of 1.58".

PART # 0636-0058



RAM MOTORCYCLE BRAKE/CLUTCH RESERVOIR BASE WITH 1" BALL

- Powdercoated marine-grade aluminum
- 1" rubber ball B-size
- Connects to handlebar clutch/brake on left or right side
- Base fits control clamps on motorcycle with 40mm x 6mm stainless steel hardware, provided in kit
- Hole centers on base have a minimum width of 0.94" and a maximum of 1.58"

PART # 0636-0142





RAM TRACK BALL™ WITH T-BOLT ATTACHMENT

- B-size, 1" rubber ball molded to a high-strength composite base
- Rubber friction washer and a stainless steel T-bolt for sliding into virtually any track system
- Insert or slide the Track Ball™ into your track and twist the ball clockwise to tighten in place; twist counterclockwise to loosen

PART # 0603-0828

RAM TOUGH-TRACK™ TOP-LOADING COMPOSITE 3" TRACK

- High-strength composite
- Can be drilled to any flat surface
- Designed to use with #10 screws for easy installation, hardware not included
- Works with a wide variety of RAM track bases to attach cameras, fishing rods, phones, etc.
- Track thickness .35", inside track length 3"
- 4.75" L x 1.75" W

PART # 0603-0827



RAM ROD® FISHING ROD DOUBLE BALL MOUNT

- Unique design offers quick removal of the rod when a fish is caught
- Features a securing flip-over bail for rod security
- High-strength composite, powdercoated marine-grade aluminum
- Two RAM-patented, C-size 1.5" rubber balls
- Ideally suited for kayaks or traditional fishing vessels
- Kit includes 1.5" ball with a 2.5" diamater mounting base
- Made in the U.S.A.

PART # 0603-0820



RAM TOUGH-TUBE™ ROD HOLDER WITH BULKHEAD/ FLAT SURFACE BASE

- High-strength composite
- Ratchet system allows for multiple articulation points
- Lanyard tie points for extra security
- Custom designed for heavy chop environments
- Mounts virtually anywhere on heavy rigged kayaks without hinderance
- Inner diameter 1.9"
- Inner tube length 10" (from bottom to top of lip)
- Post spline length 3"
- Compatible with all RAM and third-party post spline bases
- Compatible with spinning reels and level wind reels
- Made in the U.S.A.

PART # 0603-0819



RAM DOUBLE-SOCKET ARM FOR B SIZE 1" BALLS

- Powdercoated marine-grade aluminum
- 1" rubber ball B-size
- Socket at both ends
- Overall length 3.69"
- Socket-to-socket length 3"

PART #	0636-0140

RAM MOUNTS



DOUBLE-SOCKET ARM WITH SWIVEL

- High-strength composite
- Consists of double 1" diameter open-ball sockets with a 360° rotation point at the center and a connecting swivel joint that rotates forward and back 180°
- The rubber ball and socket at either end and a central pivot point provides unsurpassed adjustability
- The RAM ball sockets maximize ball coverage for optimal fit
- 5" overall length

PART #	0603-0470



0603-0468

RAM DOUBLE-SOCKET ARMS

- Marine-grade aluminum with a black powdercoated finish
- Fit 1" rubber ball, bases and adapters

DESCRIPTION	PART #
Short 2"	0603-0467
Medium 3"	0603-0468
Long 5.2"	0603-0469

BALL ACCESSORY BASE ADAPTER FOR B-SIZE SOCKET ARM

- The ideal accessory if you are looking to mount more than one device, but cannot locate multiple mounting points on your motorcycle or vehicle
- Connects another device to existing RAM Mount
- Includes 1" ball connecting to a 1/4"-20 threaded stud with a length of 1.6"
- Threads on this ball replace the bolt in any B-size socket arm, and the ball connects to middle of socket arm on the opposite side of the tightening knob

NOTE: Socket arm assembly not included.

PART #	0636-0062



RAM SPINE CLIP HOLDER WITH 1" BALL FOR GARMIN® HANDHELD DEVICES

- Easily clips into the integrated spine connection on a wide variety of Garmin® devices
- 1" rubber ball
- B-size diamond base adapter and hardware allow connection to any RAM B-size mounting base

PART #	0603-0821





RAM LOCKING KNOB

- Replaces the existing knob on the socket arm
- Locks the arm firmly in place and gives added security

PART #	0603-0495



RAM PIN-LOCK™ SECURITY KNOB FOR B-SIZE SOCKET ARMS

- High-strength composite
- Consists of a 1/4"-20 female-threaded security knob and key knob
- Replaces all knobs on 1" diameter B-size arms and mounts

PART #	0603-0825



RAM DOUBLE 1" BALL ADAPTER

- Marine-grade aluminum with a 1" rubber ball on each end
- Allows the connection of two 1" socket arms
- When measured from ball center to ball center, the arm length is 1.75"
- Ideal if your mount arm is too short

PART #	0603-0496



GOPRO® CAMERA ADAPTER

- High-strength composite construction
- Consists of a 1" diameter rubber ball, connected to a custom GoPro® adapter
- Patented rubber ball design dampens shock and vibration, helping to extend the life of your camera
- Multiple articulation and adjustment points for perfect viewing angles
- Attaches directly to the under-side of the camera, replacing the factory mounting bracket
- Compatible with GoPro cameras including HD HERO, HD HERO2, HD HERO3 and HD HERO 960
- Mounts to many RAM double-socket arms and mounts (sold separately)

NOTE: Camera not included.

PART #	0603-0475



0603-0473



0603-0474

RAM UNIVERSAL CAMERA AND CAMCORDER ADAPTERS

- PART #0603-0473 consists of a 1" diameter rubber ball, connected to a round base with 1/4"-20 camera thread
- PART #0603-0474 consists of a 1" diameter rubber ball, connected to a 2.5" diameter round base with 1/4"-20 thread
- The round base provides extra support and stability for cameras that rest on top of it
- The male 1/4"-20 threaded steel stud will connect to any standard female thread found on camcorders and digital cameras
- Compatible cameras include Contour GPS, Contour HD, Gobandit GPS-HD, GoPro® HD Helmet HERO, GoPro HD Motorsports HERO, GoPro HD Surf HERO, GoPro Helmet HERO Wide, GoPro Motorsports HERO, GoPro Motorsports HERO Wide, GoPro RC HERO, GoPro Surf Hero and GoPro Wide HERO

DESCRIPTION	PART #
High-strength composite	0603-0473
Marine-grade aluminum	0603-0474

RAM® MOUNTS



RAM 2.5" ROUND BASE WITH 1" BALL AND 1/4-20 THREADED MALE POST FOR CAMERAS

- Powdercoated marine-grade aluminum
- 1" rubber ball B-size connected to 2.5" diameter round plate with 1/4"-20 camera thread
- Male 1/4"-20 threaded steel stud will connect to any standard female thread on camcorders and digital cameras

PART #	0636-0141

0603-0471



0603-0472



RAM MOUNT ADAPTERS

- Marine-grade aluminum with a black powdercoat finish
- 1" rubber ball
- Predrilled holes in bases allow mounting to a variety of arms and cradles

DESCRIPTION	PART #
Ball w/ adapter AMPS hole	0603-0471
Ball w/ adapter diamond-shaped	0603-0472



RAM MOUNT TOUGH-BALL™ BASE

- Features 1" diameter rubber ball connected to a 1/4"-20 x .25" male threaded post
- Male thread matches most standard camera and camcorder female threads found on the bottom of the camera

PART #	0636-0065

RAM MOUNT PISTOL HOLDER AND CRADLE

- Marine-grade aluminum with a black powdercoat finish
- Includes hardware to connect the holder and cradle to any RAM-compatible mount
- Contents not included

NOTE: Does not come with ball mount adapter; use PART #0603-0471 to mount to RAM double socket arm.



PART #	0603-0487

RAM UNIVERSAL X-GRIP® CELL PHONE CRADLE WITH 1" BALL

- High-strength composite and rustproof marine-grade stainless steel construction
- Spring-loaded holder expands and contracts for perfect fit on your device
- Rubber-coated tips will hold device firm and stable
- Includes 1" ball; mount adapter is not required
- Versatility of holder allows for attachment to many RAM arms
- Cradle Dimensions: Minimum Width = 1.875" (Minimum Height = 4.25") Maximum Width = 3.25" (Minimum Height = 2.25") Depth = 0.875"
- It is important to verify the dimensions of your handheld device with a case/sleeve/skin when determining the overall size
- X-Grip® includes a device tether
- Made in the U.S.A.



0603-0478

0603-0645





0603-0685

DESCRIPTION	PART #
X-grip® cradle	0603-0478
4-pk. post caps; black	0603-0645

DESCRIPTION	PART #
4-pk. post caps; blue	0603-0930
4-pk. post caps; red	0603-0931

DESCRIPTION	PART #
X-grip replacement tether	0603-0685

RAM UNIVERSAL FINGER-GRIP™ CRADLE

- This mount is designed to hold cell phones (check measurements below for dimensions) and electronic devices
- High-strength composite
- Comes with three sets of four flexible rubber-coated fingers placed along the sides to grip your device
- The fingers open by squeezing the ends of the holder
- The bottom of the holder includes a back plate that adds support to the device being held by the mount
- Can also be used with several other phone accessories
- The spine plate contains the universal AMPS and 1.5" x 2" hole patterns
- Height dimensions: minimum with top and bottom plates is 5.25" and maximum with top and bottom plates is 6.0"
- The top and bottom plates can be removed for larger devices
- Spine plate dimensions: 3" W x 3" H
- Using short-arm side clamps: maximum depth is 0.75", minimum width is 1.25" and maximum width is 3.0"
- Using medium-arm side clamps: maximum depth is 1.25", minimum width is 1.5" and maximum width is 3.5"
- Using long-arm side clamps: maximum depth is 1.6", minimum width is 2.25" and maximum width is 3.5"
- Made in the U.S.A.

NOTE: Does not come with ball mount adapter; use PART #0603-0472 to mount to RAM double-socket arm.



PART #	0603-0477

BOLD MAGENTA part numbers are new for 2020


0603-0493


0603-0480


0603-0481


0603-0482


0603-0483


0603-0488


0603-0490


0603-0491


0603-0494


0603-0565


0603-0566


0603-0567


0603-0568

RAM CRADLES FOR PHONES AND GPS

- High-strength composite construction
- Includes a set of two nuts and bolts to connect to any of the RAM-compatible mounts
- Contents not included
- Made in the U.S.A.

NOTE: Does not come with ball mount adapter; use PART #0603-0472 to mount to RAM double socket arm.


0603-0569


0603-0570


0603-0479


0603-0492

DESCRIPTION	PART #
APPLE	
iPhone® 5 w/o case, skin or sleeve	0603-0493
iPhone 6/6S/7 w/o case, skin or sleeve	0603-0643
iPhone 6/6 plus/6S plus/7 plus w/o case, skin or sleeve	0603-0644
GARMIN	
nüvi® 1440/1450/1490T	0603-0480
nüvi 500/510/550/zumo® 220	0603-0481
nüvi 200W/205W/220/250W/255W/260W/265W/265WT/285WT/2455LMT/2475LT/2495LMT/465T	0603-0482
eTrex Legend® C/Cx/HCx/Venture Cx/Hc/Vista C/Cx/HCx	0603-0483
Astro 220/GPS 60/GPSMAP 60/60C/60CSx/60Cx	0603-0488
nüvi 1300/1310T/1350/1350T/1370T/1390/1390T/2455LT/2455LMT/2475LT/2495LMT	0603-0490
Astro 320/GPSMAP 62/62s/62sc/62st/62stc	0603-0491
nüvi 50/50LM	0603-0494

DESCRIPTION	PART #
GARMIN (CONT)	
Oregon™ 200/300/400c/400i/400t/550/550t	0603-0565
nüvi 2300 series	0603-0566
Montana® 600/650/650t	0603-0567
eTrex Legend® 10/20/30	0603-0568
nüvi 2595LMT	0603-0569
zumo® 400/450/500/550/660	0603-0570[1]
SPOT	
SPOT IS™ satellite GPS messenger/ SPOT satellite GPS messenger	0603-0479
TOM TOM	
ONE XL/XLS	0603-0492
Rider 2/Urban Rider	0603-0570[1]

[1] Includes 1" diameter rubber ball.


0603-0485


0603-0484

RAM SEALED-ENCLOSURE AQUA BOX®

- High-strength composite construction
- Small and large sizes include AQUA Box® case, safety lanyard, belt clip button, belt clip and cradle (attaches to RAM ball-and-socket mounts)
- Medium size includes AQUA Box case and cradle only
- Float to prevent accidental loss if dropped in water
- Features a storage area that provides buoyancy and is perfectly sized for a driver's license or credit card
- Weather-resistant/splashproof
- Unique patented design allows access to all side buttons on the phone while it is in the case
- Replaceable PVC vinyl screen offers a clear view of the screen, allowing easy operation of the touchscreen while in the case
- Easy to pocket or carry
- Text, take photos/video and make/take calls, all while protecting your phone
- Contents not included
- Made in the U.S.A.

NOTE: Does not come with ball mount adapter; use PART #0603-0471 to mount to RAM double-socket arm.

DESCRIPTION	PART #
Small AQUA Box®; 4.58" H x 2.46" W x 0.47" D	0603-0485
Medium AQUA Box; 5.38" H x 2.8" W x 0.55" D	0603-0563
Large AQUA Box; 5.38" H x 2.8" W x 0.55" D	0603-0484



AIRHEAD® MACH 2®

- Budget-minded two-rider cockpit towable
- Cockpit tubes are recommended for timid and young riders
- Inflated floors provide a comfortable seat
- Four deluxe handles with neoprene knuckle guards provide a secure and comfortable grip
- The heavy gauge PVC bladder and durable double-stitched nylon cover ensure years of service
- Equipped with a patented Speed Safety Valve for easy inflating and deflating
- Measures 69" x 69"

PART # 4808-0032



AIRHEAD® TURBO BLAST®

- Two-rider tube that rips across the wake
- 90" x 56" (deflated) double-open top with four deluxe handles and neoprene knuckle guards
- 30-gauge virgin PVC bladder
- Airhead Multi-Valve for quick inflation/deflation
- 840-denier nylon cover with two self-draining floor vents and heavy-duty Kwik-Connect tow hook-up

PART # 4808-0028



AIRHEAD® G-FORCE®

- A wild ride for up to three thrill-seekers
- Defy centrifugal force with G-Force's topside stabilizer fins
- Six deluxe nylon-wrapped handles with neoprene knuckle guards provide a sure and comfortable grip
- Has a tough 30-gauge virgin PVC bladder, fully covered with a 840-denier double-stitched nylon cover
- Measures 78" x 75" (deflated) and is equipped with a heavy-duty Kwik-Connect for easy and secure hook-ups
- A Speed Safety Valve provides the ultimate in inflation and deflation convenience

PART # 4808-0030



AIRHEAD® RIP II TOWABLE

- Fully covered tube is torsionally rigid so it responds to rider's input quickly and easily
- Carve slalom turns and jump wakes
- Lean in the direction you want to turn, pull on the opposite handle, and let the plastic sponsons sewn onto the side of the cover do the work
- Equipped with a Kwik-Connect, Airhead Multi-Valve, four nylon-covered handles with molded EVA foam knuckle guards, and tubular webbing-covered handles
- 30-gauge vinyl inner tube with a rugged 840-denier nylon cover
- Measures 48" x 50" (deflated)

PART # AHRI-2



AIRHEAD® SLICE®

- 58" diameter (deflated) low-profile towable tube
- Features topside neoprene panel, nylon-wrapped handles and neoprene knuckle guards
- The 30-gauge virgin PVC bladder is fully encased in a double-stitched nylon cover with reinforced tow harness
- Includes a Kwik-Connect for easy hook-ups and a Boston valve for easy inflating and deflating
- Tapered design is only 6" high at the back; designed for one or two riders

PART # 4808-0033



AIRHEAD® SLIDE®

- Single-rider tube that's perfect for tricks
- 56" (deflated) triangular tube constructed of heavy-duty virgin vinyl
- Four deluxe nylon-wrapped handles and neoprene knuckle guards
- Boston Valve for quick inflation/deflation
- Double-stitched nylon cover with heavy-duty internal tow harness and self-draining vent

PART # 4808-0018



JET LOGIC

AIRHEAD® BLAST®

- Four neoprene knuckle guards and deluxe nylon covered handles provide a sure and comfortable grip
- The heavy-duty virgin PVC bladder has electronically welded seams and a Boston valve for quick inflating and deflating
- Has a double stitched nylon cover, reinforced internal tow harness and a self-draining floor vent
- Eye-catching graphics on this one rider 54" (deflated) round towable

PART #	4808-0031



JET LOGIC

AIRHEAD® HAND AIR PUMP

- This double-action pump inflates and deflates towables, kayaks, boats, airbeds and other inflatables
- Delivers a continuous stream of air on both the up and the down strokes
- Simply turn the release valve counter-clockwise and you're pumping air only on the down-stroke; a great option when inflatable is almost full and there is back pressure
- Four universal valves are included to fit Boston valves and stem valves
- Accordion-style hose stretches to five ft. long and interlocks to the pump so it doesn't fall off while you're pumping
- Volume is two liters/stroke
- Very effective for "topping off" large towables in the boat, since peak pressure is an impressive 14 psi

PART #	4808-0023

JET LOGIC

AIRHEAD® 12V AIR PUMP

- High-volume 12-volt portable air pump inflates and deflates towables, boats, pools, mattresses and beach toys quickly, out-performing most pumps on the market
- Universal valve fittings fit many popular valves including Boston valves and stem valves
- For added convenience, the accessory power plug is equipped with a 10 ft. long power cord
- Volume is 380 liters/minute; maximum pressure is .71 psi; draws 11.8 amps/145 watts
- We recommend "topping off" large towables inflated with this pump with a few strokes of Airhead's Double Action Hand Pump, PART #4808-0023

PART #	4808-0022





Slippery WETSUITS

INFLATABLE ROPE

- High strength 3/8" rope; 60' long
- For one- and two-rider tubes
- Maximum rider weight 345 lb.

PART #	4808-0003



Slippery WETSUITS

STANDARD ROPE

- Floating aluminum handle
- 75' long
- One section, 16 strand

PART #	4808-0002

AIRHEAD® BLING TUBE ROPES

- Bling ropes sparkle in the sun and glow in the twilight
- Shiny and reflective material braided with polypropylene
- 60' length
- PART #4808-0025 has 2,375-lb. tensile strength
- PART #4808-0026 has 4,100-lb. tensile strength



4808-0025



4808-0026

DESCRIPTION	PART #
2-rider tube rope	4808-0025

DESCRIPTION	PART #
4-rider tube rope	4808-0026

AIRHEAD® FOUR-RIDER TUBE TOW ROPE



- Heavy-duty 16-strand tow rope measures $^{9}/_{16}$"x 60' and is rated at 4,150 lb. tensile strength
- Engineered to pull big three- and four-rider tubes
- Features a Rasta color scheme with a 6" loop at each end
- Includes a rope keeper for tangle-free storage

PART #	4808-0017

AIRHEAD® TWO-RIDER TUBE TOW ROPE



- This $^{3}/_{8}$" 16-strand braided tow is rated at 2,375 lb. tensile strength
- 6" loop spliced at each end
- Rope Keeper is included for tangle-free storage
- Designed for one- and two-rider tubes

PART #	4808-0021

TUBE ROPE



- Designed for use with recreational inner tubes
- Includes buoy to prevent rope from entangling prop
- 60' of rope means plenty of clearance away from watercraft

PART #	A-1920

DELUXE 15' TOWROPE



- Useful in any towing situation
- Long enough to keep towee safely behind tower
- Rated for loads up to 1,350 lb.
- Comes with two snap hooks and a buoy

PART #	A-2383

BOLD MAGENTA part numbers are new for 2020

JET LOGIC

PWC TOW STRAP WITH MESH BAG



- Stows handily; perfect to have around in emergencies
- Yellow floating strap measures 15' with a 10" loop at each end, and includes a detachable heavy-duty carabiner
- Comes with a mesh bag with drawstring and cord lock
- 1,500 lb. tensile strength

PART #	TS-15

POWERTYE "American Tie-Downs"

TOW STRAP WITH POUCH



- 1" x 15' webbing with loops at each end to secure bike when towing
- Comes in zippered pouch with hook-and-loop on backside to secure pouch to bike or other areas

PART #	3920-0368

Slippery WETSUITS

BUMPER



- Keeps your PWC from getting scratched and gouged by docks, rafts, lifts, etc.

PART #	4850-0081

JET LOGIC

PWC BUMPERS



- Keep your PWC from getting scratched and gouged by docks, rafts, lifts, etc.
- 3" x 18" bumpers have nylon covers and attach to PWCs with two large suction cups
- Two bumpers per package

PART #	SB-4

JET LOGIC

HULL HUGR™ PWC FENDER



- Docking your PWC has never been easier or safer with the introduction of the Hull Hugr™ PWC Fender
- Engineered specifically for PWCs
- Hinges in the center of your PWC to better protect the body from docks designed for bigger boats
- Easily hooks under the rub rail with a molded acetyl hook integrated into the back of the fender
- Two fenders per PWC are recommended

PART #	4850-0014

JET LOGIC

4' BUNGEE DOCK LINE



- Far more sensible than regular rope
- Stretches and re-tightens to keep craft tight against the dock bumper even when the water's wavy
- Two foam floats keep line from sinking and protect boat's finish
- Ends have loops with slides for quick, easy docking
- Works on craft weighing up to 4,000 lb.; 2,150-lb. tensile strength
- Available in black/blue/red color combination

PART #	AHDL-4





JET LOGIC

PWC DOCK LINES

- These hot purple/yellow/red dock lines are incredibly versatile and functional
- A giant snap hook is spliced to one end with a 10" loop on the other end
- Full length is 7 ft.
- Sold in clamshell packs of two

PART #	PWCD-2


A-1941


A-1944


A-1938

Allanis

DOCKING LINE


A-1936

- Solid-braid, multi-filament polypropylene rope looks great and has many uses: towing, docking, launching, beaching, anchoring and more
- Floats; stays pliable when wet
- Loop sewn into one end; 12' in length
- Resists oil, gas, chemicals, bleaching and dry rot

COLOR	PART #
Black	A-1941
Blue	A-1944

COLOR	PART #
Red	A-1938
Yellow	A-1936

BOLD MAGENTA part numbers are new for 2020



B-20R B-20Y

20" DIAMETER BUOYS

- Durable inflatable buoys are perfect for marking anchors, moorings, hazards and swimming areas or for setting up a PWC or sailboat race course
- Deflate quickly and easily for space-efficient storage

COLOR	PART #
Red	B-20R

COLOR	PART #
Yellow	B-20Y



TELESCOPING PADDLE

- This rugged telescopic aluminum paddle extends to 45", yet stows at only 20"
- The high-impact, floating plastic paddle is curved for efficient paddling and bright orange for signaling
- Unscrews for stowing
- Durable nylon storage case included

PART # P-2



TUBE KEEPER TIE-DOWNS

- Save passenger space by securing towables to the boat stern
- Attach tie-down straps to the towable and secure the giant 3 1/4" suction cups to the boat or loop the stretch cords around a cleat or rail
- Straps are adjustable and easily tighten for a secure hold

PART # 4850-0018



STIK-A-FLAG™ SKIER DOWN FLAG

- Be seen with this brightly colored nylon warning flag
- 3 1/4" suction cups mounts flag on windshields or bodies
- Square flag mounted on 2-ft. pole; required in AZ, CA, CO, ID, MO, NE, NM, OR, TX and UT

PART # SAF-1



GIANT SNAP HOOK

- Acetyl snap hook that won't scratch surfaces like other metal hooks
- Accepts ropes up to 1/2" diameter and opens extra wide to 3/8"

PART # 4850-0017



PWC ANCHOR BAGS

- 10' of 3/8" polypropylene rope
- Heavy-duty galvanized snap hook
- Constructed of heavy-duty waterproof nylon material
- Brass grommet drain hole on bottom for easy drainage
- 3" x 5" color-matched rope float
- Fill with sand, rocks or any other weighty substance (up to 55 lb.), and you're ready to anchor your craft
- Great for jet skis, inflatable boats, canoes and other small watercraft
- Available in blue, red or yellow

COLOR	PART #
Blue	4850-0001

COLOR	PART #
Red	4850-0002

COLOR	PART #
Yellow	4850-0003



LARGE ANCHOR BAG

- 15' of 3/8" polypropylene rope
- Heavy-duty galvanized snap hook
- Constructed of heavy-duty waterproof nylon material
- Bottom handle straps for ease of dumping
- 3" x 5" color-matched rope float
- Designed for three- and four-passenger PWCs and mini jet boats
- Just fill with sand, rocks or any other weighty substance (up to 75 lb.), and you're ready to anchor your boat
- Available in blue only

PART # 4850-0004

BOLD MAGENTA part numbers are new for 2020



Slippery

ANCHOR BAG

- Just fill with rocks and sand for all anchoring needs
- Fits easily into any storage compartment

PART #	4850-0077



JET LOGIC

GRAPNEL PWC ANCHOR SYSTEM

- A 3.5-lb. anchor that's in a class by itself
- Holds in virtually all bottom conditions including mud, sand, gravel and rock
- Designed for PWCs, inflatable rafts, canoes, float tubes and small boats
- Features a thick vinyl coating to protect finishes and a durable padded nylon storage case to dampen noise while stowed
- Folding anchor stows in most PWC storage compartments or almost any storage canister
- Includes 25 feet of rope, a buoy and a giant snap hook

PART #	A-2



JET LOGIC

SAND ANCHOR BAG WITH BUOY

- Perfect for calm, shallow water
- Fill the durable, vinyl/polyester tri-laminate bag with up to 35 lb. of rocks, sand or gravel
- 6' rope attaches to bag at one end and clips to PWC on the other with finish-friendly nylon snap hook
- Buoy on rope marks anchor location and floats rope while PWC is being used

PART #	A-1

A-2382



Atlantis

ANCHORS WITH BAGS

A2388

- Two sizes to choose from
- Both anchors have flukes that dig in to keep watercraft in place
- 2½-lb. anchor for PWCs includes 15' polypropylene rope, float, snap hook and storage bag
- 6½-lb. anchor for jet boats includes 4' of vinyl-coated chain, 75' of polypropylene rope and storage bag

DESCRIPTION	PART #
2½-lb. PWC anchor	A-2382

DESCRIPTION	PART #
6½-lb. jet boat anchor	A2388



Atlantis

ANCHOR STAKE

- Galvanized steel anchor stake spirals into ground
- Includes 15' polypropylene rope, float and two plastic snap hooks
- Not for use in sandy soils

PART #	A2384





Atlantis

DELUXE PWC SAND STAKE KIT

- The perfect anchor for the beach – just screw it into the sand and it will not pull out
- Includes cushioned nylon travel bag

PART #	3920-0019



Atlantis

MUSHROOM ANCHOR SYSTEM

- Anchoring up has never been easier
- 8-lb. mushroom-shaped anchor works well on river and sandy bottoms
- No jagged edges to cut feet
- Includes buoy, snap hook and 15' of rope

PART #	A-2380



Atlantis

ANCHOR BAG

- Just fill with rocks and sand for all anchoring needs
- Fits easily into any storage compartment
- Rope, float and hook included

PART #	A-2381

0640-1002



0640-1003



SPORT UNIVERSAL WING MIRRORS

- Designed to bring durability and style to your watercraft
- The most durable mirrors in their class
- Sized at 3.5" x 5.375" and 8" total in length
- Offers a dramatically wide rear view through sturdy convex safety glass
- Constructed from non-corrosive materials and undergo salt-spray testing
- Quickly mount to the right or left side of your watercraft and also tuck neatly beneath canvas covers
- Hold adjustment even in the biggest waves
- Available with black or white paintable housing

COLOR	PART #	COLOR	PART #
Black	0640-1002	White	0640-1003

M16RB





M16WRB



PWC SPORT II MIRRORS

- The most rugged, durable and dependable mirror available
- Sporty styling is a complement to any PWC
- Universal 3.5" x 6.25" convex safety glass sidemount fits right and left sides
- Holds adjustment even in the toughest waves, wake and roost
- Noncorrosive materials have been rigorously salt-spray tested
- Mounting system included
- Sold each

COLOR	PART #	COLOR	PART #
Black	M16RB	White	M16WRB



DELUXE HANDLEBAR MIRROR

- Universal design will fit left or right side
- Fits into end of most hollow 7/8" handlebars
- Sold each

PART #	M32



HANDLEBAR-MOUNT MIRROR

- Adjustable hook-and-loop strap for quick, easy mounting and removal
- Can be used on either side of handlebars; will not interfere with hand movement
- Vibration-free convex safety lens for big, clear rear view
- Made of noncorrosive materials; salt-spray tested


PART #	M26



HANDLEBAR-MOUNT MIRROR

- Quick-and-easy installation on most handlebars with an adjustable hook-and-loop closure strap
- Fully adjustable
- Black anodized construction
- Sold each

PART #	AM1000



ADJUSTABLE CARGO NET

- Premium net is constructed with smaller 2" x 2" mesh (compared to 3" x 3" standard mesh) to secure cargo and help eliminate fall-through
- Six ABS plastic hooks are adjustable, durable and designed to reduce scratching
- Sub-hooks for quick tightening adjustments
- 4.4mm bungee thickness
- Available in black
- Made in the U.S.A.

PART #	3920-0369

BOLD MAGENTA part numbers are new for 2020



3512-0095



3512-0094

DRY PAK

DRY PAK STORAGE BAGS

- Easy way to keep your gear clean and dry
- Simply roll the top down three to five folds and snap the buckle
- Buckle can also be used as a handle
- Scent lock makes this perfect for hunting
- Available in three sizes in either blue tri-laminate material or clear, nylon-reinforced vinyl

SIZE	COLOR	PART #
9.5" x 16"	Clear	3512-0095
11.5" x 19"	Clear	3512-0096
12.5" x 28"	Blue	3512-0094
12.5" x 28"	Clear	3512-0097



DRY PAK

DRY PAK CASE FOR GPS/PDA/SMARTPHONE

- Protect your GPS, PDA and smartphone from water and dirt while still being able to use all your touchscreen functions
- Talk while your device is protected with only a 3% volume loss
- Clear TPU front, blue TPU back, padded and lined to keep your PDS/GPS dry
- Features an adjustable neck lanyard and anodized aluminum spring hook and includes a white sealing clip for high visibility
- 6" L x 5" W
- Maximum circumference: 9"

NOTE: Contents not included.

PART #	3550-0182



3530-0010



3530-0009

MOOSE RACING

ADV1 ULTRA LIGHT BAGS

- Waterproof bags
- Polyester with PU coating
- Seals are sealed with seam tape
- Heavy-duty ITW quick-release buckles
- Roll-down top design creates waterproof seal
- Includes drawstring carrying/storage bag
- Available in a 25 L size and a three-pack that includes a 2 L, 5 L and 10 L bag

DESCRIPTION	PART #
25 liter	3530-0010

DESCRIPTION	PART #
Three-pack (2 L, 5 L, 10 L)	3530-0009



A-4120

Atlantis

WATERPROOF UTILITY POUCHES

- Handy pouches safely hold and protect your essentials – wallet, licenses, registration, maps, money and more
- Made from clear, heavyweight vinyl with self-sealing hook-and-loop flap closure
- Security cord makes for easy carrying

SIZE	PART #
5" W x 7" H	A-4120
7" W x 10" H	A-4121
10½" W x 14" H	A-4122

JET LOGIC



WATERPROOF FIRST AID KIT

- Bright red kit comes with hook-and-loop mount that easily attaches to your PWC
- Contents stay clean and dry
- Heavy-duty nylon bag is specially coated and comes with a waterproof zipper
- Includes a variety of bandages and gauze pads, antiseptic towelettes, adhesive tape, Povidone-Iodine Betadine, triple antibiotic, sunscreen, tweezers, acetaminophen, latex gloves, sting relief pad, single-edge razor blade and first aid instructions

PART #	FAK-2



LANYARD

- Comfortable floating lanyard attaches to wrist

PART #	4850-0078



KILL SWITCH LANYARD FOR SEA-DOO SPARK 14-17, SPARK HO 15-17

- Replaces OEM# 278002843

NOTE: Must be programmed to your jet ski before use.


PART #	4850-0062



FLOATING WRIST LANYARDS

- Clip apart so they can be used as wrist or vest lanyard
- Made of polyurethane cord that floats
- Come with one-hand easy-glide slider
- Available in a variety of colors


FITS MODEL	(A) BLACK/BLACK	(B) BLUE/BLACK	(C) RED/BLACK	(D) YELLOW/BLACK
Kawasaki	A-2137	A-2127	A-2148	A-2128
Polaris	A-2137	A-2127	A-2148	A-2128
Sea-Doo (non-DESS)	A-7467	A-7481	-	A-7473
Tigershark	A-2137	A-2127	A-2148	A-2128
Wet Jet	A-2137	A-2127	A-2148	A-2128
Yamaha	A-8147	A-8139	A-8158	-



LANYARDS

- Atlantis easy-glide slider can be attached to jacket or wrist
- Top-quality replacement lanyards for most models without DESS
- Very affordable alternative to OEM lanyards

FITS MODEL	(E) BLACK	(F) BLUE	(G) GREEN	(H) PURPLE	(I) RED	(J) SILVER	(K) YELLOW
Kawasaki	A-2109	A-2107	A2101	A2106	A2103	A2096	A2104
Polaris	A-2109	A-2107	A2101	A2106	A2103	A2096	A2104
Tigershark	A-2109	A-2107	A2101	A2106	A2103	A2096	A2104
Wet Jet	A-2109	A-2107	A2101	A2106	A2103	A2096	A2104
Sea-Doo	A-7459	A-7457	A7451	A7456	-	-	A7454
Yamaha	A-8130	A-8129	-	-	-	A-8134	A8126



MULTI-END FLOATING LANYARDS

- Now there is a way to ride all non-DESS watercraft without changing lanyards

COLOR	PART #	COLOR	PART #	COLOR	PART #	COLOR	PART #
(L) Black	A-3200X	(M) Red	A-3201X	(N) Silver	A3205	(O) Yellow	A-3202X

BOLD MAGENTA part numbers are new for 2020

PRO FLOATING LANYARDS WITH WHISTLE





- Pro Floating Lanyards are designed for safety, security and durability
- Marine whistle clips on or off
- Won't come off wrist – even when racing
- Wrist strap is made from marine-grade webbing with quick hook-and-loop fastener
- Lanyard is polyurethane reinforced with nylon cord
- High-quality key ends work with designated brands of watercraft

FITS MODEL	COLOR	PART #
KAWASAKI/WET JET/POLARIS/TIGERSHARK		
All	Black	**A2109-PFW**
	(A) Neon red	**A2099-PFW**

FITS MODEL	COLOR	PART #
SEA-DOO		
All non-DESS models	(B) Black	**A7459-PFW**
YAMAHA		
All	Black	**A8130-PFW**









LANYARDS

FOR SEA-DOO DESS SECURITY SYSTEM

- Designed with security and durability in mind
- For use with Sea-Doo DESS security system and can only be programmed by Sea-Doo dealers
- Lanyard is polyurethane reinforced with nylon cord
- Very affordable alternative to OEM lanyards (not for GTI or XP 96)

COLOR	PART #
(C) Silver	**A7445-DES**
(D) Black	**A7459-DES**

COLOR	PART #
(E) Red	**A7453-DES**
(F) Yellow	**A7447-DES**



PRO FLOATING WRIST STRAP

- Lets you attach any clip lanyard to an Atlantis Pro Floating Wrist Strap
- Added security and convenience that most riders look for
- Available in black

PART #	A2070





ULTIMATE PWC LANYARD

- This lanyard has it all
- Contains three different keys to fit all PWC brands: Sea-Doo (non-DESS), Yamaha, Kawasaki, Polaris, Tigershark and Wet Jet
- Super-comfortable floating wristband, floating vest lanyard and high-pitch pea-less whistle
- A swivel snap hook keeps the cord from tangling
- Available in purple/yellow, red/black or blue/silver

COLOR	PART #
(G) Purple/yellow	**UL-1**

COLOR	PART #
(H) Red/black	**UL-2**


COLOR	PART #
(I) Blue/silver	**4850-0015**




WHISTLE

- Gets the attention of others whether you need help or just want to be noticed

PART #	4850-0080







WHISTLES

- High-pitch pea-less whistle is the perfect choice for a signal device
- Clip it to a life jacket or lanyard
- Can also be used as a floating key chain

COLOR	PART #
(J) Purple/yellow	**4850-0011**
(K) Red/black	**4850-0012**

WHISTLES

- For the rider who needs help or just wants to be noticed
- Available with a neck cord or the quick-disconnect clip for jacket or wrist lanyard

COLOR	WHISTLE W/ NECK CORD	WHISTLE W/ CLIP
(L) Black	**A2700**	**A2700-C**
(M) Gray	**A2709**	**A2709-C**
(N) Red	**A2701**	**A2701-C**
(O) Yellow	**A2706**	**A2706-C**



Slippery WETSUITS

KEY FLOAT

- Keeps your keys from sinking

PART #	4850-0079



Atlantis

KEY FLOATS

- Keep keys where they're needed – above the water
- Quick-snap included for easy, versatile attachment

COLOR	PART #
(P) Red	A-1951

COLOR	PART #
(Q) Blue	A-1952

COLOR	PART #
(R) Yellow	A-1953



POWERMADD

RIDER HOLD-TIGHT™

- Common-sense design allows passenger to hold onto the driver when riding a motorcycle, snowmobile, ATV or personal watercraft
- Designed to be worn directly over clothing, life vest or snowmobile suit
- Dual-position rider handles provide quick and easy handholds
- Ultra-comfortable neoprene handhold tubes remain soft in cold weather
- Constructed of heavy-duty nylon webbing, 500-denier cloth and quick-release buckles

PART #	81070





On-the-go zip-lock bag. Just add water to activate.

ZANHEADGEAR®

COTTON COOLDANNAS®

- Head and neck tie provides hours of cooling relief on hot days and during hot activities
- Soak in water for 10 minutes to activate the non-toxic polymer cooling crystals or sheet
- 100% cotton
- Hand washable
- Zip-lock bag included for on-the-go use

COLOR	PART #
(S) Wavy American flag	DC265



ZANHEADGEAR®

POLYESTER COOLDANNAS®

- New and improved ZAN Headgear® polyester Cooldanna® offers hours of cooling relief for hot conditions
- Polymer crystals featured in the cotton Cooldanna® have been replaced with a non-toxic polymer sheet to ensure evenly-distributed cooling
- 100% polyester four-way stretch fabric
- Can be worn around the head or neck and is reusable
- Resealable bag included for on-the-go use
- One size fits all

COLOR	PART #
(T) Black	2504-0467
(U) Patriot	2504-0469
(V) Pinstripe	2504-0470

BOLD MAGENTA part numbers are new for 2020



Body & Hull

Handlebars & Hand Controls



MAT KIT

FOR YAMAHA SUPER JET

- Includes diamond groove black molded side mats, dash and bottom mat with integrated footwell ears and Blowsion B-Star logo
- Bottom under pad foam included with detailed instructions

PART #	4850-0061



1621-0312



1621-0313



1621-0342

RIDE MATS

- Thick, high-density foam
- Grooved for superior traction
- Fade resistant
- Extremely durable
- Available in black
- 3M™ self-adhesive backing; no glue required

FITS MODEL	PART #
HONDA	
R-12/12-X	**1621-0312**
KAWASAKI	
JS300/440/550	**1621-0313**
JS550SX	**1621-0315**
JF650X2	**1621-0314**
JS650SX	**1621-0321**
JS750SX/SXi	**1621-0323**
JS750SS/Xi/XiR	**1621-0322**
800 SX-R	**1621-0324**
SX-R 17-19	**1621-0910**
STS900 01-02	**1621-0319**
STX900 99-00	**1621-0319**
STX900 01-07	**1621-0320**
STX1100 97-99	**1621-0319**
STX1100DI 00-02	**1621-0320**

FITS MODEL	PART #
KAWASAKI (CONT)	
Ultra 250/LX 07-19/Ultra 310 LX 14-19	**1621-0317**
Ultra 260 LX 09	**1621-0317**
1200STX-R 04-05	**1621-0320**
STX-12F 03-07	**1621-0320**
STX-15F 04-19	**1621-0320**
ZXi	**1621-0316**
POLARIS	
SLT/SLTX/X45	**1621-0342**
SEA-DOO/BOMBARDIER	
GS/GSi/GSX 96-00	**1621-0336**
GSX 96-97	**1621-0336**
GTI 97-00	**1621-0333**
GTI 01-05	**1621-0334**
GTI 130 11-18	**1621-0662**
GTS 130/Wake 155 12-19	**1621-0662**

BOLD MAGENTA part numbers are new for 2020






RIDE MATS (CONT)

FITS MODEL	PART #
SEA-DOO/BOMBARDIER (CONT)	
GTI LTD 155, SE 130/155 12-19	**1621-0662**
GTX 155/215 12-14	**1621-0663**
GTR 215 12-16	**1621-0662**
GTR-X230 17-19	**1621-0666**
GTS 01	**1621-0334**
RXP pre-06	**1621-0340**[2]
RXP X	**1621-0341**
RXT-X/Wake Pro 215 10-11	**1621-0663**
RXP-X 260 12-16/RXP-X300 12-19	**1621-0666**
RXT 230/GTX/GTX Ltd./Wake Pro 230 18-19	**1621-0913**
RXT-X 260/RXT 260 12-15	**1621-0663**
RXT-X 300 18-19	**1621-0914**
SP Family 94-99	**1621-0335**
Spark 14-19 (2-seater)	**1621-0660**
Spark 14-19 (3-seater)	**1621-0661**
XP 93-96	**1621-0335**
XP 97-04	**1621-0337**
GTX 96-02	**1621-0333**
GTX 03-08	**1621-0338**
GTX 4-TEC 02-05, GTX DI 02	**1621-0338**
RXT 1500 08-09	**1621-0338**


FITS MODEL	PART #
YAMAHA	
FX/FX HO 02-08	**1621-0332**
FX SHO/Cruiser 12-16	**1621-0664**
FX HO/SVHO Cruiser 12-19	**1621-0664**
GP800R 01-05	**1621-0331**
GP/GP1200R 90-99	**1621-0330**
GP1200/1300R 00-02	**1621-0331**
Super Jet 90-95	**HT75-B**[1]
Super Jet 96-19	**HT751-B**[1]
VXS/VXR/VX SPT/VX CR/VX DLX 10-14	**1621-0665**
EX/ EX Sport/EX Deluxe 17-19/EXR 19	**1621-0912**
V1/SPT 15-16	**1621-0665**
WaveBlaster	**1621-0325**
WaveRaider	**1621-0327**
XL700/760 98-04	**1621-0328**
XL800/XLT800	**1621-0329**
XL1200 98	**1621-0328**
XL1200 LTD 99-04	**1621-0329**
XLT1200	**1621-0329**
VX/VXR/VXS 15-19/GP1800 17-19	**1621-0911**


[1] Glue required. Does not have 3M™ backing.
[2] Black/metallic red.





RIDE MAT MATERIAL


- Single sheet of Hydro-Turf material measures 37" x 58"
- Available with self-adhesive 3M™ backing or without
- Contact cement and brush available on page 79



1621-0401


1621-0403


1621-0344


1621-0345


1621-0346


1621-0405

DESCRIPTION	PART #
GLUE REQUIRED	
Cut groove, black	**1621-0092**
Diamond groove, black	**1621-0093**
Diamond groove, gray	**1621-0399**
Diamond groove, dark gray	**1621-0400**
Diamond groove, black/white	**1621-0401**
Diamond groove, gray/black	**1621-0402**
Diamond groove, blue/black	**1621-0403**

DESCRIPTION	PART #
SELF-ADHESIVE 3M™ BACKING (NO GLUE REQUIRED)	
Cut groove, black	**1621-0343**
Diamond groove, black	**1621-0344**
Diamond groove, light gray	**1621-0345**
Diamond groove, dark gray	**1621-0346**
Diamond groove, black/white	**1621-0404**
Diamond groove, gray/black	**1621-0405**



RAIL CAPS

FOR KAWASAKI SXR

- Get rid of those extremely slippery factory rubber black rails and go composite
- Available in gel coat white with detailed instructions
- Ready to mount and go
- Sold in pairs

PART #	0521-1302



FOOTWELLS - KICKERS

FOR KAWASAKI SX-R 800 AND YAMAHA SUPERJET

- Designed specifically for the Super Jet and Kawasaki SX-R 800; and used exclusively by Ross Champion on his Factory Blowsion Yamaha SuperJets and Air Darin Anderson on his SXRs and SJs
- Hand-laid, molded fiberglass insets provide extended room in the tray of the ski to position feet
- Comfortably sized for average to larger feet (size 7- 11+), these footwells contour to the ankle and also feature a gentle protrusion over the top of the foot for better locking power
- Built with safety and performance in mind, the Kicker footwells will help keep riders in their ski while inverted, and also easily let them go when they feel like they're going to impact for some facial fiberglass

PART #	4850-0056



KICKTAILS

- Add a kicktail to your watercraft with this 1" or 2" wedge
- If installed under the traction mats, some models of watercraft may require an extended mat
- 1" wedge measures 17" L x 5.5" W x 1" D; 2" wedge measures 17" L x 5.5" W x 2" D
- Contact cement and brush sold separately, see page 79

DESCRIPTION	PART #
1" wedge	1621-0407
2" wedge	1621-0408



SIDE MOLDING

- Made out of injection-molded flexible urethane
- Attaches to your watercraft with its own adhesive
- PART #0521-1301 is excellent for most sitdown PWC and all Kawasaki SXR 800 riders wanting the maximum coverage for the wide SXR bond rail
- PART #0521-1300 is excellent for most sitdown PWC as well as all years Kawasaki SXR and Yamaha SuperJet
- Available in black

DESCRIPTION	PART #
$1^{3}/_{8}$" height	0521-1300
$1^{1}/_{2}$" height	0521-1301



SPLASH GUARDS

- Helps provide a drier ride and better visibility
- Comes complete with stainless steel hardware and installation instructions
- Your choice of 41" W or 60" W guard
- 60" guard is molded from high-density EVA foam

DESCRIPTION	PART #
41"	TS-01
60"	1421-0001



SIDE LIFTER WEDGES

- Extra-thick blocks of Hydro-Turf™ foam help provide secure footing in rough conditions
- Come in black
- Sold in pairs
- Contact cement and brush on page 79

DESCRIPTION	PART #
2.5" W x 24" L	TS44-B
2" W x 13" L	1621-0409

BOLD MAGENTA part numbers are new for 2020


0521-0394


0521-0396



HEAVY-DUTY POLE SHOCK PADS

- Thick foam prevents pole handle bangs and dings
- Sold in pairs
- Contact cement and brush on page 79

FITS MODEL	PART #
KAWASAKI	
JS440/550	**0521-0395**
SX 750	**0521-0394**
SXR 800	**0521-0394**

FITS MODEL	PART #
YAMAHA	
Super Jet	**0521-0396**

HOOD SEAL GASKET

FOR KAWASAKI JS300/440/500

- Quality replacement foam hood seal gasket ensures a tight fit for rough rides
- Contact cement and brush on page 79

PART #	TS-56


0521-1298


0521-1299

HOOD HOOKS

- Billet aluminum hooks won't tweak or budge in even the most extreme conditions
- SXR hooks: bulletproof SXR billet hood hooks allow for the ultimate abuse of 03 and newer SXR on the race course, river or in big surf
- SuperJet hooks: replace the effective and bendable OEM Yamaha hood hooks on 96+ SuperJet
- Sold as a pair, complete with stainless fasteners

DESCRIPTION	PART #
KAWASAKI	
SXR 03-16	**0521-1298**

DESCRIPTION	PART #
YAMAHA	
SuperJet 96-16	**0521-1299**



REPLACEMENT HOOD SEAL GASKET

- Heavy-duty replacement hood seal
- Includes 3M™ self adhesive backing for easy installation
- Fits all years Yamaha Super Jet, Yamaha FX-1, all years Polaris Octane, Yamaha Wave Blaster and most aftermarket hulls

PART #	0521-1047


011-800





HOOD STRAP

FOR 800SXR/750SX/650SX/SUPERJET/FX1 AND ALL JS MODELS

- Strap runs the length of the hood under the handlepole
- High-impact plastic quick-release latch included
- Adjustable to fit all models of stand-up PWC; kit is not meant as replacement for the factory latches but rather as support for an otherwise weak piece of engineering
- Hood strap shares the burden of keeping the hood on, along with the factory latches, during aerial and underwater maneuvers
- Routed front to back to offer the most aesthetically pleasing and functional hood seal support without major modification to watercraft
- Designed for all stand-up FX1, SuperJet, KAWI SXR 800, 750 SX, 650 SX and all JS models
- All mounting hardware and detailed instructions included

PART #	4850-0035

HOOD/STORAGE AND FRONT COMPARTMENT LATCHES

FOR SEA-DOO

FITS MODEL	PART #
HOOD/STORAGE COMPARTMENT LATCH	
Most Sea-Doo models (except Jet Boats)	**011-800**
FRONT COMPARTMENT LATCH	
RX, RD-DI, GTI, GTI-LE, GTX, RXP, RXT 02-09	**0521-0172**

WATERCRAFT I.D. KITS

- 3" H letter and number kits coordinate with your watercraft graphics for a killer look
- Each kit contains 146 decals: four sets of A-Z, four sets of 0-9 and two Hardline Products decals
- Available in Clear Series, solids or hot color combinations; real chrome used in chrome color combinations
- New Clear Series kits feature a clear vinyl with a black outline for each character; the clear vinyl allows the background hull color of the boat or PWC to shine through.
- P.O.P. display available; see MERCHANDISING section for details

NOTE: Gradation styles are listed with fill color first, outline color second.



CHBKG300



BLU350EC



WHI350EC



BLK400EC



CHBKG400

SERIES 300

DESCRIPTION	PART #
CHROME GRADATION	
Chrome/black	**CHBKG300**

SERIES 350

DESCRIPTION	PART #
SOLID	
Blue	**BLU350EC**
White	**WHI350EC**

SERIES 400

DESCRIPTION	PART #
SOLID	
Black	**BLK400EC**
CHROME GRADATION	
Chrome/black	**CHBKG400**

6" DIE-CUT STICKERS

- Made of high-quality, fade-resistant vinyl material
- Conform to curved surfaces for a great look on helmets, boats and towing vehicles
- Sold in a 2-pack

PART # 4320-0805

SLIPPERY DIE-CUT DECAL

- 22" white decal

PART # 4320-0806

DECALS

- Made of high-quality, fade-resistant vinyl material
- Perfect on helmets, boats and towing vehicles
- Sold in a 4-pack



PART # 4320-0804

GLUE BRUSH

- The easiest way to put the glue where it's supposed to go
- 2" brush makes application of ride mats and grips with contact cement a snap



PART # BR02

STICKER ON!

- Sticker On! lets you position your stickers properly without risk of misplacement – just spray on before attaching decals, slide them into the perfect position and work any bubbles out before the stickers adhere
- Environmentally friendly and available in a 2 oz. pump-spray recyclable bottle



PART # 964X

STICKER OFF!

- No more razor blades, no more scraping
- Sticker Off! removes stickers and sticker residue quickly and cleanly
- Environmentally friendly and available in a 2 oz. bottle



PART # 965

BOLD MAGENTA part numbers are new for 2020

BLOWSION

LOW PRO BILLET FUEL CAP

FOR ALL YAMAHA WATERCRAFT

- Low profile smooth design allows for outside fueling, yet will not get in the way during aerial or freestyle moves around the front of the watercraft



PART #	0703-0544

BILLET FUEL CAP

FOR KAWASAKI

- Blowsion Billet aluminum fuel cap fits all Kawasaki SXR 800, 440, 550 and 650 models, all Kawasaki standups and most sitdowns

NOTE: 750 SX and SXI Pro require fuel door fitting.



PART #	0703-0543

RECESSED DASH MOUNT



- Eliminates breaking of expensive bilge switches and primer bulbs
- Mount enables the switch/primer to sit flush, eliminating the risk of being knocked off
- Includes a brushed aluminum black anodized bezel and all necessary mounting hardware
- Dash mount measures approximately 3.6" L x 1.5" W x 1.1" D
- Bezel OD measures 4.5" L x 2.5" H, ID measures 3.5" L x 1.45" H

PART #	0520-2179

DASH KNOB

FOR KAWASAKI 750 SXi AND SXR 800



- Direct replacement for the OEM plastic knobs
- Bright dip black anodized aluminum construction
- Sold each

PART #	0705-0313

BILLET STRAP HOOK

FOR YAMAHA SUPERJET (ALL)

- Replaces the OEM style waterbox, battery and fuel tank strap hooks
- Incorporates a removable 3mm setscrew that retains the strap in place so it cannot come off
- Great for those hard-to-reach straps
- Billet aluminum construction with a black anodized finish
- Includes one hook, one M6 x 16mm bolt and one M3 x 6mm bolt
- Fits all years Yamaha SuperJet; Rickter hulls, Lightweight DE hulls and many other aftermarket SuperJet-based hulls

PART #	0521-1548



BOW EYES

- Replacement bow eyes look great and are functional as well
- Extended Long John Silver bow eyes feature one full inch of thread area and work great for any custom install
- Available in black or clear anodized

DESCRIPTION	PART #
Black, Long John Silver	4850-0023
Clear, Long John Silver	4850-0024
Black	4850-0025
Clear	4850-0026



4850-0025



4850-0026



4850-0023



4850-0024



maier USA

NOSE TRIM

FOR KAWASAKI JET SKIS

- Replaces gas cap cover trim
- Fits all Kawasaki JS650SX

COLOR	PART #
White	M99725

COLOR	PART #
Red	M99725R



BLOWSION

ROTARY THREE-POSITION WATERPROOF BILGE SWITCH

FOR YAMAHA SUPERJET 96-12 (ALL)

- Corrosion resistant and has withstood the most abuse Blowsion can give it
- Dash or engine compartment mounted, one of the most popular and easiest to install bilge switches available

PART #	4802-0006



4850-0027



4850-0030

BLOWSION

BILLET BYPASS FITTINGS

- Replacement fittings look great and are functional as well
- Available in black or clear anodized

DESCRIPTION	PART #
90°, black	4850-0027
90°, clear	4850-0028

DESCRIPTION	PART #
45°, black	4850-0029
45°, clear	4850-0030



4850-0032



4850-0033

BLOWSION

BILLET BILGE FITTINGS

- Replacement fittings look great and are functional as well
- Available in black or clear anodized

DESCRIPTION	PART #
Straight, black	4850-0031
Straight, clear	4850-0032

DESCRIPTION	PART #
45°, black	4850-0033
45°, clear	4850-0034

4802-0011



4802-0012



rule
a xylem brand

THRU HULL FITTINGS

- 3/4" diameter fittings specially designed for Rule pumps
- High impact plastic will not rust, corrode or discolor
- Available in straight or 90° right angle versions

DESCRIPTION	PART #
Straight	4802-0011
90°, right angle	4802-0012



WORX INTERNATIONAL

1/2" THROUGH HULL FITTING

- Allows for easy installation of extra cooling lines

PART #	4850-0063

BOLD MAGENTA part numbers are new for 2020

rule
a xylem brand

NEXT GENERATION AUTOMATIC 500 GPH BILGE PUMP

- New design features an optimized impeller to provide greater flow
- Automatically removes water from engine compartment; cycles every 20 seconds to check for water
- Built-in thermal cut-off (TCO) provides added protection for the pump and vessel
- Back flow protection reduces the amount of water left in the bilge to keep it cleaner
- Hidden air vents in the pump body prevent air locking in the plumbing installations and help with the check valve
- Threaded discharge for easier installation and maintenance
- Check valve included
- 12V (1.9 amp draw) and unmatched in pumping power and longevity
- 3/4" discharge outlet
- Measures 4" T x 2 3/8" W



PART #	4802-0029



4802-0027



4802-0030

NEXT GENERATION NON-AUTO BILGE PUMPS

- New pump design has higher flow rates due to optimized impeller designs for greater water flow
- Built-in thermal cutoff (TCO) provides added protection for the pump and vessel
- Back flow prevention reduces the amount of water left over in the bilge to keep it cleaner, longer
- Hidden air vents in the pump body help prevent air locking in the plumbing installation and helps with the check valve
- Threaded discharge for easier installation and maintenance
- Check valve included with all pumps

DESCRIPTION	PART #
500 gph pump	4802-0028[1]
800 gph pump	4802-0027

- 500 gph pump has 1.6 amp draw @ 12V and 3/4" discharge outlet; measures 3.9" T x 2.5" W
- 800 gph pump has 3.4 amp draw @ 12V and 3/4" discharge outlet; measures 4.4" T x 2.9" W
- 1,100 gph pump has 3.7 amp draw @ 12V and 1" discharge outlet; measures 4.4" T x 2.9" W

DESCRIPTION	PART #
1,100 gph pump	4802-0030

[1] Not for use with Jetinetics bilge pump bracket.

HELIX RACING PRODUCTS

BILGE HOSES

- Allows intake and discharge for electric bilge pumps, hand pumps and live well aerators
- Made of single layer, corrugated polyethylene that resists oils, acids and seawater
- Features a clamping cuff for every foot and comes in 6 ft. lengths
- Available in white

NOTE: Hose is not designed for below waterline thru-hull connections.



4802-0016

DESCRIPTION	PART #
3/4" x 6'	4802-0016

DESCRIPTION	PART #
1 1/8" x 6'	4802-0017

BILGE PUMP MOUNTS

FOR YAMAHA SUPERJET 94-20

- Bracket locates the pump within millimeters from the base of the hull
- Easy, built-in installation; no messy adhesives
- All hardware included

NOTE: 90-93 Superjets with smaller bearing housing will work with slight modification of bracket.



4802-0025



4802-0026

DESCRIPTION	PART #
Single mount	4802-0025

DESCRIPTION	PART #
Dual mount	4802-0026

VACATE VALVES

- Simple installation drain valve alternatives for the OEM drain plugs in models listed
- Machined from 6061 aluminum and clear anodized for corrosion protection
- Vacate Valves operate on the same principle as the Blowsion One Way valves, using the forward motion of the watercraft and gravity to allow ingested water to simply vacate the hull in one direction only



4802-0019



4802-0032



4802-0021



4802-0020

FITS MODEL	PART #
KAWASAKI	
All except listed below	4802-0019
800 SX-R 03-11, 900 STX/STX 99-06 ,1100 STX/STX D.I 99-03, 1200 STX-R 03-05, STX-12F 03-07, Ultra 130 01-03, Ultra 150 99-05, STX-15F 04-15, Ultra 250X 07-08, Ultra LX 07-15, Ultra 260X/LX 09-10, Ultra 300 X/LX/R 10-15, SXR 17	4802-0032

- Direct threaded replacements for the flimsy OEM plastic drain plugs, the Vacate Valve also simplifies interior flushing of the engine compartment
- Fits any model, by brand, that has a screw-in drain plug

FITS MODEL	PART #
SEA-DOO	
All models through 09	4802-0021
All models 10-17	4802-0033
YAMAHA	
All	4802-0020

DUCKBILL DRAIN KITS

- Simple way to keep your bilge empty as you drive
- Universal kit fits Yamaha FX and VX models and comes complete with all hardware to convert new Sea-Doo and Polaris models
- Kawasaki and Yamaha systems are even easier – just unscrew existing drain plug and screw the duckbill drain plug into place
- Replacement rubber duckbills available separately



4802-0001

DESCRIPTION	PART #
Universal duckbill system	A-7025
Kawasaki 800/1200 SXR duckbill system	4802-0001

DESCRIPTION	PART #
Yamaha duckbill system	A-8025
Repl. rubber duckbill	A-2019

FLOATING DRAIN PLUG

FOR POLARIS AND SEA-DOO

- Constructed of space-age plastics
- Just twist or flip to tighten
- Oil- and fuel-resistant



A-2385



A-2266

FITS MODEL	BLACK	WHITE
Sea-Doo and Polaris pre-95	A-2385	-

FITS MODEL	BLACK	WHITE
Sea-Doo and Polaris 95-02	A-2265	A-2266

BOLD MAGENTA part numbers are new for 2020


A5200


A2625


A-2627


3801-0018


3801-0265


A7001


A7003


3801-0267


3801-0266


3801-0268


A8589

Allanis

FLUSH KITS

- Allow easy flushing of cooling system to keep it at peak efficiency
- Clean system of debris and contaminants including saltwater, sand and sediment
- Kits designed for specific applications
- Quick-snap release feature available for most models
- Replacement adapter hoses with quick-snap ends available separately

FITS MODEL	PART #
HONDA	
All except F15X or 15GPScape 08-10	**A5200**
F15X or 15GPScape 08-10	**3801-0149**
KAWASAKI	
All 89-91	**A2520**
All 99-04	**A2625**[1]
All 92-06 except ZXi, STX and Ultra	**A2521**
All 92-06 except ZXi, STX and Ultra	**A-2626**[1]
STX 95-04 (all)	**A2522**
STX 95-06 (all)	**A-2627**[1]
Ultra 150 99-06	**A2520**
Ultra 150 99-06	**A2625**[1]
ZXi 95-04 (all)	**A2522**
ZXi 95-06 (all)	**A-2627**[1]
4-stroke models including Ultra 250/260 03-10 (all)	**3801-0018**[1]
Ultra 300X, Ultra 300LX, 300 Series 11-12	**3801-0228**
JS440, JS550, 550SX (all)	**3801-0264**
650SX/X2 (all)	**3801-0265**
POLARIS	
All 94-04 except w/ FICHT system and 4-strokes	**A6000**
All 01-04 w/ DI and FICHT system	**A6001**
SEA-DOO	
All 92-98 w/ factory T-fitting	**A7001**

FITS MODEL	PART #
SEA-DOO (CONT)	
All 96-10 models w/ rear drain pipe and reverse gear	**A7006**
All 96-10 models w/ rear drain pipe and reverse gear	**A7004**[1]
All 95-06 models w/ rear drain pipe and no reverse gear	**A7003**[1]
All 95-97 dual engines	**3801-0228**
Spark (all)	**3801-0267**[2]
Sportster/Challenger Jet Boats 96-97	**A7004**[1]
GT (all)	**3801-0264**[2]
GTX 94-95, SPI 95, SPX 95	**3801-0224**
SP 89-97, GT 90-91, XP 91-96, GTS 92-00, SPX 93-94, SPX 96-99, GTI 96, GTX 92-94 (580 engine), SPI 93-94, SPI 96	**3801-0225**
SP 89-97, GT 90-91, XP 91-96, GTS 92-00, SPX 93-94, SPX 96-99, GTI 96, GTX 92-94 (580 engine), SPI 93-94, SPI 96	**3801-0266**[3]
YAMAHA	
Wave Raider (all)	**3801-0268**
All w/ non-factory repl. hose 87-98	**A8588**
All w/ factory repl. hose 95-10	**A8582**
All w/ non-factory repl. hose 87-98	**A8589**[1]
REPLACEMENT PARTS	
Adapter hose w/ male quick-snap end	**A-2690**

[1] Deluxe Flush Kit with quick-release snap.
[2] Can be used as a universal flush kit for all models with 3/8" water line.
[3] Comes with a T-fitting, which allows you to connect your hose directly to the ski.


3801-0226


3801-0227

Allanis

BACK FLUSH KITS

- All metal construction
- Easy-to-use
- Just push into aftermarket water bypass
- No tools, clamps or extra hoses necessary
- Back flushes entire cooling system instead of forcing salt and sand into cooling jackets

DESCRIPTION	PART #
Single	**3801-0226**

DESCRIPTION	PART #
Dual	**3801-0227**



SEW61-BGR



SEW791-BG

SEAT COVERS

- Add a new look or get the perfect replacement for covers damaged or faded by the surf and sun
- Made with vinyl
- Do not include seat base or foam


SEW782-BW



0821-2537

FITS MODEL	COLOR	PART #
KAWASAKI		
Ultra 130 DI/150 (seat and handlebar pad)	Black/gray/red	**SEW61-BGR**
SEA-DOO		
SP Family 94-99	Black/light gray/white	**SEW83-PW**
Spark two-seater 14-20	Black/white	**0821-2537**
XP 93-96	Black/light gray/white	**SEW83-PW**
XP 97-04	Black/gray/yellow	**SEW84-BGY**

FITS MODEL	COLOR	PART #
YAMAHA		
GP800R 01-02	Black/white/deep blue	**SEW791-BG**
GP800R 03-04	Black/silver	**0821-0714**
GP1200R 00-02	Black/white/deep blue	**SEW791-BG**
GP1300R 03-08	Black/silver	**0821-0714**
XL700/760 98-04	Black/white	**SEW782-BW**
XL1200 98	Black/white	**SEW782-BW**



SEAT LOCK
FOR YAMAHA 701/760/ 800/1100/1200/VX 97-00

- OEM replacement seat lock


PART #	0521-0621



SHOCK COVER
FOR SEA-DOO 720 HX 95-97

- Replaces OEM #291-000-121

PART #	4850-0053



PREMIUM SEAT COVER MATERIAL

- Saddlemen's SaddleHyde™ material
- Looks and feels great, is more durable than leather

DESCRIPTION	PART #
54" X 36" SHEET	
Premium SaddleHyde™	**0821-2717**
Vinyl	**0821-2719**

DESCRIPTION	PART #
54" X 72" SHEET	
Premium SaddleHyde™	**0821-2718**
Vinyl	**0821-2720**



SEAT FOAM REPAIR KIT

- Includes motorcycle seat foam; not the foam commonly available through local upholstery shops, which is not dense enough for a proper repair on PWC seats
- Contains several pieces of dense base foam and a sheet of low-density cover foam for larger repairs

PART #	F699

BOLD MAGENTA part numbers are new for 2020



0601-2101



0601-2102

STANDUP HANDLEBARS

- High-grade, aluminum construction is extremely durable and forgiving at the same time
- Available in 0° or 4° options that are great for recreational, freestyle and closed-course use
- 27.5" width is greater than stock handlebars for better leverage and control
- Features knurled ends for extra grip adhesion
- Includes crossbar pad

DESCRIPTION	COLOR	PART #
0°	Silver	0601-2100
0°	Black	0601-2101

DESCRIPTION	COLOR	PART #
4°	Silver	0601-2102
4°	Black	0601-2103



0601-1449



0601-1452

SKI KOMMAND BARS

0° AND 4° BEND WITH CROSSBAR

- Manufactured from 6063-T832 aluminum, developed using feedback and testing from racers, freestylers and freeriders
- Designed with special tolerances to fit the popular ODI grips
- 0° or 4° bends; all include crossbar pad
- Available in black or clear anodized versions

DESCRIPTION	PART #
0-DEGREE BEND	
Clear	0601-1449
Black	0601-1450

DESCRIPTION	PART #
4-DEGREE BEND	
Clear	0601-1451
Black	0601-1452



RUNABOUT HANDLEBARS

- Manufactured from 6063-T832 aluminum, developed using feedback and testing from racers, freestylers and freeriders
- 32" wide, bars include cut-here lines for riders who want less width and include center mount indicator
- Height 4.25"; rise 3.5"; sweep 3.6"
- Available in black with crossbar and pad

PART #	0601-1455



KOMMAND SKI HANDLEBAR

PHAT V BAR RISER

- Manufactured from 6063-T832 aluminum, developed using feedback and testing from racers, freestylers and freeriders
- Must be used in conjunction with Blowsion Sealed Bearing System and Phat Clamp
- Blowsion Phat Riser allows a complete custom range of handlebar mount angles
- Black anodized, 25.5" wide, 52.5mm rise

PART #	0601-1448



KOMMAND SKI HANDLEBAR

PHAT BAR STRAIGHT

- Manufactured from 6063-T832 aluminum; developed using feedback and testing from racers, freestylers and freeriders
- Must be used in conjunction with Blowsion Sealed Bearing System and Phat Clamp
- Black anodized, 25.5" wide, flat rise

PART #	0601-1453

4° FAT BARS

- Manufactured from 6063-T832 aluminum with an anodized black finish
- Measure approximately 25.5" W
- Must be used with Blowsion Sealed Bearing System and Phat Clamp (fits $1^{1}/_{8}$" diameter handlebar clamps)
- Designed with special tolerances to fit the popular ODI grips

PART #	0601-3886



0601-3883



0601-3884



0601-3885

CROSSBAR PADS

- Made from high-density lightweight foam
- Wrapped with Blowsion's "Power Wash Proof" logo graphics
- Measures approximately 5.25" L
- For use with all $^{7}/_{8}$" diameter handlebars including Blowsion's Kommand bars
- Sold each

COLOR	PART #
Black	0601-3883

COLOR	PART #
Blue	0601-3884

COLOR	PART #
Green	0601-3885

PHAT CLAMP



- Constructed of 6061 aluminum and carbon gray anodized
- Ultra trick clamp allows rider to move even further forward in the tray; clamp fits $1^{1}/_{8}$" bars
- Developed in conjunction with Blowsion Professional Freeriders Ross Champion and Pierre Maixent

PART #	0603-0302

HANDLEBAR CLAMPS



- Billet aluminum handlebar clamps
- Provide the finishing touch to a clean steering system
- Carefully machined with radiused edges on all compression points, these clamps will not chew into your expensive bars
- Available in black anodized
- Sold as a pair with stainless bar clamp screws included

PART #	0603-0649

UNIVERSAL OVP (OVER-THE-PIVOT) STEERING SYSTEM

FOR OEM YAMAHA AND AFTERMARKET HANDLEPOLES (RRP/UMI/AC)



- CNC-machined billet aluminum construction
- Works with Fat Straight, Fat Riser or 4° Fat Bars ONLY
- Upper and lower thrust bearings for a smooth, precise feel
- Built-in zerk fitting for ease of lubrication
- Entirely sealed system with three O-rings to prevent bearing corrosion (salt water approved)
- Locking nut eliminates steering from slackening, allowing rider-specific preferred tension on the handlebars
- Improved steering response and precision
- Unlimited variable steering ratio positioning
- Universal steering arm positions for Yamaha applications
- Single center pivot bolt for easy installation and access

Note: If you are installing the OEM Yamaha pole, you will need to make extensive modifications to your OEM chin pad mount and mounting location in order to clear the handlebars. The chin pad must be re-located further forward on the OEM mounting pole.

PART #	4807-0071

OVP (OVER-THE-PIVOT) STEERING SYSTEM



- CNC-machined billet aluminum construction
- Heavy-duty tapered bearing and lower thrust bearings for smooth feel
- Built-in zerk fitting for ease of lubrication
- Entirely sealed system with three O-rings to prevent unwanted bearing corrosion (salt water approved)
- Slotted Blowsion Krok Kollar location eliminates steering from slackening, allowing rider-specific preferred tension on bars
- Incredibly improved response and precision, especially when compared to OEM and other product offerings
- Three variable steering ratio position locations
- Universal steering aim positions for either Yamaha or Kawasaki model applications
- Single center pivot bolt for easy installation and access

NOTE: This steering system is only compatible with the new Blowsion handle pole.

PART #	4807-0059

BOLD MAGENTA part numbers are new for 2020



KOMMAND BILLET STEERING SYSTEMS

W/O TURNPLATE OR SHORT VERSION

- Billet aluminum steering systems
- Stainless steel turnplate shaft rides in two O-ring sealed bearings
- Includes special machined Blowsion Krok Kollar stainless lock nut with setscrew
- Steering head and bearing housing are carbon anodized for corrosion protection
- Fits stock or aftermarket handlepoles on all years Yamaha SJ and FX1, Kawasaki 750 and SXR 800 Conversion Pole conversions, Polaris Octane and Hydrospace
- Works with Blowsion short and standard length Kawasaki and Yamaha billet turnplates
- Short version for Yamaha features a 1" shorter design that allows rider to have a more aggressive forward riding position without the cost of a new shorter handlepole

DESCRIPTION	PART #
Universal w/o turnplate	4807-0039

DESCRIPTION	PART #
Yamaha, short	4807-0041

KOMMAND SHORTENED TURNPLATE

- Experience the benefit of having a shortened handlepole without completely changing the existing handlepole
- Can be combined with an OEM or aftermarket handlepole to create the perfect rider setup
- Designed to be used in conjunction with the Kommand handlebar steering system (not included), this turnplate features a removable steering arm, allowing you to adjust the turnplate between Yamaha and Kawasaki applications
- Also fits UMI and most other aftermarket brand steering systems on the market

NOTE: Does not fit on stock Kawasaki handlepole or OEM Yamaha steering system.



FITS MODEL	PART #
KAWASAKI	
800 SX-R (all)	4807-0045
750SX/SXi/SXi Pro (all)	4807-0045

FITS MODEL	PART #
POLARIS	
Octane (all)	4807-0045

FITS MODEL	PART #
YAMAHA	
SuperJet 96-12	4807-0045

KROK KOLLAR

- Stainless steel machined steering lock nut
- Includes stainless binding screw
- Prevents standard lock nut torque failure
- Not available at your local hardware store
- Fits all Blowsion and UMI sealed bearing steering systems



PART #	4807-0040

STEERING SYSTEM REBUILD KIT

- Includes roller bearing, thrust washers, thrust bearing and large and small O-rings
- Fits app Blowsion, UMI Racing and most other manufacturer's systems on the market



PART #	4807-0060



ADJUSTABLE HANDLEPOLE

- Lightweight futuristic design incorporates every feature and request from not only the design group at Blowsion, but feedback and testing as well from the top pros in racing, freeride and freestyle
- Constructed of billet aluminum
- Exclusively designed and lightweight dual honeycomb-shaped center extrusion
- Combined with the lightweight billet machined ends that are manufactured using industry-leading 5-axis technology
- This system allows for ease-of length-adjustability on each end as well as superior clamping strength
- Choose from multiple lengths of center extrusion, allowing each rider to customize pole lengths from uber short to extended length for taller riders
- Incorporating a completely new one-piece steering system, the Blowsion handlepole allows a completely neutral handlebar pivot mount
- First "over-the-pivot" (OVP) steering system for the stand-up market
- OVP steering system (sold separately) enormously increases steering response and enables the rider to have a much more precise feel
- Innovative new tapered bearings are used for increased lateral load on the bars, as well as a zirk fitting mounted into the steering, so you can grease your steering bearings with ease
- Underside mounting of pole and steering system is completely sanitized of leg-scarring bolts, nuts and mounting hardware
- Accommodates existing steering systems on the market
- Supplied with a billet steering stop, a machined handpole limiting rope fixture for both the center extrusion, as well as the billet ends
- When outfitting your steering system for our new pole, you can choose from a standard handlebar or riser/straight bar option
- Both Yamaha and Kawasaki bushings included

PART #	4807-0058

HANDLEPOLE BOLT

FOR POLARIS OCTANE (ALL), YAMAHA SUPER JET, FX1 96-12

- Made from hardened 7072 billet aluminum
- Weighs only 90 grams, 1/3 the weight of the OEM bolt
- Features engraved B-Star head
- Heat treated and hard anodized for extra corrosion resistance
- Stainless steel mounting hardware included



PART #	4807-0070

4807-0052



HANDLEPOLE PIVOT BOLT BUSHINGS

- Manufactured by Blowsion; replaces OEM pivot bolt bushings

DESCRIPTION	PART #
For Kawasaki SXi (all)	4807-0052
For Yamaha OEM and UMI aluminum handlepoles	4807-0053

HANDLEPOLE SPRINGS

- The most common mod for standup riders everywhere
- Reduces the weight of handlepole to the rider in minutes



4850-0022



4850-0020




4850-0021

DESCRIPTION	PART #
Kawasaki SX-R 750/800 (all)	4850-0022

DESCRIPTION	PART #
Yamaha, SJ 96-10	4850-0020

DESCRIPTION	PART #
Yamaha, SJ pre-96	4850-0021



TRIM HOSE PROTECTOR

FOR SEA-DOO

- Fits the following models

FITS MODEL	PART #
580/720 SP 96-97	4809-0104
580 SPI 96	4809-0104
720 GS/GSI 97	4809-0104
720/800 SPX 96-99	4809-0104
720/800/951 XP (all)	4809-0104

FITS MODEL
800 GSX/GSX RFI 96-00
951 RX 00-03 (all)
1500 RXP Supercharged 04
1500 RXP/RXT 05-10

BOLD MAGENTA part numbers are new for 2020



HANDLEPOLE MOUNT REINFORCING PLATE

- Works with OEM and aftermarket Yamaha, Polaris and Blowsion design pole brackets to disperse the load from aerial and ocean moves
- Made of solid laser cut 5mm thick stainless steel; this is the best damage control accessory we can recommend for those riders who shred the big stuff
- Installs on underside of pole mount area using current hardware; helps prevents existing cracks from spreading

FITS MODEL	PART #
POLARIS	
Octane (all)	**4807-0044**
YAMAHA	
SuperJet 96-12 (all)	**4807-0044**



HANDLEPOLE EXTENSION LIMITING ROPE

- Designed to stop pole from extending approximately 2-3" from total max extension
- Prevents the forward motion of the pole and rider's body from destroying expensive handlepoles, pole brackets, hulls and more
- A spring-back retention cord attaches to the bottom of the pole spring area and will also pull the pole back down if rider becomes separated from ski in surf or large lake waves
- All stainless mounting hardware and instructions included
- Fits all stand-up Yamaha FX1, all years Yamaha Super Jet, Polaris Octane, Kawasaki SXR 800, 750 SX, and 650 SX

PART #	4807-0043



BILLET THROTTLE LEVERS

- Machined with the stand-up rider's comfort at the forefront
- Straight pull finger throttles are ergonomically designed for premium fit and feel, whether riders are on the waves or on the buoys
- Lever angle is situated to reduce hand and arm fatigue
- Delrin bushings eliminate the play common in OEM throttles and provide smooth throttle pull
- All-stainless hardware at the hinge point eliminates corrosion and play 100%
- No C-clips used
- Fits most models; however, some may require an adapter as listed



DESCRIPTION	PART #
BILLET THROTTLES	
Black anodized	**0632-0488**
Clear anodized	**0632-0489**
Blue	**0632-0706**
Green	**0632-0707**

DESCRIPTION	PART #
BILLET THROTTLES (CONT)	
Orange	**0632-0708**
Red	**0632-0709**
ADAPTERS	
Kawasaki 96-14	**0632-0490**[1]

DESCRIPTION	PART #
ADAPTERS (CONT)	
Kawasaki 76-85, Yamaha (all)	**0632-0491**[2]
Sea-Doo (all)	**0632-0492**

[1] 8mm.
[2] 6mm.



BILLET FINGER THROTTLES

- Designed to clear grip to allow closer mounting to bar grips and hands
- Precision CNC-machined from billet aluminum stock
- Contours around index finger
- Three cable throw positions
- Nylon cable support roller
- Nylon bushing and thrust washers
- Available in polished or black finish
- Works as replacement on Polaris runabouts

FINGER THROTTLES

COLOR	PART #
Black	**0632-0614**
Silver	**0632-0615**




LOCK-ON GRIP SYSTEM

- No more using glue, paint thinner or safety wire to keep your grips from twisting or slipping
- Moose Utility Division Lock-On grips provide slip-free performance right out of the box
- Revolutionary system survives the most severe weather
- Installation and removal is easy and will not destroy your grips
- Grips slide effortlessly on and off your bars and are locked into place with a few turns of a wrench
- Includes removable end plugs for added protection against "grip blowout"
- Compatible with the ODI Lock-on grip system
- Fits 7/8" bars with thumb throttle; 120mm in length
- Made in the U.S.A.

U.S. Patent Numbers: 6,035,742; 6,263,759

PART #	0630-0979



STEALTH GRIPS

- One compound, one pattern, one price = all you need
- Special U.S.-made compound feels soft, but wears like a harder compound
- Half-waffle pattern with high-traction chevrons
- Wire grooves don't interfere with grip comfort
- Extra-thick end cap for increased strength
- Fit 7/8" bars; 115mm in length
- Small flanges for thumb/trigger throttles
- Available in black, gray, red, blue or orange
- Made in the U.S.A.

COLOR	PART #
(A) Black	0630-0395
(B) Gray	0630-0396

COLOR	PART #
(C) Red	0630-0397
(D) Blue	0630-0398

COLOR	PART #
(E) Orange	0630-0423



FOAM GRIPS

- Soft closed-cell foam grips
- Fit 7/8" bars with thumb/trigger throttles
- 5" L
- Sold in pairs; available in black
- End caps included
- Made in the U.S.A.

PART #	0630-0699



BAR END SETS

- Stop replacing your ripped-up grips
- Great item to replace your aluminum handguards
- Help prevent throttle from pinning wide open during right-side spills
- Work great on bikes, ATVs, snowmobiles and watercraft
- Available in black, blue, orange, red or silver
- Sold in pairs

DESCRIPTION	PART #
(F) Black	0634-0471
(G) Blue	0634-0472

DESCRIPTION	PART #
(H) Orange	0634-0473
(I) Red	0634-0474

DESCRIPTION	PART #
(J) Silver	0634-0475

BOLD MAGENTA part numbers are new for 2020

CUSTOM VANS LOCK-ON GRIPS




- Feature the classic Vans waffle sole pattern and ODI's proprietary grip comound
- Absorb shock and provides exceptional control in all conditions
- Patented Lock-On design means your grips will never twist or shift
- Available in 130mm L

DESCRIPTION	PART #
(A) Bright red	0630-2583
(B) Gum rubber	0630-2584

ROGUE PWC LOCK-ON GRIPS





- Perfect for those who prefer a larger grip
- Large raised pads and a knurled surface texture offer improved traction and help to form deep grooves that channel water away from your hands
- Patented Lock-On technology provides easy installation and 100% slip-free performance
- Available with no flange or with 3/4 flange
- Snap Cap™ end plugs included
- Sold in pairs; for use with trigger/thumb throttles
- Made in the U.S.A.

DESCRIPTION	PART #
(C) No flange (130mm L)	0630-0901
(D) 3/4 flange (120mm L)	0630-0902

X-TREME PWC LOCK-ON GRIPS



- Ultimate traction and control under any conditions
- Designed to provide a more consistent gripping surface under even the most inclement conditions
- Aggressive diamond pattern tapers for a more ergonomic feel
- Added diamond plate pads offer additional traction and padding across the length of the grip
- Extra-tacky surface for more control
- 130mm length; 3/4 flange
- Snap Cap™ end plugs included
- Sold in pairs; for use with trigger/thumb throttles
- Made in the U.S.A.

COLOR	PART #
Black	0630-0907
(E) Graphite	0630-0908



RUFFIAN PWC LOCK-ON GRIPS

- Designed for optimal control in wet conditions
- Narrow diamond surface pattern provides an excellent gripping system and the Lock-On design offers 100% slip-free performance
- Include silver lock-jaw clamps; Snap Cap™ end plugs included
- Available with no flange or with 3/4 flange
- Sold in pairs; for use with trigger/thumb throttles
- Made in the U.S.A.

COLOR	PART #
(F) No flange (130mm L)	0630-0903
(G) 3/4 flange (120mm L)	0630-0906



RUFFIAN MX WATERCRAFT LOCK-ON GRIPS

- Ruffian MX Grips feature narrow diamondized pattern with an added MX-style half-waffle pattern for additional traction
- 130mm length; no flange
- Snap Cap™ end plugs included
- Sold in pairs; for use with trigger/thumb throttles
- Made in the U.S.A.

COLOR	PART #
(H) Black	0630-0909
(I) Red	0630-0910

CROSS TRAINER LOCK-ON GRIPS

- Soft, comfortable rib pattern interlaced with a thicker criss-cross pattern for a soft feel while maintaining a small diameter
- Criss-cross pattern provides traction across the grip
- Larger ribbed pad can be placed on either side for extra shock absorption where you need it most
- Lock-On design offers 100% slip-free performance
- Snap Cap™ end plugs included



- 130mm length
- Sold in pairs; for use with trigger/thumb throttles
- Made in the U.S.A.

PART #
0630-0900

BOLD MAGENTA part numbers are new for 2020


A


B



C


D

ALUMINUM END PLUGS

- Add a little color to your ride; protect your grips and handlebars
- Available in black, blue, red or silver anodized finishes; the aluminum plugs are held into the bars with an expanding double-wedge design
- Fit handlebars with inside diameters of 14mm-19mm
- Sold in pairs
- Made in the U.S.A.

COLOR	PART #
(A) Black	0634-0304
(B) Blue	0634-0305
(C) Red	0634-0306
(D) Silver	0634-0307


E

LOCK JAW CLAMPS

- Customize your ODI Lock-On grips with anodized Lock Jaw clamps
- Precision-machined aluminum
- Use as replacement parts or as color-matched add-on
- Include clamps, hardware and Snap Cap™ end plugs
- Sold in set of four
- Not for use with twist throttles
- Made in the U.S.A.

COLOR	PART #
(E) Black	0630-0920
Red	0630-0923


F G H I

MODEL 997 LOCK-ON GRIPS

- Include carbon fiber compound throttle tube
- 22mm diameter
- Open ended
- Include black end plugs
- For 7/8" handlebars with thumb/trigger throttles
- 130mm L


J K L

DESCRIPTION	PART #
(F) Fluorescent orange/black	0630-2400
(G) White/black	0630-2401
(H) Fuchsia/black	0630-2402

DESCRIPTION	PART #
(I) Fluorescent yellow/black	0630-2403
(J) Gray/black	0630-2404
(K) Red/black	0630-2405

DESCRIPTION	PART #
(L) Forest green/black	0630-2406

MODEL 807 GRIPS

- 22mm diameter
- Open ended
- Include black end plugs
- 125mm L
- For 7/8" handlebars with thumb/trigger throttles
- Sold in pairs


M N O P

DESCRIPTION	PART #
(M) Blue/black	0630-2396
(N) White/black	0630-2397

DESCRIPTION	PART #
(O) Gray/black	0630-2398
(P) Red/black	0630-2399

BOLD MAGENTA part numbers are new for 2020



MODEL 964 EVO GRIPS

- Constructed from soft, tear-resistant materials with a firm, rubber-compound inner layer
- For 7/8" handlebars with thumb/trigger throttles
- 120mm L

COLOR	PART #
(A) Blue/black	0630-0124
(B) Red/black	0630-0125

COLOR	PART #
(C) Green/black	0630-0126
(D) Yellow/black	0630-0127

COLOR	PART #
(E) Gray/black	0630-0128
(F) Orange/black	0630-0129




727 GRIPS

- Firm on the inside, gel on the outside; everything you want in a grip
- For 7/8" bars with thumb/trigger throttles
- 125mm L

COLOR	PART #
(G) Black	PG-727BK

COLOR	PART #
(H) Red	PG-727RD



PG726 GRIPS

- ProGrip™ single-density technology
- A single-density version of the popular duo-density model 727
- Full-waffle design for better gripping power in proprietary compound that holds the bar to prevent movement and provides vibration absorption for the rider
- For 7/8" bars with thumb/trigger throttles
- 125mm L

COLOR	PART #
(I) Black	0630-0178
(J) Red	0630-0179

COLOR	PART #
(K) Blue	0630-0180
(L) Yellow	0630-0240

COLOR	PART #
(M) Green	0630-0241

BLOWSION


HEAVY-DUTY STEERING CABLES



- Heavy-duty steering cable incorporates Blue Max control cable construction
- Superior control cable material is born of marine and aviation engineering design, with extreme low friction and minimal loss of motion
- Cable is oversized in length and excellent for complicated cable routing in the tight corners of the OEM and aftermarket hull engine compartments
- Features a true 4" minimum bend radius; each cable is pre-lubed for life with a binder wired PTFE core conduit
- Blue Max outer jacket is resistant to abrasions, salt water, gasoline, diesel, and hard chemicals
- Cable includes Blowsion machined stainless conduit caps and threaded push-pull rods
- Burly stainless steering cable ends and hardware complete the connection features
- Riders can dial in their skis with the correct ratio and length cable for improved handling (when used in conjunction with an aftermarket aluminum handlepole)

FITS MODEL	PART #
KAWASAKI	
SXR 800 (all)	**4807-0054**

FITS MODEL	PART #
YAMAHA	
Superjet (all)	**4807-0051**



WSM PERFORMANCE PARTS

REPLACEMENT CONTROL CABLES

- All stainless steel fittings
- Cables feature inner vinyl linings
- Built to exact OEM specifications

STEERING CABLES

FITS MODEL	PART #
KAWASAKI	
JS300/SX 86-88	**002-069**
JS400 76-79	**002-069**
JS440/SX 77-92	**002-069**
JS550/SX 82-95	**002-069**
JS650/SX 87-90	**002-074**
750SX 92-95	**4807-0001**
750SXI 95-97	**4807-0001**
750SXI Pro 98-02	**4807-0001**
750ZXI 95-97	**4807-0005**
800SX-R 03-11	**4807-0062**
900STS 01-02	**4807-0004**
900STX 99-02	**4807-0004**
900STX 03-06	**4807-0019**
900ZXI 95-97	**4807-0005**
1100STX/D.I. 97-02	**4807-0004**
1100STX D.I. 03	**4807-0019**
1100 Ultra 130 01-04	**4807-0042**
1200STX-12F 03-06	**4807-0019**
1200STX-R 02-03	**4807-0004**
1200STX-R 04-05	**4807-0019**
1200 Ultra 150 99-05	**4807-0042**
1500STX-15F 04-06	**4807-0019**
1500 Ultra 250X/260X/LX 07-09	**4807-0063**
SEA-DOO	
580 GT 90-91	**4807-0020**
580 GTS 92	**4807-0020**

FITS MODEL	PART #
SEA-DOO (CONT)	
580 GTS 93	**4807-0020**
580 GTS 95-96	**4807-0006**
580 GTX 92-93	**4807-0020**
580 SP 89-91, 93	**4807-0007**
580 SPi 93	**4807-0007**
580 SPX 93	**4807-0007**
580 SP/SPi 94-96	**002-048-01**
650 GTX 95	**4807-0006**
650 SPX 94-95	**002-048-01**
650 XP/XPI 94	**002-048-01**
720 GS 97-01	**4807-0006**
720 GSI 97	**4807-0006**
720 GTI 96	**4807-0006**
720 GTI 01-04	**4807-0015**
720 GTI LE 02-04	**4807-0015**
720 GTS 97-00	**4807-0006**
720 GTS 01	**4807-0015**
720 SP/SPX 96-97	**002-048-01**
800 GSX 96-97	**4807-0006**
800 GSX RFI 00	**4807-0022**
800 GTI RFI 04	**4807-0015**
800 GTi LE RFI 03-04	**4807-0015**
800 GTX RFI 99-00	**4807-0017**
800 SPX 98-99	**002-048-01**
951 GSX LTD 98	**4807-0006**
951 GTX 99-00	**4807-0027**

FITS MODEL	PART #
SEA-DOO (CONT)	
951 GTX 01-02	**4807-0015**
951 GTX DI 00	**4807-0017**
951 GTX LTD 98	**4807-0021**
951 GTX LTD 99	**4807-0027**
951 RX 00	**4807-0022**
951 RX 01-02	**4807-0014**
951 RX DI 00	**4807-0022**
951 RX DI 01-03	**4807-0014**
951 XP 98-99	**4807-0016**
1500 GTX 4-TEC/SC/ Wakeboard 03-04	**4807-0018**
1500 RXP/RXP-X 04-08	**4807-0028**
YAMAHA	
WaveRunner 500 87-93	**002-051**
SuperJet 650 90-95	**4807-0003**
WaveRunner 650 90-92	**002-051**
WaveRunner 650 LX 93	**002-051**
WaveRunner 650 III 90-96	**002-049**
WaveRaider 701 95-97	**4807-0024**
SuperJet 701 94-95	**4807-0003**
SuperJet 701 96-04	**4807-0012**
WaveBlaster 701 93-96	**4807-0009**
WaveVenture 701 95-96	**4807-0011**
WaveRunner 701 III 97	**002-049**
WaveRunner XL 701 99-01	**4807-0038**
WaveRaider 760 96	**4807-0024**

BOLD MAGENTA part numbers are new for 2020

REPLACEMENT CONTROL CABLES (CONT)
STEERING CABLES (CONT)

FITS MODEL	PART #
YAMAHA (CONT)	
WaveRunner GP 760 99-00	**4807-0025**
WaveRunner XL 760 97-98	**4807-0025**
WaveRunner XL 760 99	**4807-0038**
WaveRunner GP 98-00	**4807-0025**
WaveRunner GP 800 01-03	**4807-0023**

FITS MODEL	PART #
YAMAHA (CONT)	
WaveRunner XLT 800 02-04	**4807-0031**
WaveRaider 1100 95-96	**4807-0010**
WaveRunner GP 1200 97-99	**4807-0037**
WaveRunner GP 1200R 00-02	**4807-0023**
WaveRunner XL 1200 98	**4807-0038**

FITS MODEL	PART #
YAMAHA (CONT)	
WaveRunner XLT 1200 02-05	**4807-0031**

THROTTLE CABLES

FITS MODEL	PART #
KAWASAKI	
750SX 92-95	**0650-0897**
750SXi 95-96	**0650-0147**
750SXi Pro 98-02	**0650-0895**
POLARIS	
SL 650 92-95	**0650-0898**
Freedom 700 02-03	**0650-0899**
Virage 700 02-03	**0650-0899**
SL 750 93-95	**0650-0898**
Virage I 780 02-03	**0650-0899**
SEA-DOO	
Explorer 650 94-96	**0650-1045**
GTX 650 94-96	**0650-1045**
GS/GSI 720 97	**0650-1044**
GS/GTI 98-01	**0650-0825**
GTS 720 01	**0650-0825**
SPX 720 96-97	**0650-0537**
GSX 800 98	**0650-1041**
GSX RFI 800 99	**0650-1042**
GTI LE RFI 800 03-05	**0650-1042**

FITS MODEL	PART #
SEA-DOO (CONT)	
GTI RFI 800 04	**0650-1042**
GTX RFI 800 99-02	**0650-1042**
SPX/XP 800 95, 98-99	**0650-0537**
GTX LTD 951 98	**0650-1041**
GTX DI 951 00-03	**0650-1043**
RX DI 951	**0650-1043**
YAMAHA	
500 WaveJammer 87-90	**0650-0826**
500 WaveRunner 89-90	**002-055**
650 SuperJet 90-95	**002-055**
650 WaveRunner 90-92	**002-055**
650 WaveRunner III 90-96	**002-055**
650 WaveRunner LX 93	**002-055**
650 WaveRunner VXR 91-95	**002-055**
701 FX1 94-95	**002-055**
701 SuperJet 94-95	**002-055**
701 WaveBlaster 93-95	**002-055**
701 WaveRaider/Deluxe 95	**0650-0148**
701 WaveRaider 96-97	**002-055**

FITS MODEL	PART #
YAMAHA (CONT)	
701 WaveRunner III 97	**002-055**
701 WaveRunner III GP 94-95	**002-055**
701 WaveRunner Pro VXR 93-94	**002-055**
701 WaveRunner Super Jet 96-07	**0650-0901**
701 WaveRunner XL 99-04	**0650-0900**
701 WaveVenture 95-96	**0650-0148**
800 WaveRunner GP 98-00	**0650-0827**
800 WaveRunner XL 00-01	**0650-0827**
800 WaveRunner XLT 02-04	**0650-0827**
1100 WaveRaider 95-96	**0650-0148**
1100 WaveVenture 96-97	**0650-0148**
1200 WaveRunner GP 97-99	**0650-1122**
1200 WaveRunner GP 01-02	**0650-1121**
1200 WaveRunner XL 98	**0650-1122**
1200 WaveRunner XL 99-01	**0650-1121**
1200 WaveRunner XLT 02-05	**0650-1121**
1300 WaveRunner GP 03-08	**0650-1123**

TRIM CABLES

FITS MODEL	PART #
YAMAHA	
WaveRunner GP 650 97	**4807-0032**
WaveRunner GP 760 97-00	**4807-0032**
WaveRunner GP 800 98-00	**4807-0032**
WaveRunner GP 800R 01-05	**4807-0033**
FX 05-06	**4807-0067**
FX140 02-04	**4807-0067**

FITS MODEL	PART #
YAMAHA (CONT)	
FX Cruiser 03-07, Cruiser HO 04-07, FX HO 04-07	**4807-0067**
WaveRunner GP 1200 97-99	**4807-0032**
WaveRunner GP 1200/R 00-02	**4807-0033**
WaveRunner SUV 1200 99-04	**4807-0033**
WaveRunner GP 1300R 03-07	**4807-0033**

REVERSE CABLES

FITS MODEL	PART #
KAWASAKI	
900 STS 01-02	**4807-0026**
900 STX 99-03	**4807-0026**
1100 STX 97-99	**4807-0026**
1100 STX DI 00-03	**4807-0026**
1200 STX-F 03	**4807-0026**
1500 Ultra 250X/260X/LX 07-09	**4807-0064**
SEA-DOO	
720 GTI 97-98	**4807-0029**
720 GTI 99	**4807-0030**
720 GTI 01-05	**4807-0065**
720 GTS 01	**4807-0065**
720 HX 95-97	**4807-0065**
800 GTI LE RFI 03-05, GTI RFI 04-05	**4807-0065**
800 GTX 96-97	**4807-0029**
800 GTX RFI 98-02	**4807-0030**

FITS MODEL	PART #
SEA-DOO (CONT)	
950 GTX DI 02-03	**4807-0066**
1500 GTI 06-07	**4807-0065**
1500 GTI/SE 130 08-10	**4807-0065**
1500 GTI Renthal 06-07, Renthal 130 08-10	**4807-0065**
1500 GTI SE 06-07	**4807-0065**
1500 GTI SE 155 08-10, Wake 155 09-10	**4807-0065**
1500 GTS Pro 11	**4807-0065**
1500 RXP Super Charged 215 09	**4807-0065**
1500 RXP X 255 09-11	**4807-0065**
1500 GTI Wake 155 08	**4807-0066**
1500 GTX 02-07	**4807-0066**
1500 GTX 155 08-09	**4807-0066**
1500 GTX LTD Super Charged 185 03-04, Super Charged 215 05-08	**4807-0066**

FITS MODEL	PART #
SEA-DOO (CONT)	
1500 GTX Super Charged 185 03-06, Super Charged 215 08-09	**4807-0066**
1500 GTX Wake 03-07, Wake Pro 215 09	**4807-0066**
1500 GTX Wake Super Charged 215 07-08	**4807-0066**
1500 RXT Super Charged 215 05-09	**4807-0066**
1500 RXT X 255 08-09	**4807-0066**
YAMAHA	
WaveRunner III 650 90, 93, 96	**4807-0034**
WaveRunner III 701 94-95	**4807-0034**
WaveRunner XL/XLT 800 00-04	**4807-0035**
WaveVenture 1100 96-97	**4807-0036**
WaveRunner XL/XLT 1200 99-05	**4807-0035**

HIGH-TEMPERATURE SLEEVING KITS

ACCEL

- Protect against abrasion and resists oil, gasoline and most chemicals
- Heat range of -40°F to +200°F
- Easy to cut with scissors and can be cleaned with soap and water
- Kits include 10' of 1/4" sleeving, 10' of 3/8" sleeving, 5' of 1/2" sleeving and heat-shrink termination tubing



2120-0080



2120-0081




2120-0082

DESCRIPTION	PART #
Black	**2120-0080**

DESCRIPTION	PART #
Red	**2120-0081**

DESCRIPTION	PART #
Blue	**2120-0082**

BOLD MAGENTA part numbers are new for 2020



Propulsion, Driveline & Handling

Engine

SOLAS


Concord


Dynafly


Twin


X-Prop


Super Chamber

IMPELLERS

- Constructed of ultra high-strength, corrosion-resistant stainless steel
- Exclusive hub-end water seal keeps the nasty stuff out of precious parts
- Mirror-smooth finish and polished hub resists cavitation
- Impeller pitch is determined by casting, not bending

CONCORD: THE POWER TORQUE SERIES

- This unique impeller enhances all-range maneuverability with no slippage in water hookup
- Variable pitch offers both low-speed torque and all-out high speed in one impeller

X-PROP: HIGH SPEED AND ULTIMATE PERFORMANCE

- X-prop series impellers produce the most powerful propulsion in the water from an advanced design that incorporates a high-compression hub and cambered blades

DYNAFLY: MAXIMUM ACCELERATION

- Blade geometry designed specifically for high compression ratio jet-pump systems
- Improve acceleration and top end while eliminating performance holes
- Lower pitch angle is recommended for stock motors; higher pitch angle is recommended for modified motors; lower pitch angle can also be used with modified motors if improved acceleration is desired

TWIN: STATE-OF-THE-ART DESIGN

- Specially for select Sea-Doo RXP, RXT and GTX models and Yamaha SHO, SHO FRZ and FZS models, the Twin series features the latest advances in high-performance impeller design

SUPER CAMBER

- Grunt and speed from one impeller
- The blade has a variable pitch, designed to give both strong low-end thrust and unmatched top-end performance
- Race, tow waterskiers and carry multiple passengers with ease
- A- and B-series offer a cost-effective solution and features both low-speed torque and all-out high speed in one impeller
- I-, J-, K- and S-series feature a proven impeller design with increased blade surface and smaller hub for more power and volumetric flow, making them the best all-around impellers on the market

SUPER CAMBER NOTATION: In the application chart, Super Camber impellers are listed in the format "Super Camber (x/y/z)." This denotes the Solas series for the Stock, Limited and Modified impellers respectively. "Super Camber (I/J/K)," for example, means that the Stock impeller listed is "I" series, the Limited is "J" series, and the Modified is "K" series.

NOTE: Choose impeller based on level of engine modification: Stock, Limited or Modified. See appropriate columns in chart.

NOTE: Lower pitch impellers recommended for high altitude, pulling or freestyle applications.

APPLICATIONS

			STOCK ENGINES		LIMITED ENGINES		MODIFIED ENGINES	
FITS MODEL	**PUMP DIAMETER**	**SERIES**	**PART #**	**PITCH**	**PART #**	**PITCH**	**PART #**	**PITCH**
HONDA								
1235								
R-12X 04-07, F-12X/F-12X GPScape 02-07	155mm	Concord	**HA-CD-1729**	17/29	**HA-CD-1729**	17/29	-	-
KAWASAKI								
550								
SX 90-96	Tapered	Super Camber (A/-/-)	**KD-SC-A**	13/18	-	-	-	-
JS 82-89	Tapered	Super Camber (A/-/-)	**KB-SC-A**	13/18	-	-	-	-
650								
TS/SX 89-96, X-2/JM 91-96	140mm	Super Camber (I/I/J)	**KA-SC-I**	13/18	**KA-SC-I**	13/18	**KA-SC-J**	14/19
750								
SXi/SXi Pro 95-02	140mm	Concord	**KE-CD-915**	9/15	**KE-CD-1116**	11/16	**KE-CD-1116**	11/16
		Super Camber (S/S/I)	**KE-SC-S**	13/18	**KE-SC-S**	13/18	**KE-SC-I**	14/19
STS 95-01, Xi Sport 93-00, ZXi 95-97, Xi 93-97	140mm	Concord	**KE-CD-1116**	11/16	-	-	-	-
		Super Camber (S/I/-)	**KE-SC-S**	13/18	**KE-SC-I**	14/19	-	-
SS 92-97	140mm	Concord	**KE-CD-915**	9/15	**KE-CD-1116**	11/16	**KE-CD-1116**	11/16
SXi 95-96	140mm	Concord	**KE-CD-1116**	11/16	-	-	-	-
SX 92-96, ST 93-95, STX 98, XiR 94	140mm	Concord	**KE-CD-1116**	11/16	-	-	-	-
		Super Camber (I/-/-)	**KE-SC-I**	14/19	-	-	-	-
800								
SX-R 03-11	140mm	Dynafly	**4809-0037**	13/22	**4809-0038**	14/23	**4809-0039**	15/24
900								
STX 01-06	148mm	Concord	**4809-0052**	11/17	**KG-CD-1218**	12/18	**KG-CD-1319**	13/19
STX/STS/ZXi 96-00	140mm	X-Prop	**KF-SC-X**	16/23	-	-	-	-
		Super Camber (I/I/J)	**KF-SC-I**	16/21	**KF-SC-I**	16/21	-	-
1100								
STX 97-98, STX DI 01-03, ZXi 96-03	148mm	Concord	**4809-0052**	11/17	**KG-CD-1319**	13/19	**4809-0053**	14/20
		Dynafly	**4809-0034**	12/24	-	13/25	-	-

IMPELLERS continued on next page.

SOLAS® IMPELLERS (CONT)

APPLICATIONS (CONT)

FITS MODEL	PUMP DIAMETER	SERIES	STOCK ENGINES PART #	STOCK ENGINES PITCH	LIMITED ENGINES PART #	LIMITED ENGINES PITCH	MODIFIED ENGINES PART #	MODIFIED ENGINES PITCH
KAWASAKI (CONT)								
1200								
STX-R 02-06	148mm	Concord	**4809-0054**	15/21	**4809-0054**	15/21	**-**	-
Ultra 150 99-06	Tapered	Dynafly	**KH-DF-1620**	16/20	**KH-DF-1620**	16/20	**-**	-
1500								
STX-15F 04-20	148mm	Concord	**4809-0316**	14/21	**-**	-	**4809-0054**	15/21
SX-R 17-20	148mm	Concord	**4809-0305**	15/20	**-**	-	**4809-0306**	12/16
Ultra 250X 07-08	155mm	Concord	**4809-0170**	15/23	**4809-0170**	15/23	**4809-0171**	16/24
		Concord	**4809-0139**	16/21	**4809-0171**	16/24	**-**	-
Ultra 260X/LX 08-10	155mm	Concord	**4809-0170**	15/23	**4809-0170**	15/23	**4809-0171**	16/24
		Concord	**-**	-	**4809-0171**	16/24	**-**	-
Ultra 300X/300LX 11-14	160mm	Concord	**4809-0193**	14/21	**4809-0193**	14/21	**4809-0194**	15/22
		Concord	**-**	-	**4809-0194**	15/22	**-**	-
Ultra LX 07-20	155mm	Concord	**4809-0138**	10/16	**4809-0138**	10/16	**-**	-
ULTRA 310X/310X SE/310LX/310R 14-20	160mm	Concord	**4809-0193**	14/21	**4809-0193**	14/21	**4809-0194**	15/22
			-		**4809-0194**	15/22	**-**	-
POLARIS								
650								
SL/STD 94-95	148mm	Concord	**PA-CD-1218**	12/18	**PA-CD-1218**	12/18	**PA-CD-1319**	13/19
700								
Freedom/Virage 02-04, SL/SL DLX/ Hurricane 96-97, SLH 98-01, SLT/SLTH 96-99	148mm	Concord	**PA-CD-1218**	12/18	**PA-CD-1218**	2/18	**PA-CD-1319**	13/19
750								
MSX 110 03-04	148mm	Concord	**PA-CD-1218**	12/18	**PA-CD-1218**	12/18	**PA-CD-1218**	12/18
MSX 150 03-04	148mm	Concord	**PA-CD-1319**	13/19	**PA-CD-1319**	13/19	**-**	-
SL 750/SLT 94-95	148mm	Concord	**PA-CD-1218**	12/18	**PA-CD-1218**	12/18	**PA-CD-1319**	13/19
776								
Virage I 02-04	148mm	Concord	**PA-CD-1218**	12/18	**PA-CD-1319**	13/19	**PA-CD-1319**	13/19
785								
SLX/SLX Pro 785/SL780/SLT 780 96-01	148mm	Concord	**PA-CD-1218**	12/18	**PA-CD-1319**	13/19	**-**	-
		X-Prop	**PB-SC-X**	14/21	**-**	-	**-**	-
900								
SL 900 96-97	148mm	Concord	**PA-CD-1319**	13/19	**-**	-	**-**	-
		X-Prop	**PB-SC-X**	14/21	**-**	-	**-**	-
1050								
SL/SLX/SLXH/SLTX 97-98	148mm	Concord	**-**	-	**PA-CD-1521**	15/21	**PA-CD-1521**	15/21
		X-Prop	**PB-SC-X**	14/21	**-**	-	**-**	-
SLX 00-01	148mm	Concord	**PA-CD-1521**	15/21	**-**		**-**	
1192								
MSX 140 03-04	148mm	Concord	**PA-CD-1521**	15/21	**PA-CD-1521**	15/21	**-**	-
Pro 1200 00-02, Virage TX/TXi 00-02	148mm	Concord	**PA-CD-1521**	15/21	**-**	-	**-**	-
SEA-DOO								
580								
GSX 92-93, GT 90-91, GTS 92-96, GTX 92-93, SP 88-96, SPI 93-96, SPX 93, XP 91-92	140mm	Super Camber (A/B/-)	**SD-SC-A**	13/18	**SD-SC-B**	14/19	**-**	-
650								
GSX/GTX/SPX 94-95, XP 93-94	140mm	Super Camber (I/I/J)	**SD-SC-I**	14/19	**SD-SC-I**	14/19	**SD-SC-J**	15/20
720								
GTI/GTI LE/GTI RFI 01-05, GTS 01-02	155.5mm	Concord	**ST-CD-1016**	10/16	**ST-CD-1016**	10/16	**-**	-
GS/GSI 97-01, GTI/GTS 96-00, XP/SPX 95-97	140mm	Concord	**SD-CD-1422**	14/22	**SD-CD-1523**	15/23	**-**	-
		X-Prop	**SD-SC-X**	16/23	**SD-SC-X**	16/23	**SD-SC-X0**	16.5/23.5
		Super Camber (I/J/K)	**SD-SC-I**	14/19	**SD-SC-J**	15/20	**-**	-
HX 95-97	140mm	Super Camber (I/J/K)	**SD-SC-I**	14/19	**SD-SC-J**	15/20	**-**	-
782								
3D/3D Base 05-07	155.5mm	Concord	**ST-CD-1016**	10/16	**ST-CD-1016**	10/16	**-**	-
GSX RFI/GTX RFI 99-00	155.5mm	Concord	**SF-CD-1523**	15/23	**-**	-	**-**	-
XP/SPX/GSX 96-98	140mm	Concord	**SD-CD-1523**	15/23	**-**	-	**-**	-
		X-Prop	**SD-SC-X0**	16.5/23.5	**SD-SC-X0**	16.5/23.5	**-**	-
GTX/GTX PRO 96-98	140mm	Concord	**SD-CD-1422**	14/22	**SD-CD-1523**	15/23	**-**	-
		X-Prop	**SD-SC-X0**	16.5/23.5	**SD-SC-X0**	16.5/23.5	**-**	-
GTI/GTI LE/GTI RFI 01-05, GTS 01-02	155.5mm	Concord	**ST-CD-1016**	10/16	**ST-CD-1016**	10/16	**-**	-
900								
Spark Ace 900/HO 14-20	140mm	Concord	**-**	-	**4809-0299**	12/14	**-**	-
		Concord	**4809-0244**	12/17	**4809-0244**	12/17	**4809-0245**	13/18
900 GTI/GTS 17-20	150mm	Concord	**4809-0318**	10/16	**-**		**-**	
951								
RXX 01-02	148mm	Concord	**4809-0054**	15/21	**-**	-	**-**	-
XP/XP DI 00-04, RX/RX DI 00-03	155.5mm	Concord	**ST-CD-1520**	15/20	**ST-CD-1621**	16/21	**-**	-
		Dynafly	**ST-DF-1319**	13/19	**ST-DF-1319**	13/19-	**-**	
GTX/GTX DI 00-03	155.5mm	Concord	**ST-CD-1520**	15/20	**ST-CD-1520**	15/20	**ST-CD-1621**	16/21
		Dynafly	**ST-DF-1319**	13/19	**ST-DF-1319**	13/19	**-**	-

BOLD MAGENTA part numbers are new for 2020

SOLAS® IMPELLERS (CONT)

APPLICATIONS (CONT)

FITS MODEL	PUMP DIAMETER	SERIES	STOCK ENGINES PART #	STOCK ENGINES PITCH	LIMITED ENGINES PART #	LIMITED ENGINES PITCH	MODIFIED ENGINES PART #	MODIFIED ENGINES PITCH
SEA-DOO (CONT)								
951 (CONT)								
GSX Ltd./GTX Ltd./XP Ltd. 98-99	155.5mm	Concord	**ST-CD-1520**	15/20	**ST-CD-1520**	15/20	**ST-CD-1621**	16/21
		X-Prop	**ST-SC-XO**	14.5/17.5	**ST-SC-XO**	14.5-17.5	-	-
LRV/LRV DI 99-03	155.5mm	Concord	**4809-0059**	14/19	**4809-0059**	14/19	**ST-CD-1520**	15/20
		X-Prop	**ST-SC-XO**	14.5/17.5	**ST-SC-XO**	14.5/17.5	-	-
1500/1600								
RXP-X 260 12-15	159mm	Concord	**4809-0159**	15/21	**4809-0159**	15/21	-	-
		Twin	**4809-0256**	15/21	**4809-0256**	15/21	**4809-0256**	15/21
RXT IS 260/RXT-X 260/RXT 260/RXT-X aS260 09-20	159mm	Concord	**4809-0159**	15/21	**4809-0159**	15/21	-	-
		Twin	**4809-0256**	15/21	**4809-0256**	15/21	**4809-0256**	15/21
GTX LTD IS 255/GTX LTD IS 260 09-20	159mm	Concord	**4809-0159**	15/21	**4809-0159**	15/21	-	-
		Twin	**4809-0256**	15/21	**4809-0256**	15/21	**4809-0256**	15/21
RXP-X 255 09-12	159mm	Concord	**4809-0159**	15/21	**4809-0159**	15/21	-	-
		Twin	**4809-0256**	15/21	**4809-0256**	15/21	**4809-0256**	15/21
RXP 215HP 09-10	159mm	Concord	**4809-0157**	14/19	**4809-0157**	14/19	**4809-0158**	15/20
GTX/GTX LTD. 215HP 09-15, RXT 215HP 09-10, Wake Pro 215HP 09-16	159mm	Concord	**4809-0156**	13/18	**4809-0157**	14/19	**4809-0158**	15/20
			-		-		**4809-0159**	16/21
RXP-X 08	159mm	Concord	**4809-0060**	15/21	**4809-0060**	15/21	-	-
RXT-X 08	159mm	Concord	**4809-0047**	14/19	**4809-0047**	14/19	-	-
RXP 215HP 04-08	159.8mm	Concord	**4809-0047**	14/19	**4809-0047**	14/19	**4809-0158**	15/20
RXT 215HP 05-08	159.8mm	Concord	**4809-0046**	13/18	**4809-0047**	14/19	**4809-0158**	15/20
Wake Supercharged 215HP 07-10	159mm	Concord	**4809-0046**	13/18	**4809-0047**	14/19	-	-
GTR (215HP) 12-16	159mm	Concord	**4809-0157**	14/19	**4809-0157**	14/19	**4809-0158**	15/20
GTX LTD 215HP 05	159mm	Concord	**4809-0046**	13/18	**4809-0047**	14/19	-	-
RXT IS 260/RXT-X 260 09-10	159mm	Concord	**4809-0159**	15/21	**4809-0159**	15/21	-	-
GTX LTD IS 260	159mm	Concord	**4809-0159**	15/21	**4809-0159**	15/21	-	-
GTX 4-Tec Ltd Supercharged 185HP 03-04	155.5mm	Concord	**4809-0040**	12/20	**4809-0041**	13/21	-	-
GTX 4-Tec Supercharged 185HP 03-06	155.5mm	Concord	**4809-0040**	12/20	**4809-0040**	12/20	-	-
GTS SE 155/RXP 155HP 07-09, GTX/GTX 4-Tec/ GTX Wake 155HP 08-09, GTS/GTS Pro 130 11	155.5mm	Concord	**SR-CD-1119**	11/19	**4809-0040**	12/20	**4809-0040**	12/20
GTI LTD/ GTI SE 08, GTI/GTI SE 130/GTI SE/ GTI STD/GTI 4-TEC SE/GTI 4-TEC STD/ GTI 4-TEC RENTAL/GTI 130/GTI Rental 130	155.5mm	Concord	**4809-0103**	10/18	**SR-CD-1119**	11/19	**SR-CD-1119**	11/19
RXP-X 300, RXT-X 300, GTX Limited 300 16-20	161mm	Concord	**4809-0313**	11/16	-	-	-	-
		Concord	**4809-0298**	13/16	**4809-0309**	13/16	-	-
		Twin	**4809-0304**	13/16	-	-	-	-
		Concord	**4809-0308**	13/18	-	-	-	-
		Concord	-	-	-	-	**4809-0310**	14/19
TIGERSHARK								
640								
Monte Carlo 640 96-97, Montego 97-16, Montego Deluxe 96-97, TS 640/640L 98-99	146mm	Super Camber (I/I/J)	**TB-SC-I**	15.5/19.5	**TB-SC-I**	15.5/19.5	**TB-SC-J**	16/20.5
Barracuda 94-95, Daytona 640 94-95, Monte Carlo 640 94-95, Montego 94-96, Montego Deluxe 95-97	142mm	Super Camber (I/I/J)	**TA-SC-I**	14.5/18	**TA-SC-I**	14.5/18	**TA-SC-I**	15.5/19
770								
Daytona 770R/770 98, Monte Carlo 770 96-97, TS 770 98-99, TS 770R 98-99	146mm	Super Camber (I/I/I)	**TB-SC-I**	15.5/19.5	**TB-SC-I**	15.5/19.5	**TB-SC-I**	15.5/19.5
900								
Monte Carlo 900 96	146mm	Super Camber (I/J/-)	**TB-SC-I**	15.5/19.5	**TB-SC-J**	16/20.5	-	-
1000								
TS 1000L/R 98-99	148mm	Super Camber (I/J/-)	**TB-SC-I**	15.5/19.5	**TB-SC-J**	16/20.5	-	-
Daytona 1000 97, Monte Carlo 1000 97, TS 1000R Daytona 98	146mm	Super Camber (I/J/-)	**TB-SC-I**	15.5/19.5	**TB-SC-J**	16/20.5	-	-
1100								
TS 1100R/LI 99	148mm	Concord	-	-	-	-	**PA-CD-1521**	15/21
YAMAHA								
500								
Wave Runner 500/Wave Jammer 500 (all)	Tapered	Super Camber (A/-/-)	**YA-SC-A**	13/18	-	-	-	-
650								
SuperJet 90-93	144mm	Super Camber (I/-/K)	**YBSCI**	14.5/18	-	-	**YB-SC-K**	15/19
VXR 91-95	144mm	Super Camber (S/I/-)	**YB-SC-S**	14/17	**YBSCI**	14.5/18	-	-
Wave Jammer 650/LX650 (all)	Tapered	Super Camber (A/A/-)	**YA-SC-A**	13/18	**YA-SC-A**	13/18	-	-
Wave Runner 500/Wave Jammer 500 (all)	Tapered	Super Camber (A/-/-)	**YA-SC-A**	13/18	-	-	-	
Wave Runner III 90-96	144mm	Super Camber (S/-/-)	**YB-SC-S**	14/17	-	-	-	-

IMPELLERS continued on next page.

SOLAS® IMPELLERS (CONT)

APPLICATIONS (CONT)

FITS MODEL	PUMP DIAMETER	SERIES	STOCK ENGINES PART #	STOCK ENGINES PITCH	LIMITED ENGINES PART #	LIMITED ENGINES PITCH	MODIFIED ENGINES PART #	MODIFIED ENGINES PITCH
YAMAHA (CONT)								
701								
Wave Raider 700/Wave Deluxe/Venture 94-97	144mm	Concord	**YB-CD-1317**	13/17	**YB-CD-1317**	13/17	**YB-CD-1418**	14/18
		Concord	**-**	-	**YB-CD-1418**	14/18	**-**	-
		X-Prop	**YB-SC-X**	15/18	**-**	-	**-**	-
		Super Camber (-/K/K)	**-**	-	**YB-SC-K**	15/19	**YB-SC-K**	15/19
Wave Blaster/Wave Runner GP700/Pro VXR 93-97	144mm	Concord	**YB-CD-1317**	13/17	**YB-CD-1317**	13/17	**YB-CD-1418**	14/18
		X-Prop	**YB-SC-X**	15/18	**-**	-	**-**	-
		Super Camber (I/-/K)	**YBSCI**	14.5/18	**-**	-	**YB-SC-K**	15/19
SuperJet 94-07	144mm	Concord	**YB-CD-1317**	13/17	**YB-CD-1317**	13/17	**YB-CD-1418**	14/18
		Super Camber (I/-/K)	**YBSCI**	14.5/18	**-**	-	**YB-SC-K**	15/19
SuperJet 08-16	144mm	Concord	**4809-0196**	12/18	**4809-0197**	13/19	**4809-0197**	13/19
760								
Wave Raider 760 95	144mm	Super Camber (I/I/-)	**YBSCI**	14.5/18	**YBSCI**	14.5/18	**-**	-
Wave Runner GP760 97-00	144mm	Concord	**YB-CD-1317**	13/17	**YB-CD-1418**	14/18	**-**	-
		X-Prop	**YB-SC-X**	15/18	**-**	-	**-**	-
		Super Camber (I/-/K)	**YBSCI**	14.5/18	**-**	-	**YB-SC-K**	15/19
Wave Runner XL760/Wave Venture 760 98-99, Wave Blaster II 96-97	155mm	Concord	**-**	-	**-**	-	**YD-SC-I**	13/19
		X-Prop	**YD-SC-X**	13/16	**YD-SC-X**	13/16	**-**	-
800								
Wave Runner GP800R 01-05, Wave Runner XL800 02-04	155mm	Concord	**YF-CD-1114**	11/14	**YF-CD-1114**	11/14	**-**	-
Wave Runner GP800 98-00	144mm	Concord	**YB-CD-1418**	14/18	**-**	-	**-**	-
		Super Camber (-/-/K)	**-**	-	**-**	-	**YB-SC-K**	15/19
Wave Runner XL800 98-99	144mm	Concord	**YB-CD-1317**	13/17	**YB-CD-1418**	14/18	**-**	-
		X-Prop	**YB-SC-X**	15/18	**-**	-	**-**	-
		Super Camber (I/-/K)	**YBSCI**	14.5/18	**-**	-	**YB-SC-K**	15/19
998								
FX-140/FX Cruiser 03-08	155mm	Concord	**YF-CD-1218**	12/18	**YF-CD-1319**	13/19	**YF-CD-1319**	13/19
1049								
EX/EX Deluxe/Sport 17-20	144mm	Concord	**4809-0303**	12/20	**-**	-	**4809-0302**	12/17
VX Limited/Cruiser/Deluxe/V1/V1 Sport 16-20	155mm	Dynafly	**4809-0301**	9/13	**-**	-	**-**	-
1052								
FX High Output 04-08, FX Cruiser High Output 04-08	155mm	Dynafly	**4809-0057**	14/20	**4809-0057**	14/20	**-**	-
VX/VX Sport/VX Deluxe/VX Crusier 05-15	155mm	Concord	**4809-0058**	18/22	**4809-0058**	18/22	**-**	-
1100								
Wave Raider 1100/Wave Venture 1100 95-97	155mm	Concord	**YD-CD-1218**	12/18	**YD-CD-1218**	12/18	**YD-CD-1319**	13/19
		X-Prop	**YD-SC-X**	13/16	**YD-SC-X**	13/16	**-**	-
		Super Camber (I/I/-)	**YD-SC-I**	13/19	**YD-SC-I**	13/19	**-**	-
1200								
Wave Runner XLT 1200 99-05	155mm	Concord	**YF-CD-1218**	12/18	**YF-CD-1319**	13/19	**-**	-
		X-Prop	**-**	-	**-**	-	**4809-0056**	14.5/17.5
Wave Runner GP 1200R 00-02	155mm	Concord	**YF-CD-1319**	13/19	**YF-CD-1319**	13/19	**-**	-
		X-Prop	**-**	-	**-**	-	**4809-0056**	14.5/17.5
Wave Runner SUV1200 99-04	155mm	Concord	**YF-CD-1218**	12/18	**YF-CD-1218**	12/18	**-**	-
Wave Runner XL1200 98-99	155mm	Concord	**YD-CD-1319**	13/19	**YD-CD-1319**	13/19	**YD-CD-1319**	13/19
Wave Runner GP 1200 97-99, Wave Runner GP 1200R 99	155mm	Concord	**YD-CD-1319**	13/19	**YD-CD-1319**	13/19	**-**	-
1300								
Wave Runner GP1300R 05-08	155mm	Dynafly	**4809-0057**	14/20	**4809-0057**	14/20	**-**	-
Wave Runner GP1300R 03-04	155mm	Concord	**YF-CD-1319**	13/19	**YF-CD-1319**	13/19	**-**	-
1812								
FZR/FZS 14-19, FX SVHO/ FX Cruiser SVHO 14-19	160mm	Twin	**4809-0312**	12/18	**-**	-	**-**	-
		Twin	**4809-0248**	12/20	**4809-0248**	12/20	**4809-0248**	12/20
		Concord	**-**	-	**4809-0300**	13/18	**-**	-
		Concord	**4809-0246**	13/20	**4809-0246**	13/20	**4809-0247**	14/21
			-	-	**4809-0247**	14/21	**-**	-
FX SVHO/FX Cruiser SVHO 14-20	160mm	Concord	**4809-0246**	13/20	**4809-0246**	13/20	**4809-0247**	14/21
			-		**4809-0247**	14/21	**-**	-
FX HO/FX Cruiser HO 09-20, VXR/VXS 11-20	155mm	Concord	**4809-0191**	13/19	**4809-0168**	13/22	**4809-0168**	13/22
FX High Output 09-16	155mm	Dynafly	**4809-0140**	14/21	**4809-0140**	14/21	**4809-0141**	15/22
		Dynafly	**-**	-	**4809-0141**	15/22	**-**	-
SHO/SHO FZR/FZS 08	155mm	Twin	**4809-0192**	14/23	**-**	-	**-**	-

SOLAS® IMPELLERS (CONT)

APPLICATIONS (CONT)

FITS MODEL	PUMP DIAMETER	SERIES	STOCK ENGINES PART #	STOCK ENGINES PITCH	LIMITED ENGINES PART #	LIMITED ENGINES PITCH	MODIFIED ENGINES PART #	MODIFIED ENGINES PITCH
YAMAHA (CONT)								
1812 (CONT)								
SHO/SHO FZR/FZS 08-13	155mm	Dynafly	**4809-0140**	14/21	**4809-0140**	14/21	**4809-0141**	15/22
		Concord	**4809-0191**	13/19	**4809-0141**	15/22	**4809-0169**	14/23
		Concord	**4809-0168**	13/22	**4809-0168**	13/22	-	-
		Concord	-	-	**4809-0169**	14/23	-	-
FZR SHO/FZS SHO 08-13	155mm	Twin	**4809-0192**	14/23	**4809-0192**	14/23	**4809-0192**	14/23
SEA-DOO JETBOATS								
720 (SINGLE ENGINE)								
Explorer 97, Sportster 95-98	140mm	X-Prop	**SD-SC-X**	16/23	-	-	-	-
720 (DUAL ENGINES)								
Challenger 98-01, Speedster 1800, Speedster 96-97, Speedster SK 99, Sportster LT 02	140mm	X-Prop	**SD-SC-X**	16/23	-	-	-	-
780 (SINGLE ENGINE)								
Challenger 95-97	140mm	X-Prop	**SD-SC-X0**	16.5/23.5	-	-	-	-
780 (DUAL ENGINES)								
Challenger 1800 97-99	140mm	X-Prop	**SD-SC-X0**	16.5/23.5	-	-	-	-
		Concord	**SD-CD-1523**	15/23	-		-	
Speedster 98-99	140mm	Concord	**SF-CD-1523**	15/23	-	-	-	-
951								
Sportster LE DI 00-05	155.5mm	Concord	**ST-CD-1520**	15/20	-	-	-	-
1500								
180 Challenger/SE (215HP) 07-15, 205 Utopia/SE (2x215HP) 07-15, 230 Challenger/SE (2x215HP) 07-15, 230 Wake (2x215HP) 07-15, Speedster 150 (215HP) 07-15, Speedster 200 (2x215HP) 07-15, Speedster Wake (2x215HP) 06-15	159mm	Concord	**4809-0047**	14/19	-	-	-	-
230 Challenger/SE (2x155HP) 07-16, 230 Wake (2x155HP) 07-15, Islandia SE (2x155HP) 07-15, Speedster 150 (155HP) 07-15, Speedster 200 (2x155HP) 04-15, Sportster 4-Tec (155HP) 04-05	155.5mm	Concord	**SR-CD-1119**	11/19	-	-	-	-
YAMAHA JETBOATS								
998 (DUAL ENGINES)								
SX 230/SR 230/AR 230 04-05	155mm	Concord	**YF-CD-1218**	12/18	-	-	-	-
1052 (DUAL ENGINES)								
SX210/AR210/SR210 06-16	155mm	Dynafly	**4809-0057**	14/20	-	-	-	-
SX230/AR230/SR230 06	155mm	Concord	**YF-CD-1319**	13/19	-	-	-	-
SX230 HO/AR230 HO/ SR230 HO 05-16	155mm	Dynafly	**4809-0057**	14/20	-	-	-	-
1100 (DUAL ENGINES)								
Exciter 220 97-98	155mm	Super Camber (I/-/-)	**YD-SC-I**	13/19	-	-	-	-
1200 (SINGLE ENGINE)								
Exciter 135 98-00	155mm	Super Camber (I/-/-)	**YD-SC-I**	13/19	-	-	-	-
1200 (DUAL ENGINES)								
AR210 04-05, LS2000/LX2000 99-02, LX210 03-05	155mm	Concord	**YD-CD-1218**	12/18	-	-	-	-
		X-Prop	**YD-SC-X**	13/16	-	-	-	-
Exciter 270 98-00	155mm	X-Prop	**YD-SC-X**	13/16	-	-	-	-
		Super Camber (I/-/-)	**YD-SC-I**	13/19	-	-	-	-
XR1800 00-01	155mm	Concord	**YF-CD-1319**	13/19	-	-	-	-

IMPELLER PART # CROSS-REFERENCE CHART

SOLAS #	PARTS UNLIMITED #	SERIES
HA-CD-17/29	**HA-CD-1729**	Concord
KA-SC-I	**KA-SC-I**	Super Camber (I)
KA-SC-J	**KA-SC-J**	Super Camber (J)
KB-SC-A	**KB-SC-A**	Super Camber (A)
KD-SC-A-13/18	**KD-SC-A**	Super Camber (A)
KE-CD-11/16	**KE-CD-1116**	Concord
KE-CD-915	**KE-CD-915**	Concord
KE-SC-I-14/19	**KE-SC-I**	Super Camber (I)
KE-SC-S-13/18	**KE-SC-S**	Super Camber (A)
KF-SC-I-16/21	**KF-SC-I**	Super Camber (I)
KF-SC-X-16/23	**KF-SC-X**	X-prop
KG-CD-11/17	**4809-0052**	Concord
KG-CD-12/18	**KG-CD-1218**	Concord
KG-CD-13/19	**KG-CD-1319**	Concord
KG-CD-14/20	**4809-0053**	Concord
KG-CD 14/21	**4809-0316**	Concord
KG-CD-15/21	**4809-0054**	Concord

SOLAS #	PARTS UNLIMITED #	SERIES
KG-DF-12/24	**4809-0034**	DynaFly
KGX-CD-12/16	**4809-0306**	Concord
KGX-CD-15/20	**4809-0305**	Concord
KH-DF 16/20	**KH-DF-1620**	DynaFly
KP-DF-13/22	**4809-0037**	DynaFly
KP-DF-14/23	**4809-0038**	DynaFly
KP-DF-15/24	**4809-0039**	DynaFly
KR-CD-14/21	**4809-0193**	Concord
KR-CD-15/22	**4809-0194**	Concord
KX-CD-10/16	**4809-0138**	Concord
KX-CD-15/23	**4809-0170**	Concord
KX-CD-16/21	**4809-0139**	Concord
KX-CD-16/24	**4809-0171**	Concord
PA-CD-12/18	**PA-CD-1218**	Concord
PA-CD-13/19	**PA-CD-1319**	Concord
PA-CD-15/21	**PA-CD-1521**	Concord
PA-SC-X-14/21	**PB-SC-X**	X-prop

IMPELLERS continued on next page.

SOLAS® IMPELLERS (CONT)

IMPELLER PART # CROSS-REFERENCE CHART (CONT)

SOLAS #	PARTS UNLIMITED #	SERIES
SD-CD 14/22	**SD-CD-1422**	Concord
SD-CD 15/23	**SD-CD-1523**	Concord
SD-SC-A-13/18	**SD-SC-A**	Super Camber (A)
SD-SC-B-14/19	**SD-SC-B**	Super Camber (B)
SD-SC-I-14/19	**SD-SC-I**	Super Camber (I)
SD-SC-J-15/20	**SD-SC-J**	Super Camber (J)
SD-SC-X-16/23	**SD-SC-X**	X-prop
SD-SC-X0-16.5/23.5	**SD-SC-X0**	X-prop
SF-CD 15/23	**SF-CD-1523**	Concord
SG-CD-10/16	**4809-0318**	Concord
SK-CD-12/17	**4809-0244**	Concord
SK-CD-12/14	**4809-0299**	Concord
SK-CD-13/18	**4809-0245**	Concord
SR-CD-10/18	**4809-0103**	Concord
SR-CD-11/19	**SR-CD-1119**	Concord
SR-CD-12/20	**4809-0040**	Concord
SR-CD-13/21	**4809-0041**	Concord
SRX-CD-13/18	**4809-0046**	Concord
SRX-CD-14/19	**4809-0047**	Concord
SRX-CD-15/21	**4809-0060**	Concord
SRZ-CD-13A/18A	**4809-0156**	Concord
SRZ-CD-14/19A	**4809-0157**	Concord
SRZ-CD-15/20A	**4809-0158**	Concord
SRZ-CD-15/21A	**4809-0159**	Concord
SRZ-TP-15/21A	**4809-0256**	Twin
ST-CD 10/16	**ST-CD-1016**	Concord
ST-CD-14/19	**4809-0059**	Concord
ST-CD-15/20	**ST-CD-1520**	Concord
ST-CD-16/21	**ST-CD-1621**	Concord
ST-DF-13/19	**ST-DF-1319**	DynaFly
ST-SC-XO-14.5-17.5	**ST-SC-XO**	X-prop
SX4-CD-11/16	**4809-0313**	Concord
SX4-CD-13/16	**4809-0298**	Concord
SX4-TP-13/16	**4809-0304**	Twin
SXX-CD-13/16	**4809-0309**	Concord
SXX-CD-13/18	**4809-0308**	Concord
SXX-CD-14/19	**4809-0310**	Concord

SOLAS #	PARTS UNLIMITED #	SERIES
TA-SC-J-15.5/19	**TA-SC-I**	Super Camber (J)
TB-SC-I-15.5/19.5	**TB-SC-I**	Super Camber (I)
TB-SC-J-16/20.5	**TB-SC-J**	Super Camber (J)
YA-SC-A-13/18	**YA-SC-A**	Super Camber (A)
YB-CD-13/17	**YB-CD-1317**	Concord
YB-CD-14/18	**YB-CD-1418**	Concord
YB-SC-I-14.5/18	**YBSCI**	Super Camber (I)
YB-SC-K-15/19	**YB-SC-K**	Super Camber (K)
YB-SC-S-14/17	**YB-SC-S**	Super Camber (S)
YB-SC-X-15/18	**YB-SC-X**	X-prop
YD-CD-12/18	**YD-CD-1218**	Concord
YD-CD-13/19	**YD-CD-1319**	Concord
YD-SC-I-13/19	**YD-SC-I**	Super Camber (I)
YD-SC-X-13/16	**YD-SC-X**	X-prop
YF-CD-11/14	**YF-CD-1114**	Concord
YF-CD-12/18	**YF-CD-1218**	Concord
YF-CD-13/19	**YF-CD-1319**	Concord
YF-SC-XO-14.5/17.5	**4809-0056**	X-prop
YG-DF-9/13	**4809-0301**	DynaFly
YG-DF-14/20	**4809-0057**	DynaFly
YH-CD-18/22	**4809-0058**	Concord
YJ-CD-12/17	**4809-0302**	Concord
YJ-CD-12/20	**4809-0303**	Concord
YQ-CD-12/18	**4809-0196**	Concord
YQ-CD-13/19	**4809-0197**	Concord
YS-CD-13/19	**4809-0191**	Concord
YS-CD-13/22	**4809-0168**	Concord
YS-CD-14/23	**4809-0169**	Concord
YS-DF-14/21	**4809-0140**	DynaFly
YS-DF-15/22	**4809-0141**	DynaFly
YS-TP-14/23	**4809-0192**	Twin
YV-CD-13/18	**4809-0300**	Concord
YV-CD-13/20	**4809-0246**	Concord
YV-CD-14/21	**4809-0247**	Concord
YV-TP-12/18	**4809-0312**	Twin
YV-TP-12/20	**4809-0248**	Twin

BILLET IMPELLER SEAL/NOSE CONES FOR SOLAS IMPELLERS

SOLAS®

- Unique shape is hydrodynamically designed to keep water flowing next to cone and into impeller blade, reducing cavitation
- CNC-machined to precise specifications, then anodized for corrosion resistance
- Double O-ring inside keeps cone firmly in place; indented pry spots for easy removal
- Strongly recommended for high-power applications, such as the Yamaha WaveRunner GP1200R
- Please see the Solas impellers X-reference chart for series confirmation of impeller, if necessary



SLA009



4809-0061

DESCRIPTION	PART #
For Kawasaki KA, KF and KG series impellers	**SLA009**
For Yamaha YH, YF and YG series impellers	**SLA009**

DESCRIPTION	PART #
For Sea-Doo SRX series impellers	**4809-0061**

IMPELLER SEAL/NOSE CONES

SOLAS®

- Genuine Solas replacement impeller seals
- To order the correct seal, look in the IMPELLER SERIES column in the chart below and find the first two letters of the PART # of the Solas impeller on which seal is to be mounted
- Please see the Solas impellers X-reference chart for series confirmation of impeller, if necessary
- Made of rubber



SL009



SL007

IMPELLER SERIES	SEAL/NOSE CONE
KAWASAKI	
KA	**SL009**[1]
KD	**SL009**[1]
KE	**SL009**[1]
KF	**SL009**[2]
KG	**SL009**[2]
KH	**SL007**
KP	**SL009**[2]

IMPELLER SERIES	SEAL/NOSE CONE
SEA-DOO	
SD	**SL007**[1]
SF	**SL007**
SP	**SL007**
ST	**SL007**
TIGERSHARK	
TB	**SL009**[2]
TC	**SL009**[2]

IMPELLER SERIES	SEAL/NOSE CONE
YAMAHA	
YC	**SL009**[2]
YD	**SL009**[2]
YE	**SL009**[2]
YF	**SL009**[2]
YF/YX	**4809-0323**
YG	**4809-0323**
YH	**4809-0323**


IMPELLER SERIES	SEAL/NOSE CONE
YAMAHA (CONT)	
YJ	**4809-0323**

[1] Long: $1^{1}/_{8}$" L.

[2] PART #SLA009 recommended for high-power applications.

BOLD MAGENTA part numbers are new for 2020

SOLAS



PWC IMPELLER INSTALLATION TOOLS


- Make installing an impeller a snap
- To find the proper installation tool for your impeller, match the tool application to the impeller series
- Please see the Solas impellers X-reference chart for series confirmation of impeller, if necessary

DESCRIPTION	APPLICATION	PART #
(A) Impeller tool	HA, KA, KD, KE, KF, KG, KH, KP, SD, SF, SK, ST, YH, YJ	**WR-001**
Impeller tool	YA	**WR-003**
(B) Impeller tool	YB, YD (fits YD series Super Camber impellers I, J, K and X)	**WR-004**
Driveshaft holder	YB, YD (fits YD series Super Camber impellers I, J, K and X)	**WR-004H**
(C) Impeller tool	KC	**WR-005**

DESCRIPTION	APPLICATION	PART #
(D) Impeller tool	PA, PB, PF, PL, TA, TB	**WR-006**
Impeller tool	YF, YG, YD Concord, YQ	**WR-007**
(E) Driveshaft holder	YF, YG, YQ Concord	**WR-007H**
(F) Impeller tool	SR	**4809-0042**
Impeller tool	SRB, SRX, SRZ, SX/SX-4	**3850-0040**
(G) Impeller tool	YV/YS impeller series	**3850-0409**
(H) Impeller tool	SX/SRZ/Twin (TP) and Fly series	**3850-0413**

IMPELLER TOOLS

- Made in the U.S.A.



FITS MODEL	DESCRIPTION	PART #
HONDA		
AquaTrax	Splined impeller holding tool	**SS-23**
KAWASAKI		
Most 650/750 SC, SX, TS, X-2, Ultra 250/260/300/310 (all)	Splined impeller holding tool	**SS-23**
440/550	Splined impeller holding tool, deep	**SS-24**
SEA-DOO		
Most models	Splined impeller holding tool	**SS-23**
GTX/GTX SC 1500 4-TEC and Speedster 150 Jet boat models	Multi-purpose impeller tool	**3802-0013**
RXP/RXT 1500 and WakePro 215	Multi-purpose impeller tool	**3802-0014**
YAMAHA		
Most VX Deluxe and Cruiser 1052 models	Splined impeller holding tool	**SS-23**
500/650	Splined 16mm hex impeller removal tool	**SS-27**
Wave Runner 3, 3GP, VXR, Pro VXR, Super Jet, Wave Blaster, Wave Blaster 2, 701/760/1100 Wave Raider, 701/760/1100 Wave Venture, GP760, GP1200, Wave Runner XL760/XL1200	Splined 18mm hex impeller removal tool	**SS-32**
1200 (w/ largest impeller shaft), AR230 Jet Boats	Splined 20mm hex impeller holding tool	**SS-56**
SHO, HO, FZR, FZS 1812 (all)	Splined 20mm female prop tool	**3802-0036**



4809-0257

JET PUMP HOUSINGS

FOR YAMAHA

- Constructed of high-quality stainless steel

FITS MODEL	DIAMETER	PART #
700		
SuperJet 94-07	144mm	**4809-0252**
SuperJet 08-20	148mm	**4809-0257**[1]
Wave Raider 700/Wave Deluxe/Venture 94-97	144mm	**4809-0252**
Wave Blaster/Wave Runner GP700/Pro VXR 93-97	144mm	**4809-0252**
Wave Runner XL700	155mm	**4809-0254**
760		
Wave Runner XL760/Wave Venture 760 98-99	155mm	**4809-0254**
Wave Blaster 96-97	155mm	**4809-0254**
800		
Wave Runner GP800R 01-05	155mm	**4809-0253**
Wave Runner XL800 00-04	155mm	**4809-0253**
998		
FX-140/FX Cruiser 03-08	155mm	**4809-0253**
1052		
FX High Output/FX CRUISER High Output 04-08	155mm	**4809-0253**
1100		
Wave Raider 1100/Wave Venture 1100 95-97	155mm	**4809-0254**

FITS MODEL	DIAMETER	PART #
1200		
Wave Runner GP1200 97-99/ Wave Runner GP1200R 99	155mm	**4809-0254**
Wave Runner GP1200R 00-02	155mm	**4809-0253**
Wave Runner SUV1200 99-03	155mm	**4809-0253**
Wave Runner XL1200 98-99	155mm	**4809-0253**
1300		
Wave Runner GP1300R 03-08	155mm	**4809-0253**
Wave Runner XLT 1200 99-05	155mm	**4809-0253**
1812		
VXR/VXS 11-20	155mm	**4809-0253**
FX HO/FX CRUSIER HO 09-20	155mm	**4809-0253**
FX SHO/FX Cruiser SHO 08-20	155mm	**4809-0253**
FZR SHO/FZS SHO 08-20	155mm	**4809-0253**
FX SVHO/FX Cruiser SVHO/FZR/FZS 14-20	160mm	**4809-0250**[2]
FX SHO/FX Cruiser SHO, FZR SHO/FZS SHO 08-20	160mm	**4809-0250**[2]

[1] 148mm upgrade kit for modified engines.
[2] For 160mm impeller only.

SOLAS



STATOR (RACE PUMP)

FOR SEA-DOO SPARK 900 14-20

- 140/75mm race pump delivers increased acceleration and top speed
- Reduces cavitation
- Designed for high-performance applications
- Computer-designed 140/75mm 12-vane stator section is much more efficient than the stock pump
- High-grade stainless steel construction for superior strength and corrosion resistance
- Uses the OEM bearings, seals and driveshaft

PART #	4809-0289



4809-0198



4809-0295

JET PUMPS

- All feature trim system
- Impeller not included (Solas KP series Dynafly recommended)

FITS MODEL	DESCRIPTION	PART #
KAWASAKI		
800 SX-R 03-11	12-vane pump measuring 140mm in diameter with a 74mm hub size (HSV, impeller shaft, bearing, oil seal, nozzle, steering nozzle, trim ring)	4809-0198
900 STX 03-06/1100 STX 97-98/ 1100 STX-Di 01-03/1100 ZXi 96-03/ 1200 STX-R 02-06/ STX-12F 03-09/ STX-15F 04-20/1498 SX-R 17-20	12-vane pump measuring 148mm in diameter with a 74mm hub size (housing and stator)	4809-0307
900 STX 03-06/1100 STX 97-98/ 1100 STX-Di 01-03/1100 ZXi 96-03/ 1200 STX-R 02-06/ STX-12F 03-09/ STX-15F 04-20/1498 SX-R 17-20	12-vane pump measuring 148mm in diameter with a 74mm hub size (housing and stator/does not include nozzle set)	4809-0320
1498 SX-R 17-20	12-vane pump measuring 148mm in diameter with a 74mm hub size (housing, stator, impeller shaft, bearing, oil seal, cone, nozzle, steering nozzle and trim ring)	4809-0319
SEA-DOO		
RXP-X300/RXT0X300/ GTX Limited 300 16-18	14-vane pump measuring 161mm in diameter with a 83mm hub size (HSV and nozzle)	4809-0295

STAINLESS STEEL 12-VANE PUMP STATORS

FOR YAMAHA



4809-0258



4809-0199

- Constructed of stainless steel and 6061-T6 billet aluminum, unlike the stock pumps, which are made from weaker cast aluminum, plastic and brass
- These performance pumps are a direct replacement for the inefficient OEM aluminum 6-vane stator section
- 144mm stator requires the use of a large hub Magnum impeller PART #4809-0196 (12/18 pitch) or PART #4809-0197 (13/19 pitch); sold separately
- 148mm stator is an upgrade intended for freestyle riders; requires use of YRS Series Concord impeller
- Use OEM Yamaha bearings and seals
- Include 12-vane stainless pump, pump cone and dual cowling with brass fittings

DESCRIPTION	PART #
700	
Superjet 08-20 (148mm upgraded 12-vane pump stator)	4809-0258
Superjet 08-20 (144mm 12-vane pump stator)	4809-0199[1]

[1] Spacer not required.



JET PUMP

FOR SEA-DOO RXP-X 08-15, RXT IS/X 260 09-19, GTX LTD IS 260 09-20

- 14-vane stainless steel stator section and wear ring
- Suggested impeller: SRZ Concorder (159mm dia. 83mm hub)
- Includes matching 14-vane reduction nozzle
- Provides increased acceleration and top speed above the limits of the original pump efficiency
- Fits most iControl models

PART #	4809-0255

WORX INTERNATIONAL

MAXILOADER INTAKE GRATES

- The first mod to make
- Reduce porpoising and increase control and turning capability with little-to-no loss in top speed
- Used by many on the U.S. National tour



4803-0003



4803-0083

FITS MODEL	PART #
KAWASAKI	
440/550	4803-0073
750 SX/SXI	4803-0071
750 SXI-PRO	4803-0072
800SX-R 03-11	4803-0006
RICKTER	
FS2/FR2/EVO/XFR/XFS (all)	4803-0069

FITS MODEL	PART #
SEA-DOO	
GSX Ltd. (all)	4803-0003
GTi/GTi SE 06-10	4803-0082
GTi/GTi SE 11-17	4803-0062
GTR 12-13	4803-0062
GTX 00-01	4803-0003
GTX DI 01	4803-0003
XP/XP Ltd./XP DI 97-04	WR211

FITS MODEL	PART #
SEA-DOO (CONT)	
HX 93-01/GTS 93-01/ GTX 93-95/GTI 93-97	4803-0076
Spark	4803-0083
YAMAHA	
GP1200/XL1200/Wave Venture 760/1100/ WaveRider 1100	4803-0077
GP1800 SVHO/VXR/VSX/VX 15-18	4803-0092

BOLD MAGENTA part numbers are new for 2020





SOLAS

INTAKE GRATES

- The most durable, corrosion-resistant intake grates on the market
- Cast aluminum construction with electrical deposition paint for strength
- Feature a single foil for more water flow and less cavitation
- The choice of World Champion Nicolas Rius

FITS MODEL	PART #
HONDA	
F-12 02-07	**4803-0016**
F-12X 02-07	**4803-0016**
KAWASAKI	
SX 750 92-96	**4803-0015**
SXi 750 95-96	**4803-0015**
XiR 750 94	**4803-0015**
POLARIS	
Hurricane 700 96-97	**4803-0013**
SL 700 96-97	**4803-0013**
SL 700DLX 97	**4803-0013**
SLH 700 98-01	**4803-0013**
Virage 700 00-04	**4803-0013**
SL 750 93-95	**4803-0013**
SLT 750 94-95	**4803-0013**
Virage I 777 02-04	**4803-0013**
SL/SLT 780 96-97	**4803-0013**
SLX Pro 785 96-01	**4803-0013**
SL 900 96-97	**4803-0013**
SL 1050 97	**4803-0013**
SLTX 1050 96-98	**4803-0013**
SLX 1050 99	**4803-0013**

FITS MODEL	PART #
POLARIS (CONT)	
SLXH 1050 98	**4803-0013**
Virage TX 1165 00-02	**4803-0013**
Virage TXi 1165 01-02	**4803-0013**
Pro 1200 00-02	**4803-0013**
SEA-DOO	
GS 97	**SD-IG-B**
GS 98-01	**GTX-IG-B**
GSI 97-98	**SD-IG-B**
GSX 92-95	**SD-IG-B**
GSX 96-98	**GTX-IG-B**
GSX Ltd. 97-99	**GSX-IG-B**
GSX RFI 99-00	**GTX-IG-B**
GT 90-91	**SD-IG-B**
GTI 96-97	**SD-IG-B**
GTI 98-00	**GTX-IG-B**
GTI/GTI LE/GTI RFI 01-05	**XP-IG-B**
GTS 92-00	**SD-IG-B**
GTS 01-02	**XP-IG-B**
GTX 92-95	**SD-IG-B**
GTX 96-97	**GTX-IG-B**
GTX/GTX DI 00-01	**GSX-IG-B**

FITS MODEL	PART #
SEA-DOO (CONT)	
GTX DI 02-03	**4803-0034**
GTX Ltd. 98-99	**GSX-IG-B**
GTX RFI 99-02	**GTX-IG-B**
GTX 04-08	**4803-0034**
HX 95-97	**SD-IG-B**
LRV/LRV DI 99-03	**GSX-IG-B**
RX/RX DI 00-03	**XP-IG-B**
RXP 04-10	**4803-0033**
RXT 05-10	**4803-0034**
RXX 01-02	**XP-IG-B**
SP 88-96	**SD-IG-B**
SPI 93-96	**SD-IG-B**
SPX 93-98	**SD-IG-B**
XP 91-96	**SD-IG-B**
XP 97-98	**XP-IG-B**
XP/XP DI 00-04	**XP-IG-B**
XP Ltd. 98-99	**XP-IG-B**
YAMAHA	
FX and FX H.O. models 04-07	**4803-0032**
701 Superjet 94-18	**4803-0090**
701 Waveblaster 93-97	**4803-0090**



BLOWSION

ALUMINUM INTAKE DUCT

FOR YAMAHA SUPERJET, WAVEBLASTER, OCTANE AND RICKTER (ALL)

- Updated and redesigned with an incredibly easy fit
- Replaces that easily broken OEM Yamaha intake duct with one that is nearly unbreakable
- For 144mm pumps only

PART #	4809-0160



WORX INTERNATIONAL

PUMP SHOE

FOR YAMAHA SUPERJET (ALL) AND MOST AFTERMARKET HULLS

- Cast aluminum pump shoe is a direct replacement for stock plastic pump shoe that easily distorts and breaks under high speeds
- Pre-drilled and tapped for easy installation
- Must-have upgrade for modified stand-ups to allow use of large winged intake grates that provide maximum efficiency to jet pump without sacrificing reliability

PART #	4809-0243



WR306



4805-0008



4805-0011

WORX INTERNATIONAL

RIDE PLATES

- The favorite choice of U.S. National riders
- Improve handling and cornering
- Let PWC enthusiasts ride faster with less effort

FITS MODEL	STYLE	PART #
KAWASAKI		
750SXI (all)	Performance	**WR307**[1]
750SXI Pro 98-02 (all) (longer plate with D cutout)	Performance	**WR306**
800SX-R 03-10 (longer plate with D cutout)	Performance	**WR306**
800SX-R 03-10 (longer plate with double concave design)	Dominator	**4805-0008**
800SX-R 03-16 (longer plate with D cutout)	Pro Race	**4805-0029**
SEA-DOO		
Spark (non-IBR models only) 14-17	Performance	**4805-0028**
YAMAHA		
Superjet 08 (Dimensions: 55 cm x 36 cm x 3 cm)	Freestyle	**4805-0011**
VXR/VXS	Performance	**4805-0030**

[1] D-cut design to allow the wave rider and freestyler to break the rear end loose easier for tail whips and aerial moves.

WORX INTERNATIONAL

WASHER KIT

FOR SEA-DOO SPARK

- Replace stock plastic washers that deteriorate and break easily with durable stainless steel washers
- 31-piece kit replaces all washers

NOTE: Screw not included.



PART #	4850-0065





BLOWSION

COMPOSITE RIDE PLATES

- Lightweight design
- The same plates used by professional racers worldwide

FITS MODEL	PART #
YAMAHA	
Super Jet 96-07	**4805-0032**





BLOWSION

D-CUT RIDE PLATES

- Lightweight design
- Shaped reverse "D" cutout generates wave-carving turns

FITS MODEL	PART #
YAMAHA	
Super Jet 96-07	**4805-0034**

BOLD MAGENTA part numbers are new for 2020



WR508

4806-0016

WORX INTERNATIONAL

RACE SPONSONS

- Putting Worx race sponsons on a PWC is like putting extra-wide tires on a car; the machine sticks in corners and predictably tracks straight lines
- Carve corners; stay in control in rough water
- Easy to fit; bolt directly into stock mounting holes

FITS MODEL	PART #
KAWASAKI	
750ZXI (all)	**WR508**
800SX-R 03-10	**4806-0016**
900ZXI (all)	**WR508**
1100ZXI (all)	**WR508**

FITS MODEL	PART #
KAWASAKI (CONT)	
1500SX-R 17-18	**4806-0049**
YAMAHA	
WaveRaider 700/760/1100 (all)	**WR507**



4806-0045



4806-0026

BLOWSION

TUBBIE DESTROYER SPONSONS

- Constructed specifically with the aggressive racer and freerider in mind
- Built and shaped specific to the unique hull shape of the SuperJet, FX1, Kawasaki SXR and Hydrospace, the Tubbie Destroyer is fully removable with an average 10 minute per side install
- For racers shredding the stock class, the Tubbie Destroyers for the SuperJet allow the hull to sit slightly deeper in the water, while still giving the ski the well known benefits of the Tubbies aggressive turning, hook up and bow buoyancy, all without creating too much floatation and side to side instability at mid speeds
- Each set available in white or black gel coat and includes detailed installation instructions and all stainless and billet aluminum hardware

FITS MODEL	COLOR	PART #
HYDRO SPACE		
S4	Black	**4806-0045**
KAWASAKI		
SXR	Black	**4806-0045**

FITS MODEL	COLOR	PART #
YAMAHA		
SuperJet 90-07	White	**4806-0026**
SuperJet 08-18	White	**4806-0027**
	Black	**4806-0046**



TUBBIE II SPONSON

UNIVERSAL-FIT, SCREW-ON

- The Rec/Race model of the famous Tubbies is the best tracking available for flatwater and buoys and fits all years of stand-up models
- Tubbie II builds upon Tubbie 1 with a recessed concave shape added into the bottom leading edge of the sponsons to create a harder/sharper edge for turning and tracking
- The result are sponsons that grip better in turning and are more stable in straight high-speed riding

PART #	4806-0044

4807-0047



4807-0049



TRIM ROD/STEERING CABLE BALL JOINTS

- Replace OEM ball joint

FITS MODEL	OEM #	PART #
STEERING CABLE BALL JOINT		
Sea-Doo 99-11 (all)	277000775	**4807-0047**[1]
Sea-Doo 92-01 (all)	277000153/277000037	**4807-0049**[2]
Sea-Doo 97-03 (all)	277000646	**4807-0050**[3]

FITS MODEL	OEM #	PART #
TRIM ROD BALL JOINT		
Sea-Doo 951 GSX models 98-99	277000918	**4807-0048**
Sea-Doo 951 XP models 98-02	277000918	**4807-0048**

[1] Fits the rear of all steering cables 1/4"-28 UNF threads (later/larger).
[2] Fits the rear of all steering cables OEM #10-32 UNF threads (early/smaller).
[3] Front small thread.

4809-0221



4809-0222



4809-0222






FREESTYLE PUMP CONES

- Designed with the freestyler in mind
- Freestyle pump cone allows the engine to rev faster for the big tricks
- The small size lets a large volume of water move through the pump with less restriction than with the stock tailcone
- Provides more low-end thrust for bigger air
- Works great with a bored-out stock nozzle to help provide even more low end
- Detailed instructions and all mounting hardware included

FITS MODEL	PART #
KAWASAKI	
SXR 800, SXi, SXi Pro (all)	**4809-0221**
POLARIS	
Octane (all)	**4809-0294**

FITS MODEL	PART #
YAMAHA	
Super Jet (all)	**4809-0222**
Skat-Trak (W/ Solas Magnum pump only)	**4809-0294**

BOLD MAGENTA part numbers are new for 2020



A: PTO Boot
B: Seal Carrier Ring
C: Ring Carbone
D: Bellows
E & F: Repair Kit
G: Carriers



CLUTCH FLYWHEEL (PTO) RUBBER BOOT

FOR SEA-DOO

• Replaces OEM #272-00-001

(A) PART #	003-100

SEAL CARRIER RINGS

FOR SEA-DOO

• Fit in seal carrier against the carbone ring

4809-0077



FITS MODEL	(B) PART #
720 HX 95-97	4809-0077
800 XP 97-98	4809-0077
951 XP 98-04 (all)	4809-0077
1500 GTI 06-08	4809-0149
1500 GTX 06-08 (except 4-TEC)	4809-0150
1500 GTX 4-TEC 02-08	4809-0149
1500 RXP 04-07	4809-0150
1500 RXP 08	4809-0149
1500 RXT 05	4809-0149
1500 RXT 06-08	4809-0150
1500 Wake 155/215 08	4809-0149

RING CARBONE

FOR SEA-DOO

4809-0147



FITS MODEL	(C) PART #
All models 96-97	003-110
720 GS 01	003-110
720 GTI 01-05	003-110
720 GTS 01	003-110
720 HX 95	003-110
800 XP 97	003-110
951 GTX 01-03	003-110
951 LRV 01	003-110
951 RX 01-03	003-110
951 XP/DI 01-04	003-110
951 3D 06-07	003-110
1500 GTI 06-07	4809-0146
1500 GTX 4-TEC 02-05	4809-0146
1500 GTX 4-TEC LTD 06-07	4809-0147
1500 RXP Supercharged 04	4809-0147
1500 RXP 05-07	4809-0147
1500 RXT 05	4809-0146
1500 RXT 06-07	4809-0147

CARBONE RING KITS

FOR SEA-DOO



4809-0225



4809-0224

• High-quality carbon material
• Durable, long-lasting
• Exceeds OEM standards
• Support ring is high-strength steel and coated for long-lasting durability

FITS MODEL	PART #
720 GS 98-01	4809-0225
720 GTI 98-05	4809-0225
720 GTI LE 02-04	4809-0225
720 GTS 98-01	4809-0225
800 3D RFI 05	4809-0225
800 GSX RFI 99-00	4809-0225
800 GTI LE RFI 03-05	4809-0225
800 GTI RFI 04-05	4809-0225
800 GTX-RFI 98	4809-0225
800 GTX RFI 99-02	4809-0225
800 SPX 98-99	4809-0225
800 XP 97	4809-0225
947 3D DI 06-07	4809-0225
951 GSX Limited 97-99	4809-0225
951 GTX 00-02	4809-0225
951 GTX DI 00-03	4809-0225
951 GTX Limited 98-99	4809-0225
951 LRV 00-01	4809-0225
951 LRV DI 02	4809-0225
951 RX 00-02	4809-0225
951 RX DI 00-03	4809-0225
951 RX X 01	4809-0225
951 XP 00-01	4809-0225
951 XP DI 03-04	4809-0225
951 XP Limited 98	4809-0225
1503 GTI 06-07	4809-0223
1503 GTI 130 08-13	4809-0223
1503 GTI 155 08-13	4809-0223
1503 GTS 130 11-13	4809-0223
1503 GTX 02-07	4809-0223
1503 GTX 155 08-09	4809-0223
1503 RXP NA 07	4809-0223
1503 RXT 05	4809-0223
1503 Wake 155 08-13	4809-0223
1503 Wake 215 08	4809-0223
1503 GTR 215 12-13	4809-0224
1503 GTX 155 10-13	4809-0224
1503 GTX 215 08-13	4809-0224
1503 GTX 255 06-09	4809-0224
1503 GTX Limited 06-07	4809-0224
1503 GTX Limited 255 09	4809-0224
1503 GTX Limited 260 10-13	4809-0224
1503 RXP 04-07	4809-0224
1503 RXP 215 08-09	4809-0224
1503 RXP 255 09-11	4809-0224
1503 RXP 260 12-13	4809-0224
1503 RXT 06-07	4809-0224
1503 RXT 215 08-10	4809-0224
1503 RXT 255 08-09	4809-0224
1503 RXT 260 10-13	4809-0224
1503 Wake Pro 215 09-13	4809-0224

DRIVE SHAFT BELLOWS

FOR SEA-DOO



4809-0209



4809-0106



4809-0208

• OEM replacement parts

FITS MODEL	(D) PART #
580 SP/SPX/SPI/XP 93-95	4809-0209
650 XP 94-95	4809-0209
720 GTI 02-05	4809-0106
800 XP 95	4809-0209
800 GTI RFI/LE RFI 03-05	4809-0106
951 GTX/GTX DI 02-03	4809-0106
951 LRV DI 02	4809-0106
951 RX/RX DI 02-03	4809-0106
951 XP/XP DI 02-04	4809-0106
951 3D RFI 05-06	4809-0106
1503 GTI 06 (all)	4809-0105
1503 GTX 4-TEC 02-06 (all)	4809-0105
1503 RXP/RXT 04-09	4809-0208
1503 RXT 05	4809-0105
1503 GTX 06-09 (all)	4809-0208
1503 RXP/RXT 07-09	4809-0106

SEAL CARRIERS

FOR SEA-DOO



003-115

4809-0076



FITS MODEL	(E,F,G) COMPLETE ASSEMBLY PART #	(G) PART #
580/650/720/800 90-96 models without carbone ring	4809-0010	003-115
720 HX 95-97, 800 XP 800 97, 800 3D RFI 05, 951 XP LTD 98, 951 XP 02, 951 XP DI 03-04, 951 3D DI 06	4809-0051	003-116

REPAIR KIT FOR SEA-DOO HX/XP MODELS

PART #	4809-0076

IMPELLER THRUST WASHER AND BEARINGS

FOR SEA-DOO



4809-0024



4809-0022



4809-0023

FITS MODEL	DESCRIPTION	PART #
580/650/720 (all)	Washer	4809-0024
720/800/951 98-01 (all)	Bearings	4809-0022
951 02-04 (all)	Bearings	4809-0023

BOLD MAGENTA part numbers are new for 2020

DRIVE SHAFT BUMPERS
FOR SEA-DOO



- Replace OEM drive shaft bumpers

FITS MODEL	OEM #	PART #
580/650/720 HX/XP models	292-000-019	**003-350**
1503 03-12 (all)	272-000-173	**4809-0213**

THROUGH HULL REPAIR FITTING
FOR SEA-DOO IMPELLER SHAFT



- Impeller shaft hull holes often increase in size with wear; this oversize fitting solves the problem
- Replaces OEM #292-000-075

PART #	011-112

JET PUMP FITTING
FOR ALL SEA-DOO MODELS 90-00



- Replaces OEM #293-700-019

PART #	4809-0109

BAILER FITTING
FOR ALL SEA-DOO MODELS 90-00



- Replaces OEM #293-700-017

PART #	4809-0108

COUPLERS







- Durable, lightweight aluminum coupler machined to precise tolerances
- Cast aluminum construction provides excellent performance at an economical price
- Sold each

FITS MODEL	THREAD	PART #
KAWASAKI		
550SX 90-95	18mm	**4809-0078**
650 (all)	18mm	**4809-0078**
750 92-94 (all)	18mm	**4809-0078**
750 95-02 (all)	20mm	**4809-0079**
800 (all)	20mm	**4809-0079**
900 (all)	24mm	**4809-0080**
1100 (all)	24mm	**4809-0081**
Ultra 150	-	**4809-0082**

FITS MODEL	THREAD	PART #
YAMAHA		
3 finger (OEM #6M6-45813-009M)	20mm	**4809-0085**
3 finger (OEM #6R7-45813-11-CA)	24mm	**4809-0086**
3 finger (Crank shaft) (OEM #6M6-45813-32-8P)	27mm	**4809-0172**
5 finger (OEM #63M-45813-01-9M)	27mm	**4809-0089**
800/1200/1300 99-06 (OEM #66E-45813-10-94)	-	**4809-0133**
800/1200/1300 99-06 (OEM #68N-45593-00-94)	-	**4809-0134**
FX/FXHO 99-06 (OEM #66E-45813-10-94)	-	**4809-0133**
FX/FXHO 99-06 (OEM #68N-45593-00-94)	-	**4809-0134**

HIGH-PERFORMANCE COUPLER DAMPERS





- Rubber coupler damper for WSM billet coupler kits or OEM replacement

FITS MODEL	PART #
KAWASAKI	
650/750/900 (all)	**003-201**
1100 (all)	**4809-0083**
Ultra 150	**4809-0084**

FITS MODEL	PART #
SEA-DOO	
720 HX 95-97	**4809-0212**
YAMAHA	
All 3-finger couplers	**003-206**
All 5-finger couplers	**4809-0090**

FITS MODEL	PART #
YAMAHA (CONT)	
800/1200/1300 99-08	**4809-0132**
FX/FXHO 99-08	**4809-0132**
VX110 05-10	**4809-0132**

JET PUMP ASSEMBLIES
FOR SEA-DOO





- Complete kit to replace a worn-out jet pump assembly (does not include propeller)
- Hardened shaft, durable bearings and seals exceed OEM standards

FITS MODEL	PART #
580 (all models) 89-96	**4809-0227**
650 (all models) 93-95	**4809-0227**
720 (all models) 95-98	**4809-0227**
720 GTI 02-05	**4809-0228**
720 GTI LE 02-04	**4809-0228**
800 (carb. models) 95-98	**4809-0227**
800 GSX RFI 99-00	**4809-0227**
800 GTX RFI 99-02	**4809-0227**
800 GTI RFI 04	**4809-0228**

FITS MODEL	PART #
800 RFI 05	**4809-0228**
951 GSX/GTX Limited 99	**4809-0228**
951 GTX DI 03	**4809-0228**
951 LRV DI 02	**4809-0228**
951 RX DI 02	**4809-0228**
951 XP DI 03-04	**4809-0228**
1503 w/ 155.5mm pump/22mm driveshaft 04-08	**4809-0229**
1503 w/ 159mm pump/27mm driveshaft 04-08	**4809-0230**
4-TEC w/ 155.5mm pump/22mm driveshaft 09-12	**4809-0231**

BOLD MAGENTA part numbers are new for 2020



003-125

CLUTCH FLYWHEELS (PTO)

FOR SEA-DOO

• Lightweight version available for some models

FITS MODEL	PART #
580 (all)	003-125
580/650/720 (all) (lightweight version)	4809-0092
650/720 (all except XP 93)	003-126
800 96-02 (all w/ coarse thread)	003-127
800 96-02 (all) (lightweight version)	4809-0093
951 (all)	4809-0091



4809-0029

DRIVE SHAFT REPAIR KITS

• Kit includes bearings, O-rings and oil seals

FITS MODEL	PART #
KAWASAKI	
650/750/900/1100/1200 Ultra 150	4809-0029
YAMAHA	
1000 WaveRunner FX140 02-04	4809-0167
1100 WaveRunner VX 04	4809-0167
1100 WaveRunner VX 05-09	4809-0166

JET PUMP IMPELLER SHAFT BEARING HOUSINGS AND ASSEMBLIES

• Assembly comes with bearing and seals installed



4809-0013



4809-0216



4809-0214



4809-0217

FITS MODEL	PART #
KAWASAKI	
650/750/900/1100 (all, housing only)	003-405
650/750/900/1100 (all, complete assembly)	4809-0013
YAMAHA	
701/760/800/1100/1200 (all, complete assembly)	4809-0012
650 Superjet 92-93 (complete assembly)	4809-0216
650 Wave Runner III 93 (complete assembly)	4809-0216
650 Wave Runner III 95-96 (complete assembly)	4809-0216
650 Superjet 92-93 (housing only)	4809-0215

FITS MODEL	PART #
YAMAHA (CONT)	
650 Wave Runner III 93 (housing only)	4809-0215
650 Wave Runner III 95-96 (housing only)	4809-0215
701 VXR Pro 93-94 (housing only)	4809-0214
701 Wave Blaster 93-94 (housing only)	4809-0214
701 Wave Raider 94 (housing only)	4809-0214
701 Wave Runner 94 (housing only)	4809-0214
701 FX1 94-95 (housing only)	4809-0214
1100 VX 05-09 (all, housing only)	4809-0217



4809-0026



4809-0032

JET PUMP REPAIR KITS

• Kit includes bearings, O-rings and oil seals

FITS MODEL	PART #
KAWASAKI	
650 (all)	4809-0026
750 (all except ZXI 95-97)	4809-0026
750 ZXI 95-97	4809-0027
800 (all)	4809-0026
900 STS 01-02	4809-0027
900 STX 01-03	4809-0028
900 ZXi 95-97	4809-0027
1100 (all except Ultra 130)	4809-0028
1100 Ultra 130 01-04	4809-0164
1200 STX-R 02-04	4809-0028
1200 STX-12F 03	4809-0028
1200 STX-R 05	4809-0142
1200 STX-12F 05-08	4809-0142
1200 Ultra 150 99-02	4809-0164
1200 Ultra 150 03-05	4809-0165

FITS MODEL	PART #
KAWASAKI (CONT)	
1500 STX-15F 04	4809-0028
1500 STX-15F 05-10	4809-0142
1500 STX-15F 11-14	4809-0219
POLARIS	
All models 94-03	4809-0111
SEA-DOO	
580 GT 90-91	4809-0032
580 GTS 92-96	4809-0032
580 GTX 92-94	4809-0032
580 SP 89-96	4809-0032
580 SPI 93-96	4809-0032
580 SPX 93	4809-0032
580 XP 91-93	4809-0032
650 GTX 93-94	4809-0032
650 SPX 94-95	4809-0033

FITS MODEL	PART #
SEA-DOO (CONT)	
650 XP 94	4809-0033
650 XPi 94	4809-0033
720 GS 97-01	4809-0033
720 GSI 97	4809-0033
720 GTi 96-00	4809-0033
720 GTi 01-04	4809-0110
720 GTi LE 02-04	4809-0110
720 GTS 98-01	4809-0033
720 GTS 01	4809-0110
720 HX 95-97	4809-0033
720 SP 97	4809-0033
720 SPX 96	4809-0033
720 XP 95	4809-0033
800 GSX 96-98	4809-0033
800 GSX RFI 99-00	4809-0033

JET PUMP REPAIR KITS continued on next page.

JET PUMP REPAIR KITS (CONT)

FITS MODEL	PART #
SEA-DOO (CONT)	
800 GTi RFI 04	**4809-0110**
800 GTX 95-00	**4809-0033**
800 GTX RFI 98-02	**4809-0033**
800 SPX 97-99	**4809-0033**
800 XP 95-97	**4809-0033**
900 Spark 14-15/Spark HO 15	**4809-0264**
951 GSX 98	**4809-0033**
951 GSX LTD 98	**4809-0033**
951 GSX LTD 99	**4809-0110**
951 GTX 98-00	**4809-0033**
951 GTX 00-03 (all)	**4809-0110**
951 XP LTD 98	**4809-0033**
LRV 00-02 (all)	**4809-0110**
RX/RX DI 00-03	**4809-0110**
XP 99-04 (all)	**4809-0110**
1500 GTX 4-TEC 02-03 (all)	**4809-0143**
1500 GTX 4-TEC 04-10 (all)	**4809-0144**
1500 Sportster 4-TEC 04-06 (all)	**4809-0144**
RXP/RXT 06-10	**4809-0144**

FITS MODEL	PART #
YAMAHA	
650 Super Jet 90-95	**4809-0113**
650 WaveRunner III 90-92, 96	**4809-0113**
650 WaveRunner III 95	**4809-0031**
650 WaveRunner VXR 91-92, 95	**4809-0113**
701 FX1 94-95	**4809-0113**
701 Super Jet 96-12	**4809-0113**
701 WaveBlaster 93-96	**4809-0113**
701 WaveRaider 95-97	**4809-0031**
700 WaveRunner II 94-96	**4809-0031**
701 WaveRunner VXR Pro 93-94	**4809-0113**
701 WaveRunner XL 99-03	**4809-0031**
701 WaveRunner XL 04	**4809-0145**
701 WaveVenture 95	**4809-0113**
701 WaveVenture 96	**4809-0031**
701 WaveVenture 98	**4809-0145**
701 WaveRaider 95-97	**4809-0113**
760 WaveBlaster 96-97	**4809-0113**
760 WaveRunner GP 99-00	**4809-0145**
760 WaveRunner XL 98-99	**4809-0031**

FITS MODEL	PART #
YAMAHA (CONT)	
760 WaveBlaster 96	**4809-0031**
760 WaveRaider 97-98	**4809-0145**
760 WaveVenture 97	**4809-0031**
800 WaveRunner GP 98-00	**4809-0145**
800 WaveRunner GP 01-05	**4809-0112**
800 WaveRunner XL 00-01	**4809-0112**
800 WaveRunner XLT 02-04	**4809-0112**
1000/1100 WaveRunner FX140/Cruiser 02-08	**4809-0112**
1100 WaveRaider 95-96	**4809-0031**
1100 WaveRunner VX110 05-09	**4809-0155**
1100 WaveVenture 96-97	**4809-0031**
1200 WaveRunner GP 97-99	**4809-0145**
1200 WaveRunner GP1200R 99-02	**4809-0112**
1200 WaveRunner SUV 99-04	**4809-0112**
1200 WaveRunner XL 98	**4809-0145**
1200 WaveRunner XL/XLT 99-05	**4809-0112**
1300 WaveRunner GP1300R 03-08	**4809-0112**

DRIVESHAFT UPGRADE KIT

FOR SEA-DOO



- Change OE-style O-ring driveshaft to clip-style driveshaft
- Exceed OEM standards and performance

FITS MODEL	PART #
1503 GTX 215 09	**4809-0226**
1503 GTX Limited IS 255 09	**4809-0226**
1503 RXT 215 09-10	**4809-0226**
1503 RXT IS 255 09	**4809-0226**

FITS MODEL	PART #
1503 Wake Pro 215 09-10	**4809-0226**
1503 GTX Limited IS 260 10	**4809-0226**
1503 RXT X 260 10	**4809-0226**
1503 RXT X 260 RS 10	**4809-0226**



4809-0014

4809-0210

DRIVE SHAFTS

FITS MODEL	PART #
POLARIS	
650/700 SL 96-99	**4809-0122**
700 SLH 98-01	**4809-0121**
700 SLT 96	**4809-0122**
700 SLT 97	**4809-0121**
700 SLTH 99	**4809-0121**
700 Virage 00	**4809-0121**
750/780 SL 92-99	**4809-0122**
780 SLT 96-97	**4809-0121**
780 SLX 96	**4809-0121**
785 SLX 97-98	**4809-0122**
900 SL 96	**4809-0121**
1050 SL 97	**4809-0121**
1050 SLTX 96-99	**4809-0121**
1050 SLX 99	**4809-0121**
1050 SLXH 98	**4809-0121**
1200 Genesis/I 01-03	**4809-0122**
1200 SLX 00	**4809-0121**
1200 Virage TX 00	**4809-0121**
SEA-DOO	
580 Yellow 89-91	**4809-0014**
580 GTS, GTX 92-93	**4809-0014**
580 GTS 94	**4809-0014**
580 GTS 95	**4809-0096**
580 GTS 96	**4809-0015**
580 SP, SPI, SPX 93-94	**4809-0014**
580 SP 95	**4809-0014**
580 SPI 95	**4809-0096**
580 SP, SPI 96	**4809-0015**
650 GTX 94	**4809-0014**
650 GTX 95	**4809-0096**

FITS MODEL	PART #
SEA-DOO (CONT)	
650 SPX 95	**4809-0096**
650 XP 93	**4809-0014**
650 XP, XPI 94	**4809-0014**
720 GS 97-98	**4809-0095**
720 GSi 97	**4809-0095**
720 GTI 96	**4809-0015**
720 GTI 97-00	**4809-0017**
720 GTI 01-04	**4809-0095**
720 GTS 97-00	**4809-0015**
720 GTS 01	**4809-0095**
720 SP 97	**4809-0015**
720 SPX 96	**4809-0015**
720 HX 95-97	**4809-0210**
800 GTX 96	**4809-0211**
800 GSX 96-97	**4809-0095**
800 GSX RFI 99-01	**4809-0095**
800 GTX 97	**4809-0017**
800 GTX RFI 98-01	**4809-0017**
800 SPX 97-98	**4809-0095**
800 XP 96	**4809-0095**
951 GSX 98	**4809-0016**
951 GSX LTD 99	**4809-0016**
951 RX, RX DI 00-03	**4809-0016**
951 GTX LTD 98-99	**4809-0128**
951 GTX 00-02	**4809-0128**
951 GTX DI 00-03	**4809-0128**
951 LRV 00-01	**4809-0128**
1500 GTI 06-07	**4809-0124**[1]
1500 GTX 4-TEC 04	**4809-0123**

FITS MODEL	PART #
SEA-DOO (CONT)	
1500 GTX 4-TEC Supercharged/Wakeboard 06-08	**4809-0124**[1]
1500 RXP/Supercharged 04-08	**4809-0125**
1500 RXT 06-08	**4809-0126**[2]
1500 Wake 06-07	**4809-0126**[2]
YAMAHA	
650 Super Jet 90-95	**4809-0151**
650 WaveRunner III 90-96	**4809-0131**
701 Super Jet 96-07	**4809-0151**
701 WaveBlaster 93-96	**4809-0130**
701 WaveRaider 94-97	**4809-0131**
701 WaveRaider Deluxe 95	**4809-0131**
701 WaveRunner III 94-97	**4809-0131**
701 WaveVenture 95-96	**4809-0131**
760 WaveRaider 96	**4809-0131**
800 WaveRunner GP 02-05	**4809-0153**
800 WaveRunner XL 00-01	**4809-0152**
800 WaveRunner XLT 02-04	**4809-0153**
1000 WaveRunner FX/FX140 Cruiser 05-08	**4809-0153**
1100 WaveRunner FX/FX140 HO 02-06	**4809-0153**
1200 WaveRunner GP 00-01	**4809-0152**
1200 WaveRunner SUV 99-01	**4809-0152**
1200 WaveRunner SUV 02-04	**4809-0153**
1200 WaveRunner XL 99-00	**4809-0152**
1200 WaveRunner XL/XLT 01-05	**4809-0153**
1300 WaveRunner GP 03-08	**4809-0152**
1300 WaveRunner SUV 03-04	**4809-0152**

[1] Only for OEM # 271001534.

[2] Only for OEM #s 271001719, 271001550.



IMPELLER PUMP SHAFTS

FITS MODEL	PART #
KAWASAKI	
650/750 (all except ZXi)	**003-107**
750ZXi (all)	**003-109**
900 (all)	**003-109**
900 STX 01-06	**003-109**
1100 ZXi 96-03	**003-109**
1100 STX 97-99	**003-109**
1100 STX Di 00-03	**003-109**
1100 Ultra 130 01-04	**4809-0163**

FITS MODEL	PART #
KAWASAKI (CONT)	
1200 STX-R 02-05	**003-109**
STX-12F 03-06	**003-109**
1200 Ultra 150 00-05	**4809-0163**
STX-15F 04-06	**003-109**
SEA-DOO	
580/650/720/800 (all)	**003-106**[1]
951 97-98	**003-108**
951 99-06	**4809-0011**

FITS MODEL	PART #
SEA-DOO (CONT)	
1500 GTX 4-TEC 02-03	**4809-0119**
1500 GTX 4-TEC 04-08	**4809-0120**
TIGERSHARK	
640/900/1000 Monte Carlo 96-97	**4809-0118**
640/644 Montego/Dlx 97	**4809-0118**
770 Daytona 96-97	**4809-0118**

[1] Only replaces OEM #271-000-291.



COUPLER SHAFTS

FOR YAMAHA

FITS MODEL	PART #
650 SJ 90-95	**4809-0025**
650 WaveRunner III 90-96	**4809-0072**
701 WaveRaider 94-97	**4809-0072**
701 SJ 96-12	**4809-0025**
701 WaveVenture 95-98	**4809-0068**
701 WaveRunner III 94-97	**4809-0072**
701 WaveRunner XL 99-04	**4809-0068**
760 WaveBlaster 96-97	**4809-0071**

FITS MODEL	PART #
760 WaveRaider 96	**4809-0072**
760 WaveVenture 97	**4809-0068**
760 WaveRunner XL 98-00	**4809-0068**
800 WaveRunner GP 02-05	**4809-0154**
800 WaveRunner GP 01	**4809-0070**
800 WaveRunner XL 00-01	**4809-0070**
800 WaveRunner XLT 02-04	**4809-0154**
1200 WaveRunner GP 00-01	**4809-0070**

FITS MODEL	PART #
1200 WaveRunner GP 02	**4809-0154**
1200 WaveRunner SUV 01	**4809-0070**
1200 WaveRunner SUV 02-04	**4809-0154**
1200 WaveRunner XL 00	**4809-0070**
1200 WaveRunner XL/XLT 01-05	**4809-0154**
1300 WaveRunner GP 03-08	**4809-0154**





JET PUMP HOUSINGS

FOR YAMAHA

- Replacement wear rings available separately

FITS MODEL	PART #
SuperJet 650 90-95	**003-507**
WaveRunner VXR 650 91-93, 95	**003-507**
WaveRunner III 650 92-93, 96	**003-506**
SuperJet 701 96-12	**003-507**
WaveBlaster 701 93-96	**003-507**
WaveRaider 701 94-97	**003-506**
WaveRaider III 701 94-95, 97	**003-506**
WaveRunner VXR 701 93-94	**003-507**
WaveRunner XL 701 99-04	**003-505**
WaveVenture 701 95-96	**003-506**
WaveVenture 701 98	**003-505**
WaveRaider 760 96	**003-506**

FITS MODEL	PART #
WaveRunner 760 97-98	**003-506**
WaveRunner GP 760 99-00	**003-506**
WaveRunner XL 760 98-99	**003-505**
WaveVenture 760 97	**003-505**
WaveRunner GP 800 98-00	**003-506**
WaveRunner GP 800 01-05	**4809-0007**
WaveRunner XL/XLT 800 00-04	**4809-0007**
WaveRunner 1000/1100 FX/140 02-10	**4809-0007**
WaveRunner 1100 VX 05-11	**4809-0007**
WaveRaider 1100 95-96	**003-505**
WaveVenture 1100 96-97	**003-505**

FITS MODEL	PART #
WaveRunner 1200 GP 97-99	**003-505**
WaveRunner 1200R GP 00-02	**4809-0007**
WaveRunner 1200 SUV 99-04	**4809-0007**
WaveRunner 1200 XL 97-98	**003-505**
WaveRunner 1200 XL/XLT 99-05	**4809-0007**
WaveRunner 1300 GP 03-08	**4809-0007**
WaveRunner FZS/FZR 09-11	**4809-0007**
REPLACEMENT WEAR RINGS	
For PART #003-505	**003-520**
For PART #s 003-506 and 003-507	**4809-0009**
For PART #4809-0007	**4809-0008**



JET PUMP TRIM SEALS

FOR KAWASAKI

- Seal the space between the pump housing and support

FITS MODEL	PART #
650 (all)	**4809-0074**
All 750 models 92-02 (except ZXI)	**4809-0074**
750 ZXI 95-97	**4809-0075**

FITS MODEL	PART #
800 (all)	**4809-0074**
All 900 models	**4809-0075**
All 1100 models	**4809-0075**

FITS MODEL	PART #
1200 STX-R 02-05	**4809-0075**
1200 STX-12F 03-07	**4809-0075**
1500 STX-15F 04-10	**4809-0075**

003-504



003-503



4809-0263



WSM PERFORMANCE PARTS

OEM-STYLE JET PUMP WEAR RINGS AND WEAR RINGS WITH STAINLESS STEEL SLEEVES

FOR SEA-DOO

- OEM-style are direct replacement rubber wear rings for jet pumps
- Stainless steel wear rings feature a stainless steel sleeve; ideal for saltwater use

FITS MODEL	OEM-STYLE PART #	STAINLESS STEEL PART #
2-stroke models 86-97	**003-500**[1]	**003-504**
230 GTR P STD/X 18	**4809-0317**	-
300 GTX LTD 16-17	**4809-0317**	-
300 GTX P LTD 18	**4809-0317**	-
300 RXP P X/XRS 18	**4809-0317**	-
300 RXP X 16-17	**4809-0317**	-
300 RXP XRS 17	**4809-0317**	-
300 RXT P X/XRS 18	**4809-0317**	-
300 RXT X 16	**4809-0317**	-
300 RXTX X/XRS 17	**4809-0317**	-
720 GS 98-01	**003-500**	**003-504**
720 GTI 00	**003-500**	**003-504**
720 GTI 01-05	**003-503**	**4809-0137**
720 GTI LE 02-04	**003-503**	**4809-0137**
720 GTS 00	**003-500**	**003-504**
720 GTS 01	**003-503**	**4809-0137**
800 GSX RFI 00	**003-500**	**003-504**
800 GTI LE/RFI 03-05	**003-503**	**4809-0137**
800 GTX RFI 00-02	**003-500**	**003-504**
800 3D RFI 05	**003-503**	**4809-0137**
800 SPX 99	**003-500**	**003-504**
900 Spark 14-15/Spark HO 15	-	**4809-0263**
951 GSX LTD 98-99	**003-503**	**4809-0137**
951 GTX 00-02	**003-503**	**4809-0137**
951 GTX DI 00-03	**003-503**	**4809-0137**
951 GTX LTD 99	**003-503**	**4809-0137**
951 LRV 00-01	**003-503**	**4809-0137**
951 LRV DI 02	**003-503**	**4809-0137**
951 RX 00-02	**003-503**	**4809-0137**
951 RX DI 00-03	**003-503**	**4809-0137**
951 XP 00-02	**003-503**	**4809-0137**
951 XP DI 03-04	**003-503**	**4809-0137**
951 XP LTD 99	**003-503**	**4809-0137**
951 3D DI 06-07	**003-503**	**4809-0137**
1500 GTI SE 06-07	**4809-0050**	**4809-0136**
1500 GTX 4-TEC 02-03	**003-503**	**4809-0137**
1500 GTX 4-TEC LTD 04	**4809-0050**	**4809-0136**
1500 GTX 4-TEC 05-07	**4809-0050**	**4809-0136**
1500 GTX 4-TEC LTD Supercharged 05-06	**4809-0073**[2]	**4809-0135**
1500 GTX 4-TEC Supercharged 04-06	**4809-0050**	**4809-0136**
1500 GTX LTD/Wakeboard Edition 07	**4809-0073**[2]	**4809-0135**
1500 RXP 05-10 (except 07 NA models)	**4809-0073**[2]	**4809-0135**
1500 RXP 07 (NA models)	**4809-0050**	**4809-0136**
1500 RXP Supercharged 04	**4809-0073**[2]	**4809-0135**
1500 RXT 05-10	**4809-0073**[2]	**4809-0135**

[1] Aluminum housing models only.

[2] Ring is plastic, not rubber.

4809-0290



4809-0311



SOLAS

STAINLESS STEEL WEAR RINGS

FOR SEA-DOO

- Heavy-duty, 100% stainless steel wear ring/ impeller liner replaces the OEM plastic unit
- Resists debris damage and corrosion
- Provides increased durability and performance

FITS MODEL	PART #
GTI/GTI SE 130HP 06, GTS SE/RXP 155HP 07-09, GTX/GTX 4-Tec/GTX Wake 155HP 02-04, GTX 4-Tec Supercharged 185HP 03-06, GTX 4-Tec Ltd. Supercharged 185HP 03-04	**4809-0322**
GTX Limited 215HP 05-19, RXP/RXT 215HP 04-10, RXP-X/RXT-X 255, 260HP 08-15, Wake Supercharged 215HP 07-10	**4809-0321**
RXP-X300/RXT-X 300 16-19	**4809-0290**
Spark 14-19	**4809-0311**


BOLD MAGENTA part numbers are new for 2020



PISTONS

- Machined from 2618-T6 high-tensile forged aluminum
- Dome/dish features smooth flowing radii; require no deburring or preparation
- JE designs are specifically engineered for extreme applications including professional competition
- Pro Series pistons available for select models: features include internal and external bracing, dedicated embossed forgings for weight reduction, specialized processes such as internal milling the internal struts, along with dedicated accumulator groove and forged side relief
- Pins, pin fitment, lock and rings included
- Made in the U.S.A.

FITS MODEL	DISPLACEMENT	BORE	OVERSIZE	COMPRESSION RATIO	WEIGHT (GRAMS)	SKIRT	PART #
YAMAHA							
FX SHO 1800 09-13	1812cc	86mm	STD	10.5:1	330	Round	0910-5918
	1812cc	86mm	STD	11.0:1	336	Round	0910-5919
	1832cc	86.5mm	+.5mm	8.6:1	323	Round	0910-5920
	1832cc	86.5mm	+.5mm	10.5:1	334	Round	0910-5921
	1832cc	86.5mm	+.5mm	11.0:1	342	Round	0910-5922



HIGH-PERFORMANCE 2- AND 4-CYCLE PWC PISTONS

- All Wiseco pistons are forged from aerospace aluminum alloys on Wiseco's state-of-the-art forging presses
- Built on a legacy of championships for over 60 years by American craftsmen
- Wiseco pistons have the latest dyno-tested technology to out-perform the competition
- Wiseco forged pistons are priced with rings and circlips
- Wiseco rings, clips and wrist pins only fit Wiseco pistons; also note that ring types do not interchange (i.e. CD is not interchangeable with TD)

WARNING: Wiseco pistons can be fitted only with Wiseco rings.

CC DISPL.	BORE SIZE	COMPLETE KIT	PISTON PART #	REPL. RING	REPL. WRIST PIN	REPL. CIRCLIP	REPL. TOP END BEARING
ARCTCO/TIGERSHARK							
650 ALL TWIN CYLINDER MODELS							
639cc	76mm/.31mm	WK1084[1]	-	2992TD	S-461	CW20	-
652cc	76.5mm/.81mm	-	-	-	S-461	CW20	-
661cc	77mm/1.31mm	-	-	-	S-461	CW20	-
770 DAYTONA, MONTE CARLO 96							
768cc	83mm/std.	-	-	3268TD	-	CW20	-
900 TIGERSHARK AND MONTE CARLO THREE CYLINDER MODELS							
896cc	76.5mm/std.	-	-	-	S-461	CW20	-
998cc	80.5mm/4.0mm	-	-	3169TD	S-512X	CW20	-
KAWASAKI							
300 ALL SINGLE CYLINDER MODELS							
295cc	76mm/std.	WK1026[3]	549M07600[3]	2992TD	-	CW18	-
299cc	76.5mm/.5mm	-	549M07650[3]	-	-	CW18	-
303cc	77mm/1.0mm	WK1028[3]	549M07700[3]	-	-	CW18	-
440 ALL TWIN CYLINDER MODELS							
436cc	68mm/std.	-	-	2677CD	S-259	CW16	B1021
439cc	68.25mm/.25mm	-	-	2687CD	S-259	CW16	B1021
442cc	68.5mm/.5mm	-	-	2697CD	S-259	CW16	B1021
449cc	68mm/1.0mm	-	-	2717CD	S-259	CW16	B1021
550 ALL TWIN CYLINDER MODELS EXCEPT REED VALVE							
531cc	75mm/std.	-	516M07500	2953TC	S-259	CW16	B1021
537cc	75.5mm/.5mm	WK1012	-	2973TC	S-259	CW16	B1021
544cc	76mm/1.0mm	WK1013	516M07600	-	S-259	CW16	B1021
550 TWIN CYLINDER REED VALVE MODELS 91-96							
531cc	75mm/std.	-	-	2953TC	S-259	CW16	B1021
537cc	75.5mm/.5mm	WK1046	-	2973TC	S-259	CW16	B1021
650 ALL TWIN CYLINDER MODELS							
635cc	76mm/std.	WK1016	549M07600	2992TD	S-511X	CW18	B1022X
643cc	76.5mm/.5mm	WK1017	549M07650	-	S-511X	CW18	B1022X
657cc	77mm/1.0mm	WK1018	549M07700	-	S-511X	CW18	B1022X
660cc	77.5mm/1.5mm	WK-1019	549M07750	-	S-511X	CW18	B1022X
668cc	78mm/2.0mm	-	549M07800	3071TD	S-511X	CW18	B1022X

[1] Oversize pistons require cylinder boring.

[3] 77.5mm and 78mm pistons require crankcase cleanup; 78mm pistons require cylinder re-sleeving.

HIGH-PERFORMANCE 2- AND 4-CYCLE PWC PISTONS continued on next page.

WISECO Performance Products — HIGH-PERFORMANCE 2- AND 4-CYCLE PWC PISTONS (CONT)

CC DISPL.	BORE SIZE	COMPLETE KIT	PISTON PART #	REPL. RING	REPL. WRIST PIN	REPL. CIRCLIP	REPL. TOP END BEARING
KAWASAKI (CONT)							
750 ALL TWIN CYLINDER MODELS 92-95 WITH 20MM WRIST PINS							
743cc	80mm/std.	-	-	3150TD	S-512X	CW20	B1023
752cc	80.5mm/.5mm	WK1060	0910-0001	3169TD	S-512X	CW20	B1023
760cc	81mm/1.0mm	WK1061	-	3189TD	S-512X	CW20	B1023
771cc	81.5mm/1.5mm	-	813M08150	-	-	CW20	B1023
779cc	82mm/2.0mm	-	-	3228TD	S-512X	CW20	B1023
840cc	84mm/4.0mm	-	-	-	S-512X	CW20	B1023
750 SS 96-97, 750 STX 98, 750 ZXi 96-97, STS 750 96-97, SUPER SPORT Xi 750 96-97, Xi SPORT 750 98-99 (750 CC TWIN CYLINDER WITH 22MM WRIST PINS)							
743cc	80mm/std.	WK1241	809M08000	-	-	CW22	B1030
752cc	80.5mm/.5mm	WK1242	809M08050	-	-	CW22	B1030
760cc	81mm/1.00mm	WK1243	809M08100	-	-	CW22	B1030
779cc	82mm/2.00mm	-	-	-	-	CW22	B1030
820cc	84mm/4.00mm	-	0910-3959[5]	-	-	CW22	B1030
830cc	84.5mm/4.50mm	-	-	-	-	CW22	B1030
900 ALL THREE CYLINDER MODELS 95-06							
891cc	73mm/std.	-	-	2874CD	S-512X	CW20	B1023
903cc	73.5mm/.5mm	-	-	2894CD	S-512X	CW20	B1023
915cc	74mm/1.0mm	WK1102	-	-	S-512X	CW20	B1023
1100 ALL THREE CYLINDER MODELS (EXCEPT 1100 DI MODELS)							
1071cc	80mm/std.	-	809M08000	-	-	CW22	B1030
1083cc	80.5mm/.5mm	WK1247	809M08050	-	-	CW22	B1030
1097cc	81mm/1.0mm	WK1248	809M08100	-	-	CW22	B1030
1112cc	82mm/2.00mm	-	-	-	-	CW22	B1030
1179cc	84mm/4.00mm	-	0910-3959[5]	-	-	CW22	B1030
1193cc	84.5mm/4.50mm	-	-	-	-	CW22	B1030
1500 FOUR CYLINDER FOUR-STROKE MODELS 09-10							
1498cc	-	-	-	-	-	0913-0081	-
POLARIS							
650 ALL THREE CYLINDER MODELS							
647cc	65mm/std.	-	-	2559CD	S-280	CW18	B1014
656cc	65.5mm/.5mm	-	-	2579CD	S-280	CW18	B1014
665cc	66mm/1.0mm	-	-	2598CD	S-280	CW18	B1014
675cc	66.5mm/1.5mm	-	-	2618CD	S-280	CW18	B1014
685cc	67mm/2.0mm	-	-	2638CD	S-280	CW18	B1014
700 ALL TWIN CYLINDER MODELS							
700cc	81mm/std.	-	-	3189TD	-	CW20	0924-0124
710cc	81.5mm/.5mm	-	-	3209TD	-	CW20	0924-0124
718cc	82mm/1.0mm	WK1139	-	3228TD	-	CW20	0924-0124
750 ALL THREE CYLINDER MODELS							
744cc	69.75mm/std.	-	633M06975	2746CD	S-343	CW18	B1014
755cc	70.25mm/.5mm	-	633M07025	-	S-343	CW18	B1014
766cc	70.75mm/1.0mm	WK1077	633M07075	2786CD	S-343	CW18	B1014
783cc	71.5mm/.2mm	-	-	2815CD	S-343	CW18	B1014
900 ALL THREE CYLINDER MODELS							
889cc	74.5mm/std.	-	-	2933TD	S-512X	CW20	0924-0124
901cc	75mm/.5mm	-	-	2953TD	S-512X	CW20	0924-0124
913cc	75.5mm/1.0mm	-	-	2973TD	S-512X	CW20	0924-0124
1050 ALL THREE CYLINDER MODELS							
1077cc	82mm/1.0mm	-	-	-	S-512X	CW20	0924-0124
SEA-DOO (BOMBARDIER)							
580 ALL TWIN CYLINDER MODELS							
580cc	76mm/std.	-	-	2992TD	S-477	CW18	B1003
588cc	76.5mm/.5mm	-	734M07650	-	S-477	CW18	B1003
650 ALL TWIN CYLINDER MODELS							
650cc	78mm/std.	-	663M07800	3071LK	S-512X	CW20	0924-0124
658cc	78.5mm/.5mm	-	663M07850	3091LK	S-512X	CW20	0924-0124
666cc	79mm/1.0mm	WK1118	663M07900	-	S-512X	CW20	0924-0124
XP, XH750 718cc 95; SPX, GTi, HX 96							
726cc	82.5mm/.5mm	-	-	3248LK	S-512X	CW20	-
718 ALL TWIN CYLINDER MODELS							
718cc	82mm/std.	-	-	-	S-512X	CW20	-
780 ALL TWIN CYLINDER MODELS							
780cc	82mm/std.	-	-	-	S-461	CW20	-
951 ALL TWIN CYLINDER MODELS 98-07							
951cc	88mm/std.	-	716M08800	-	-	CW21	-
960cc	88.5mm/.5mm	0903-1171	716M08850	-	-	CW21	-
971cc	89mm/1.0mm	WK1213[4]	716M08900	-	-	CW21	-
RXP 215, EXP-X 225, RXT 255/260, TXT-X 255/260 05-15							
1509cc	100.5mm/.5mm	-	0910-3921	-	-	-	B1031

[4] Not for DI models.
[5] Crankcase machining required for 83mm and larger.

BOLD MAGENTA part numbers are new for 2020

HIGH-PERFORMANCE 2- AND 4-CYCLE PWC PISTONS (CONT)

CC DISPL.	BORE SIZE	COMPLETE KIT	PISTON PART #	REPL. RING	REPL. WRIST PIN	REPL. CIRCLIP	REPL. TOP END BEARING
WET JET							
440 CAYUNA ENGINE THROUGH 88							
429cc	67.5mm/std.	-	-	**2658CD**	**S-256**	**CW16**	-
433cc	67.75mm/.25mm	-	-	**2668CD**	**S-256**	**CW16**	-
436cc	68mm/1.0mm	-	-	**2677CD**	**S-256**	**CW16**	-
442cc	68.5mm/1.5mm	-	-	**2697CD**	**S-256**	**CW16**	-
449cc	69mm/2.0mm	-	-	**2717CD**	**S-256**	**CW16**	-
YAMAHA							
500 ALL TWIN CYLINDER MODELS							
496cc	72mm/std.	-	-	**2835CD**	-	**CW20**	-
503cc	72.5mm/.5mm	-	-	**2854CD**	-	**CW20**	-
650 ALL TWIN CYLINDER MODELS							
641cc	77.5mm/.5mm	**WK1041**	-	-	**S-423**	**CW20**	**B1023**
649cc	78mm/1.0mm	-	-	**3071TD**	**S-423**	**CW20**	**B1023**
701 ALL TWIN CYLINDER MODELS WITH DUAL CARBS							
701cc	81mm/std.	**WK1317**	**790M08100**	-	-	**CW20**	**B1031**
710cc	81.5mm/.5mm	**WK1318**	**790M08150**	-	-	**CW20**	**B1031**
718cc	82mm/1.0mm	**WK1319**	-	-	-	**CW20**	**B1031**
760 ALL TWIN CYLINDER MODELS							
754cc	84mm/std.	**WK1290**	-	-	-	**CW20**	**B1031**
763cc	84.5mm/.5mm	**WK1291**	**757M08450**	-	-	**CW20**	**B1031**
771cc	85mm/1.0mm	-	**757M08500**	-	-	**CW20**	**B1031**
WAVE RUNNER GP 800 98-05, WAVE RUNNER XL 800 00-01, WAVE RUNNER XLT 800 02-04							
784cc	84mm/std.	-	**0910-1695**	-	-	**CW20**	-
1100 ALL THREE CYLINDER MODELS							
1051cc	81mm/std.	**WK1329**	-	-	-	**CW20**	**B1031**
1064cc	81.5mm/.5mm	-	**791M08150**	-	-	**CW20**	**B1031**
1077cc	82mm/1.0mm	-	**791M08200**	-	-	**CW20**	**B1031**
GP1200 97-99/ XL1200 98/ SUV1200 (ALL)							
1131cc	84mm/std.	**WK1312**	-	-	-	**CW20**	**B1031**
1142cc	84.5mm/.5mm	**WK1313**	**757M08450**	-	-	**CW20**	**B1031**
1156cc	85mm/1.0mm	**WK1314**	**757M08500**	-	-	**CW20**	**B1031**




WRIST PINS

- Wiseco wrist pins are strong, lightweight and can be used with OEM pistons

PART #	OD/LENGTH
S-256	16mm/2.050"
S-259	16mm/2.300"
S-280	18mm/2.160"
S-343	18mm/2.370"
S-423	20mm/2.158"

PART #	OD/LENGTH
S-461	20mm/2.559"
S-477	18mm/2.0748"
S-511X	18mm/2.244"
S-512X	20mm/2.362"



CIRCLIPS

- Two high-strength, easy-to-install circlips are furnished with every piston
- Order additional inventory from the chart below

CW PIN	SIZE
CW16	16mm
CW18	18mm
CW20	20mm
CW21	21mm
0913-0081	21mm
CW22	22mm



REPLACEMENT RING SETS

- Each ring set is for one piston
- See Wiseco ring buyer's guide for details

NOTE: Wiseco rings fit only Wiseco pistons.

PART #
2559CD
2579CD
2598CD
2618CD
2638CD
2658CD
2668CD
2677CD
2687CD

PART #
2697CD
2717CD
2746CD
2786CD
2815CD
2835CD
2854CD
PART #
2874CD

PART #
2894CD
2933TD
2953TC
2953TD
2973TC
2973TD
2992TD
3071LK
3071TD

PART #
3091LK
3150TD
3169TD
3189TD
3209TD
3228TD
3248LK
3268TD



TOP-END BEARINGS

PART #	DIMENSIONS
0924-0124	20 x 25 x 21.8
B1003	18 x 22 x 22
B1014	18 x 23 x 22
B1021	16 x 20 x 22.5
B1022X	18 x 22 x 23.6
B1023	20 x 25 x 25
B1030	22 x 27 x 24.8
B1031	20 x 25 x 23

BOLD MAGENTA part numbers are new for 2020





COMPLETE PISTON KITS

- Quality and construction that meets or exceeds OEM
- Available in original and platinum
- Feature improved E-clip design
- Contain piston, rings, pin and clips
- Additional rings available separately
- Order one per cylinder

PLATINUM SERIES PISTON KITS

- Skirts have a nonabrasive, expansion-retarding MOS2 coating to reduce heat and friction for added power and longevity
- MOS2 coating actually draws heat through piston walls and out the bottom
- Specially hardened tops add strength to ring grooves

ORIGINAL COMPLETE PISTON KITS

FITS MODEL	BORE	SIZE	PART #
KAWASAKI			
JS300/SX 86-91	76mm	Std.	**010-810**
		.25mm over	**010-810-04**
		.5mm over	**010-810-05**
JS550 82-90	75mm	Std.	**010-812X**
		.5mm over	**010-812-05**
650 SC 91-95, 650 SX 87-93, 650 TS 91-96, 650 X2 87-96	76mm	Std.	**010-810**
		.25mm over	**010-810-04**
		.5mm over	**010-810-05**
750 SS 92-96, 750 SSXI 93-95, 750 ST 94-95, 750 SX 92-94, 750 XIR 94 (models with 20mm wrist pins)	80mm	Std.	**010-820**
		.5mm over	**010-820-05**
750 SXI/SXI Pro/ZXI 95-02 (models with 22mm wrist pins)	80mm	Std.	**010-821**
		.25mm over	**010-821-04**
		.5mm over	**010-821-05**
800 SX-R 03-09	82mm	Std.	**0910-0649**
		.5mm over	**0910-0650**
		1mm over	**0910-0651**
900 STX 95-06	73mm	Std.	**010-840**
		.5mm over	**010-840-05**
1100 STX DI 00-03, 1100 Ultra 130 DI 01-04	80mm	Std.	**0910-0652**
		.5mm over	**0910-0653**
		1mm over	**0910-0654**
1200 STX-12F 03-07	83mm	Std.	**0910-1978**
		.5mm over	**0910-1979**
1500 STX-15F 04-09, 1500 Ultra LX 07-09	83mm	Std.	**0910-1980**
POLARIS			
650 (all)	65mm	Std.	**010-831**
		.5mm over	**010-831-05**
700 (all)	81mm	Std.	**010-832**
		.5mm over	**010-832-05**
750 (all 2-stroke models)	69.75mm	Std.	**010-830**
		.5mm over	**010-830-05**
		1mm over	**010-830-07**
780 (except Virage/Octane)	71.3mm	Std.	**010-834**
		.5mm over	**010-834-05**
780 Virage/Octane 02-04	84mm	Std.	**0910-0655**
		.5mm over	**0910-0656**
		1mm over	**0910-0657**
1050 (all)	81mm	Std.	**010-832**
		.5mm over	**010-832-05**
1200 Genesis, SLX, X-45, Virage TX/TXi 99-04	84mm	Std.	**0910-0655**
		.5mm over	**0910-0656**
		1mm over	**0910-0657**

FITS MODEL	BORE	SIZE	PART #
SEA-DOO			
580 (all)	76mm	Std.	**010-815**
		.5mm over	**010-815-05**
		1mm over	**010-815-07**
650 (all)	78mm	Std.	**010-816**
		.5mm over	**010-816-05**
720 (all)	82mm	Std.	**010-817**
		.25mm over	**010-817-04**
		.5mm over	**010-817-05**
800 (all except RFI models)	82mm	Std.	**010-818**
		.5mm over	**010-818-05**
		1mm over	**010-818-07**
951 (all carbureted models)	87, 91mm	Std.	**010-819**
		.25mm over	**010-819-04**
		.5mm over	**010-819-05**
		1mm over	**0910-0658**
YAMAHA			
650 (all)	77mm	Std.	**010-802**
		.5mm over	**010-802-05**
701 (all 61X models; not for 62T models)	81mm	.25mm over	**010-825-04**
		.5mm over	**010-825-05**
		.75mm over	**010-825-06**
701 (all 62T models)	81mm	Std.	**0910-0659**
		.5mm over	**0910-0660**
		1mm over	**0910-0661**
760 (all)	84mm	Std.	**010-826**
		.25mm over	**010-826-04**
		.5mm over	**010-826-05**
FX140 1000 02-06	73.9mm	Std.	**0910-1982**
		.5mm over	**0910-1983**
FX140 1100 HO 04-08	75.9mm	Std.	**0910-1984**
		.25mm over	**0910-1985**
VX1100 05-09	75.9mm	Std.	**0910-1986**[1]
		.25mm over	**0910-1987**[1]
		.5mm over	**0910-1988**[1]
GP1200 97-99, XL1200 98, SUV1200 99	84mm	Std.	**010-826**
		.25mm over	**010-826-04**
		.5mm over	**010-826-05**

[1] Nikasil bore requires re-sleeving.



COMPLETE PISTON KITS (CONT)

PISTON RINGS FOR ORIGINAL PISTON KITS

FITS MODEL	SIZE	PART #
KAWASAKI		
JS300/SX 86-91	Std.	**010-910**
650 (all)	Std.	**010-910**
750 (all)	Std.	**010-920**
	.25mm over	**010-920-04**
	.5mm over	**010-920-05**
	1mm over	**0912-0076**
800 (all)	Std.	**0912-0073**
1100 (all)	Std.	**010-920**
	.25mm over	**010-920-04**
	.5mm over	**010-920-05**
	1mm over	**0912-0076**
1200 STX-R 02-05, 1200 Ultra 150 99-05	Std.	**010-920**
	.25mm over	**010-920-04**
	.5mm over	**010-920-05**
	1mm over	**0912-0076**
1200 STX-12F 03-07, 1500 STX-15F 04-09, 1500 Ultra LX 07-09	Std.	**0911-0010**
POLARIS		
650 (all)	Std.	**010-931**
	.5mm over	**010-931-05**
700 (all)	Std.	**010-932**
750 (all 2-stroke models)	Std.	**010-930**
	.5mm over	**010-930-05**
780 (all except Virage and Octane)	Std.	**010-934**
	.5mm over	**010-934-05**
780 Virage/Octane 02-04	Std.	**0912-0077**
	.5mm over	**0912-0078**
	1mm over	**0912-0079**
900 (all)	.25mm over	**010-933-04**
1050 (all)	Std.	**010-932**
1200 Genesis, SLX, X-45, Virage TX/TXi 99-04	Std.	**0912-0077**
	.5mm over	**0912-0078**
	1mm over	**0912-0079**

FITS MODEL	SIZE	PART #
SEA-DOO		
580 (all)	Std.	**010-915**
	.5mm over	**010-915-05**
650 (all)	Std.	**010-916**
	.5mm over	**010-916-05**
720 (all)	Std.	**010-917**
	.5mm over	**010-917-05**
	1.0mm over	**010-917-07**
800 (all including RFI models)	Std.	**010-917**
	.5mm over	**010-917-05**
	1.0mm over	**010-917-07**
951 (all carbureted models)	Std.	**010-919**
	.25mm over	**010-919-04**
	.5mm over	**010-919-05**
	1mm over	**0912-0080**
YAMAHA		
650 (all)	Std.	**010-902**
701 (all)	Std.	**010-925**
	.25mm over	**010-925-04**
	.5mm over	**010-925-05**
	.75mm over	**010-925-06**
	1mm over	**0912-0081**
760 (all)	Std.	**010-926**
	.25mm over	**010-926-04**
	.5mm over	**010-926-05**
FX140 1000 02-06	Std.	**0911-0012**
1100 (all 2-stroke)	Std.	**010-925**
	.25mm over	**010-925-04**
	.5mm over	**010-925-05**
	.75mm over	**010-925-06**
	1mm over	**0912-0081**
FX140 1100 HO 04-08, VX1100 05-09	Std.	**0911-0014**
	.25mm over	**0911-0015**
GP1200 97-99, XL1200 98, SUV1200 99	Std.	**010-926**
	.25mm over	**010-926-04**
	.5mm over	**010-926-05**

PLATINUM COMPLETE PISTON KITS

FITS MODEL	BORE	SIZE	PART #
KAWASAKI			
750 SS 96-97, STS 95-97, STX 98, SXI/ZXI 95-01, Xi-Sport 98-99	80mm	Std.	**010-821P**
		.25mm	**010-821-04P**
		.5mm	**010-821-05P**
1100 STX 97-99, 1100ZXi 96-03	80mm	Std.	**010-821P**
		.25mm	**010-821-04P**
		.5mm	**010-821-05P**
1200 Ultra 150 99-05, 1200 STX-R 02-05	80mm	Std.	**010-841P**
		.5mm	**010-841-05P**
SEA-DOO			
800 RFI (all)	82mm	Std.	**0910-1261**
		.5mm	**0910-1262**
		1mm	**0910-1263**
951 DI (all)	87.91mm	Std.	**0910-1264**
		.5mm	**0910-1265**
		1mm	**0910-1266**

FITS MODEL	BORE	SIZE	PART #
SEA-DOO (CONT)			
GTX 1500 4-TEC/ Wakeboard Edition 02-09 (all except Supercharged models), GTI 1500 155 HP 07-09	99.96mm	Std.	**0910-1270**
		.5mm	**0910-1271**
GTX 1500 4-TEC Supercharged 03-09	99.96mm	Std.	**0910-1272**
		.5mm	**0910-1273**
GTX 1500 4-TEC Limited Supercharged 04-09, RXP/RXT 1500 Supercharged 06-09	99.96mm	Std.	**0910-1274**
		.5mm	**0910-1275**
YAMAHA			
800 98-05, GP1200R 00-02, XL1200 98-01, XLT1200 01-05	80mm	Std.	**010-829BP**[1]
		.5mm	**010-829-05P**[1]
1800VX (non-supercharged) models 09-11		Std.	**0910-3148**
GP1300R 03-08	84mm	Std.	**0910-1267**
		.5mm	**0910-1268**[2]
		1mm	**0910-1269**[2]

[1] For use with Powervalve motors only. [2] Nikasil bore requires resleeving.

PISTON RINGS FOR PLATINUM PISTON KITS

FITS MODEL	BORE	SIZE	PART #
KAWASAKI			
750 SS 96	80mm	Std.	**010-920**
		.25mm	**010-920-04**
		.5mm	**010-920-05**
1100 (all)	80mm	Std.	**010-920**
		.25mm	**010-920-04**
		.5mm	**010-920-05**
1200 Ultra 150 99-05, 1200 STX-R 02-05	80mm	Std.	**010-920**
		.25mm	**010-920-04**
		.5mm	**010-920-05**
SEA-DOO			
951 DI (all)	87.91mm	Std.	**0912-0260**
		.5mm	**0912-0261**
		1mm	**0912-0262**

FITS MODEL	BORE	SIZE	PART #
SEA-DOO (CONT)			
GTX 1500 4-TEC/Wakeboard Edition 02-09 (all), GTI 1500 155 HP 07-09, RXP/RXT 1500 Supercharged 06-09	99.96mm	Std.	**0912-0266**
		.5mm	**0912-0267**
YAMAHA			
GP1200R 00-02, XL1200 98-01, XLT1200 01-05	80mm	.25mm over	**010-929-04**[1]
		.5mm over	**010-929-05**[1]
GP1300R 03-08	84mm	Std.	**0912-0263**
		1mm	**0912-0265**

[1] For use with Powervalve motors only.

CYLINDER KIT
FOR YAMAHA 1200R




- Exact OEM replica
- Nikasil bore plating
- High-strength, heat-resistant alloy valve with safety link
- Moly-coated piston kit with wrist pin clips
- High-quality Japanese rings exceed OEM


FITS MODEL	PART #	OE PART #
GP 00-02	**0931-0530**	66V-11311-00-94
XL 99-01	**0931-0530**	66V-W1130-00-00
XLT 02-05	**0931-0530**	66V-W1130-00-94

TOP-END ENGINE REBUILD KITS

Original Series



Platinum Series



- Top-quality piston kits
- Include pistons, rings, pins, clips, racing needle bearings, head and base gaskets, intake and exhaust gaskets
- Available in original and platinum series

ORIGINAL SERIES

FITS MODEL	SIZE	PART #
KAWASAKI		
JS550 82-89	Std.	**010-812-10**
	.5mm over	**010-812-12**
	1mm over	**010-812-14**
650 91-96 (all)	Std.	**010-810-10**
	.5mm over	**010-810-12**
	1mm over	**010-810-14**
750 SS 92-95, ST 94-95, SX 92-94, XiR 94 (models w/ 20mm wrist pins)	Std.	**010-820-10**
	.5mm over	**010-820-12**
	.75mm over	**010-820-13**
750 SS 96-97, STS 95-97, STX 98, SXi 95-96, ZXi 95-97	Std.	**010-821-10**
	.25mm over	**010-821-11**
	.5mm over	**010-821-12**
900 (all)	Std.	**010-840-10**
	.5mm over	**010-840-12**
	1mm over	**010-840-14**
1100 STX 97-99, 11 ZXi 96-03	Std.	**010-821-20**
	.25mm over	**010-821-21**
	.5mm over	**010-821-22**
POLARIS		
650 (all)	Std.	**010-831-10**
	.5mm over	**010-831-12**
700 (all)	Std.	**010-832-10**
	.25mm over	**010-832-11**
	.5mm over	**010-832-12**
750 (all 2-stroke models)	Std.	**010-830-10**
	.5mm over	**010-830-12**
	1mm over	**010-830-14**
780 (all except Virage, Octane)	Std.	**010-834-10**
	.5mm over	**010-834-12**
1050 (all)	.25mm over	**010-832-21**
	.5mm over	**010-832-22**
SEA-DOO		
580 92-94 (all)	Std.	**010-815-10**
	.5mm over	**010-815-12**

FITS MODEL	SIZE	PART #
SEA-DOO (CONT)		
650 94-96	Std.	**010-816-10**
	.25 over	**010-816-11**
	.5mm over	**010-816-12**
720 (all)	Std.	**0903-0034**
	.5mm over	**0903-0035**
	1mm over	**0903-0036**
800 (all except RFi)	Std.	**010-818-10**
	.5mm over	**010-818-12**
	1mm over	**010-818-14**
951 (all except fuel-injected models)	Std.	**010-819-10**
	.25mm over	**010-819-11**
	.5mm over	**010-819-12**
	1mm over	**0903-0122**
YAMAHA		
650 (all)	Std.	**010-802-10**
	.25mm over	**010-802-11**
	.5mm over	**010-802-12**
	1mm over	**010-802-14**
701 (all 61X models)	Std.	**010-825-10**
	.25mm over	**010-825-11**
	.5mm over	**010-825-12**
	.75mm over	**010-825-13**
	1mm over	**010-825-14**
701 (all 62T models)	Std.	**0903-0123**
	.5mm over	**0903-0124**
	1mm over	**0903-0125**
760 (all)	Std.	**010-826-10**
	.25mm over	**010-826-11**
	.5mm over	**010-826-12**
1100 (all)	.5mm over	**010-825-22**
GP1200 97-99, XL1200 98, SUV1200 (all)	Std.	**010-826-20**
	.25mm over	**010-826-21**
	.5mm over	**010-826-22**

PLATINUM SERIES

FITS MODEL	SIZE	PART #
KAWASAKI		
1200 (150 Ultra)	Std.	**010-841-10P**
SEA-DOO		
800 RFi (all)	Std.	**0903-0743**
	.5mm	**0903-0744**
	1mm	**0903-0745**
951 DI (all)	Std.	**0903-0746**
	.5mm	**0903-0747**
	1mm	**0903-0748**

FITS MODEL	SIZE	PART #
YAMAHA		
GP1200 00-02, XL1200 98-01, XLT1200 01-05	Std.	**010-829-10BP**[1]
GP1300R 03-08	Std.	**0903-0749**
	.5mm	**0903-0750**[2]
	1mm	**0903-0751**[2]

[1] Fits Powervalve motors only.
[2] Nikasil bore requires resleeving.

CONNECTING ROD KITS



- A lower-priced, higher-quality alternative to OEM replacement crank assemblies
- All rods are shot peened and double honed to ensure strength and accuracy
- Hot Rods thrust washers and crank pin bearings are silver coated for added lubricity
- Rod assembly sold complete with rod, crank pin, crank pin bearing, top-end bearing and thrust washers
- Made in the U.S.A.

FITS MODEL	PART #
KAWASAKI	
JS440 80-92	0923-0583
JS550 82-85	0923-0583
JS750 95-02/SX800R 03-11	423111[1]
JS1100 SXI 95-02/ZXI 1100 96-03	CR167
STXR 02-05	0923-0030
JH1200-A/B Ultra 150 95-05	0923-0030
POLARIS	
SL650 92-95	0923-0586[2]
	0923-0587[3]
SL750 93-95	0923-0586[2]
	0923-0587[3]
SL780 95-97	0923-0586[2]
	0923-0587[3]
700/900 SL 96-97/1050 SL 96-99	CR155

FITS MODEL	PART #
POLARIS (CONT)	
1200 SLX 00-01	0923-0046
SEA-DOO	
650 through 97	42-0502
720 XP, HX 95-02 (MAG)	0923-0031
951 98-02 (all, carb models only)	0923-0032
951 DI 00-07 (all)	0923-0047
YAMAHA	
Exciter Jetboat 98-99	42-7304
650 Super Jet 90-93	42-7304
700 Wave Venture 98	42-7304
SJ 700 98-17	42-7304
XL700 Waverunner 99-04	42-7304
GP800/R 98-05	0923-0033
Exciter 1100 Jetboat 96-98	42-7304

FITS MODEL	PART #
YAMAHA (CONT)	
WVT1100 Wave Venture 96-97	42-7304
RA1100 Waveraider 95-96	42-7304
SV1200 Waverunner 99-04	42-7304
XL1200 Waverunner 98	42-7304
GP1200 Waverunner 97-99	42-7304
GP1200 Waverunner 00-02	0923-0033
XA1200 Waverunner 99-05	0923-0033
GP1300 03-06	0923-0033
XR1800 Jetboat 00-01	0923-0033
LST1200 Jetboat 99-05	42-7304

[1] 22mm wrist pin.
[2] Repl. OEM #s 3240083, 3240085.
[3] Repl. OEM #s 3240083, 3083254.

CRANKSHAFT ASSEMBLIES



- All new assemblies sold complete with Hot Rods connecting rod
- Multi-cylinder applications are sold complete with main bearings
- Factory assembled and trued to OEM specifications, Hot Rods cranks will meet or surpass the OEM in performance
- Ready for installation
- Crankshafts are completely rebuildable with genuine Hot Rods connecting rods
- Main bearing and seal kit PART #0924-0209 available for certain models; see chart

FITS MODEL	PART #
KAWASAKI	
JS750 95-02/800 SX-R 03-11	0921-0037
JT900 STS 01-02 (repl. seal kit)	0924-0209
JT900 STX 97-06 (repl. seal kit)	0924-0209
JT900 ZXI 95-97 (repl. seal kit)	0924-0209
JH1100 ZXI 96-03 (repl. seal kit)	0924-0209
SEA-DOO	
720 95-05 (all)	H108

FITS MODEL	PART #
YAMAHA	
650 Super Jet 90-93	H102
SJ 700 98-17	H102
700 Wave Runner XL 99-04	H102
700 Wave Venture 98	H102
GP800/R 98-05	0921-0050
Exciter 1100 Jetboat 96-98	H112
RA 1100 Waveraider 95-96	H112

FITS MODEL	PART #
YAMAHA (CONT)	
WVT 1100 Wave Venture 96-97	H112
GP1200 WaveRunner 00-02	0921-0049
XA1200 WaveRunner 99-05	0921-0049
GP1300 WaveRunner 03-06	0921-0049
XR1800 Jetboat 00-01	0921-0049



BOTTOM END KITS

- Everything you need for complete crankshaft installation
- Kits include crankshaft, main bearing/seals and an engine gasket set that includes all necessary gaskets and seals for a complete rebuild

FITS MODEL	PART #
KAWASAKI	
JS750 95-02	0921-0461
800 SX-R 03-06	0921-0462
1100 ZXi 96-03	0921-0463
SEA-DOO	
720/720 XP/720 HX 95-04	0921-0464
951 (carbureted) 98-00	0921-0466

FITS MODEL	PART #
SEA-DOO (CONT)	
951 (carbureted) 01-02	0921-0467
YAMAHA	
650 Super Jet 90-93	0921-0469
700 SJ 98-04	0921-0471
700 Wave Runner XL 99-02	0921-0470
700 Wave Venture 98	0921-0470

FITS MODEL	PART #
YAMAHA (CONT)	
800 GP/GP-R 98-05	0921-0474
1200 Waverunner XA 99-05	0921-0472
1200 Waverunner GP 00-02	0921-0472
1300 Waverunner GP 03-05	0903-1627
1800 Waverunner XR 00-01	0921-0472

BOLD MAGENTA part numbers are new for 2020

CRANKSHAFT ASSEMBLIES

- Complete crankshaft assembly with connecting rod
- Will meet or exceed OEM performance
- Trued to OEM specifications
- Multi-cylinder applications include main bearings
- Rebuildable
- Ready for installation


0921-0230

FITS MODEL	PART #
SEA-DOO	
720 (all)	**0921-0224**
800 (all except RFI models)	**0921-0225**
800 RFI models	**0921-0226**
951 carbureted models 98-02	**0921-0227**
951 fuel-injected models 00-07	**0921-0228**
1503 4-Tech models 03-05	**0921-0485**
1503 4-Tech models 06-09	**0921-0486**

FITS MODEL	PART #
YAMAHA	
650/701/760 (all)	**0921-0229**
800 98-05 (all)	**0921-0483**
1100 95-97 (all)	**0921-0230**
1200 (all)	**0921-0231**[1]
1200/1300 Power valve	**0921-0484**

[1] Not for Powervalve motors.

POWER VALVE PARTS

- Fine tunes exhaust for peak performance


0950-0473


0950-0474


0926-2253

DESCRIPTION	OEM #	PART #
SEA-DOO		
Power valve rubber boot	420-260-723	**0950-0473**
Power valve piston	420-854-449	**0950-0474**

DESCRIPTION	OEM #	PART #
YAMAHA 800-1300		
Power valve w/ safety link	-	**0926-2253**

SHAFT, SHAFT SPRING AND SHAFT GEAR

FOR SEA-DOO ROTARY VALVES


010-455


010-450


010-453

FITS MODEL	DESCRIPTION	PART #
580/650/720 (all)	Shaft	**010-455**
800 (all)	Shaft	**010-457**
580/650/720/800 (all)	14-tooth gear	**010-450**
580/650/720/800 (all)	Shaft spring	**010-453**

CAM CHAINS



- Silent chain
- Exclusive heat-treated links create excellent friction and impact resistance
- Engineered to exceed OEM specifications and tolerances

FITS MODEL	PART #
YAMAHA PWC	
Waverunner FX 06-08	**0925-0972**
Waverunner VX 11-14	**0925-0972**
VX Cruiser 07-15	**0925-0972**

FITS MODEL	PART #
YAMAHA JET BOATS	
212X 08-10	**0925-0972**
SX230 07	**0925-0972**
AR230 07-09	**0925-0972**
232 08-09	**0925-0972**


0930-0105


0930-0106

CYLINDER HEAD WITHOUT DOMES

FOR YAMAHA SUPERJET 96-13 WITH 760 OR 701 ENGINES

- Developed and designed in conjunction with the Kommander himself, Steve Webster, as a Blowsion exclusive offering
- One-piece Yamaha billet aluminum/CNC performance cylinder head kit provides the best of both worlds with excellent horsepower gains, better cooling capacity and a price that is easy on the wallet
- State-of-the-art heads use the same replaceable domes of Blowsion's popular 2-piece girdled Yamaha heads and utilize an improved squish band design for easy tuning and more compression for pump gas friendly horsepower
- Up to 70% better cooling, increased reliability and CAD designed combustion chambers ensure maximum performance and long engine life
- Girdle kit available for those looking for maximum cylinder support
- Head includes all hardware needed for installation

NOTE: Requires two cylinder domes (sold separately).

DESCRIPTION	PART #
Cylinder head w/o domes	**0930-0105**
Girdle kit	**0930-0106**


0930-0107

CYLINDER DOMES

FOR YAMAHA 701 ENGINES

- Each dome includes a dome locking system that prevents it from spinning when servicing spark plugs
- Sold as one dome per package

NOTE: Not all cylinders are the same. Below are estimations of compression; however, many factors could change actual compression (port timing, squash area, deck height and piston selection)

(NOTE: STOCK 701 Cylinder is 81mm)

Compression:

82mm chamber 701 (61X) no porting @ sea level

33cc=195psi (must use 100+ octane fuel)


35cc=185psi (must use 100+ octane fuel)

37cc=170psi

DESCRIPTION	PART #
82MM CHAMBER 701 (61X) NO PORTING @ SEA LEVEL	
33cc	**0930-0119**
35cc	**0930-0118**
37cc	**0930-0107**[1]

[1] For 95 and older Yamaha SJ models.

BOLD MAGENTA part numbers are new for 2020



BLOWSION

O-RING HEAD KIT

YAMAHA 701/760 BILLET

- Our bulletproof nitrile O-ring kits come with the same quality and durability you have come to know and expect from Blowsion
- Fits Blowsion 1-piece and 2-piece billet head kits

PART #	0935-0817

WSM PERFORMANCE PARTS



0932-0078



0932-0080

REPLACEMENT OIL PUMP PARTS

FOR SEA-DOO 4-TEC ENGINES

FITS MODEL	DESCRIPTION	PART #
SEA-DOO		
1500 4-TEC 03-09 (all)	Shaft (long)	0932-0077
1500 4-TEC 03-04	Shaft (short)	0932-0079
1500 GTX 4-TEC LTD 05	Shaft (short)	0932-0078
1500 SCIC 05		0932-0078
1500 RXP/RXT 05		0932-0078
1500 RXP Supercharged 04		0932-0078
1500 4-TEC 06-09 (all)		0932-0078
1500 4-TEC 03-09 (all)	Outer rotor	0932-0080
1500 4-TEC 03-09 (all)	Cover plate	0932-0081

WSM PERFORMANCE PARTS

OIL DRAIN PLUGS

- Replacement oil drain plugs

FITS MODEL	PART #
SEA-DOO	
580 GTS 95-96	0712-0295
650 GTX 95	0712-0295
720 GS 97-00	0712-0295
720 GS 01	0712-0359
720 GSI 97	0712-0295
720 GTI 96-98, 00	0712-0295
720 GTI 01-03	0712-0359
720 GTI LE 02-03	0712-0359
720 GTS 97-00	0712-0295
720 GTS 01	0712-0359
720 XP 95	0712-0295
800 GSX 96-98	0712-0295
800 GSX RFI 99-00	0712-0295
800 GTI LE RFI 03	0712-0359
800 GTX 96-97	0712-0295

FITS MODEL	PART #
SEA-DOO (CONT)	
800 GTX RFI 98, 00	0712-0295
800 GTX RFI 01-02	0712-0359
800 SPX 98-99	0712-0295
800 XP 95-98	0712-0295
951 GSX LTD 98-99	0712-0295
951 GTX 00	0712-0295
951 GTX 01-02	0712-0359
951 GTX DI 00	0712-0295
951 GTX DI 01-03	0712-0359
951 GTX LTD 98	0712-0295
951 LRV 00-01	0712-0295
951 LRV DI 02	0712-0295
951 RX/RX DI 00	0712-0295
951 RX/RX DI 01-02	0712-0359
951 RX X 01	0712-0359



0712-0295

FITS MODEL	PART #
SEA-DOO (CONT)	
951 XP 00	0712-0295
951 XP 01-02	0712-0359
951 XP DI 03	0712-0359
1500 GTX 4-TEC 02-03	0712-0359
1500 Wake 155/215 08-09	0712-0295
YAMAHA	
All 2-stroke models 90-08	0712-0358
WaveRunner FX/FX 140 1000/1100 04-09	0712-0295
WaveRunner VX/VX110 1100 Sport/Deluxe 05-09	0712-0295
WaveRunner FX SHO 1800 09	0712-0295



WSM PERFORMANCE PARTS

MACHINED CRANKCASE BLOCK-OFF PLATE

FOR KAWASAKI 650/750 (ALL)

- Covers the case breather port
- CNC-machined from top-quality billet aluminum

PART #	011-210

BLOWSION

OIL INJECTION BLOCK-OFF PLATE

- Allow easy conversion from the factory oil injection to pre-mixing your own fuel
- Billet aluminum construction with a black anodized finish
- All necessary installation hardware included



0932-0185

FITS MODEL	PART #
KAWASAKI	
650/750 models (all)	0932-0185
YAMAHA	
650/701/760 models (all)	0932-0185

WSM PERFORMANCE PARTS

OIL INJECTION REMOVAL KITS

- Top-quality billet aluminum construction
- Washers not included



011-212

FITS MODEL	PART #
KAWASAKI	
650/750 (all)	011-205
900/1100 (all)	011-206


FITS MODEL	PART #
POLARIS	
650/750/780 (all)	011-208

FITS MODEL	PART #
SEA-DOO	
580/650/720 (all)	011-212
800/951 (all)	011-213

FITS MODEL	PART #
YAMAHA	
650/701/760 (all)	011-205
1100/1200 (all)	011-216


011-104


011-105


011-110


011-107


011-108


011-109


011-117


011-116


011-126

MOTOR MOUNTS

- Replacements for broken or worn-out OEM motor mounts

FITS MODEL	PART #
KAWASAKI	
JS440 77-86	**011-104**
JS550/SX 82-94	**011-104**
650 87-96	**011-105**
750 92-99	**011-105**
900/1100 (all)	**011-103**
Ultra 150 99-05 (front)	**0933-0006**
Ultra 150 99-05 (rear)	**011-103**
1200 STX-R 02-05 (front)	**0933-0006**
1200 STX-R 02-05 (rear)	**011-103**
STX-12F 03-07	**011-103**
STX-15F 04-10	**011-103**
Ultra 250X/LX 07-10	**011-103**
Ultra 260X/LX 09-11	**011-103**
POLARIS	
SL 650 92-95	**011-110**
SL 750 93-94	**011-110**
780 (all)	**011-110**
SEA-DOO	
580/650/720 (all)	**011-107**
GSX 800 96-98 (front)	**011-108**
GSX 800 96-98 (rear)	**011-109**[1]
GSX RFI 800 99-00 (rear)	**011-109**[1]
GTI LE RFI 800 03 (front)	**0933-0010**
GTI LE RFI 800 03 (rear)	**011-109**[1]
GTI RFI/LE RFI 800 04-05 (rear)	**0933-0008**[1]
GTX 800 96-97 (front)	**011-108**
GTX 800 96-97 (rear)	**011-109**[1]
GTX RFI 800 98-02 (front)	**0933-0010**
GTX RFI 800 98-02 (rear)	**011-109**[1]
SPX 800 97-98 (front)	**011-108**

FITS MODEL	PART #
SEA-DOO (CONT)	
SPX 800 97-99 (rear)	**011-109**[1]
800/951 (rear)	**011-109**
XP 800 96-97 (front)	**011-108**
XP 800 96-97 (rear)	**011-109**[1]
GSX LTD 951 99 (front)	**011-108**
GSX LTD 951 98-99 (rear)	**011-109**[1]
GTX 951 00-02 (rear)	**011-109**[1]
GTX DI 951 00-03	**011-109**[1]
GTX LTD 951 98 (front)	**011-108**
GTX LTD 951 98-99 (rear)	**011-109**[1]
LRV/DI 951 00-02 (rear)	**011-109**[1]
RX/DI 951 00-03 (rear)	**011-109**[1]
RXX 951 01 (rear)	**011-109**[1]
XP 951 00-02 (front)	**0933-0010**
XP 951 00-02 (rear)	**011-109**[1]
XP LTD/DI 951 99-04 (front)	**0933-0010**
XP DI 951 03-04 (rear)	**011-109**[1]
XP LTD 951 98-99 (rear)	**011-109**[1]
GTI 1500 06-07 (rear)	**0933-0008**[1]
GTI SE 1500 06-07 (rear)	**0933-0008**[1]
GTX 1500 4-TEC 02-07 (front)	**0933-0009**
GTX 1500 4-TEC 02-07 (rear)	**0933-0008**[1]
RXP/RXT 05-10 (front)	**0933-0009**
RXP/RXT 05-07, 10 (rear)	**0933-0008**[1]
YAMAHA	
500 WJ 87-90	**011-117**
WaveRunner III 650 96	**011-117**
650/701 SuperJet (all)	**011-115**
WaveBlaster 701 (all)	**011-116**
701 FX 94-95	**011-116**

FITS MODEL	PART #
YAMAHA (CONT)	
WaveRaider 701 95-97	**011-117**
WaveRunner III 701 97	**011-117**
WaveRunner XL 701 99-04	**011-117**
WaveVenture 701 95-98	**011-117**
WaveBlaster 760 (all)	**011-116**
WaveRaider 760 96	**011-117**
WaveVenture 760 97	**011-117**
WaveRunner GP 760 97-00	**011-117**
WaveRunner XL 760 98-99	**011-117**
WaveRunner GP 800 98-00	**011-117**
WaveRunner XL 800 00-01	**011-117**
WaveRunner XLT 800 02-04	**011-117**
WaveRaider 1100 95-96	**011-117**
FX140 WaveRunner 02-04	**011-126**
FX1100 WaveRunner/ Cruiser 04-11	**011-126**
VX1100 WaveRunner 05-11	**011-126**
WaveVenture 1100 96-97	**011-117**
WaveRunner GP 1200 97-99	**011-117**
WaveRunner XL 1200 98	**011-117**
WaveRunner GP 1200R 00-01	**011-126**
WaveRunner SUV 1200 99-04	**011-117**
WaveRunner XL LTD 1200 99-00	**0933-0007**
WaveRunner XLT 1200 01-05	**0933-0007**
WaveRunner GP1300 04-08	**011-126**
WaveRunner FZS/ FZR SHO 09-11	**011-126**

[1] Requires two mounts.



SUPERCHARGER REBUILD KITS

FOR SEA-DOO

- Everything needed to overhaul your supercharger
- For OEM #s 420881949, 420881947, 420881940, 420881150, and 420881151

PART #	4850-0055



ENGINE KEEPERS

FOR YAMAHA SUPER JET (ALL)

- Designed in conjunction with (and required by) Blowsion SXR Pro Freerider Air Darin Anderson and SL rider Joe Kenney; these "Kenney Keepers" are a must have for any hardcore surf or flat-water invert artist riding a Yamaha Super Jet
- Each set contains a left and right side front mount retainer and extended stainless hardware for installation
- Unique close tolerance design retains the front "top heavy" weight of the engine block from being flexed or thrown forward during flat out maneuvers or inverts
- Since this is a common occurrence even in flat water racing action, Blowsion designers also found them to be excellent insurance against ever having to replace those expensive engine mounts again
- Anodized blue; kit includes left and right contoured brackets and stainless mounting bolts

PART #	0933-0097

BOLD MAGENTA part numbers are new for 2020



REAR EXHAUST KIT

- Molded black silicone hose for easy installation
- Billet anodized black 3" exhaust outlet
- Billet anodized block-off plate
- Eliminates restrictive sound-suppression baffles
- Silicone hose reduces exhaust resonance and droning
- A must for high horsepower/racecraft

FITS MODEL	PART #
YAMAHA	
FX HO 16-18	**1850-0010**
VXR,VXS,VX 15-18	**1850-0010**



REAR EXHAUST KIT

FOR SEA-DOO RXP/RXT/RXTX/ RXPX/GTI/GTR/GTX

- 3" billet outlet
- Molded silicone hose eliminates resonance to deliver tough, throaty exhaust sound
- Standard outlet block-off included
- Eliminates restrictive sound suppression baffles
- Suitable for recreational and race PWC

PART # **1850-0009**



FACTORY PIPE ELBOW COUPLING HOSE

FOR YAMAHA SUPERJET 96-15

- Super durability-tested Blowsion pipe elbow replaces the weak existing elbows on the market
- Required when running SuperJet LTD chamber b-pipes
- Allows connection to the OEM or factory pipe waterbox

PART # **1860-0835**



FACTORY PIPE "B" COUPLER

- Blowsion-manufactured Factory Pipe replacement coupler is not the thin blue coupler model offered by other suppliers, but a spec-manufactured coupler made out of high-heat silicone hose
- Double-compound-thickness, heavy-duty silicone coupler fits "A" and "B" headpipes including Kawasaki, Yamaha and Polaris wet pipes
- Dimensions: 4"x $2^{1}/_{8}$"

PART # **1860-0661**



1860-0659



1860-0540



1860-0539

EXHAUST PIPE HOSES

FOR SEA-DOO

FITS MODEL	LENGTH/ID	PART #
650-800 94-05 (all)	3.1"/1.95"	**1860-0659**
951 GSX/GTX/XP LTD 98-99	3.5"/2.5"	**1860-0540**
951 GTX/RX 00-02	3.5"/2.5"	**1860-0540**
951 LRV/XP 00-01	3.5"/2.5"	**1860-0540**
1500 GTI/GTX/RXP/RXT 06-07	3.2"/2.75"	**1860-0539**

0950-0472





1860-0660



EXHAUST PICKUP ENVELOPE

FOR SEA-DOO 951 MODELS 00-04

- Install around the exhaust to manifold joint, to deflect water spray from the joint

DESCRIPTION	PART #
Exhaust pickup envelope	**0950-0472**
Exhaust bushings, 1 pr.	**1860-0660**[1]

[1] Repl. OEM #293-300-031.



0712-0094



0712-0091

PARTS UNLIMITED

OIL FILTERS

- Parts Unlimited oil filters literally use the world's finest materials: German paper, English glue and Japanese zinc steel

FITS MODEL	PART #
HONDA	
F12/F12X 02-07	**0712-0094**
R12/R12X 03-07	**0712-0094**
F15X 08-09	**0712-0094**
KAWASAKI	
STX-12F 03-06	**0712-0094**
STX-12F 07	**01-0035X**
STX-15F 04-19	**0712-0094**
STX/STX-15F 07-09	**01-0035X**
Ultra 250 X/LX 07-08	**0712-0094**
Ultra LX 07-19	**0712-0094**
Ultra 260 X/LX 09	**0712-0094**
SEA-DOO	
GTI 1494 06-07 (all)	**0712-0091**[1]
GTI 130/SE 1494 08-17	**0712-0091**[1]
GTI 155 SE 1494 08-17	**0712-0091**[1]
GTI 130/SE 1503 15-17	**0712-0091**[1]
GTR 215/230 14-17	**0712-0091**[1]
GTS 130 1503 15-16	**0712-0091**[1]
GTX 1494 02-09 (all)	**0712-0091**[1]
GTX 155/215/Limited 1494 08-17	**0712-0091**[1]
GTX 155/230 14-17	**0712-0091**[1]

FITS MODEL	PART #
SEA-DOO (CONT)	
RXP 1494 04-15	**0712-0091**[1]
Wake 1494 05-15	**0712-0091**[1]
Wake 155 1503 14-17	**0712-0091**[1]
RXT 1494 05-13	**0712-0091**[1]
RXT 260/RXT X 260 1503 14-17	**0712-0091**[1]
RXP X 260 14-15	**0712-0091**[1]
YAMAHA	
FX140 02-03	**01-0035X**
FX1000/1100 04-07	**01-0035X**
FX1000/1100 08	**0712-0094**
VX1100 05-07	**01-0035X**
VX1100 08-15	**0712-0094**
GX/VX1800 11-13	**0712-0094**
SEA-DOO JET BOATS	
150 Speedster 07-09	**0712-0091**[1]
180 Challenger 06-09 (all)	**0712-0091**[1]
200 Speedster 06-09	**0712-0091**[1]
205 Utopia/SE 06-09	**0712-0091**[1]
230 Challenger/SE 07-08	**0712-0091**[1]
230 Wake 07-08	**0712-0091**[1]
Islandia/SE 06-08	**0712-0091**[1]

FITS MODEL	PART #
SEA-DOO JET BOATS (CONT)	
Speedster Wake 06-09	**0712-0091**[1]
Sportster 4 TEC 05	**0712-0091**[1]
YAMAHA JET BOATS	
AR210 06-07	**01-0035X**
SR210 06-07	**01-0035X**
SX210 06-07	**01-0035X**
SX210 08	**0712-0094**
AR210 08-09	**0712-0094**
212X 08 (except CA model)	**0712-0094**
212X 09	**0712-0094**
212SS 08-09	**0712-0094**
SR230 03-05	**01-0035X**
SR230 HO 07	**01-0035X**
SX230/HO 03-07	**01-0035X**
SX230 HO 08-09	**0712-0094**
AR230/HO 04-07	**01-0035X**
AR230/HO 09	**0712-0094**
232 Limited/S 08-09	**0712-0094**

[1] Includes housing O-rings.



EMGO

OIL FILTER

- Direct OE replacement oil filter

FITS MODEL	EMGO PART #	PART #
SEA-DOO		
GTI 130/155 06-17	10-26992	**0712-0391**
GTR 215 12	10-26992	**0712-0391**
GTS 130 11-12	10-26992	**0712-0391**
GTX 155/215/260/4-TEC 03-12	10-26992	**0712-0391**
RXP/X255/260 04-12	10-26992	**0712-0391**
Wake 155 08-12	10-26992	**0712-0391**
Wake Pro 215/230 08-17	10-26992	**0712-0391**
150 Speedster 255HP/260HP 09-12	10-26992	**0712-0391**
150 Speedster 215HP 08-09	10-26992	**0712-0391**
150 Speedster 155HP 08-12	10-26992	**0712-0391**
150 Speedster 07-08	10-26992	**0712-0391**
180 Challenger SE 215HP 08-12	10-26992	**0712-0391**
180 Challenger SE 255/260HP 09	10-26992	**0712-0391**
180 Challenger / SE 05-08	10-26992	**0712-0391**
180 Challenger CS 06	10-26992	**0712-0391**
200 Speedster 215/310/430/510 08-12	10-26992	**0712-0391**
200 Speedster 05-08	10-26992	**0712-0391**
205 Utopia SE 430HP (2 req.) 08-09	10-26992	**0712-0391**
205 Utopia SE 310HP (2 req.) 08-09	10-26992	**0712-0391**
205 Utopia/ SE 06-08	10-26992	**0712-0391**
205 Utopia/SE 155/215 06-09	10-26992	**0712-0391**
210 Challenger 260/310/430 10-12	10-26992	**0712-0391**
210 SP 310/430 11-12	10-26992	**0712-0391**
210 Wake 310/430 11-12	10-26992	**0712-0391**
230 Challenger SE 07-08	10-26992	**0712-0391**
230 Challenger 07-08	10-26992	**0712-0391**
230 Wake 07	10-26992	**0712-0391**
230 Wake Eng. 2 07-08	10-26992	**0712-0391**
Wake 215 08	10-26992	**0712-0391**
Wake 155 07-12	10-26992	**0712-0391**


FITS MODEL	EMGO PART #	PART #
SEA-DOO (CONT)		
Wake 05-06	10-26992	**0712-0391**
Islandia SE ENG.2 07-08	10-26992	**0712-0391**
Islandia SE 06-08	10-26992	**0712-0391**
Islandia 06	10-26992	**0712-0391**
Sportster SCIC 155/215HP 05	10-26992	**0712-0391**
Sportster 4-TEC 155/215HP 05	10-26992	**0712-0391**
Sportster 4-TEC 04	10-26992	**0712-0391**
Speedster Wake 430HP (2 req.) 09	10-26992	**0712-0391**
Speedster Wake ENG. 2 06-08	10-26992	**0712-0391**
Speedster Wake 1 06-08	10-26992	**0712-0391**
GTI 06-07	10-26992	**0712-0391**
GTI Rental 06	10-26992	**0712-0391**
GTI SE 06	10-26992	**0712-0391**
GTI 4-TEC / SE / Rental 07	10-26992	**0712-0391**
GTI 130 08-12	10-26992	**0712-0391**
GTI 130 Rental 08	10-26992	**0712-0391**
GTI SE 130 /155 07-17	10-26992	**0712-0391**
GTI LTD. 155 01-12	10-26992	**0712-0391**
GTR215 2012	10-26992	**0712-0391**
GTS130 01-12	10-26992	**0712-0391**
GTX 05-07	10-26992	**0712-0391**
GTX IS 215 10-11	10-26992	**0712-0391**
GTX SC 05-06	10-26992	**0712-0391**
GTX LTD / Wake 07	10-26992	**0712-0391**
GTX LTD iS 260 10-12	10-26992	**0712-0391**
GTX Limited IS 255 09	10-26992	**0712-0391**
GTX Limited 05-08	10-26992	**0712-0391**
GTX S 155 12-17	10-26992	**0712-0391**
GTX 155 / 215 08-12	10-26992	**0712-0391**
GTX 4-TEC Wakeboard Edition 04	10-26992	**0712-0391**

BOLD MAGENTA part numbers are new for 2020

EMGO OIL FILTER (CONT)

FITS MODEL	EMGO PART #	PART #
SEA-DOO (CONT)		
GTX 4-TEC Wake 03-06	10-26992	**0712-0391**
GTX 4-TEC / LTD. Supercharged 03-06	10-26992	**0712-0391**
GTX 4-TEC 02-06	10-26992	**0712-0391**
RXP 04-07	10-26992	**0712-0391**
RXP 155 07-08	10-26992	**0712-0391**
RXP 215 08-09	10-26992	**0712-0391**
RXP-X 255 08-11	10-26992	**0712-0391**
RXP-X260 2012	10-26992	**0712-0391**

FITS MODEL	EMGO PART #	PART #
SEA-DOO (CONT)		
RXT 05-07	10-26992	**0712-0391**
RXT 215 08-09	10-26992	**0712-0391**
RXT IS 255 09	10-26992	**0712-0391**
RXT 260 11-17	10-26992	**0712-0391**
RXT iS 260 10-17	10-26992	**0712-0391**
RXT-X 255 08-09	10-26992	**0712-0391**
RXT-X 260 10-17	10-26992	**0712-0391**





K&N PERFORMANCE FILTERS

PERFORMANCE OIL FILTERS

- K&N delivers a premium oil filter which is built with a synthetic media specifically designed to withstand the high concentrates of synthetic racing oils
- A large filter media provides high-flow rates and outstanding oil filtration to keep your motor running clean and smooth
- Uniform pleated synthetic filter media provides high capacity and outstanding filtration
- Synthetic Media allows for the higher-flow rates associated with synthetic and synthetic blended oils
- Protected by a heavy-duty canister and base plate, with a double-rolled seal
- Check-valve/anti-drain back valve prevents drain-back and dry starts (where applicable)
- Pre-lubed base gasket
- 17mm hex nut (pre-drilled for safety wire security) allows easy-on, wrench-off removal (where applicable)

FITS MODEL	PART #
HONDA	
Aquatrax R-12/X 1200 03-07	**0712-0550**[1]
Aquatrax F-12/X 1200 02-07 (all)	**0712-0550**[1]
Aquatrax F15X 08-09	**0712-0550**[1]
KAWASAKI	
Ultra 250 X/LX 07-08	**0712-0550**[1]
Ultra 260 X/LX 09	**0712-0550**[1]
Ultra LX 07-17	**0712-0550**[1]
STX-12F 1200 03-06	**0712-0550**[1]
STX-12F 1200 07	**KN-303**[2]
STX-15F 1500 04-17	**0712-0550**[1]
STX/STX-15F 1500 07-09	**KN-303**[2]
SEA-DOO	
GTI 1494 06-07 (all)	**0712-0118**
GTI 130/SE 1494 08-15	**0712-0118**
GTI 155 SE 1494 08-17	**0712-0118**
GTI 130/SE 1503 15-17	**0712-0118**
GTR 215 1503 14-16	**0712-0118**
GTS 130 1503 15-16	**0712-0118**

FITS MODEL	PART #
SEA-DOO (CONT)	
GTX 1494 02-09 (all)	**0712-0118**
GTX 155/215/Limited 1494 08-17	**0712-0118**
RXP 1494 04-15	**0712-0118**
RXT 1494 05-13	**0712-0118**
Wake 1494 05-15	**0712-0118**
GTX 155/S 1503 14-17	**0712-0118**
Wake 155 1503 14-17	**0712-0118**
RXT 260/RXT X 260 1503 14-17	**0712-0118**
RXP X 260 1503 14-15	**0712-0118**
YAMAHA	
FX1000/1100 WaveRunner 04-07	**KN-303**[2]
FX1000/1100 WaveRunner 08	**0712-0550**[1]
SXT1100 232 Ltd./S/AR/SX230 08-09	**0712-0550**[1]
VX1100 WaveRunner 05-07	**KN-303**[2]
VX1100 WaveRunner 08-15	**0712-0550**[1]
SEA-DOO JET BOATS	
150 Speedster 07-09	**0712-0118**
180 Challenger 06-09 (all)	**0712-0118**

FITS MODEL	PART #
SEA-DOO JET BOATS (CONT)	
200 Speedster 06-09	**0712-0118**
205 Utopia/SE 06-09	**0712-0118**
230 Challenger/SE 07-08	**0712-0118**
230 Wake 07-08	**0712-0118**
Islandia/SE 06-08	**0712-0118**
Speedster Wake 06-09	**0712-0118**
Sportster 4-Tec 05	**0712-0118**
YAMAHA JET BOATS	
AR230/SX230 04-06	**KN-303**[2]
SR230 03-05	**KN-303**[2]
AR210/SR210/SX210 06-07	**KN-303**[2]
AR230/SX230 HO 05-06	**KN-303**[2]
AR230/SR230/SX230 HO 07	**KN-303**[2]
AR230/SX230 HO 08-09	**0712-0550**[1]
212SS/212X/232 Limited 08-09	**0712-0550**[1]

[1] Also available in chrome; PART #0721-0123.
[2] Also available in chrome; PART #KN-303C.



0712-0437



HF303


0712-0080

HIFLOFILTRO

HIFLOFILTRO® OIL FILTERS

STANDARD FILTERS

- The original Hiflofiltro factory was founded in 1955 and has been manufacturing filters for the OEM motor industry since 1963
- With the experience of more than five decades, constant research and development and featuring a completely modern production facility, Hiflofiltro offers some of the best quality filters in the world
- TÜV approved and production monitored to ensure OEM or better quality
- Constructed using the best materials available
- One of the broadest ranges of aftermarket coverage

RACING FILTERS

- Heavy-duty steel casing features a welded hex nut for easier removal and installation
- High-performance tri-fiber media for optimum filtration and consistent oil flow
- Premium rubber relief valve for 100% seal
- Compatible with all oil types

NOTE: See chart below for oil filter applications.


APPLICATIONS


FITS MODEL	PART #
HONDA	
Aquatrax F-12/X 1200 02-07	**HF204**
(racing)	**0712-0437**
Aquatrax R-12/X 1200 03-07 (all)	**HF204**
(racing)	**0712-0437**
Aquatrax F15X 08-09	**HF204**
(racing)	**0712-0437**
KAWASAKI	
Ultra 250 X 07-08	**HF204**
(racing)	**0712-0437**
Ultra 260 LX/X 09-12	**HF204**
(racing)	**0712-0437**
Ultra 300 X/LX 11-12	**HF204**
(racing)	**0712-0437**
Ultra 310 LX 14	**HF204**
(racing)	**0712-0437**
Ultra 310 SE/X 14-17	**HF204**
(racing)	**0712-0437**
Ultra LX 07-11	**HF303**
(racing)	**0712-0438**
Ultra LX 12-16	**HF204**
(racing)	**0712-0437**
STX-12F 1200 03-07	**HF303**
(racing)	**0712-0438**
STX-15F 1500 11-16	**HF204**
(racing)	**0712-0437**
STX/STX-15F 1500 04-10	**HF303**
(racing)	**0712-0438**
SEA-DOO	
GTI 06	**0712-0080**
GTI130 08-12	**0712-0080**
GTI 4-TEC 07 (all)	**0712-0080**
GTI Limited 155 11-16	**0712-0080**
GTI Rental 06	**0712-0080**
GTI Rental 130 08	**0712-0080**
GTI SE 06	**0712-0080**
GTI SE 155/130 08-16	**0712-0080**
GTR 215 12-16	**0712-0080**
GTS 130 11-16	**0712-0080**
GTX 07	**0712-0080**
GTX 215/155 08-12	**0712-0080**
GTX 4-TEC 02-06 (all)	**0712-0080**
GTX iS 215 10-11	**0712-0080**
GTX Limited iS 260 10-16	**0712-0080**
GTX LTD 07	**0712-0080**
GTX S 155 12-16	**0712-0080**
GTX Wake 07	**0712-0080**
RXP 04-07	**0712-0080**
RXP-X 255 08-11	**0712-0080**
RXP-X 260 12-16	**0712-0080**
RXT 05-07	**0712-0080**
RXT 260 11-16	**0712-0080**
RXT iS 260 10-12	**0712-0080**
RXT-X 260 10-16	**0712-0080**
RXT-X aS 260 10-16	**0712-0080**
Wake 155 08-16	**0712-0080**
Wake Pro 215 08-16	**0712-0080**

FITS MODEL	PART #
YAMAHA	
F150 04-05	**0712-0476**
F150 (In line four)/(Jet drive) 06-18	**0712-0476**
F200/225 02-05	**0712-0476**
F200/225 (High power) 06-18	**0712-0476**
Sport Model 225 06-18	**0712-0476**
F250 05	**0712-0476**
F250 (High power) 06-18	**0712-0476**
FX HO/Cruiser 04-07	**HF303**
(racing)	**0712-0438**
FX HO/Cruiser HO 09-16	**0712-0476**
FX SHO/Cruiser SHO 08-16	**0712-0476**
FX 140/Cruiser 02-04	**HF303**
(racing)	**0712-0438**
FZR 09-16	**0712-0476**
FZS 10-16	**0712-0476**
VX/Cruiser/Deluxe/Sport 07	**HF303**
(racing)	**0712-0438**
VX110 Deluxe/Sport 05-06	**HF303**
(racing)	**0712-0438**
VXR/VXS 11-16	**0712-0476**
FX1000/1100 WaveRunner 03-07	**HF303**
(racing)	**0712-0438**
FX1000/1100 WaveRunner 08	**HF204**
(racing)	**0712-0437**
FX Cruiser/Cruiser HO 08	**HF204**
(racing)	**0712-0437**
SXT1100 232 Ltd./S/AR/SX230 08-09	**HF204**
(racing)	**0712-0437**
VX1100 WaveRunner 05-07	**HF303**
(racing)	**0712-0438**
VX1100 WaveRunner 08-14	**HF204**
(racing)	**0712-0437**
VX Cruiser/Deluxe/Sport 08-12	**HF204**
(racing)	**0712-0437**
SEA-DOO JET BOATS	
Challenger 180 4TEC/CS 05-06	**0712-0080**
Islandia 220 06	**0712-0080**
Speedster 200 w/1503 x 2 04	**0712-0080**
Sportster 4-TEC w/1503/155HP 03-04	**0712-0080**
Utopia 205 06	**0712-0080**
YAMAHA JET BOATS	
AR230/SX230 04-06	**HF303**
(racing)	**0712-0438**
SR230 03-05	**HF303**
(racing)	**0712-0438**
AR210/SR210/SX210 06-07	**HF303**
(racing)	**0712-0438**
AR230/SX230 HO 05-06	**HF303**
(racing)	**0712-0438**
AR230/SX230 HO 08-09	**HF204**
(racing)	**0712-0437**
AR230/SR230/SX230 HO 07	**HF303**
(racing)	**0712-0438**
212SS/212X/232 Limited 08-09	**HF204**
(racing)	**0712-0437**

BOLD MAGENTA part numbers are new for 2020


0712-0365


0712-0366


0712-0367

PARTS UNLIMITED

OIL FILTER O-RINGS

FOR BOMBARDIER 4 TEC 4-STROKE (ALL)

- OEM oil filter O-ring replacements
- Sold in 5-pack to dealer, sold to consumer as each

DESCRIPTION	PART #
For OEM #420950860	0712-0365

DESCRIPTION	PART #
For OEM #420230920	0712-0366

DESCRIPTION	PART #
For OEM #420850500	0712-0367

WSM PERFORMANCE PARTS



OIL FILTER CAP

FOR SEA-DOO 1500 GTI, GTX/4-TEC, RXP, RXT, WAKE 155/215 04-09 (ALL)

PART #	0712-0294



OIL FILTER

FOR SEA-DOO SPARK 14-19, SPARK HO 15-17

- Replaces OEM #420-956123

PART #	0712-0501



OIL FILTER

FOR SEA-DOO 2-STROKE MODELS

- Replaces OEM #s 275-000-051 and 275-0000-262

PART #	0712-0178


0712-0292


0712-0293

OIL PUMP SCREENS

FOR SEA-DOO

FITS MODEL	PART #
1500 GTX 4-TEC, RXP, RXT 03-05	0712-0292
1500 GTI SE, GTX 4-TEC, RXP, RXT, RXT-X, RXT-IS, WAKE 155/215 06-10	0712-0293



OIL PUMP COVER

FOR ALL SEA-DOO 4-TECH MODELS

- Direct replacement for your OEM #420-811-590 oil pump cover

PART #	0932-0085




BALL BEARING WITH BELLOW


FOR SEA-DOO 1503 09-10 (ALL)

- Replaces OEM #420832753

PART #	4809-0218



0934-0722



PD810410



0934-0512

GASKET SETS

- Full top-end set includes bases and heads, along with intake and exhaust gaskets (only those nearest the block)
- Full engine gasket set includes bases, heads, intakes and crankshaft oil seals
- Made in the U.S.A.


FITS MODEL	TOP END	FULL ENGINE
KAWASAKI		
JS 300 86-91	**PD812303**	**PD811303**
JS 440 82-88	**PD812305**	**PD810310**
JS 550 82-90	**PD812325**	**PD810330**
JS 550SX 91-95	**PD812326**	**PD811326**
JS 650SX 86-96	**PD812343**	**PD810345**
JH750SS/Xi 93-99	**PD812361**	**0934-0266**
JH750ZXi 95-97	**PD812361**	**0934-0266**
JS750SX/SXi/Pro 92-02	**PD812361**	**PD811361**
JT750ST/STS/STX 92-98	**PD812361**	**0934-0266**
JH 900ZXi/JT900 STX 95-06	-	**PD810350**
JH1100 ZXI/JT1100 STX 96-04	**0934-0722**	**PD810355**
Ultra 130 04	**0934-0722**	**PD810355**
Ultra 150 00-05	**0934-0267**	**0934-0268**
STX-R1200 02-05	**0934-0267**	**0934-0268**
POLARIS		
SL 650 92-95	**PD812375**	**PD811375**
SL/SLH/SLT/SLTH 700 96-03	-	**PD811380**
700 Hurricane, Virage 96-00	-	**PD811380**
SL/SLT 750 93-95	**PD812384**	**PD811384**

FITS MODEL	TOP END	FULL ENGINE
POLARIS (CONT)		
SL/SLT/SLX 780 95-97	**PD812385**	**PD811385**
SL/SLTX1050, SLXH1050 96-99	**0934-0271**	**0934-0272**
SEA-DOO		
580 yellow engine 88-91 (all)	-	**0934-0725**
580 white engine 92-96 (all)	**PD810402**	**PD811429**
650 93-95 (all)	**PD812435**	**PD811435**
720 95-04 (all)	**PD810405**	**PD811432**
800 95-99 (all)	**PD810410**	**PD811410**
800 RFI 00-05	-	**0934-0514**
951 98-00 (all)	**PD810415**	**PD811415**
951 01-02 (all)	**0934-2615**	-
951 DI 00-07	**0934-2185**	**0934-2184**
4-Tec 1503 02-04 (except 04 RXP Supercharged)	-	**0934-2617**
4-Tec 1503 06-11	-	**0934-2618**
TIGERSHARK		
640 93-99	-	**PD811280**
900 95-96, 99	-	**PD811285**
1000 97-98	-	**0934-0512**

GASKET SETS continued on next page.

VERTEX PISTON & GASKET (FORMERLY WINDEROSA)

GASKET SETS (CONT)



PD811540


FITS MODEL	TOP END	FULL ENGINE
YAMAHA		
500 87-93 (all)	-	PD810455
650 90-96 (all)	PD812500	PD811500
FX-1 94-95	PD812530	PD811530
SuperJet 700 94-95	PD812530	PD811530
Super Jet 700 61X 96-04	0934-0723	-
WaveBlaster 700 93-95	PD812530	PD811530
WaveBlaster 700 96	0934-0723	-
WaveRaider 700 94-95	PD812532	PD811532
WaveRaider 700 96-98	PD812530	PD811530
WaveRunner 93-97	PD812530	PD811530

FITS MODEL	TOP END	FULL ENGINE
YAMAHA (CONT)		
WaveRunner 99-02	PD812532	PD811532
WaveRunner Pro VXR 93-94	PD812530	PD811530
WaveVenture 700 95-98	PD812532	PD811532
760 96-00 (all)	PD812535	PD811535
GP800, XL800 98-05	-	PD811541
WaveRaider 1100 95-97	-	PD811540
WaveVenture 1100 96-97	-	PD811540
1200 models 97-04 (all)	PD812543	PD811543
1200 models w/ Power Valve engine 99-05 (all)	0934-0724	PD811542

COMETIC GASKET

HIGH-PERFORMANCE PERSONAL WATERCRAFT GASKET KITS

- Gasket kits are complete with head, base, reed, intake, manifold and exhaust gaskets
- Graphite head gaskets are manufactured from non-asbestos, flexible graphite laminated to a stainless steel core
- Graphite material is impervious to fuels, coolants and oils




C6145

FITS MODEL	DISP. CC	NO. OF CYL.	PART #
KAWASAKI			
JS300/SX through 94	300	1	C6001X[1]
JS550 through 89	550	2	C6004
JH750SS 92-97	750	2	C6043[1]
JH750XI 93-97	750	2	C6043
JH750XIR 94	750	2	C6043
JS750SX 92-95	750	2	C6043
JS750SXI 98-02	750	2	C6043
JS750ZXI 95-97	750	2	C6043
JT750STS 95-97	750	2	C6043
JT750ST 94-95	750	2	C6043
JH900ZXI 95-97	941	3	C6118
JT900STX 98-00	941	3	C6118


FITS MODEL	DISP. CC	NO. OF CYL.	PART #
KAWASAKI (CONT)			
JH1100ZXI 96-03	1097	3	C6145
JT1100STX/STX D.I. 97-03	1097	3	C6145
Ultra 150 99-05	1205	3	C6202
1200STX 02-05	1205	3	C6202
YAMAHA			
Super Jet 97-00	701	2	C6084
WaveBlaster 96-97	701	2	C6084
700 WaveRaider/DLX 93-95	701	2	C6084
700 WaveVenture 95-97	701	2	C6084
700 XL 99-00	701	2	C6084
800GP 98-02	800	2	C6199

[1] Graphite head gaskets are included in these kits. All other kits have copper or O-ring head gaskets.

BOLD MAGENTA part numbers are new for 2020



0934-4575



0934-4576

SUPER BASE GASKETS

- Simple to install stainless and reusable base gasket, simply clean both mating surfaces and install
- PART #0934-4575 is coated stainless steel standard thickness of 0.020" for Kawasaki

FITS MODEL	PART #
KAWASAKI	
SXR/SXI 750	**0934-4575**

- PART #0934-4576 is a standard (OEM) Yamaha 0.020" thickness
- Gasket with metal core for blow-out protection
- No need to use messy gasket sealants like others

FITS MODEL	PART #
YAMAHA	
701/760	**0934-4576**



POWERSPORTS ALL-GASKET

- Comes with two sheets of gasket material – 1/32" (.032") thick x 11.5" wide x 15.5" long
- Material is premium compressed sheet, manufactured with aramid and other synthetic fibers and uses an NBR (Nitrile Butadiene Rubber) binder
- Flexible, easy to use, trace and cut with scissors or razor knife
- Resistant to: oils, solvents, fuels, mild acids and alkalis, water, low pressure steam, air and other gases
- Recommended applications to seal: engine case side covers, valve covers, base and cylinder, transmissions, drive line components, water pumps, thermostats, fuel pumps, oil line and hose flanges
- Also have favorable properties for high heat insulation and exhaust mount insulation
- Service conditions up to 750°F

PART #	0934-4727



PREMIUM GASKET MATERIAL

- One sheet 1/32" (.032") thick x 14.5" wide x 30" long
- Made from aramid and other synthetic fibers compressed with Nitrile Butadiene Rubber (NBR) binder
- Resists oils, solvents, mild acids, alkalis, gasses, water and low-pressure steam
- Multi-purpose seal for all powersports applications including oil, fuel, water, coolant and exhaust mounts
- Service conditions up to 750°F
- Available in light green

PART #	0934-4769

CRANKSHAFT OIL SEALS

- Oil seal sets include oil seals for the magneto and oil seal for the PTO side of the engine for the watercraft listed
- All oil seals include stainless steel springs

FITS MODEL	PART #
KAWASAKI	
440 82-92 (all)	**PD810775**
550 82-95 (all)	**PD810775**
650 86-96 (all)	**PD810788**
750 92-02 (all)	**PD810788**
JS800 03-05	**PD810788**
900 95-05	**PD810801**
1100 96-04	**PD810801**
Ultra 130 04	**PD810801**
Ultra 150 99	**0935-0002**
POLARIS	
650 92-95 (all)	**PD810711**
700 96-00 (all)	**PD810796**
750 93-95 (all)	**PD810711**
780 95-97 (all)	**PD810711**
785 97-00 (all)	**PD810711**
900 96-97 (all)	**PD810796**



FITS MODEL	PART #
POLARIS (CONT)	
1050 96-99 (all)	**PD810796**
1200 99-00	**PD810796**
SEA-DOO	
580 89-96 (all)	**PD810696**
650 93-95 (all)	**PD810696**
720 95-00 (all)	**PD810696**
800 95-99 (all)	**PD810797**
951 DI RX, LRV, GTX 02-03	**0935-0404**
951 DI XP 03-04	**0935-0404**
951 06-07	**0935-0404**
YAMAHA	
650 90-96 (all)	**PD810795**
701 93-04 (all)	**PD810795**
760 96-00 (all)	**PD810795**
1100 95-97	**PD810795**
1200 97-04	**PD810795**

BOLD MAGENTA part numbers are new for 2020



Fuel/Air Systems

Electrical

PARTS EUROPE

Dynojet



POWER COMMANDER V

- Fuel control for each individual cylinder
- "Warm up" fuel adjustment (unit reads engine temp and allows fuel/timing adjustments based on the reading)
- Easy to install
- Two-position map switching function built in
- Can add any Single Pole Single Throw (SPST) switch and toggle between two different fuel maps
- Analog input allows user to install any 0-5 volt sensor
- Build an adjustment table based on analog input such as boost or temperature
- Power Commander V is capable of allowing each cylinder to be mapped individually
- Enhanced "accel pump" utility
- Made in the U.S.A.

FITS MODEL	PART #
KAWASAKI	
300/310 11-15	**1020-2363**
SEA-DOO	
4-TEC Supercharged 03-10 w/ Siemens ECU	**1020-2364**

FITS MODEL	PART #
SEA-DOO (CONT)	
4-TEC Supercharged 09-12 w/ Bosh ECU	**1020-2365**



POWER VISION 3

FOR SEA-DOO

- Flash performance tunes via OEM diagnostic connector, no need to remove and send out ECU
- Display vehicle data channels in real-time
- Weather-resistant for use in all conditions
- High-contrast display, viewable in direct sunlight

FITS MODEL	PART #
Spark/Spark 900 ACE/Spark 900 HO ACE14-19	**1020-3167**
Spark Trixx 2-up 17-19	**1020-3167**

FITS MODEL	PART #
Spark Trixx 3-up 17-19	**1020-3167**



POWER COMMANDER V MAP SELECT SWITCH

- Switches between two different maps that have been pre-loaded in a Power Commander V
- Comes with a switch, wiring and instructions
- Universal mount

PART #	1020-2082



MULTI-FUNCTION HUB ACCESSORY FOR POWER COMMANDER/III USB

- Allows users to access advanced expansion features
- Comes with a switch, wiring and instructions

NOTE: Not for Wide Band Commander.


PART #	1020-2082



BN38448113



BN44408052



BN46-42-8002

HI PERFORMANCE SUPER BN CARBURETORS

- Special needle valves and springs give optimum pop-off with larger high and low speed jets
- Specifically designed to meet the needs of high horsepower racing watercraft
- Externally adjustable metering screws and replaceable jets make high- and low-speed tuning easy
- Made in Japan

MIKUNI PART #	INTAKE ID (MM)	LOW SPEED JET	HIGH SPEED JET	NEEDLE VALVE	ARM SPRING (GRAMS)	COLOR	PART #
SINGLE SQUARE PUMP CARBS							
BN38-34-8113[1]	38	65	107.5	2	115	Silver	**BN38448113**
BN44-40-8067[1]	44	120	140	2.5	80	Silver	**1002-0033**
BN44-40-8052[1]	44	120	125	2.3	65	Black	**BN44408052**
PRO RACING SUPER BN46							
BN46-42-8002[2]	42	120	150	2.5	80	Silver	**BN46-42-8002**

[1] Primer fitting; no butterfly choke.
[2] Extended throttle shaft.



BN34288010



1002-0032



BN444043

BLACK OEM REPLACEMENT SUPER BN CARBURETORS

- High quality OE style replacement carburetors
- Carburetors have correct regular throttle shaft with choke shaft for easy installation
- Made in Japan

MIKUNI PART #	INTAKE ID (MM)	LOW SPEED JET	HIGH SPEED JET	NEEDLE VALVE	ARM SPRING (GRAMS)	PART #
BN34-28-8010[1]	34	77.5	80	1.5	65	**BN34288010**
BN401-38-24[2]	38	70	167.5	1.5	95	**1002-0032**
BN44-40-43[3]	44	120	115	1.5	115	**BN444043**


[1] Fits Yamaha Wave Runner/Jammer 500 88-89.
[2] Fits Sea Doo 720 GTI, GTS, GS, GSI 97.
[3] Fits Yamaha SJ650 90-93, SJ701 94-95, TigerShark Monte Carlo 650 96.

MKBN3844SPR



GENUINE MIKUNI CARBURETOR REBUILD KITS

- All parts needed for complete rebuild (except needle valve)



1006-0285



1006-0284

DESCRIPTION	MIKUNI REFERENCE #	PART #
For 38 or 44/46mm Super BN and High Performance BN carbs	MK-BN38/44 SPR	MKBN3844SPR[1]
For 46mm I series carbs (Sea-Doo 951 98-12)	MK-BN46I	1006-0285
For 44mm or 46mm I-series carbs (Yamaha 800/1200 engine type 60T, 66E, 66V, 67X, 68N)	MK-BN441-YAM	1006-0284

[1] All Mikuni Performance square body 38mm, 44mm and 46mm carbs; also Sea-Doo pre 97, Kawasaki 750 98-02, 800 SXR 03-08.



GENUINE MIKUNI BN DIAPHRAGM REPAIR KIT

- Diaphragm repair kit for all standard Mikuni BN series carburetors (not Super BN) – six-screw pump cover

PART #	MKBN3844

COUPLING KIT

FOR DUAL APPLICATION OF MIKUNI CARBURETORS




PART #	MKBN001

PD824467



PD824468



CARBURETOR REBUILD KITS

FOR KEIHIN

- All parts needed for a complete rebuild of select Keihin carbs
- Kits include Viton™ tipped inlet needle
- Not for use with constant velocity carburetors


DESCRIPTION	PART #
28mm carbs	PD824467
38-44mm carbs	PD824468

THROTTLE CABLE DRUM



- Machined from 6061-T6 billet aluminum with an anodized black finish
- Has nine different hole locations for throttle cable attachment; this allows for increased adjustments to accommodate almost any carburetors/throttle lever combination
- Fully integrated throttle stops
- For Mikuni or Novi throttle drums

PART #	0658-0114



COMPLETE CARB REPAIR KIT

- Kit available for BN 38mm and 44mm old-style/round body diaphragm- and gasket-type HD carbs
- Also fits Kawasaki Jet Ski with 440 engine

PART #	462140





CARBURETOR INTAKE GASKETS

- Manufactured from compressed micropore material for ultimate sealing and durability
- Replace worn or damaged base gaskets when doing a carb rebuild
- Sold in 10-pack

DESCRIPTION	PART #
MIKUNI	
38mm	**0934-2620**
40mm	**0934-2621**
44mm	**0934-2622**
46mm	**0934-2623**

DESCRIPTION	PART #
KEIHIN	
38mm	**0934-2624**
40mm	**0934-2625**
42mm	**0934-2626**



CDK II REBUILD KIT FOR KEIHIN

- All the parts needed for a complete rebuild, including new diaphragm, O-rings, gaskets, needle and assorted hardware
- Made in Japan for WSM

PART #	006-345




MK-44R




GENUINE MIKUNI FUEL PUMP REPAIR KITS

- Genuine Mikuni fuel pump kit contains all gaskets, diaphragms, etc., required to rebuild Mikuni pump listed below
- Made in Japan

DESCRIPTION	PART #
Kit for DF-44 rectangular pumps	**MK-44R**
Kit for DF-62 pentagonal pumps	**1006-0286**





SUPER BN/BNI KITS

- All parts needed for complete rebuild (except needle valve)
- Fits either 38 or 44/46mm Super BN and High Performance Super BN with four-screw pump covers, and Super BNI 46mm carbs

DESCRIPTION	PART #
38 or 44/46mm Super BN and High Performance Super BN w/ 4-screw air pump covers	**PD824466**
46mm Super BNI carburetor	**1003-0059**





FUEL PUMP REPAIR KITS

- All the gaskets needed to rebuild old or leaking pumps
- PART #451454 for all dual-outlet square Mikuni pumps, replaces Arctic Cat OEM #0636-640
- PART #451454 also replaces Ski-Doo OEM #s 403-8006-00, 403-8007-00
- PART #449X fits DF 44 rectangular pumps

DESCRIPTION	PART #
For Mikuni/Arctic Cat/Ski-Doo (see copy)	**451454**
For DF 44 rectangular pump	**449X**





GENUINE MIKUNI FUEL PUMPS

- DF-44 pumps 14 liters per hour
- DF-62 pumps 65 liters per hour
- Made in Japan

DESCRIPTION	PART #
Genuine Mikuni DF-44 single fuel pump	**DF-44**
Genuine Mikuni DF-62 double fuel pump	**1006-0287**

PARTS UNLIMITED

PRIMER KITS

FOR DUAL AND TRIPLE CARB APPLICATIONS

- For removal of stock chokeshaft and plate to provide effortless airflow into the carbs
- Available for Mikuni and Keihin carbs
- Include all hose fittings and plungers necessary to convert from stock
- Connectors and plugs sold to dealer in 10-packs; sold to consumer as each



PD820007



PD820008



PD820009



PD820010

DESCRIPTION	PART #
Dual Mikuni	PD820007
Dual Keihin	PD820008

DESCRIPTION	PART #
Triple Mikuni	PD820009
Triple Keihin	PD820010

PARTS UNLIMITED

SINGLE CARB PRIMER KITS

- Keihin primer kit is made exclusively to fit all Keihin CDK40 carburetors
- Mikuni primer kit fits all Mikuni carburetors
- Makes sure the watercraft starts every time
- Complete with all the necessary hardware



PD820006



PD820005



1009-0003



1009-0004

1009-0001



1009-0002

DESCRIPTION	PART #
Keihin primer kit	PD820006
Mikuni primer kit	PD820005

DESCRIPTION	PART #
Keihin inlets (10-pk.)	1009-0003
Keihin plugs (10-pk.)	1009-0004

DESCRIPTION	PART #
Mikuni inlets (10-pk.)	1009-0001
Mikuni plugs (10-pk.)	1009-0002







PARTS UNLIMITED

JET AND NEEDLE CARRIER

- PART #301 stores 22 main jets without damage; includes wrench

PART #	301

MIKUNI

POP-OFF GAUGE

- Specially made for calibrating pop-off pressure
- Gauge is calibrated in 1/2 psi increments up to 30 psi

PART #	MK-BN-PMP

MIKUNI

SUPER BN MANUAL

- A must for any Super BN carb user
- Covers specifications, tuning and repair for all Super BN series carbs

PART #	MKBN-004


MIKUNI

GENUINE MIKUNI N102.221 MAIN JETS

BRASS SLOTTED HEAD

- Check dimensions before ordering
- For CV and Power Jet carburetors as well as other OE applications that originally came with a N102.221 main jet
- Sold to dealer in 4-pack
- Made in Japan

KN10222180



JET SIZE	PART #
80	KN10222180
82.5	KN102221825
85	KN10222185
87.5	KN102221875
90	KN10222190
92.5	KN102221925
95	KN10222195
97.5	KN102221975
100	KN102221100

JET SIZE	PART #
102.5	KN1022211025
105	KN102221105
107.5	KN1022211075
110	KN102221110
115	KN102221115
120	KN102221120
125	KN102221125
130	KN102221130
135	KN102221135


JET SIZE	PART #
140	KN102221140
142.5	KN1022211425
145	KN102221145
147.5	KN1022211475
150	KN102221150
152.5	KN1022211525
155	KN102221155
160	KN102221160
165	KN102221165

JET SIZE	PART #
170	KN102221170
175	KN102221175
180	KN102221180
185	KN102221185
190	KN102221190
195	KN102221195
200	KN102221200

BOLD MAGENTA part numbers are new for 2020

GENUINE MIKUNI NEEDLE AND SEAT

- Genuine Mikuni needle and seat assemblies provide reliable performance
- Made to the highest standards
- Check application and size of needle and seat assembly before ordering
- VM26/26 style fits VM22MM-34MM Flange, VM24-512 Spigot, VM26MM and 28MM Round Spigot and VM30MM small body
- 786-35015 Viton® Tip push-in type needle and seat fits Super BN and BNI carburetors
- Made in Japan




SIZE	PART #
VM26/26 STYLE W/ METAL TIP	
1.5	**VM26/26-1.5**
1.8	**VM26/26-1.8**
2.0	**VM26/26-2.0**
2.5	**VM2626-2.5**

SIZE	PART #
786-35015 VITON® TIP STYLE FOR SUPER BN AND BNI CARBS	
1.5	**786-35015-1.5**
2.0	**786-35015-2.0**
2.3	**786-35015-2.3**
2.5	**786-35015-2.5**

GENUINE MIKUNI NEEDLE VALVE SPRINGS

- Available in different lengths to vary pop-off pressure
- Made in Japan



RATE	PART #
65g	**730-03030**

RATE	PART #
80g	**999-730015**

RATE	PART #
115g	**730-03027**



GENUINE MIKUNI SUPER BN VALVE KITS

- Reduces pop-off and increases fuel flow for high-performance applications
- 2.5 needle valve and 80g + 2.3 N-S and 65g spring
- Super BN kits fit either 38 or 44/46mm Super BN and high-performance Super BN carbs
- Made in Japan

DESCRIPTION	PART #
Super BN, 2.3 needle, 65g spring	**MKBN3844SPRN**
Super BN, 2.5 needle, 80g spring	**MKBN3844SPR-2**

GENUINE MIKUNI PILOT (LOW SPEED) JETS

- Available in increments of 2.5 from 60-120
- Sold to dealers 4 per pack; sold to consumer as each
- Made in Japan



JET SIZE	PART #
60	**KN10060660**
62.5	**KN100606625**
65	**KN10060665**
67.5	**KN100606675**
70	**KN10060670**
72.5	**KN100606725**
75	**KN10060675**
77.5	**KN100606775**
80	**KN10060680**
82.5	**KN100606825**
85	**KN10060685**
87.5	**KN100606875**
90	**KN10060690**

JET SIZE	PART #
92.5	**KN100606925**
95	**KN10060695**
97.5	**KN100606975**
100	**KN100606100**
102.5	**KN1006061025**
105	**KN100606105**
107.5	**KN1006061075**
110	**KN100606110**
112.5	**KN1006061125**
115	**KN100606115**
117.5	**KN1006061175**
120	**KN100606120**



HIGH-SPEED JETS

- For Keihin CDK II watercraft carbs
- Made in Japan for WSM

SIZE	PART #
110	**006-7110**
115	**006-7115**
120	**006-7120**
125	**006-7125**
128	**006-7128**
130	**006-7130**
132	**006-7132**
138	**006-7138**
140	**006-7140**

SIZE	PART #
142	**006-7142**
145	**006-7145**
148	**006-7148**
150	**006-7150**
152	**006-7152**
155	**006-7155**
158	**006-7158**
160	**006-7160**
162	**006-7162**



LOW-SPEED JETS FOR KEIHIN

- For Keihin CDK II watercraft carbs
- Made in Japan for WSM

SIZE	PART #
50	**006-6050**
55	**006-6055**
60	**006-6060**
65	**006-6065**
68	**006-6068**
72	**006-6072**
75	**006-6075**
78	**006-6078**

SIZE	PART #
80	**006-6080**
82	**006-6082**
85	**006-6085**
88	**006-6088**
90	**006-6090**
92	**006-6092**
95	**006-6095**

T-SCREW KITS

- Mikuni high- and low-speed with T-cross bar – extended length
- Include two high-speed and two low-speed screws

NOTE: Fits only Mikuni I series carbs/OEM Kawasaki Sxr carbs and all OEM Yamaha carbs. Absolutely a must for 04 or newer Yamaha Super Jets with aftermarket pipes.



1050-0303

1050-0304

DESCRIPTION	PART #
Kawasaki	1050-0303

DESCRIPTION	PART #
Yamaha	1050-0304





1013-0025

1013-0029

1013-0028

CARBURETOR ADAPTERS

- Required for upgrade to aftermarket flame arrestor
- Work well with clamp-on filters from Prok and Blowsion (w/ $2^{3}/_{4}$" ID flange)
- Mounting bolts included

DESCRIPTION	PART #
Fits 38-42mm Keihin Silver (CDKII)	1013-0025
Fits 38mm Mikuni	1013-0026
Fits 38mm Mikuni w/ oil injection	1013-0028

DESCRIPTION	PART #
Fits 38/40mm Mikuni I Silver	1013-0027
Fits 44mm Mikuni w/ oil injection (SBN)	1013-0024
Fits 57mm Mikuni w/ oil injection	1013-0029

RIBBON REMOVER

FOR SEA-DOO SPARK 14-16, SPARK HO 15

PART #	4809-0265

TORNADO AIR FORCED FLAME ARRESTORS

- Feature a uniquely designed water-deflection cone shape
- Solid and bulletproof, the filter element section is conical shaped (2.5" tall) with directional air flow pleats in the arrestor material
- A clear velocity cone on the inside enhances and directs airflow into the carburetor for increased overall performance
- Also feature an anodized aluminum outer ring in black, silver, blue, green, orange or red anodized versions
- Black version listed in chart; to order Optional Anodized Color Versions see chart on page 148
- Outerwears' flame-arrestor, water-resistant pre-filter screen has a 4" diameter taper fit, is 2.5" tall and fits Blowsion and Tau Ceti Tornado flame arrestors; sold individually
- Flame arrestor adapter (sold separately) required, see above
- Sold each; made in the U.S.A.



1011-2467



1011-2877

APPLICATIONS

FITS MODEL	CARBURETOR	CARB ADAPTER (JETINETICS BRAND)	QTY.	FLAME ARRESTOR	PRE FILTER #
KAWASAKI					
JS300/400/440 (all)	Mikuni BN 38	1013-0076	1	**1011-2467**	**1011-2877**
JS550 83-85	Mikuni BN 38	1013-0076	1	**1011-2467**	**1011-2877**
JS550 86-90	Mikuni BN 44	1013-0079	1	**1011-2467**	**1011-2877**
JS550SX 91-95	Keihin CDK II 38	1013-0086	1	**1011-2467**	**1011-2877**
650 SC/SX/TS (all)	Keihin CDK II 38	1013-0086	1	**1011-2467**	**1011-2877**
650 X-2 90-95	Keihin CDK II 40	1013-0086	1	**1011-2467**	**1011-2877**
750 SS/ST/SX 92-95	Keihin CDK II 40	1013-0086	1	**1011-2467**	**1011-2877**
750 STS (all)	Keihin CDK II 40	1013-0086	2	**1011-2467**	**1011-2877**
750 STX (all)	Keihin CDK II 40	1013-0086	2	**1011-2467**	**1011-2877**

FITS MODEL	CARBURETOR	CARB ADAPTER (JETINETICS BRAND)	QTY.	FLAME ARRESTOR	PRE FILTER #
KAWASAKI (CONT)					
750 SXi/SXi Pro 96-02	Mikuni BN 40I	1013-0078	2	**1011-2467**	**1011-2877**
750 Xi Sport (all)	Keihin CDK II 40	1013-0086	2	**1011-2467**	**1011-2877**
750 Xi Sport 98	Keihin CDK II 40	1013-0086	2	**1011-2467**	**1011-2877**
750 XiR (all)	Keihin CDK II 40	1013-0086	2	**1011-2467**	**1011-2877**
750 ZXi (all)	Keihin CDK II 40	1013-0086	2	**1011-2467**	**1011-2877**
800 SXR 03-11	Mikuni BN 40I	1013-0078	2	**1011-2467**	**1011-2877**
900 STX 97-98	Keihin CDK II 38	1013-0086	3	**1011-2467**	**1011-2877**
900 ZXi 97	Keihin CDK II 38	1013-0086	3	**1011-2467**	**1011-2877**
1100 STX/ZXi 97	Keihin CDK II 38	1013-0086	3	**1011-2467**	**1011-2877**

TORNADO AIR FORCED FLAME ARRESTORS (CONT)

APPLICATIONS (CONT)

FITS MODEL	CARBURETOR	CARB ADAPTER (JETINETICS BRAND)	QTY.	FLAME ARRESTOR	PRE FILTER #
POLARIS					
SL 650 (all)	Mikuni BN 38	1013-0076	3	**1011-2467**	**1011-2877**
SLT 650 (all)	Mikuni BN 38	1013-0076	3	**1011-2467**	**1011-2877**
Hurricane 700 96-97	Keihin CDK II 38	1013-0086	2	**1011-2467**	**1011-2877**
SL 700/ Dlx. 96-97	Keihin CDK II 38	1013-0086	2	**1011-2467**	**1011-2877**
SLH 700 98	Keihin CDK II 38	1013-0086	2	**1011-2467**	**1011-2877**
SLH 700 99	Keihin CDK II 40	1013-0086	2	**1011-2467**	**1011-2877**
SLT 700 96-97	Keihin CDK II 38	1013-0086	2	**1011-2467**	**1011-2877**
SLTH 700 98	Keihin CDK II 38	1013-0086	2	**1011-2467**	**1011-2877**
SLTH 700 99	Keihin CDK II 40	1013-0086	3	**1011-2467**	**1011-2877**
SL 750/780 93-97	Mikuni BN 38	1013-0076	3	**1011-2467**	**1011-2877**
SLT 750/780	Mikuni BN 38	1013-0076	3	**1011-2467**	**1011-2877**
SLX 780 96	Mikuni BN 38	1013-0076	3	**1011-2467**	**1011-2877**
SLX Pro 785 98-00	Mikuni BN 44	1013-0079	3	**1011-2467**	**1011-2877**
SL 900/1050 96-97	Keihin CDK II 38	1013-0086	3	**1011-2467**	**1011-2877**
SLTX 1050 97	Keihin CDK II 38	1013-0086	3	**1011-2467**	**1011-2877**
SLTX 1050 98	Keihin CDK II 40	1013-0086	3	**1011-2467**	**1011-2877**
SLX 1050 99	Keihin CDK II 40	1013-0086	3	**1011-2467**	**1011-2877**
SLXH 1050 98	Keihin CDK II 40	1013-0086	3	**1011-2467**	**1011-2877**
Genesis 1200 99-00	Keihin CDK II 40	1013-0086	3	**1011-2467**	**1011-2877**
SEA-DOO					
GS/GSi/GSX 97-00	Mikuni BN 40I	1013-0078	2	**1011-2467**	**1011-2877**
GS 01	Mikuni BN	-	1	**1011-2467**	**1011-2877**
GTI 97	Mikuni BN 40I	1013-0078	1	**1011-2467**	**1011-2877**
GTI 96	Mikuni BN 38	1013-0076	2	**1011-2467**	**1011-2877**
GTI 01	Mikuni BN	-	1	**1011-2467**	**1011-2877**
GTI-LE 02	Mikuni BN	-	1	**1011-2467**	**1011-2877**
GTS 88-96	Mikuni BN 38	1013-0076	1	**1011-2467**	**1011-2877**
GTS 97	Mikuni BN 40I	1013-0078	1	**1011-2467**	**1011-2877**
GTS 01	Mikuni BN	-	1	**1011-2467**	**1011-2877**
GTX 92-94	Mikuni BN 38	1013-0076	2	**1011-2467**	**1011-2877**
GTX 95-96	Mikuni BN 38	1013-0076	2	**1011-2467**	**1011-2877**
GTX 96-97	Mikuni BN 40I	1013-0078	2	**1011-2467**	**1011-2877**
HX 96-97	Mikuni BN 38I	1013-0078	2	**1011-2467**	**1011-2877**
SP/SPI 580	Mikuni BN 38	1013-0076	1	**1011-2467**	**1011-2877**
SPX 92-94	Mikuni BN 38	1013-0076	2	**1011-2467**	**1011-2877**
SPX 95	Mikuni BN 38I	1013-0078	2	**1011-2467**	**1011-2877**
SPX 96	Mikuni BN 38I	1013-0078	2	**1011-2467**	**1011-2877**
SPX 97	Mikuni BN 40I	1013-0078	2	**1011-2467**	**1011-2877**
XP 90-93	Mikuni BN 38	1013-0076	2	**1011-2467**	**1011-2877**
XP 94-95	Mikuni BN 38I	1013-0078	2	**1011-2467**	**1011-2877**
XP 96-99	Mikuni BN 40I	1013-0078	2	**1011-2467**	**1011-2877**
XP 800 95	Mikuni BN 40I	1013-0078	2	**1011-2467**	**1011-2877**
TIGERSHARK					
Barracuda 640 94-95	Mikuni BN 46	-	1	**1011-2467**	**1011-2877**
Daytona 640 93-95	Mikuni BN 38	1013-0076	2	**1011-2467**	**1011-2877**
Daytona 640 93-95	Mikuni BN 46	-	1	**1011-2467**	**1011-2877**
Monte Carlo 94-95	Mikuni BN 46	-	1	**1011-2467**	**1011-2877**
Monte Carlo 96	Mikuni BN 44	1013-0079	1	**1011-2467**	**1011-2877**
Montego 644	Mikuni BN 44	1013-0079	1	**1011-2467**	**1011-2877**
Montego 644 97	Mikuni BN 38	1013-0076	1	**1011-2467**	**1011-2877**
Montego DLX 95-96	Mikuni BN 44	1013-0079	1	**1011-2467**	**1011-2877**
Montego DLX 97	Mikuni BN 38	1013-0076	1	**1011-2467**	**1011-2877**
Monte Carlo 640 97	Mikuni BN 38	1013-0076	1	**1011-2467**	**1011-2877**

FITS MODEL	CARBURETOR	CARB ADAPTER (JETINETICS BRAND)	QTY.	FLAME ARRESTOR	PRE FILTER #
TIGERSHARK (CONT)					
TS640L	Mikuni BN 38I	1013-0078	2	**1011-2467**	**1011-2877**
TS 640	Mikuni BN 38I	1013-0078	1	**1011-2467**	**1011-2877**
Daytona 770 96-99	Mikuni BN 38	1013-0076	2	**1011-2467**	**1011-2877**
Monte Carlo 770 96-97	Mikuni BN 38	1013-0076	2	**1011-2467**	**1011-2877**
TS 770L/R	Mikuni BN 38I	1013-0078	2	**1011-2467**	**1011-2877**
TS 770L 99	Mikuni BN 40I	1013-0078	1	**1011-2467**	**1011-2877**
TS 770	Mikuni BN 40I	1013-0078	1	**1011-2467**	**1011-2877**
Monte Carlo 900 96	Mikuni BN 38	1013-0076	3	**1011-2467**	**1011-2877**
900 95	Mikuni BN 44	1013-0079	3	**1011-2467**	**1011-2877**
Monte Carlo 1000	Mikuni BN 38I	1013-0078	3	**1011-2467**	**1011-2877**
TS 1000LR	Mikuni BN 40I	1013-0078	3	**1011-2467**	**1011-2877**
Daytona 1000	Mikuni BN 40I	1013-0078	3	**1011-2467**	**1011-2877**
TS 1100R	Mikuni BN 42I	1013-0078	3	**1011-2467**	**1011-2877**
YAMAHA					
WaveJammer 500	Mikuni BN 38	1013-0076	1	**1011-2467**	**1011-2877**
WaveRunner 500	Mikuni BN 38	1013-0076	1	**1011-2467**	**1011-2877**
Super Jet 650 90-95	Mikuni BN 44	1013-0079	1	**1011-2467**	**1011-2877**
FX1 701 94-95	Mikuni BN 44	1013-0079	1	**1011-2467**	**1011-2877**
Super Jet 701 96-15	Mikuni BN 38	1013-0076	2	**1011-2467**	**1011-2877**
WaveBlaster 701 96	Mikuni BN 38	1013-0076	2	**1011-2467**	**1011-2877**
WaveBlaster 701 93-95	Mikuni BN 44	1013-0079	1	**1011-2467**	**1011-2877**
WaveRaider 701 94-95	Mikuni BN 38	1013-0076	2	**1011-2467**	**1011-2877**
WaveRaider 701 96-97	Mikuni BN 44	1013-0079	1	**1011-2467**	**1011-2877**
WaveRunner XL 701	Mikuni BN 38	1013-0076	2	**1011-2467**	**1011-2877**
WaveVenture 701	Mikuni BN 38	1013-0076	2	**1011-2467**	**1011-2877**
WaveRaider DLX	Mikuni BN 44	1013-0079	1	**1011-2467**	**1011-2877**
WaveRunner LX 90-93	Mikuni BN 44	1013-0079	1	**1011-2467**	**1011-2877**
WaveRunner VXR	Mikuni BN 44	1013-0079	1	**1011-2467**	**1011-2877**
WaveRunner VXR Pro	Mikuni BN 44	1013-0079	1	**1011-2467**	**1011-2877**
WaveRunner III	Mikuni BN 44	1013-0079	1	**1011-2467**	**1011-2877**
WaveRunner III GP	Mikuni BN 44	1013-0079	1	**1011-2467**	**1011-2877**
WaveBlaster II 760 96-97	Mikuni BN 44	1013-0079	2	**1011-2467**	**1011-2877**
WaveRaider 760 96	Mikuni BN 44	1013-0079	2	**1011-2467**	**1011-2877**
WaveRunner GP 760	Mikuni BN 44	1013-0079	2	**1011-2467**	**1011-2877**
WaveRunner XL 760	Mikuni BN 44	1013-0079	2	**1011-2467**	**1011-2877**
WaveVenture 760	Mikuni BN 38	1013-0076	2	**1011-2467**	**1011-2877**
WaveRunner LXT800 02-04	BN44I	1013-0087	2	**1011-2467**	**1011-2877**
WaveRunner GP800R 02-07	BN44I	1013-0087	2	**1011-2467**	**1011-2877**
WaveRaider 1100	Mikuni BN 38	1013-0076	3	**1011-2467**	**1011-2877**
WaveVenture 1100	Mikuni BN 38	1013-0076	3	**1011-2467**	**1011-2877**
WaveRunner GP1200	Mikuni BN 44	1013-0079	3	**1011-2467**	**1011-2877**
WaveRunner GP1200R through 02 (except Riva GP 1200R)	Mikuni BN 44	1013-0079	3	**1011-2467**	**1011-2877**
WaveRunner GP1200R 02-05	Mikuni BN	-	3	**1011-2467**	**1011-2877**
WaveRunner SUV1200	Mikuni BN 44	1013-0079	3	**1011-2467**	**1011-2877**
WaveRunner XL1200 through 01	Mikuni BN 44	1013-0079	3	**1011-2467**	**1011-2877**
WaveRunner XLT1200 02-04	Mikuni BN	-	3	**1011-2467**	**1011-2877**



1011-2468



1011-2873



1011-2874



1011-2875



1011-2876

COLOR	PART #
FLAME ARRESTOR	
Black anodized	**1011-2467**
Silver anodized	**1011-2468**

COLOR	PART #
FLAME ARRESTOR (CONT)	
Blue anodized	**1011-2873**
Green anodized	**1011-2874**

COLOR	PART #
FLAME ARRESTOR (CONT)	
Orange anodized	**1011-2875**
Red anodized	**1011-2876**

COLOR	PART #
PRE FILTER	
-	**1011-2877**

WASHABLE AIR FILTERS

FOR YAMAHA

- OEM stock replacement air filters
- Washable and reusable to maximize performance and budget
- Clean air filters increase airflow, meaning more power and greater performance



1011-2870

FITS MODEL	PART #
FX Cruiser HO/SHO (1052 cc) 08-09	**1011-2870**
FZR/FZS (1812 cc) 09	**1011-2870**
VX 1100 Cruiser (1100 cc) 07-09	**1011-2871**



1011-2871

FITS MODEL	PART #
VX 1100 Deluxe (1100 cc) 05-09	**1011-2871**
VX 1100 Sport (1100 cc) 05-09	**1011-2871**
FX 140 (998 cc) 02-04	**1011-2872**



1011-2872

FITS MODEL	PART #
FX Cruiser (1812 cc) 03-04	**1011-2872**

FUEL PICKUP - INTERNAL FILLER

FOR YAMAHA SUPERJET 90-15

- Designed with the option for use as a single, dual and triple pickup
- Billet beauty is the lowest profile and lightest weight internal fuel filler available
- Features include heavy-duty O-ringed tank and fuel cap seals, machined aluminum fuel pickup tubes for retrieving fuel under the most insane water action (also resulting in maximum pickup tube depth for increased run time)
- Pickup tubes can also be trimmed and used for reserve line, return line or tank vent, depending on carburetor setup and fuel demands needed
- Each filler includes block off plugs for single carbs or OEM Yamaha carbs as well as a Blowsion front rubber tank block off
- Black only; no OEM tank modifications necessary



PART #	0706-0217

POWER REEDS

- Boyesen dual-stage reeds consistently outperform standard reeds in laboratory flow analysis
- They achieve greater flow velocity over the entire range of operating pressures
- Performance enhanced from start-up to top end
- Top racers and knowledgeable riders coast to coast make Boyesen Racing Reeds their first step in getting more power, more performance and more pleasure from their high-performance watercraft
- Packaged as a complete engine set



013



026

FITS MODEL	PART #
BOSTON WHALER	
Rage 650	**023-R**
ECKLER	
Jet n Spray 650	**023-R**
KAWASAKI	
300 SX (all)	**011**
440-550 PJS (all)	**013**
550 91-95	**014R**
550 West Coast (all)	**013**
KAWASAKI (CONT)	
650 SC/SS/ST/SX/TS/X2 (all)	**012**
750 (all)	**013**
800 SX-R 03-11	**013**
900 (all through 06)	**020**
1100 (all) 96-03	**021**
1200 Ultra 150/STX-R 99-05	**021**
LASER JET - THUNDER JET	
F-14 532	**013**
LASER JET - THUNDER JET (CONT)	
F-2 700	**013**
POLARIS	
MSX140 03-04	**031**

FITS MODEL	PART #
POLARIS (CONT)	
650 (all through 95)	**016**
Octane 02-04	**013**
700 (all through 04)	**013**
SL750 (all) 93-95	**016**
SL780 (all) 96-97	**016**
SLX PRO 785 97-01	**016**
800 DI 02-04	**013**
SL1050 (all) 96-99	**031**
1200 99-04 (all)	**031**
TIGERSHARK	
640 (all) 93-99	**018**
770 (all) 96-99	**018**
WET JET	
650 (all) 95	**023-R**
YAMAHA	
500 (all)	**022**
650 Super Jet (all)	**023-R**
650 WaveRunner (all)	**023-R**
700 WaveRaider (all)	**024**
701 FX1 94-95	**024**
701 Pro-VXR 93-94	**024**

FITS MODEL	PART #
YAMAHA (CONT)	
701 Super Jet 94-95	**024**
701 Super Jet 96-12	**026**
701 WaveBlaster 93-95	**024**
701 WaveBlaster 96	**026**
701 WaveRaider 94-96 (dual-carb)	**026**
701 WaveRaider 96 (single carb)	**024**
701 WaveRaider/Deluxe 95-96	**026**
701 WaveRunner III/GP 94-97	**024**
701 WaveRunner XL 99-04	**026**
701 WaveVenture 95-98	**026**
760 WaveBlaster II 96-99	**029**
760 WaveRaider 96-99	**029**
760 WaveVenture 96-99	**029**
GP760 97-00	**029**
1100 WaveRaider (all) 95-97	**028**
GP1200/GP1200R 97-99	**033**
1200 SUV 99-04	**033**
1200 XL 98	**033**
ZODIAC	
Pro Jet 650	**023-R**

Boyesen

PRO SERIES REEDS

- High-tech carbon fiber with all the advantages of Boyesen's exclusive dual-stage reed design
- Pair a carbon fiber top reed and a durable fiberglass/epoxy bottom reed
- Offer the quickest acceleration any reed can offer; maximizes horsepower and torque
- Respond quickly and accurately to piston speed changes for smooth, dependable throttle response
- No sacrifice in reed life like traditional carbon fiber reeds
- Designed for the newest 2-stroke technologies
- Packaged as a complete engine set



PRO30



PRO37


FITS MODEL	PART #
KAWASAKI	
Jet-Ski 750 (all stock/limited)	**PRO24**
Jet-Ski 750 (all modified)	**PRO25**
800 SX-R 03-11 (stock/limited)	**PRO24**
800 SX-R 03-11 (modified)	**PRO25**
900 all through 06 (stock/limited)	**PRO76**
POLARIS	
MSX140 03-04 (stock/limited)	**PRO82**
750 all 93-95 (stock/limited)	**PRO28**
750 all 93-95 (modified)	**PRO29**
750 all 96-97 (stock/limited)	**PRO30**
750 all 96-97 (modified)	**PRO31**
785 SLX Pro 97-01 (stock/limited)	**PRO30**
785 SLX Pro 97-01 (modified)	**PRO31**
900 SL 96-97 (stock/limited)	**PRO81**
1050 all 96-99 (stock/limited)	**PRO82**
1200 all 99-04 (stock/limited)	**PRO82**
TIGERSHARK	
640 all 93-99 (stock/limited)	**PRO62**
770 all 96-99 (stock/limited)	**PRO62**
900 95-96 (stock/limited)	**PRO63**
1000 all 97-98 (stock/limited)	**PRO63**
1100 all 99 (stock/limited)	**PRO63**
WET JET	
701 all 95-97 (stock/limited)	**PRO32**
YAMAHA	
700 WaveRaider (all stock/limited)	**PRO34**
700 WaveRaider (all modified)	**PRO35**
701 FX 1 94-95 (stock/limited)	**PRO34**
701 FX 1 94-95 (modified)	**PRO35**
701 Pro-VXR 93-94 (stock/limited)	**PRO34**

FITS MODEL	PART #
YAMAHA (CONT)	
701 Pro-VXR 93-94 (modified)	**PRO35**
701 Super Jet 94-95 (stock/limited)	**PRO34**
701 Super Jet 94-95 (modified)	**PRO35**
701 Super Jet 96-12 (stock/limited)	**PRO36**
701 Super Jet 96-12 (modified)	**PRO37**
701 WaveBlaster 93-95 (stock/limited)	**PRO34**
701 WaveBlaster 93-95 (modified)	**PRO35**
701 WaveBlaster 96 (stock/limited)	**PRO36**
701 WaveBlaster 96 (modified)	**PRO37**
701 WaveRaider 94-96 (stock/limited)	**PRO36**
701 WaveRaider 94-96 (modified)	**PRO37**
701 WaveRaider (single carb) 96 (stock/lmtd)	**PRO34**
701 WaveRaider (single carb) 96 (modified)	**PRO35**
701 WaveRaider DLX 95-96 (stock/limited)	**PRO36**
701 WaveRaider DLX 95-96 (modified)	**PRO37**
701 WaveRunner III 94-97 (all modified)	**PRO35**
701 WaveRunner III 94-97 (all stock/limited)	**PRO34**
701 WaveRunner XL 99-04 (stock/limited)	**PRO36**
701 WaveRunner XL 99-04 (modified)	**PRO37**
701 WaveVenture 95-98 (stock/limited)	**PRO36**
701 WaveVenture 95-98 (modified)	**PRO37**
760 WaveRunner GP 97-00 (stock/limited)	**PRO38**
760 WaveBlaster III 96-99 (stock/limited)	**PRO38**
760 WaveRaider 96-99 (stock/limited)	**PRO38**
760 WaveVenture 96-99 (stock/limited)	**PRO38**
1100 all 95-97 (stock/limited)	**PRO40**
1200 WaveRunner GP 97-99 (stock/limited)	**PRO77**
1200 WaveRunner XL 98 (stock/limited)	**PRO77**
1200 WaveRunner SUV 99-04 (stock/limited)	**PRO77**

VFORCE BY MOTO TASSINARI

REPLACEMENT REEDS FOR THE ORIGINAL DELTA AND DELTA 2 REED VALVE SYSTEMS

- Replacement reeds for the original style V-Force Delta and V-Force Delta 2 reed valve systems
- Carbon-fiber reeds have twice the tip area of conventional reeds
- Cross-reference your reed valve application in the chart below to find your replacement reeds
- Order one set of reeds per reed cage



2P1171

FITS MODEL	ORIGINAL DELTA PART #	DELTA 2 PART #
KAWASAKI		
750 (all)	**DP120-1**	**-**
900/1100 (all)	**DP120-1**	**-**
Twin (all except 650)	**-**	**2P1271**
Triple (all)	**-**	**2P1271**
POLARIS		
SL650 92-96	**DP110-1**	**2P1171**
750/780/785 (all)	**DP110-1**	**2P1171**
900/1050 (all)	**DP120-1**	**2P1271**
SL/SLT/Hurricane 700 (all)	**-**	**2P1271**

FITS MODEL	ORIGINAL DELTA PART #	DELTA 2 PART #
SEA-DOO		
951 (all)	**-**	**2P1271**[1]
TIGERSHARK		
Twin (all)	**DP110-1**	**2P1171**
Triple (all)	**DP110-1**	**2P1171**
YAMAHA		
Twin (all except GP800 AND 650)	**DP120-1**	**2P1271**
Triple (all except XL1200 LTD/GP1200R)	**DP120-1**	**2P1271**

[1] Requires intake manifold.

VFORCE3 REED VALVE SYSTEMS

- The advancement of reed technology
- Snap-together cage uses symmetrical reed petals, eliminating the need for different "inner" and "outer" replacement petals
- Reed tip shape accelerates air mixture, ensuring increased airflow for increased horsepower
- Innovative design completely eliminates need for screws
- Proprietary carbon fiber layout
- When ordering replacement reeds, order one set per reed cage





V3130-794A-2

FITS MODEL	PART #
KAWASAKI	
800 SX-R 03-11	**1008-0287**
POLARIS	
Octane 777	**V3130-794A-2**

FITS MODEL	PART #
YAMAHA	
All Triple models	**1008-0299**[1]
All Twin models	**1008-0298**[1]

FITS MODEL	PART #
REPLACEMENT PARTS	
Replacement petal	**3P794A**

[1] Not compatible for older WaveBlasters and GPR (Power Valve cylinder) applications.

RAD VALVES FOR YAMAHA

- Boyesen's hot RAD valves ratchet up your torque
- Specially-designed reed cage holds Boyesen's patented dual-stage reeds
- Maintain flow velocity through the valve and redirect intake charge for more even distribution to intake ports
- Provide quicker, sharper throttle response and more horsepower throughout rpm range
- One-piece cast aluminum bolts in easily
- Order one set per cylinder





RAD131

FITS MODEL	INTAKE MANIFOLDS	PART #
YAMAHA		
701/760/1100/1200	Stock	**RAD131**
701/760/1100/1200	Riva or R&D 44/46mm twin or triple	**RAD131R**[1]

[1] 62T engine cases use stock intake manifold in stock applications. Must buy two valves for twin cylinder applications.

REPLACEMENT REEDS FOR RAD VALVES

FOR RAD VALVE #	REED PART #
RAD131	**PRO131**

REED VALVE STUFFERS FOR KAWASAKI 750 92-94 (ALL)

- Made of cast aluminum
- Jack up horsepower throughout the powerband
- Increase volume of fuel/air mixture into the stock intake block for superior performance





PART #	RS01

BOLD MAGENTA part numbers are new for 2020



0703-0727


VENT HOSE TUB


- 18" polyurethane fuel cap vent hoses
- Soft, flexible and kink-resistant material
- 54-piece tub; nine pieces of each color
- Six colors available: black, blue, green, orange, red and yellow
- Sold each
- Made in the U.S.A.

PART #	0703-0727

VENT HOSE REFILL PACKS

- 9-piece refill packs for the vent hose tub
- Eight colors available: black, blue, green, orange, red, yellow, pink, and white
- Made in the U.S.A.





VENT HOSE REFILL PACKS

COLOR	PART #
Black	0703-0732
Blue	0703-0731
Green	0703-0730
Orange	0703-0733

COLOR	PART #
Red	0703-0728
Yellow	0703-0729
Pink	0703-0740
White	0703-0743


Black


Blue


Clear


Green


Orange


Red


Yellow

FUEL AND CARBURETOR VENT LINE

- This quality-made fuel line will not harden or crack
- Fuel line is made of premium polyurethane
- Available in 1/4", 3/16", and 5/16" ID; carburetor vent line available in 1/8" ID
- Fuel line available in 3' lengths
- Carb vent line comes in 5' lengths
- Available in black, blue, clear, green, orange, red and yellow
- Made in the U.S.A.

NOTE: Not to be used with fuel over 10% alcohol.

SIZE	COLOR	PART #
FUEL LINE, 3' L		
1/4"	Black	M62191
	Blue	0706-0246
	Clear	M6219
	Green	0706-0245
	Orange	0706-0304
	Red	0706-0243
	Yellow	0706-0244

SIZE	COLOR	PART #
FUEL LINE, 3' L (CONT)		
3/16"	Black	M62091
	Blue	0706-0250
	Clear	M6209
	Green	0706-0249
	Orange	0706-0303
	Red	0706-0247
	Yellow	0706-0248

SIZE	COLOR	PART #
FUEL LINE, 3' L (CONT)		
5/16"	Black	0706-0114
	Blue	0706-0254
	Clear	0706-0113
	Green	0706-0253
	Orange	0706-0305
	Red	0706-0251
	Yellow	0706-0252

SIZE	COLOR	PART #
CARB VENT LINE, 5' L		
1/8"	Black	M61091
	Blue	0706-0258
	Clear	M6109
	Green	0706-0257
	Orange	0706-0302
	Red	0706-0255
	Yellow	0706-0256

BLUE POLYURETHANE FUEL LINE

- High-quality, kink- and abrasion-resistant, transparent blue polyurethane line with exceptional chemical resistance including gasoline, grease and oil
- Strong, yet flexible, and easily processed in assembly operations
- High tensile strength; withstands temperatures from -65° to 220°F without deterioration

NOTE: Not to be used with fuel over 10% alcohol.



DESCRIPTION	PART #
25'	
1/16" ID	0706-0103
1/8" ID	0706-0104
3/16" ID	0706-0105
1/4" ID	0706-0106
5/16" ID	0706-0107

DESCRIPTION	PART #
100'	
1/16" ID	0706-0108
1/8" ID	0706-0109
3/16" ID	0706-0110
1/4" ID	0706-0111
5/16" ID	0706-0112

Gates BARRICADE LOW PERMEATION FUEL LINE HOSE

BARRICADE® MARINE FUEL LINES



- Marine fuel lines that outperform OE parts
- U.S. Coast Guard class A1-15 Type R1 approved, CARB & EPA compliant and compatible with multi-fuel & bio-fuel applications
- High temperature range tolerance: -4°F to 212°F (-20°C to +100°C)
- Nitrile tube with thermoplastic barrier and modified nitrile cover
- Synthetic Fiber Reinforcement
- 35 psi pressure rating
- Meet SAE J1527 standards
- Sold in 25' rolls

ID	PART #
25' LENGTH	
1/4"	0706-0408

ID	PART #
25' LENGTH (CONT)	
5/16"	0706-0409


ID	PART #
25' LENGTH (CONT)	
3/8"	0706-0410

Gates BARRICADE LOW PERMEATION FUEL LINE HOSE

LP (LOW PERMEATION) FUEL LINES







- Patented five-layer Greenshield™ barrier technology keeps fuel out of the environment, while delivering peak fuel efficiency
- Heat-, oil-, ozone- and abrasion-resistant cover
- Non-submersible fuel line types meet EPA 40 CFR 1051.110 and CARB E.O. #Q-09-019 requirements for low-permeation fuel lines
- Submersible fuel line types exceed SAE J30R14T1 requirements
- ONLY submersible fuel line styles are suitable for in-tank use; DO NOT use fuel injection or carburetor fuel line for applications that require the fuel line be submersed in gasoline
- Fuel-injection fuel line is recommended for all fuel-injection applications
- Carburetor fuel line is not for use with pressurized fuel line applications, fuel-injection systems or cooling system applications
- Fuel injection and carburetor fuel line sold in 25' rolls and 2' lengths
- Submersible fuel line sold in 1' lengths

CARBURETOR FUEL LINE (NON-SUBMERSIBLE)

ID	PART #
2' LENGTH	
3/16"	**0706-0176**
1/4"	**0706-0177**
5/16"	**0706-0178**
3/8"	**0706-0179**

ID	PART #
25' LENGTH	
3/16"	**0706-0180**
1/4"	**0706-0181**
5/16"	**0706-0182**
3/8"	**0706-0183**

FUEL INJECTION LINE (NON-SUBMERSIBLE)

ID	PART #
2' LENGTH	
1/4"	**0706-0184**
5/16"	**0706-0186**

ID	PART #
25' LENGTH	
1/4"	**0706-0185**
5/16"	**0706-0187**

SUBMERSIBLE FUEL LINE

ID	PART #
1' LENGTH	
1/4"	**0706-0289**
5/16"	**0706-0290**
3/8"	**0706-0291**

Motion Pro

LP (LOW PERMEATION) PREMIUM FUEL LINE



- Certified to meet permeation emission standards of 15g/M2/day
- On emission-controlled vehicles, check with local and state agencies to determine suitability
- Robust multi-layer design and construction
- Fluoropolymer liner compatible with higher ethanol-blend gasoline up to 100%
- Highly flexible, easy to install and offers excellent fitting retention
- Resistant to swelling, hardening and cracking caused by hydrocarbon-based fluids
- Ozone and UV light resistant
- Wide temperature range from -20˚F to 165˚F (-28.9˚C to 73.9°C)
- Yellow color for easy identification
- Use Stepless® Clamps

WARNING: Not for use with fuel injected engines

NOTE: #SNG-ENAPNR-OA-03.

NOTE: Exempt per EPA CARB E.O. #Q-09-028 for off-road use.

DESCRIPTION	COLOR	PART #
1/4" ID		
3' L	Yellow	**0706-0204**

DESCRIPTION	COLOR	PART #
5/16" ID		
3' L	Yellow	**0706-0205**
25' L	Yellow	**0706-0207**



Gray



Clear



Black

PREMIUM FUEL LINES

- Premium-quality fuel line
- Stronger and more durable than vinyl fuel line
- Use with any type of gasoline
- Resistant to swelling, direct sunlight, hardening and/or cracking
- Flexible in temperatures from -35°F to +165°F
- Fuel line stretches easily over fittings or petcocks
- Sold in 25' rolls and 3' lengths
- Made in the U.S.A.

NOTE: Not for use with fuel-injected models.

DESCRIPTION	PART #
1/8" ID – 3' LENGTH	
Clear	**0706-0138**
3/16" ID X 5/16" OD – 3' LENGTHS	
Gray	**0706-0038**
Clear	**0706-0041**
Black	**0706-0044**
1/4" ID X 7/16" OD – 3' LENGTHS	
Gray	**0706-0039**
Clear	**0706-0042**
Black	**0706-0045**

DESCRIPTION	PART #
5/16" ID X 1/2" OD – 3' LENGTHS	
Gray	**0706-0040**
Clear	**0706-0043**
Black	**0706-0046**
1/8" ID – 25' ROLL	
Clear	**0706-0139**
3/16" ID X 5/16" OD – 25' ROLLS	
Gray	**MP12-031**
Clear	**0706-0021**
Black	**0706-0018**

DESCRIPTION	PART #
1/4" ID X 7/16" OD – 25' ROLLS	
Gray	**MP12-032**
Clear	**0706-0022**
Black	**0706-0019**
5/16" ID X 1/2" OD – 25' ROLLS	
Gray	**MP12-033**
Black	**0706-0020**


0711-0060

UNIVERSAL FUEL/OIL LINES

- Universal, black fuel/oil line in 25' rolls
- Reinforced line is fuel- and oil-resistant

NOTE: Do not use with fuel containing more than 10% alcohol.

DESCRIPTION	PART #
1/4" x 25'	**0711-0060**
5/16" x 25'	**0711-0061**
3/8" x 25'	**0711-0062**

BLACK F.I. FUEL LINES

- Multi-layer rubber extension
- Safe for use with any fuel or blend containing up to 100% ethanol/methanol
- SAE 30R9 (fuel injection rated)
- CARB C-U-05-002 and EPA-15
- Maintains OEM look and performance
- Available in three sizes to fit 1/4", 5/16" and 3/8" fuel lines; in 3' or 10' lengths
- Do not submerse in gasoline
- Made in the U.S.A.




0706-0371

DESCRIPTION	PART #
3' LENGTH	
1/4"	**0706-0371**
5/16"	**0706-0373**
3/8"	**0706-0375**

DESCRIPTION	PART #
10' LENGTH	
1/4"	**0706-0372**
5/16"	**0706-0374**
3/8"	**0706-0376**


0706-0262


0706-0265


0706-0277

HIGH-PRESSURE FUEL LINES

- Premium transparent polyurethane tubing
- 85 durometer provides superior abrasion, kink, tear, oxidation and chemical resistance
- Includes a very strong nylon inner band yet remains flexible
- Operating temperature -40° F to 155°F; melting temperature 370°F
- Withstands up to 200 PSI
- Made in the U.S.A.

NOTE: Do not use with fuel containing more than 10% alcohol.


DESCRIPTION	CLEAR PART #	RED PART #	BLUE PART #
1/4" ID x 3/8" OD x 3'	**0706-0189**	**0706-0265**	**0706-0277**
1/4" ID x 3/8" OD x 10'	**0706-0262**	**0706-0266**	**0706-0278**
5/16" ID x .473" OD x 3'	**0706-0191**	**0706-0267**	**0706-0279**
5/16" ID x .473" OD x 10'	**0706-0263**	**0706-0268**	**0706-0280**
3/8" ID x 9/16" OD x 3'	**0706-0193**	**0706-0269**	**0706-0281**
3/8" ID x 9/16" OD x 10'	**0706-0264**	**0706-0270**	**0706-0282**

HELIX RACING PRODUCTS

HOSE SPLICERS

- Use to route or repair fuel lines, oil lines and air lines
- Solid brass tubing and hose splicers, unless noted
- Barbed ends provide a secure fit
- Available for various sizes of tubing
- Sold each
- Made in the U.S.A.





DESCRIPTION	PART #
IN-LINE SPLICERS (FIT HOSE ID)	
1/4"	0706-0195
3/16"	0706-0306
5/16"	0706-0196
3/8"	0706-0197

DESCRIPTION	PART #
IN-LINE REDUCERS (FIT HOSE ID)	
5/16" to 1/4"	0706-0319
3/8" to 5/16"	0706-0320
"L" SPLICERS (FIT HOSE ID)	
1/4"	0706-0308
5/16"	0706-0309
3/8"	0706-0310

DESCRIPTION	PART #
"T" SPLICERS (FIT HOSE ID)	
1/8"	0706-0311
3/16"	0706-0312
1/4"	0706-0313
5/16"	0706-0314
3/8"	0706-0315

Motion Pro

FUEL LINE FITTINGS

- Y- and T-fittings for fuel lines
- Sizes from 1/4" OD to 3/8" OD
- Available in packages of 10
- Ideal for the shop or home mechanic
- Made in the U.S.A.




DESCRIPTION	PART #
1/4" Y-connectors	P12-015
1/4" T-connectors	P12-019

DESCRIPTION	PART #
5/16" Y-connectors	P12-016
5/16" T-connectors	P12-020

WSM PERFORMANCE PARTS

PLASTIC T-FITTINGS

- 3/32" T-fitting
- Sold to dealer in 10-pack; sold to consumer as each




PART #	0706-0009

MOOSE RACING

MADE IN THE USA

HOSE PROTECTORS

- Protect vulnerable and exposed hoses from abrasion and heat
- Protectors like this are showing up on more and more OEM applications
- Sizes for fuel and radiator hoses on most bikes
- Made from stainless spring steel
- Sold each
- Made in the U.S.A.



SIZE	PART #
9mm ID (fits 1/4" fuel line)	1902-0033
11mm (fits 7/16" OD fuel line)	1902-0032

SIZE	PART #
25mm ID (fits 1" OD radiator hose)	1902-0031
38mm ID (fits 1 1/2" OD radiator hose)	1902-0030

MOOSE RACING

FUEL FILTERS

- In-line fuel filters for 1/4" and 5/16" ID fuel line
- PART #0707-0017 1/4" clear cone shaped with bronze or copper element
- PART #0707-0030 1/4" clear cone shaped with a polyester screen element
- PART #0707-0031 5/16" clear thin wafer shape with stainless screen element
- PART #0707-0040 1/4" clear cone shaped with bronze element and 90 degree elbow
- Sonic-welded housing
- Safe for all fuels









FUEL LINE	OVERALL LENGTH	FILTER BODY LENGTH	FILTER BODY DIA.	INLET/OUTLET DIA.	FILTRATION NUMBERS	PART #
1/4"	52mm	25mm	22mm	7mm	40-70 microns	0707-0017[1]
1/4"	52mm	32mm	20mm	6mm	125 microns	0707-0030[1]
1/4"	43mm	22mm	-	8mm	65-100 microns	0707-0040[1]
5/16"	44mm	13mm	39mm	8mm	60 microns	0707-0031

[1] This filter has oversized barb fittings that allow use with 1/4" ID hose and 5/16" hose. Clamps should be used with 5/16" ID hose.

BOLD MAGENTA part numbers are new for 2020

PARTS UNLIMITED

FUEL FILTERS

- Universal in-line fuel filters for 1/4" and 5/16" ID fuel lines
- Designed for low pressure fuel filter lines
- Compatible with standard, Race and E85 fuels
- Sold to dealer as a display card of 20; sold to consumer as each


0707-0064


0707-0065


0707-0066


0707-0067

DESCRIPTION	FUEL LINE	OVERALL LENGTH	ELEMENT	FILTRATION MICRONS	GRAVITY FLOW RATE ML/MIN.	PART #
Large 8mm	5/16"	1 3/4"	Stainless steel	100	800	0707-0064
Slim 90 6mm	1/4"	2 3/8"	Plastic	40	560	0707-0065
Large volume 6mm	1/4"	2 3/8"	Paper	70	470	0707-0066
Slim 6mm	1/4"	2"	Bronze	40	400	0707-0067

WSM PERFORMANCE PARTS

FUEL FILTER/ WATER SEPARATORS

- In-line filter helps separate water from fuel


0706-0057


006-540


006-541

FITS MODEL	PART #
All Mikuni carb kits	0706-0057
SEA-DOO	
All 91-02 models	0706-0058

FITS MODEL	PART #
YAMAHA	
Yamaha	006-540[1]
Yamaha late-style 800R/1200R	006-541

[1] Repl. OEM #6K8-24560.

KIMPEX

FUEL FILTER

- Universal in-line fuel filter for 1/4" flange
- Body diameter of 5/8" with an overall length of 2 1/8"
- Brass element filter for better filtration
- Easy to clean with backflushing
- Designed for low-pressure fuel filter line



PART #	0707-0046

WSM PERFORMANCE PARTS

IN-TANK FILTER

- In-tank filter with a built-in check valve to keep gas from flowing back into the tank
- Keeps fuel system primed



PART #	30265

WSM PERFORMANCE PARTS

IN-TANK FILTER

- Large in-tank filter replaces Yamaha OEM #8H5-24590-00
- May be used as a universal filter for other brands
- 2 1/16" long for 1/4" - 5/16" fuel line



PART #	708

WSM PERFORMANCE PARTS

FUEL VALVES WITH KNOB

FOR SEA-DOO


006-600


0705-0125

- Replacement fuel valve with three positions: on/off/reserve

DESCRIPTION	PART #
Fuel valve w/ knob	006-600[1]
Fuel valve for 5/16" fuel line	0705-0125[2]
Universal knob only	0705-0001

[1] Repl. OEM #7052155.
[2] Repl. OEM #275500400.

BLOWSION

BILLET CHOKE KNOB

FOR YAMAHA

- Direct replacement for the OEM plastic choke knob
- Bright dip anodized billet aluminum construction



PART #	0657-0041

BLOWSION

FUEL SELECT KNOB

FOR YAMAHA

- Replaces the OEM plastic on/off/reserve select knob
- Bright dip anodized billet aluminum construction



PART #	0705-0312

YUASA BATTERY PARTS EUROPE BS BATTERY

BATTERY APPLICATIONS CHART

	PARTS EUROPE		YUASA			BS BATTERY	
FITS MODEL	AGM MAINTENANCE-FREE	HEAVY-DUTY	HIGH-PERFORMANCE AGM MAINTENANCE-FREE	AGM MAINTENANCE-FREE	YUMICRON	(SLA)	(SLA-MAX)
AQUA-JET CO.							
Aqua-Jet SX1 91	**2113-0425**[10]	**2113-0403**	-	-	**YB16-B**[1]	**2113-0638**	-
Aqua-Jet SX1 89-90	**2113-0425**[10]	**2113-0403**	-	-	**YB16-B**[1]	**2113-0638**	-
FAZER							
All models 88-89	**2113-0425**[10]	**2113-0403**	-	-	**YB16-B**[1]	**2113-0638**	-
HONDA							
1235 AquaTrax F/R-12, F/R-12X 02-09	**2113-0426**[10]	-	**YTX20HL-BS**[6]	**YTX20L-BS**[2, 5]	-	**2113-0640**	**2113-0642**
1470 AquaTrax F-15, F-15X 03-13	**2113-0426**[10]	-	**YTX20HL-BS**[6]	**YTX20L-BS**[5]	-	**2113-0640**	**2113-0642**
KAWASAKI							
JS300-A SX 87-91	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
JS300-B TS 86-88	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
JS400-A 76	**2113-0426**[2, 10]	-	**YTX20HL-BS**[2]	**YTX20L-BS**[2, 5]	**YB16L-B**	**2113-0640**	**2113-0642**
JS440-A 87-92	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
JS440-A 77-86	**2113-0426**[2, 10]	-	**YTX20HL-BS**[2]	**YTX20L-BS**[2, 5]	**YB16L-B**	**2113-0640**	**2113-0642**
JS550-A 86-89	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
JS550-A 82-85	**2113-0426**[2, 10]	-	**YTX20HL-BS**[2]	**YTX20L-BS**[2, 5]	**YB16L-B**	**2113-0640**	**2113-0642**
JS550-B SX 90	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
JS550-C SX 91-95	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
X-2 86-95	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
TS 89-96	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
SC 91-95	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
650 SX 87-90	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
650 SX 91-95	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
750 SS 92-97	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
750 ST 96	**2113-0426**[10]	-	**YTX20HL-BS**[6]	**YTX20L-BS**[5]	-	**2113-0640**	**2113-0642**
750 ST 94-95	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
750 STS 95	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
750 STS/STX 96-98	**2113-0426**[10]	-	**YTX20HL-BS**[6]	**YTX20L-BS**[5]	-	**2113-0640**	**2113-0642**
750 STS/SXi/Pro 95-02	**2113-0426**[10]	-	**YTX20HL-BS**[6]	**YTX20L-BS**[5]	-	**2113-0640**	**2113-0642**
750 SX 92-95	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
750 SXi 95-98	**2113-0426**[10]	-	**YTX20HL-BS**[6]	**YTX20L-BS**[5]	-	**2113-0640**	**2113-0642**
Super Sport Xi 93-99	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
750 XiR 94-95	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
750 ZX 95	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
750 ZXi 95-97	**2113-0426**[10]	-	**YTX20HL-BS**[6]	**YTX20L-BS**[5]	-	**2113-0640**	**2113-0642**
JS800 SX-R 03-13	**2113-0426**[10]	-	**YTX20HL-BS**[6]	**YTX20L-BS**[5]	-	**2113-0640**	**2113-0642**
900 ZXi 95-97	**2113-0426**[10]	-	**YTX20HL-BS**[6]	**YTX20L-BS**[5]	-	**2113-0640**	**2113-0642**
900STS, STX 97-05	**2113-0426**[10]	-	**YTX20HL-BS**[6]	**YTX20L-BS**[5]	-	**2113-0640**	**2113-0642**
1100-B Ultra 130 01-04	**2113-0426**[10]	-	**YTX20HL-BS**[6]	**YTX20L-BS**[5]	-	**2113-0640**	**2113-0642**
1100ZXi 96-03	**2113-0426**[10]	-	**YTX20HL-BS**[6]	**YTX20L-BS**[5]	-	**2113-0640**	**2113-0642**
1100STX 97-03	**2113-0426**[10]	-	**YTX20HL-BS**[6]	**YTX20L-BS**[5]	-	**2113-0640**	**2113-0642**
1200-A Ultra 150 99-05/STX 02-07	**2113-0426**[10]	-	**YTX20HL-BS**[6]	**YTX20L-BS**[5]	-	**2113-0640**	**2113-0642**
1500-C STX-15F 04	**2113-0426**[10]	-	**YTX20HL-BS**[6]	**YTX20L-BS**[5]	-	**2113-0640**	**2113-0642**
JT1500-A/STX/STX-15F 04-13	**2113-0426**[10]	-	**YTX20HL-BS**[6]	**YTX20L-BS**[5]	-	**2113-0640**	**2113-0642**
JT1500B/C/250X/Ultra LX/ Ultra 260L/X 07-17	**2113-0426**[10]	-	**YTX20HL-BS**[6]	**YTX20L-BS**[5]	-	**2113-0640**	**2113-0642**
POLARIS							
All models 92-04	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
SEA-DOO							
All models (2-stroke) 88-93	**2113-0426**[2, 10]	-	**YTX20HL-BS**[2]	**YTX20L-BS**[2, 5]	**YB16L-B**	**2113-0640**	**2113-0642**
All models (2-stroke) 94-07	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
900 Spark 14-18	-	-	**2113-0109**	**2113-0103**	-	-	-
1500 GTI/GTX/RXP/RXT 09	-	-	-	**2113-0319**[7, 8]	-	-	-
1500 GTI/GTX/RXP/RXT/Wake 10-12	-	-	-	**2113-0319**[7, 8]	-	-	-
1500 GTI/GTX/RXP/RXT/Wake 05-15	**2113-0429**[9]	**2113-0394**	-	**2113-0319**[7, 8]	**YB30CL-B**	**2113-0644**	**2113-0645**
1500 GTI/GTR/GTS/GTX/RXT/ RXP/Wake 16-18	-	-	**2113-0109**	**2113-0103**	-	-	-
1500 GTX 4-Tec/RXP 03-07	-	**2113-0394**	-	**2113-0319**[7, 8]	**YB30CL-B**	-	-
3D 05-07 (all)	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-

[1] Yuasa Yumicron CX battery also available, PART #YB16-B-CX.
[2] May be used as an optional upgrade, but some modification to the hold down may be necessary.
[3] Factory-activated high-performance maintenance-free battery also available; PART #YTX20HL-PW.
[5] Optional factory-activated battery available; PART #2113-0103.
[6] Optional factory-activated battery available; PART #2113-0104.
[7] Includes 17mm height spacers for replacing PART #YB30CL-B .
[8] Optional factory-activated battery available; PART #2113-0320.
[9] Optional factory-activated battery available; PART #2113-0094.
[10] High-performance battery.

BOLD MAGENTA part numbers are new for 2020

BATTERY APPLICATIONS CHART (CONT)


	PARTS EUROPE		YUASA			BS BATTERY	
FITS MODEL	AGM MAINTENANCE-FREE	HEAVY-DUTY	HIGH-PERFORMANCE MAINTENANCE-FREE	AGM MAINTENANCE-FREE	YUMICRON	(SLA)	(SLA-MAX)
S.O.S. MARINE MFG.							
All models 90-92	**2113-0425**[10]	**2113-0403**	**YTX20H-BS**	**YTX-20BS**	**YB16-B**[1]	**2113-0638**	-
TIGER SHARK							
All 650 models 93-01	-	-	-	-	**YB16CB**	-	-
640/770 97-99	-	-	-	-	**YB14L-A2**	-	-
ULTRANAUTICS							
Sea Flash 89-92	-	-	-	-	**53030**	-	-
Wet Bike 87-92	-	-	-	-	**53030**	-	-
Wet Bike 85-86	-	-	-	-	**YHD-12**[4]	-	-
Jet Star 1250 (boat) 88-90	-	-	-	-	**53030**	-	-
Jet Star 1260 (boat) 91	-	-	-	-	**53030**	-	-
WET JET INTERNATIONAL							
Wet Jet 87	**2113-0425**[10]	**2113-0403**	**YTX20H-BS**	**YTX-20BS**	**YB16-B**[1]	**2113-0638**	-
Wet Jet 432 88-93	**2113-0425**[10]	**2113-0403**	**YTX20H-BS**	**YTX-20BS**	**YB16-B**[1]	**2113-0638**	-
Wet Jet SE 91-93	**2113-0425**[10]	**2113-0403**	**YTX20H-BS**	**YTX-20BS**	**YB16-B**[1]	**2113-0638**	-
Wet Jet Sport 93	**2113-0425**[10]	**2113-0403**	**YTX20H-BS**	**YTX-20BS**	**YB16-B**[1]	**2113-0638**	-
Wet Jet Sport II 90-93	**2113-0425**[10]	**2113-0403**	**YTX20H-BS**	**YTX-20BS**	**YB16-B**[1]	**2113-0638**	-
Wet Jet Sport II Spirit 92-93	**2113-0425**[10]	**2113-0403**	**YTX20H-BS**	**YTX-20BS**	**YB16-B**[1]	**2113-0638**	-
Wet Jet Duo 200 95	**2113-0425**[10]	**2113-0403**	**YTX20H-BS**	**YTX-20BS**	**YB16-B**[1]	**2113-0638**	-
Wet Jet Duo 300 95	**2113-0425**[10]	**2113-0403**	**YTX20H-BS**	**YTX-20BS**	**YB16-B**[1]	**2113-0638**	-
YAMAHA							
Wave Runner 87-16 (all)	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
SuperJet 700 09-17 (all)	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
1049 EX 17-18	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
1100 VX, V1 09-18 (all)	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-
1800 FX/FZR/FZS/VXS/ VXR 09-18 (all)	-	**2113-0404**	**YTX20HL-BS-PW**[3]	-	**YB16CL-B**	-	-

[1] Yuasa Yumicron CX battery also available, PART #YB16-B-CX.
[3] Factory-activated high-performance maintenance-free battery also available; PART #YTX20HL-PW.
[4] Yuasa conventional battery.
[10] High-performance battery.

AGM MAINTENANCE-FREE BATTERY

- Packs more power, discharges less in storage and has a longer life than conventional batteries
- Spill-proof design and construction have passed vibration and pressure differential spill-proof tests
- High-performance active material with anti-sulfation additive
- High capacity and cranking performance

NOTE: Should be charged once a month when not in service.
NOTE: See page 117 and above for battery application chart.





YUASA REFERENCE #	PART #
YIX30L-BS	**2113-0429**

HIGH-PERFORMANCE AGM MAINTENANCE-FREE BATTERIES

- Parts Europe is proud to offer a premium-quality, high performance maintenance-free battery
- Deliver additional cranking amps for vehicles that require extra starting power
- Special absorbed-glass mat battery eliminates water loss, permitting the battery to be permanently sealed once it is filled with acid
- Battery seals to prevent water loss
- Hold charge three times longer than conventional batteries
- Battery kit includes battery, pre-measured acid pack and hardware kit

NOTE: See page 117 and above for battery application chart.



2113-0425



2113-0429

YUASA REFERENCE #	PART #
YTX14AH-BS	**2113-0421**
YTX14H-BS	**2113-0422**
YTX20H-BS	**2113-0425**
YTX20HL-BS	**2113-0426**
YTX20CH-BS	**2113-0427**

YUASA REFERENCE #	PART #
YTX24HL-BS	**2113-0428**
YIX30L-BS	**2113-0429**
YT7B-BS	**2113-0430**
YT9B-BS	**2113-0431**
YT12B-BS	**2113-0432**

YUASA REFERENCE #	PART #
YT14B-BS	**2113-0433**
YTZ7S-BS	**2113-0434**
YTZ10S-BS	**2113-0435**
YTZ12S-BS	**2113-0436**
YTZ14S-BS	**2113-0437**

AGM MAINTENANCE-FREE BATTERIES

- Parts Europe is proud to offer a premium-quality, maintenance-free battery
- Special absorbed-glass mat battery eliminates water loss, permitting the battery to be permanently sealed once it is filled with acid
- Battery seals to prevent water loss
- Hold charge three times longer than conventional batteries
- Battery kit includes battery, pre-measured acid pack and hardware kit

NOTE: See pages 117-118 for battery application chart.



YUASA REFERENCE #	PART #
YTX4L-BS	**2113-0412**
YTX5L-BS	**2113-0413**
YTX7A-BS	**2113-0414**
YTX7L-BS	**2113-0415**

YUASA REFERENCE #	PART #
YTX9-BS	**2113-0416**
YTX12-BS	**2113-0417**
YT12A-BS	**2113-0418**
YTX14-BS	**2113-0419**

YUASA REFERENCE #	PART #
YTX20-BS	**2113-0423**
YTX20L-BS	**2113-0424**

HEAVY-DUTY BATTERY KITS

- Parts Europe Heavy-Duty batteries are built to the same exacting specifications and quality-control standards as OEM
- Rugged and provide more cranking power over standard batteries
- Lead calcium alloy reduces water loss and service by 66% compared to standard batteries
- Include anti-sulfation chemical formulated to reduce sulfate crystal buildup on the battery plates
- Reduce self-discharge for longer time between charges
- Fiberglass separators improve acid flow
- Battery kit includes battery, pre-measured acid pack, red filler tube, hardware kit and clear vent tube

NOTE: See pages 117-118 for battery application chart.



YUASA REFERENCE #	PART #
YB4L-B	**2113-0385**
YB5L-B	**2113-0386**
YB7-A	**2113-0387**
YB9-B	**2113-0388**
YB9L-A2	**2113-0389**
YB10L-A2	**2113-0390**
YB10L-B2	**2113-0391**

YUASA REFERENCE #	PART #
YB12A-A	**2113-0392**
YB12A-B	**2113-0393**
YB12AL-A2	**2113-0394**
YB14-A2	**2113-0396**
YB14-B2	**2113-0398**
YB14L-A2	**2113-0399**
YB14L-B2	**2113-0400**

YUASA REFERENCE #	PART #
YB16AL-A2	**2113-0401**
YB16B-A1	**2113-0403**
HYB16A-AB	**2113-0405**
Y50-N18L-A	**2113-0408**
Y50-N18L-A3	**2113-0409**
51913	**2113-0410**
53030	**2113-0411**

HEAVY-DUTY BATTERIES

- Powerful starting power at a great price
- Parts Unlimited Heavy-Duty batteries are built to the same exacting specifications and quality-control standards as top brand-name Japanese batteries
- Rugged and provides more power over standard conventional batteries
- Includes anti-sulfation chemical formulated to reduce sulfate crystal buildup on the battery plates
- All batteries are shipped dry

NOTE: See pages 117-118 for battery application chart.



YUASA REFERENCE #	CAPACITY AH (10H-R)	LENGTH	WIDTH	HEIGHT	APPROX. WEIGHT W/ OUT ACID (LB.)	TERMINAL CONFIGURATION		PART #
YB16-B	19	$6^{7}/_{8}$"	$3^{7}/_{8}$"	$6^{1}/_{16}$"	11.45	+	-	**2113-0403**
YB16CL-B	19	$6^{7}/_{8}$"	$3^{15}/_{16}$"	$6^{7}/_{8}$"	11.45	-	+	**2113-0404**
YB16L-B	19	$6^{7}/_{8}$"	$3^{7}/_{8}$"	$6^{1}/_{16}$"	11.45	-	+	**-**
YHD-12 (black case)	28	$7^{15}/_{16}$"	$5^{1}/_{8}$"	$6^{3}/_{8}$"	14.76	+	-	**-**
YB30CL-B	30	$6^{1}/_{2}$"	$5^{1}/_{8}$"	$7^{9}/_{16}$"	17.40	-	+	**2113-0394**


YUASA BATTERY

CONVENTIONAL 12V BATTERY

- Yuasa is the world's largest manufacturer of motorcycle batteries and has over 50 years of expertise behind its product
- Harley-Davidson®, Honda, Kawasaki, Suzuki, Yamaha and many others fit Yuasa batteries to their bikes
- Shipped dry

NOTE: See pages 117-118 for battery application chart.





YUASA REFERENCE #	CAPACITY AH (10H-R)	REGULAR CHARGE CURRENT (AMP)	LENGTH	WIDTH	HEIGHT	APPROX. WEIGHT W/ OUT ACID (LB.)	TERMINAL CONFIGURATION		PART #
YHD-12H	29	2.8	8 1/8"	5 1/4"	6 1/2"	13.3	+	-	YHD-12

YUMICRON 12V BATTERIES

- The most powerful lead-acid battery of its size
- Appears as original equipment on more and more big bikes
- Shipped dry


YUMICRON CX 12V BATTERY

- Lead/calcium battery has 5% to 8% more cranking power than the high-output Yumicron
- Requires minimal servicing
- Shipped dry

NOTE: See pages 117-118 for battery application chart.




YB16-B



YuMICRON 12V BATTERIES

YUASA REFERENCE #	CAPACITY AH (10H-R)	REGULAR CHARGE CURRENT (AMP)	LENGTH	WIDTH	HEIGHT	APPROX. WEIGHT W/ OUT ACID (LB.)	TERMINAL CONFIGURATION		PART #
YB14L-A2	14	1.4	5 5/16"	3 1/2"	6 9/16"	7.6	-	+	YB14L-A2
YB16-B	19	1.9	6 7/8"	4"	6 1/8"	10.5	+	-	YB16-B
YB16L-B	19	1.9	6 7/8"	4"	6 1/8"	10.5	-	+	YB16L-B
YB16C-B	19	1.9	6 7/8"	4"	6 7/8"	10.1	+	-	YB16CB
YB16CL-B	19	1.9	6 7/8"	4"	6 7/8"	10.1	-	+	YB16CL-B
YB30CL-B (does not include a vent tube)	30	3.0	6 5/8"	5 3/16"	7 9/16"	14.5	-	+	YB30CL-B
53030 (does not include a vent tube)	30 (DIN Standard @ 20 hr. rate)	3.0	7 7/16"	5 1/8"	6 7/8"	16.1	-	+	53030

YuMICRON CX 12V BATTERY



YUASA REFERENCE #	CAPACITY AH (10H-R)	REGULAR CHARGE CURRENT (AMP)	LENGTH	WIDTH	HEIGHT	APPROX. WEIGHT W/ OUT ACID (LB.)	TERMINAL CONFIGURATION		PART #
YB16-B-CX	19	1.9	6 7/8"	4"	6 1/8"	10.5	+	-	YB16-B-CX

AGM (MAINTENANCE-FREE) BATTERIES

- Special absorbed-glass mat battery eliminates water loss, permitting the battery to be permanently sealed once it is filled with acid
- Truly the world's finest "install it and forget it" motorcycle battery
- Acid pack included, except where noted as Factory-activated

NOTE: Factory-activated batteries should be charged once a month when not in service.


NOTE: See pages 117-118 for battery application chart.

YTX-20BS



2113-0320





YUASA REFERENCE #	CAPACITY AH (10H-R)	COLD CRANKING AMPS @0°F	LENGTH	WIDTH	HEIGHT	APPROX. WEIGHT W/ ACID (LB.)	TERMINAL CONFIGURATION		PART #
YTX20-BS	18	270	6 7/8"	3 7/16"	6 1/8"	13.9	+	-	YTX-20BS
YTX20L-BS	18	270	6 7/8"	3 7/16"	6 1/8"	13.9	-	+	YTX20L-BS
YTX20L (Factory-Activated)	18	270	6 7/8"	3 7/16"	6 1/8"	13.9	-	+	2113-0103
YIX30L-BS-PW (includes 17mm height spacers for replacing YB30CL-B)	30	400	6 9/16"	5"	7 9/16"	22.0	-	+	2113-0319
YIX30L-PW (Factory-Activated; includes 17mm height spacers for replacing YB30CL-B)	30	400	6 9/16"	5"	7 9/16"	22.0	-	+	2113-0320




YUASA BATTERY

HIGH-PERFORMANCE AGM MAINTENANCE-FREE BATTERIES

- This new generation of maintenance-free batteries delivers higher cranking amps for vehicles that require extra starting power
- Additional cranking amps make these one of the most powerful batteries on the market
- Acid pack included, except where noted as Factory-activated

NOTE: Factory-activated batteries should be charged once a month when not in service.

NOTE: See pages 117-118 for battery application chart.



YUASA REFERENCE #	CAPACITY AH (10H-R)	REGULAR CHARGE CURRENT (AMP)	COLD CRANKING AMPS @0°F	LENGTH	WIDTH	HEIGHT	APPROX. WEIGHT W/ ACID (LB.)	TERMINAL CONFIGURATION		PART #
YTX20H-BS	18	1.8	310	6 7/8"	3 7/16"	6 1/8"	15.1	+	-	YTX20H-BS
YTX20HL-BS	18	1.8	310	6 7/8"	3 7/16"	6 1/8"	15.1	-	+	YTX20HL-BS
YTX20HL (Factory-Activated)	18	1.8	310	6 7/8"	3 7/16"	6 1/8"	15.1	-	+	2113-0104
YTX20HL-BS-PW (includes 20mm height spacers for use in replacing YB16CL-B)	18	1.8	310	6 7/8"	3 7/16"	6 7/8"	15.1	-	+	YTX20HL-BS-PW
YTX20HL-PW (Factory-Activated; includes 20mm height spacers for use in replacing YB16CL-B)	18	1.8	310	6 7/8"	3 7/16"	6 7/8"	15.1	-	+	YTX20HL-PW




YUASA BATTERY

GYZ FACTORY-ACTIVATED AGM MAINTENANCE-FREE BATTERY

- AGM (Absorbed Glass Mat) separators with superior grid and component designs
- Improved charge recovery capability from a deeply discharged condition
- Longer shelf life
- Improved life cycle performance
- Extreme vibration resistance
- Supplied "factory activated" (filled, sealed and charged at the factory)
- Heavy-duty, flush-mounted terminals; patent-pending embedded brass nut
- Upgrade for customized motorcycles requiring the best performance

NOTE: Factory-activated batteries should be charged once a month when not in service.

NOTE: See pages 117-118 for battery application chart.



YUASA REFERENCE #	CAPACITY AH (10H-R)	REGULAR CHARGE CURRENT (AMP)	COLD CRANKING AMPS @0°F	LENGTH	WIDTH	HEIGHT	APPROX. WEIGHT W/ ACID (LB.)	TERMINAL CONFIGURATION		PART #
GYZ20HL	20	2.0	320	6 7/8"	3 7/16"	6 1/8"	15.7	-	+	2113-0109

BLOWSION

ALUMINUM BATTERY BOX REPLACEMENT

- Replace that cracked and worn out stock plastic battery box with bulletproof Blowsion aluminum
- Each box includes all stock location retaining clips for easy exchange
- Direct fit replacement for all years Yamaha SuperJet, Fx1 and Polaris Octane
- Can be fit as replacement to all years Kawasaki 750 and SXR 800 with minor battery strap modification



PART #	2113-0444




2113-0635

SLA MAX FACTORY-ACTIVATED AGM MAINTENANCE-FREE BATTERIES

- Designed to offer maximum performance to big engine bikes equipped with lots of electronic accessories
- Superior capacity
- AGM construction (Absorbed Glass Material)
- VRLA battery (Valve Regulated Lead Acid)
- Sealed and factory activated
- Spillproof design
- Multi-positional fitment
- Ready and easy to use
- Increased power and extended life
- Extreme vibration resistance

NOTE: See pages 117-118 for battery application chart.



YUASA REFERENCE #	CAPACITY (AH/10HR)	CAPACITY (AH/20R)	CCA (EN) A (-18 °C)	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	LEFT POST	RIGHT POST	PART #
BTX20HL	20	21,1	290	176	87	154	-	+	**2113-0642**



2113-0626




2113-0613

SLA FACTORY-ACTIVATED AGM MAINTENANCE-FREE BATTERIES

- AGM construction (Absorbed Glass Material)
- VRLA battery (Valve Regulated Lead Acid)
- Sealed and factory activated
- Spillproof design
- Multi-positional fitment
- Ready and easy to use
- Increased power and extended life
- Extreme vibration resistance

NOTE: See pages 117-118 for battery application chart.



YUASA REFERENCE #	CAPACITY (AH/10HR)	CAPACITY (AH/20R)	CCA (EN) A (-18 °C)	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	LEFT POST	RIGHT POST	PART #
BB14L-A2	14	14,7	200	135	90	167	-	+	**2113-0610**
BB16CL-B	19	20	230	175	100	175	+	-	**2113-0613**
53030	30	31,6	280	186	130	171	-	+	**2113-0617**
BTX20	18	18,9	270	175	87	155	+	-	**2113-0638**
BTX20CH	18	18,9	270	150	87	161	+	-	**2113-0639**
BTX20HL	18	18,9	270	175	87	155	-	+	**2113-0640**

tecMATE

OPTIMATE 1 DESKTOP DUO



- Maintain any type of 12V lead-acid or 12,8V lithium battery from 2Ah-20Ah
- Four-step program
- Low volt start of 4V
- Delivers a constant 600mA current
- Tests and delivers only what the battery needs without ever overcharging or undercharging
- Premium charge accessory cables are included with every charger

PART #	3807-0488

OPTIMATE 2



3807-0127

- The OptiMate 2 smart charger-maintainer is a cost-effective solution for long-term maintenance of 12V batteries in any vehicle that is stored indoors or outdoors
- Weatherproof and very easy to use: simply connect to the battery and plug it into the nearest power socket; the rest is fully automatic
- With 0,8A constant current OptiMate 2 automatically brings the battery to full charge and then switches to the unique OptiMate battery-saving maintenance charge mode to keep the battery at 100% ready, and at the same time provides power to the on-board computer, display or anti-theft alarm
- Recommended for STD (with removable filler caps), sealed AGM (absorbed glass mat) and sealed gel 12V lead-acid batteries up to 50Ah
- Weighs in at 454 g (1 lb)
- Includes permanent ringlet connector with weatherproof cap and a set of battery clips
- Fully-automatic operation that includes all safety features, such as reverse polarity protection and no spark connection; approved to UL and CSA safety standards for automatic battery chargers
- CE conformity

DESCRIPTION	PART #
EU plug	3807-0126

DESCRIPTION	PART #
UK plug	3807-0127

OPTIMATE 3

DESULFATING/MAINTAINING CHARGERS



3807-0253

3807-0308

3807-0309

- Smaller, lighter and more powerful than its predecessor
- Diagnoses, recovers, charges, checks and maintains batteries safely for months
- Advanced, fully-automatic battery charger and maintainer for all 12V lead-acid batteries from 2,5A to 50A hours capacity
- Recommended for sealed and conventional batteries for motorcycles and similar vehicles, including dry-charged MF, sealed wet maintenance-free types, AGM and sealed deep-cycle gel batteries
- Features vent-free enclosure, SAE weatherproof connectors and includes wall mounts
- Unique diagnostic function automatically identifies deeply discharged (sulphated) batteries and applies a controlled high voltage with small fixed current for a limited period to recover them
- Includes two detachable, interchangeable battery connectors: a connector with eyelets for permanent connection and battery clips for bench charging
- Comes with global input (100V-240V)
- Meets all relevant EN and IEC norms and CE directives
- CE conformity
- EU plug

DESCRIPTION	PART #
Single	3807-0253

DESCRIPTION	PART #
2-bank	3807-0308

DESCRIPTION	PART #
4-bank	3807-0309

BOLD MAGENTA part numbers are new for 2020

tecMATE

OPTIMATE PRO 4

BATTERY DIAGNOSTIC CHARGER, DESULFATOR AND MAINTAINER

- Professional four-bank automatic six-stage charger initializes new sealed and filler cap batteries in one hour, plus desulfates and recovers neglected batteries – simply decide between a NEW or USED battery selection
- Incorporates diagnostic checks and an automatic special recovery mode for deep-discharged (sulfated) batteries, making it suitable for all different types of powersports vehicle batteries
- 4 amps constant current for each of the four battery banks/stations
- Three battery type selections: STD, deep cycle and MF for fully-sealed, absorbed acid batteries
- Automatic detection and recovery of deep discharged or sulfated batteries
- Self-discharge test (following charging): voltage parameters set for the selected battery type
- Can be used for long-term storage charging
- Temperature-corrected testing and charging ensures accurate results and no damage to the battery



PART # 3807-0155

OPTIMATE 5 VOLTMATIC

- The ideal tool with automatic selection for 6V/12V battery care at home
- First charger with multi-stage desulfation recovery for 6V batteries
- Retains all the fully-automatic, 100% safe, easy-to-use characteristics of the two million OptiMate chargers produced since 1995, but with maximum charge current of 2,8 amp (12V) and 4 amp (6V) to take care of medium to large batteries
- For batteries forgotten over the winter, OptiMate 5 Voltmatic is the first-ever charger capable of automatically recovering 6V lead-acid batteries from deep discharge (low-voltage 12V batteries need confirmation from the user that it is a 12V battery), then the recovered 6V or 12V batteries are optimally recharged, tested and safely maintained for months at a time
- The unique OptiMate long-term maintenance charge method not only keeps the battery at 100% without ever overcharging, it also has been proven to extend battery life by up to 400%
- CE conformity
- EU plug



PART # 3807-0283

OPTIMATE 6 SELECT

- Perfect for starter and deep cycle 12V batteries that demand accurate temperature-controlled charging and unsupervised safe long-term maintenance
- Voltage selection (14,4V/14,7V) ensures the battery receives charge at the correct voltage
- Power supply mode delivers stable power for vehicle system reprogramming, show room vehicle demo or retaining memorized settings when battery cables are disconnected to fit powered accessories or replace the battery
- Charging amps: 5A (Ampmatic) @ 14,4V/14,7V; 4A @ 13,6V
- Use indoors or outdoors (lowest temperature: -40 °C)
- Low volt start of 0,5V and 2-step desulphation recovery
- Ideal for STD, AGM, gel and deep cycle 12V batteries from 3Ah – 240Ah
- Input: global (100V-240V 50Hz-60Hz), high-efficiency, fully-sealed
- Weatherproof case with wall mounts
- 183 cm (6') AC supply lead and 183 cm (6') charge lead ending in SAE connector
- Weatherproof battery lead and standard battery clip set included
- No risk of overcharging; totally safe for vehicle electronics
- Sparks suppressed, safe for long-term battery maintenance, automatic shut-down if short-circuited or battery disconnected



PART # 3807-0382

OPTIMATE 6

- OptiMate 6 with 0-4,5 amps charging power is the ideal all-in-one tool to care for all 12V batteries
- Will diagnose, recover, charge, test and maintain your batteries automatically
- The Ampmatic microprocessor actively adjusts charge current to match battery characteristics to achieve a complete charge in the shortest possible time
- Features a short circuit/dead cell check that detects internal damage in a battery and prevents unnecessary charging of a battery that cannot be recovered
- Weatherproof, sealed enclosure
- Recommended for STD (with removable filler caps), sealed AGM (absorbed glass mat) and sealed gel 12V lead-acid batteries from 8Ah to 120Ah
- Will safely maintain the battery at 100%, never overcharging, thanks to its unique 30-minute charge/30-minute rest cycle during every hour of long-term maintenance charge
- Includes permanent ringlet connector with weatherproof cap and a set of battery clips
- Fully-automatic operation that includes all safety features, such as reverse polarity protection and no-spark connection
- CE conformity
- EU plug



PART # **3807-0152**

OPTIMATE PRO 8 6/12V

- Desulfate, recover, charge, test and maintain up to eight batteries simultaneously
- Ideal for maintaining 6V and 12V batteries in the off-season
- Each bank/station operates independently and delivers 1,2 amps constant current
- Good for all batteries – standard, gel and AGM (MF)
- Automatic detection and recovery of deep-discharged or sulfated batteries
- Self-discharge test (following charging) according to a set voltage parameter
- Long-term storage charging
- Meets international OEM recommendations
- Voltage selection – 115V or 230V supply
- Includes eight sets of battery clips and eight extension cables
- Compatible with all SAE accessories
- CE conformity
- EU plug



PART # **3807-0122**

OPTIMATE 7 SELECT BATTERY CHARGER

- Perfect for starter and deep cycle 12V batteries that demand accurate temperature-controlled charging and unsupervised safe long-term maintenance
- Voltage selection (14,4V/14,7V) to ensure the battery receives charge at the correct voltage
- Power supply mode delivers stable power for vehicle system reprogramming, showroom vehicle demo or retaining memorized settings when battery cables are disconnected to fit powered accessories or replace the battery
- 10A @ 14,4V/14,7V, 8A @ 13,6V charging amps
- For indoor/outdoor (lowest temperature: -40 °C / -40 °F)
- Ideal for STD, AGM, gel and deep cycle 12V batteries from 3Ah – 400Ah
- Weatherproof case with wall mounts, with 180 cm (6') AC supply lead and 180 cm (6') AC charge lead ending in SAE connector



PART # **3807-0396**

BOLD MAGENTA part numbers are new for 2020

tecMATE

OPTIMATE 7 AMPMATIC

- World's most advanced fully-automatic 12V battery charger
- Saves batteries other chargers can't by recognizing the difference between a battery that needs charging and a dead flat sulphated battery that needs saving
- Perfect for months-long maintenance of any size 12V lead-acid battery
- Restores neglected batteries from as low as 0,5V
- Ampmatic charge control adjusts current to suit any battery size and condition for fastest and most complete charge
- Charging amps: 10A @ 14,4V
- Can be used in temperatures as low as -40 °C (-40 °F)
- Ideal for STD, AGM, gel and deep cycle 12V batteries from 3Ah – 400Ah
- Input: global (100V-240V 50Hz-60Hz), high-efficiency, fully-sealed
- Weatherproof battery lead and standard battery clip set included
- No risk of overcharging; totally safe for vehicle electronics
- Sparks suppressed, safe for long-term battery maintenance, automatic shut-down if short-circuited or battery disconnected



PART #	3807-0484



3807-0481



3807-0485

OPTIMATE 12V/24V

- Perfect for high-performance 12V and 24V starter and deep cycle batteries
- Designed for sensitive electronics
- PART #3807-0481 charging amps: 5A @ 12V and 2,5A @ 24V (Ampmatic)
- PART #3807-0485 charging amps: 10A @ 12V and 5A @ 24V (Ampmatic)
- Protects batteries by not charging if the wrong voltage is selected
- Low volt start of 0,5V (12V)
- Ideal for STD, AGM and gel 12V batteries from 3Ah – 240Ah and 24V batteries from 1Ah – 100Ah

DESCRIPTION	PART #
OptiMate 6 12V/24V	3807-0481

- Input: global (100V-240V 50Hz-60Hz), high-efficiency, fully-sealed
- Functions in cold temperatures down to -40 °C (-40 °F)
- Weatherproof, sealed enclosure

DESCRIPTION	PART #
OptiMate 7 12V/24V	3807-0485



OPTIMATE LITHIUM 0,8 A

- Helps to maintain your lithium iron phosphate battery and ensure a long battery life
- Checks battery for short circuits, dead cells and voltage retention
- Battery maintainer's specific program efficiently recharges and balances energy cell levels
- Available in single 0,8 and four-bank charger

PART #	3807-0287



OPTIMATE LITHIUM 0,8 A

- Helps to maintain your lithium iron phosphate battery and ensure a long battery life
- Checks battery for short circuits, dead cells and voltage retention
- Battery maintainer's specific program efficiently recharges and balances energy cell levels
- Available in single 0,8 and four-bank charger

PART #	3807-0286

tecMATE

OPTIMATE LITHIUM

- OptiMate Lithium, the first OptiMate to protect your LiFePO$_4$ battery in a way no other charger has
- Will protect your investment and keep your Lithium Iron Phosphate (LiFePO$_4$ / LFP) battery performing as advertised, for a very long time
- With 5 amps of charge current available, OptiMate Lithium's unique multi-step Ampmatic program recharges and balances cells within the battery quickly and efficiently
- OptiMate Lithium's maintenance program delivers current to the vehicle circuitry, protecting and keeping the battery at 100% charge
- Tests and displays battery condition before charging
- Voltage retention test is conducted for 30 minutes during which no charge current is delivered, and provides results indicating the battery's general state of health
- The 12-hour MAINTENANCE CHARGE CYCLE consists of 30-minute float charge periods at a voltage of 13,6V followed by and alternating with 30 minute "rest" (no charge current) periods
- During the float charge period, current is delivered only if the battery has lost charge due to connected vehicle circuitry; a refresh cycle may be performed if the charge level has dropped significantly
- Charge progress is tracked against the ideal LiFePO$_4$ charge curve; internal damage will be detected and unnecessary charging of a battery that cannot be recovered is prevented
- Includes permanent ringlet connector with weatherproof cap and a set of battery clips
- CE conformity
- EU plug



PART #	3807-0153

OPTIMATE LITHIUM 4S



- The fastest professional battery charger for 12,8V/13,2V LiFeP04/LFP batteries
- Charging amps: 10A (Ampmatic)
- Adjusts current to match battery size and condition
- Can be used in temperatures as low as -20 °C (-4 °F)
- Advanced Lithium save mode will save a battery from as low as 0,5V
- Pushbutton activated BMS wake-up mode safely wakes battery out of sleep mode or low discharge
- Smart interactive maintenance prevents discharge from connected circuitry
- Global input (100V-240V 50Hz-60Hz), high-efficiency, fully-sealed

PART #	3807-0487



OPTIMATE DC TO DC

- Recovers, charges and maintains a 12V lead-acid battery from another 12V battery or DC supply
- Brings you the advanced OptiMate features, even at places where there is no access to an AC power supply
- Recover, charge and maintain your battery using a larger source battery (ideal 1,5x capacity) or DC power supply without fear of discharging the source

PART #	3807-0375

3807-0458



OPTIMATE SOLAR

- The smart, 24-7 battery care solution powered by the sun
- Converts the low power from the solar panel to high current pulses for more effective charging and maintenance of a 12V battery
- OptiMate Solar does it differently: the solar panel is where the sun is and the smart pulse charger is where the battery is, so you have immediate information on battery condition at hand right where it matters most
- Low volt start of 1V
- Ideal for EFB, STD, AGM and gel 12V batteries from 2Ah-240Ah
- 14' of cable separates the charger from the panel, with SAE to SAE interconnection providing the option of extending further
- 10, 20 or 40 watt high-efficiency solar panel with 12V controller
- Can withstand temperatures down to -4°F
- Standard battery clip set, solar panel, weatherproof charge controller case and battery lead included
- Controllers with included DC power supply for nighttime charging; sold separately
- Suction cup mounting hardware sold separately



3807-0523

DESCRIPTION	PART #
10W	3807-0435
20W	3807-0456
40W	3807-0458
60W	3807-0489
80W	3807-0490
Suction cup solar panels	3807-0479

BOLD MAGENTA part numbers are new for 2020

tecMATE



OPTIMATE TEST

BATTERY AND CHARGING SYSTEM/ALTERNATOR TESTER

- Three-step tester checks battery charge level, records lowest start volts and verifies charging voltage
- Checks if alternator is compatible with $LiFePO_4$/LFP lithium batteries

PART #	3807-0225



OPTIMATE TEST

BATTERY TESTER FOR ALL LEAD-ACID AND LITHIUM BATTERIES

- Microprocessor circuit draws very low power from the battery and displays status
- State of charge result in volts and percent
- Tests all 12V lead-acid and $LiFePO_4$/LFP lithium batteries

PART #	3807-0226



3807-0159



3807-0424



3807-0241

1/4" EYELET SAE BATTERY CONNECTION LEADS

- Premium quick-connect permanent battery lead with weather protected c onnection system and cable
- 1/4"/M6 ringlets
- 20" L
- Industry standard two-pin, heavy-duty SAE connector
- 15A fuse
- Cable max rating: 5 Amps
- Cable remains flexible at below freezing temperatures; rated for -40°F/-40°C

DESCRIPTION	PART #
Single battery connection lead	3807-0159
4-pk.	3807-0424

DESCRIPTION	PART #
20-pk.[1]	3807-0241

[1] Includes POP display jar.



3807-0394

OPTIMATE BATTERY STATUS/CHARGE SYSTEM MONITORS

- Permanent battery leads with integrated battery status/charge system monitors for 12V lead-acid batteries
- Monitor charge or confirm if the charging system is working correctly
- Two automatic modes: battery charge level monitor and charging system test
- SAE charge port with weatherproof sealing cap

DESCRIPTION	PART #
12V battery eyelet connector w/ integrated state of charge monitor; 24" L	3807-0317
12V battery connector w/ opposite SAE ends and integrated state of charge monitor; 6" L	3807-0318
12V battery eyelet connector w/ integrated state of charge monitor for lithium LiFePO4 batteries; 24" L	3807-0319
12V battery connector w/ auto plug and SAE connector ends and 4 LED display for any 12V, AGM and gel sealed batteries; 10" L	3807-0394

3807-0477



OPTIMATE USB O-108 KITS

- Charge a phone, GPS, camera or tablet on your motorcycle or up to 80" away with this weatherproof charger
- Low input (less than 12.3V) auto-off protects vehicle battery from total discharge
- 12V power through an industry standard SAE two-pin connector and a 40" supply cable
- 5V 3300mA true output via a 40" USB output cable with sealing cap for USB socket
- Short circuit, overheat and over-voltage protection
- Apple 1A charge confirmation "handshake" built in
- Kit includes O-31 battery lead with 10A fuse
- PART #3807-0524 has reprogrammed battery status lights to work better with lithium batteries

DESCRIPTION	PART #
Optimate USB O-108	3807-0426
Optimate USB O-108 kit	3807-0477
Optimate USB O-108 lithium	3807-0524



tecMATE

POWER CABLES, SOCKETS AND ACCESSORIES

- Heavy-duty cable that is rated to handle high amperage
- Designed to remain flexible at very low temperatures
- SAE cable ends work with all standard SAE connectors

DESCRIPTION	PART #
SAE (BLACK PLUG) CHARGER ACCESSORIES	
12V socket connector w/ 8A fuse, 20" L	**3807-0161**
6' charge cable extender	**3807-0163**
Y-splitter w/ fuse, 18" L	**3807-0166**
Weatherproof panel-mount DIN socket, 20" cable, rubber plug	**3807-0169**
Weatherproof panel-mount DIN socket, rubber plug	**3807-0465**
Weatherproof panel-mount DIN socket, 20" cable, spring cap	**3807-0170**
Weatherproof panel-mount DIN socket, spring cap	**3807-0466**
Weatherproof panel-mount SAE socket, 6" cable	**3807-0476**
DIN connector, 48" cable	**3807-0171**
15' charge cable extender	**3807-0172**
Y-splitter w/o fuse, 14" L	**3807-0174**
SAE to cigarette lighter socket adapter, 20" L	**3807-0175**
DIN to cigarette lighter socket adapter, 12" L	**3807-0176**
SAE to SAE polarity converter (converts polarity of another SAE connector + to -/- to +), 6" L	**3807-0244**
SAE DC 2.5mm socket adapter for battery charger/power accessory and PART #3807-0244 for custom adaptations	**3807-0388**
SAE DC 2.5mm plug adapter for battery charger/power accessory and PART #3807-0244 for custom adaptations	**3807-0389**
USB charger 2100MA 2.5", can be powered from heated apparel battery and fits PART #3807-0328	**3807-0320**
2100mA weatherproof USB charger w/ 90° low profile Bike (DIN) plug	**3807-0321**

DESCRIPTION	PART #
SAE (BLACK PLUG) CHARGER ACCESSORIES (CONT)	
USB Y-splitter 2-out	**3807-0322**
SAE bulkhead connector, front mount	**3807-0324**
Y-splitter, 2 x auto socket SAE	**3807-0326**
90° plug to SAE long 40"	**3807-0327**
Tank bag/hard case power entry w/ DC 2.5mm plug to SAE adapter	**3807-0328**
Y-splitter, SAE IN to 2 x DC 2.5mm OUT	**3807-0329**
Y-splitter, 90° plug tp 2 x auto socket	**3807-0330**
90° plug ro DC 2.5mm socket	**3807-0331**
Y-splitter, DC 2.5mm plug IN to 2 x DC 2.5mm socket out	**3807-0332**
Adapter kit, 3-piece, SAE to DC 2.5mm	**3807-0333**
Plug, auto	**3807-0334**
10 amp, waterproof charge cable extender, 15 ft.	**3807-0336**
5 amp, waterproof charge cable extender, 40"	**3807-0337**
Adapter, OBDII to SAE	**3807-0338**
USB cord X4 6A	**3807-0341**
Charger hook	**3807-0373**
Universal GPS charge cable USB mini	**3807-0391**
Universal Android charge cable USB micro	**3807-0392**
Charge cable USB iPhone® 8-pin	**3807-0393**

BOLD MAGENTA part numbers are new for 2020



tecMATE

BATTERY CHARGER ACCESSORIES

- State of charge monitors serve as on-board volt gauges for motorcycle charging systems
- Fit all chargers except old-style tecMate Optimate Pro 4-5

DESCRIPTION	PART #
Battery clips and cable, 20" L	3807-0165
SAE-TM adapter w/ 6" cable (adapts charger w/ black SAE plug to a white TM cord)	3807-0167
TM-SAE adapter w/ 6" cable (adapts charger w/ white TM plug to a black SAE cord)	3807-0168
12V Battery connector w/ auto plug and SAE connector ends and 4 LED display for any 12V, AGM and gel sealed batteries; 10"L	3807-0394
Plug to 90 SAE short 12"	3807-0323
Permanent battery lead w/ DC 2.5mm socket, heavy duty	3807-0325
Battery clips, fused	3807-0335
Charger hook	3807-0373



tecMATE

OPTIMATE 3300mA DUAL-OUTPUT USB CHARGER

- Delivers 3300mA USB charging power through two USB outlets with one outlet positioned with a side-mounted 12V DIN socket
- Protrudes only 1 1/2" (38mm) away from the socket and 90° USB allows USB cable to be routed close to the side of the vehicle
- Unique plug-and-seal design seals at insertion point during use and ride-tested rubber cap keeps the unused USB socket watertight at speed
- Automatically shuts off three hours after parking vehicle and low-battery warning alerts rider and shuts down when voltage drops to 12.3V (+/-40% charge level)

PART #	3807-0390



tecMATE

UNIVERSAL USB CHARGER

- Low input (12.4V) auto-off protects vehicle battery from total discharge
- Works with all 5V USB-powered devices requiring at least 1000mA charge current
- Communicates with Apple devices, confirm maximum charge current delivery
- Compact USB charger includes micro and mini USB adapters with built-in resistors (including Garmin compatible)
- SAE 12V power connector (QDC compatible)
- Overload protected, short circuit proof, TÜV and FCC approved

NOTE: Cables not included.

PART #	3807-0177



tecMATE

USB FAST CHARGER

- Fast charge your phone, GPS, camera or tablet
- For any device demanding 2100mA fast charge or two devices that accept up to 1000mA each
- Connects to a standard auto 21mm power socket; power delivered via two USB sockets located directly on the charger

PART #	3807-0278



PARTS UNLIMITED

JUMPER CABLE SET

- 10-gauge battery jumper cable set
- Insulated color-coded terminal clamps for safe and secure handling
- Smaller clamps easily fit motorcycle, snowmobile, ATV and PWC batteries
- Available in 6' or 8' lengths

DESCRIPTION	PART #
6'	0912-00-006
8'	0912-00-008



YUASA BATTERY

JUMPER CABLES

- Simple to use and easy to store
- Heavy-duty, 8' 8-gauge cables won't stiffen or freeze
- Tangle-resistant; encased rubber grips for safety
- Come with convenient storage bag

PART #	YUA00ACC07



3807-0357

HIGH EFFICIENCY BATTERY TENDER PLUS

- Uses less current than the original Battery Tender while producing the same output
- Available in 1,25A and 5A versions
- Perfect for all AGM (Absorbed Glass Matt) gel, sealed maintenance-free and flooded batteries
- Fully automatic and microprocessor controlled constant four-step charging system: qualification, bulk charge, absorption and float/maintenance
- Reverse polarity protection; no damage to charger or battery
- 72-hour safety timer to prevent damage to marginal batteries
- Temperature compensation sensor adjusts voltage for extreme heat or cold
- Lightweight and compact
- Quick-connect harness and alligator clips included
- UL/CSA/CE compliant

DESCRIPTION	PART #
12V, 1,25A	3807-0357

DESCRIPTION	PART #
12V, 5A	3807-0358

BATTERY TENDER® 4 AMP SELECTABLE CHARGER

3807-0410



- Equipped with proper charge algorithm for charge and maintenance of 6V, 12V, AGM, lead acid or lithium batteries to ensure long-term battery health
- Selectable battery chemistry – has battery chemistry selection with proper charge algorithm for lead-acid, flooded or sealed maintenance free (AGM and gel cell) and lithium batteries
- Complete four-step charging program (initialization, bulk charge, absorption mode and float mode)
- Automatically switches to float/maintenance voltage after fully charging the battery
- If the battery voltage drops too far under load, full charger output power resumes
- 12V @ 4A output and 120VAC @ 50/60Hz input
- Solid state, two-color LED indicates stage of charger
- Spark proof and reverse polarity protected
- 366 cm (12') output cord

DESCRPTION	PART #
4 amp selectable charger (EU)	3807-0410

DESCRPTION	PART #
4 amp selectable charger (UK)	3807-0411

BATTERY TENDER® 3 AMP POWER PLUS CHARGER

3807-0414



- Fully automatic charger allows choice of 6V or 12V output while still providing reliability and efficiency
- 120VAC at 60Hz input; 6V or 12V output at 3 amps
- Reverse polarity protected to ensure user safety
- Spark proof and short circuit protected
- Complete 4-step charging program (Initialization, Bulk Charge, Absorption Mode, Float Mode)
- 72 hour safety timer
- Perfect for all lead-acid, flooded or sealed maintenance-free batteries (AGM and gel cell)

DESCRIPTION	PART #
3 amp Power Plus charger (EU)	3807-0414

DESCRIPTION	PART #
3 amp Power Plus charger (UK)	3807-0415

BATTERY TENDER®
1,25 AMP SELECTABLE CHARGER

- Fully-automatic battery charger with a 6V or a 12V selectable option, this charger has the proper charge algorithm to ensure long-term battery health
- Selectable battery chemistry – has battery chemistry selection with proper charge algorithm for lead-acid, flooded or sealed maintenance free (AGM and gel cell) and lithium batteries
- Complete four-step charging program (initialization, bulk charge, absorption mode and float mode)
- Automatically switches to float/maintenance voltage after fully charging the battery
- If the battery voltage drops too far under load, full charger output power resumes
- 6V/12V @ 1,25A output and 120VAC @ 50/60Hz input
- Solid state, two-color LED indicates stage of charger
- Spark proof and reverse polarity protected
- 366 cm (12') output cord



3807-0412

DESCRIPTION	PART #
1,25 amp selectable charger (EU)	3807-0412

DESCRIPTION	PART #
1,25 amp selectable charger (UK)	3807-0413



3807-0057

EC Type Approved

WATERPROOF
BATTERY TENDER® 800

- 12V/800mA charger is 100% waterproof, lightweight and compact
- Fully automatic and microprocessor-controlled constant three-step charging system: qualification, bulk charge and float/maintenance
- Protects against sparks, short circuits and reverse polarity
- Water-resistant, lightweight and compact
- Quick-connect harness and alligator clips included



0810-0696

DESCRIPTION	PART #
Waterproof Battery Tender Junior (EU)	3807-0057
Waterproof Battery Tender Junior (UK)	3807-0087

DESCRIPTION	PART #
Waterproof Battery Tender Lithium (EU)	3807-0363
Repl. snap cord, fused w/ black cover	0810-0696

BATTERY TENDER® JUNIOR
SELECTABLE CHARGERS

- Lightweight, compact, fully automatic and easy-to-use, especially in small spaces
- Selectable battery chemistry – has battery chemistry selection with proper charge algorithm for lead-acid, flooded or sealed maintenance free (AGM and gel cell) and lithium batteries
- Complete four-step charging program (initialization, bulk charge, absorption mode and float mode)
- Automatically switches to float/maintenance voltage after fully charging the battery
- If the battery voltage drops too far under load, full charger output power resumes
- 12V @ 800mA output and 120VAC @ 50/60Hz input
- Solid state, two-color LED indicates stage of charger
- Spark proof and reverse polarity protected
- 366 cm (12') output cord



3807-0408

DESCRIPTION	PART #
Battery Tender® Junior (EU)	3807-0408

DESCRIPTION	PART #
Battery Tender® Junior (UK)	3807-0409

BATTERY MANAGEMENT SYSTEMS

- Provide 12V-1,25A per channel
- Perfect for all AGM (Absorbed Glass Matt) gel, sealed maintenance-free and flooded batteries
- Fully automatic and microprocessor-controlled constant four-step charging system: qualification, bulk charge, absorption and float/maintenance
- Protect against sparks, short circuits and reverse polarity while also protecting marginal batteries with a 72-hour safety timer
- Temperature compensation sensor adjusts voltage for extreme heat or cold
- Quick-connect harness and alligator clips included (four sets each)



3807-0088

DESCRIPTION	PART #
Four-bank battery charger (EU)	3807-0088
Four-bank battery charger (UK)	3807-0089

DESCRIPTION	PART #
Repl. snap cord, fused w/ black cover	0810-0696

TWO-BANK CHARGER SYSTEM

- 4-step charging (qualification, bulk, absorption, float)
- Spark proof, short circuit protected
- Reverse polarity protected
- Temperature compensated
- Safety timer 72 hours (prevents damage to marginal batteries)



PART #	3807-0364

POWER TENDER™

- Lightweight, compact and durable charging system designed for the harshest conditions
- Fully encased and sealed in epoxy, making it resistant to water, shock and vibration
- Fully automatic and microprocessor controlled constant four-step charging system: qualification, bulk charge, absorption and float/maintenance
- Reverse polarity protection; no damage to charger or battery
- 72-hour safety timer to prevent damage to marginal batteries
- Quick-connect harness and alligator clips included
- UL/CSA/CE compliant



3807-0359



DESCRIPTION	PART #
12V, 5A	3807-0359

DESCRIPTION	PART #
24V, 2,5A	3807-0360

QDC PLUG USB CHARGER

- Plugs directly into Deltran QDC battery harness
- 2,1A maximum output current
- Allows for charging large tablets



PART #	3807-0231



Deltran Battery Tender®

ALLIGATOR CLIPS

- For use with multiple batteries
- Quick disconnect
- 0,6 m long

DESCRIPTION	PART #
Alligator clips	3807-0362



081-0148-25

Deltran Battery Tender®

SNAP CORD EXTENSION CABLES

- An easy way to get from your battery to your Battery Tender®
- Extend your range of charging from 3,5 m (12') (normal cable leads) by another 4 m (12,5') or 7,6 m (25')

DESCRIPTION	PART #
4 m (12,5') extension cable (ea.)	3807-0053
7,6 m (25') snap cord extension cable (ea.)	081-0148-25
Repl. snap cord, black (has eyelet connectors)	0810-0696

ATHENA GET

GET 12V JUMPSTARTER

- Light and compact multifunctional mini starter
- Allows restart of motorcycles and scooters when they are almost out of battery
- Can also be used as a Power Bank for electric devices thanks to the USB output port
- USB 5V/2.4A output allows connection to tablets, smartphones, MP3 etc.
- Has built-in LED flashlight
- Easy to use; provides special protection against overvoltage and inversion of power supply polarity
- Includes JumpStarter, Smart Cable, 3-in-1 USB cable and user instructions
- Start current: 200A, peak current: 400A, operating temperature range of -20°C to 60°C
- Measures 6.1" L x 3.1" W x .6" H




DESCRIPTION	PART #
GET JumpStarter	3807-0436

NGK IRIDIUM IX

IRIDIUM IX SPARK PLUGS

- The ultimate in the evolution of spark plug technology and performance from the industry leader
- The iridium electrode is 25% smaller than a platinum electrode, and it's just 1/4 the size of a conventional nickel electrode
- Ultra-small diameter center electrode reduces voltage requirement and extends ignition system life
- New metal shell plating has enhanced anticorrosion qualities



BR9EIX

PART #	PLUG #	THREAD	REACH
IRIDIUM			
BPR7EIX	BPR7EIX	14mm	3/4"
BR7EIX	BR7EIX	14mm	3/4"
BR7HIX	BR7HIX	14mm	1/2"
BR8EIX	BR8EIX	14mm	3/4"
BR8HIX	BR8HIX	14mm	1/2"
BR9EIX	BR9EIX	14mm	3/4"

PART #	PLUG #	THREAD	REACH
IRIDIUM (CONT)			
BR9EIXSOLID	BR9EIXSOLID	14mm	3/4"
BR9HIX	BR9HIX	14mm	3/4"
2103-0393	CR7EIA-9	10mm	3/4"
CR9EIX	CR9EIX	14mm	3/4"
IRIDIUM PLATINUM			
2103-0011	IMR9D-9H	14mm	3/4"

NGK

SPARK PLUGS

- Superior construction for serious power
- NGK makes plugs for almost every application and riding style
- Versatile plugs with wide operating heat ranges prevent fouling from running too cool and preignition from running too hot
- Feature high alumina ceramics for improved heat dissipation and electrical insulation, deep-seated copper core for a wider heat range and a nickel alloy tip for longer life



BR8ES



CR9EB

STANDARD

PART #	THREAD	REACH
B7ES	14mm	3/4"
B7HS	14mm	1/2"
B8ES	14mm	3/4"

PART #	THREAD	REACH
B8HS	14mm	1/2"
B9ES	14mm	3/4"
2103-0389	12mm	3/4"

SPECIAL DESIGN

PART #	PLUG #	THREAD	REACH
CR9EK	CR9EK	10mm	3/4"
DCPR8E	DCPR8E	12mm	3/4"
2103-0223	LFR7A	14mm	26.5mm
2103-0066[1]	PMR9B	10mm	3/4"

[1] Platinum plug.

SPARK PLUGS (CONT)

RESISTOR TYPES

PLUG #	THREAD	REACH
BPR7ES	14mm	3/4"
BR7ES	14mm	3/4"
BR7ESSOLID	14mm	3/4"
BR7HS	14mm	1/2"

PLUG #	THREAD	REACH
BPR8ES	14mm	3/4"
BR8ES	14mm	3/4"
BR8ES-SOLID	14mm	3/4"
BR8HS	14mm	1/2"

PLUG #	THREAD	REACH
BR9ES	14mm	3/4"
BR9ES-SOLID	14mm	3/4"
BR9EY-A	14mm	3/4"
BR9HS	14mm	1/2"

PLUG #	THREAD	REACH
CR9EB	10mm	3/4"
ZFR4F-11	14mm	3/4"
ZFR5F	14mm	3/4"

EG AND EGV RACING PLUGS

PLUG #	THREAD	REACH
B8EG	14mm	3/4"

PLUG #	THREAD	REACH
B9EG	14mm	3/4"

APPLICATIONS

FITS MODEL	REGULAR	IRIDIUM
HONDA		
Aqua Trax F-12 1200 02-04	-	**2103-0011**
Aqua Trax F12X 1200 02-04	-	**2103-0011**
Aqua Trax R-12 1200 02-04	-	**2103-0011**
Aqua Trax R-12X 1200 02-04	-	**2103-0011**
KAWASAKI		
JS400 400SX 74-75	**B7ES**	-
JS440 440SX 76-92	**BR7ES**	-
JS550 550SX (C2)	**BR8ES**	-
JB650 Jet Mate 89-92	**BR7ES**	-
JF650-A X2 86-95	**BR7ES**	-
JF650-B TS 89-96	**BR7ES**	-
JL650 SC 91-95	**BR7ES**	-
JS650 650SX 87-90	**BR7ES**	-
JS650 650SX 91-95	**BR7ES**	-
JH750-A Super Sport 92-94	**BR8ES**	-
JH750-B Super Sport Xi 93-95	**BR8ES**	-
JH750-C ZXi 95-97	**BR8ES**	-
JH750-D XiR 94	**BR8ES**	-
JH750-E Super Sport 96-97	**BR8ES**	-
JH750-F/G Super Sport Xi 96-99	**BR8ES**	-
JS750-A/B SX 92-97	**BR8ES**	-
JS750-C SXi Pro 98-02	**BR8ES**	-
JT750-A ST 94	**BR8ES**	-
JT750-B/C STS 95-99	**BR8ES**	-
JS800-A 800SXR 03-04	**BR8ES**	-
JH900-A ZXi 95-97	**BR9ES**	-
JT900-B STS 01-02	**BR9ES**	-
JT900-A/B/C/D/E STX 97-04	**BR9ES**	-
JH1100-A ZXi 96-03	**BR9ES**	-
JH1100-B Ultra 130 Di 01-04	**BR9ES**	-
JT1100-A/B STX 97-99	**BR9ES**	-
JH1200-A Ultra 150 (A2) 00-04	**BR9ES**	-
JT1200-A/C STX-R 02-04	**BR9ES**	-
POLARIS		
SL650 94-95	**BPR7ES**	-
Freedom 700 02	**BPR8ES**	-
Hurricane 700 97-97	**BPR8ES**	-
SL700 97-98	**BPR8ES**	-
SL700 Deluxe 96-98	**BPR7ES**	-
SLH 700 99-01	**BPR8ES**	-
SLTH 700 99	**BPR8ES**	-
Virage 700 00-02	**BPR8ES**	-

FITS MODEL	REGULAR	IRIDIUM
POLARIS (CONT)		
SL750 94-95	**BPR7ES**	-
SLT750 96	**BPR7ES**	-
SLX Pro 785 98-00	**BR9ES**	-
SL780 96-97	**BPR8ES**	-
SLT780 96-97	**BPR8ES**	-
SLX780 96-97	**BPR8ES**	-
Octane 800 02	**BR9ES**	-
SL900 96-97	**BPR8ES**	-
SL1050 97-98	**BPR8ES**	-
SLX 1050 99	**BPR8ES**	-
SLTX 1050 96-99	**BPR8ES**	-
Genesis 1200 99-01	**BR9ES**	-
Pro 1200 00-02	**BPR8ES**	-
SLX 1200 00-01	**BPR8ES**	-
Virage TX 1200 00-01	**BR9ES**	-
SEA-DOO		
GT 580 90-91	**BR7ES**	-
GTS 580 92-97	**BR7ES**	-
GTX 580 92-93	**BR7ES**	-
SP 580 88-96	**BR7ES**	-
SPI 580 93-97	**BR7ES**	-
SPX 580 93	**BR7ES**	-
XP 580 91-93	**BR7ES**	-
GTX 650 94-95	**BR8ES**	-
SPX 650 94-95	**BR8ES**	-
XP 650 93-94	**BR8ES**	-
GS 720 97-01	**BR8ES**	-
GSi 720 97-98	**BR8ES**	-
GTi 720 96-03	**BR8ES**	-
GTS 720 97-01	**BR8ES**	-
HX 720 95-97	**BR8ES**	-
SP 720 97-98	**BR8ES**	-
SPX 720 96-97	**BR8ES**	-
GSX 780 96-00	**BR8ES**	-
GTS 780 96-00	**BR8ES**	-
GTX 780 96-00	**BR8ES**	-
GTX RFi 78099-02	**BR8ES**	-
SPX 780 97-99	**BR8ES**	-
XP 780 95-00	**BR8ES**	-
GSX 950 Limited 97-99	**BR8ES**	-
GTX 950 99-02	**BR8ES**	-
GTX Di 950 00-03	**ZFR4F-11**	-

FITS MODEL	REGULAR	IRIDIUM
SEA-DOO (CONT)		
LRV Di 950 02-03	**ZFR4F-11**	-
RX 950 00-02	**BR8ES**	-
RX Di 00-03	**ZFR4F-11**	-
RXX 950 01-02	**BR8ES**	-
XP 950 99-02	**BR8ES**	-
YAMAHA		
WJ500 Wave Jammer 78-90	**B7HS**	-
WR500 Wave Runner 87-93	**B7HS**	-
SJ650 Super Jet 90-92	**B8HS**	-
WR650 Wave Runner 90-92	**B8HS**	-
WRA650 Wave Runner III 91-95	**BR8HS**	-
WRB6 Wave Runner VXR 91-95	**B8HS**	-
FX700 FX1 94-96	**B8HS**	-
RA700 Wave Raider 94-96	**BR8HS**	-
RA700B Wave Raider Dei 96	**B8HS**	-
RA700B Wave Raider 97	**B7HS**	-
SJ700 Super Jet 94-96	**B8HS**	-
SJ700 Super Jet 97-01	**BR7HS**	-
SJ700 Super Jet 02-04	**BR8HS**	-
XL700 Wave Runner 90-04	**BR8HS**	-
WB700 Wave Blaster 93-96	**BR8HS**	-
WRA700 Wave Runner III 95-97	**BR8HS**	-
WRB700 Wave Runner Pro VXR 93-94	**BR8HS**	-
WVT700 Wave Venture 95-98	**BR8HS**	-
GP760 Wave Runner III GP 97-00	**BR8HS**	-
RA760 Wave Raider 96	**BR8HS**	-
WB760 Wave Blaster II 96-97	**BR8HS**	-
WVT760 Wave Venture	**BR8HS**	-
XL760 Wave Runner 98-99	**BR8HS**	-
GP800 Wave Runner 98-04	**BR8ES**	-
XL800 Wave Runner 00-01	**BR8ES**	-
XLT800 Wave Runner 02-04	**BR8ES**	-
FX140 Wave Runner 1000 02-04	**CR9EB**	-
FX160 1100 04	**CR9EB**	-
RA1100 Wave Raider II 95-96	**BR8HS**	-
WVT1100 Wave Venture 96-97	**BR8HS**	-
GP1200 Wave Runner III GP 97-99	**BR8HS**	-
SUV1200 Wave Runner 99-04	**BR8HS**	-
XA1200 Wave Runner 98	**BR8ES**	-
XL1200 Wave Runner 98	**BR8HS**	-

COPPER PLUS™ SPARK PLUGS

STANDARD AND RESISTOR TYPES

- Copper Plus™ spark plugs have a copper core center electrode that allows for accurate control of heat range, optimizing performance and increasing the longevity of the spark plug
- Patented SAC-9 semi-conductor resistor for maximum EMI and RFI suppression
- Patented Ultraseal™-coated shell for rust prevention
- Made in the U.S.A.

NOTE: Part numbers beginning with "R" are resistor type. Order by Champion numbers.



N-3-C

PART #	THREAD	REACH	PER BOX
N-2-C	14mm	3/4"	10
N-3-C	14mm	3/4"	10

PART #	THREAD	REACH	PER BOX
RN-2-C	14mm	3/4"	10
RN-3-C	14mm	3/4"	10

BOLD MAGENTA part numbers are new for 2020

IRIDIUM XS SPARK PLUGS

Autolite

- Engineered to withstand extreme operating temperatures
- Iridium-enhanced 0.6mm finewire design provides improved ignitability, faster fuel combustion and more focused ignition versus standard plugs
- Also provides up to 26% quicker engine starts than standard, non-finewire spark plug
- Meets or exceeds OE specifications



2103-0419



PART #	AUTOLITE PLUG #	THREAD	REACH	HEX SIZE
2103-0416	XS4162	14mm x 1.25	3/4"	13/16" (21mm)

PART #	AUTOLITE PLUG #	THREAD	REACH	HEX SIZE
2103-0419	XS4302	10mm x 1.0	3/4"	5/8" (16mm)

NGK CROSS REFERENCE

PART #	NGK PLUG PART #
2103-0416	BP8EIX, BPR9EIX, DCPR8EIX, DCPR8EKP, DCPR8EVX, DCPR9EIX, DP9EIX-9, DP9EVX-9, DPR9EIX-9, DPR9EVX-9, DR9ECMIX
2103-0419	C9EHIX-9, C9EHVX-9, C9EHVX-9, CR6EIA-9, CR6EIA-9, CR9EHI-9, CR9EHI-9, CR9EHIX-9, CR9EHIX-9, CR9EHVX-9, CR9EHVX-9, CR9EIA-9, CR9EIA-9, CR9EIX, CR9EIX, CR9EKPA, CR9EKPA, CR9EVX, CR9EVX, CR9HIX-9, CR9HIX-9, IMR8C-9H, IMR8C-9H, IMR9A-9H, IMR9A-9H, IMR9C-9H, IMR9C-9H, IMR9C-9HE, IMR9C-9HE, IMR9C-9HES, IMR9C-9HES, IMR9D-9H, IMR9D-9H, IMR9E-9HES, IMR9E-9HES, PMR9B, PMR9B

SPARK PLUGS

- Designed for a sharper, leaner spark with tapered nickel/chrome alloy tip and copper center electrode
- Sold each
- Made in the U.S.A.



2103-0118

STANDARD TYPE

PART #	AUTOLITE PLUG #	THREAD	REACH
2103-0121	4054	14mm	3/4"

RESISTOR TYPE

PART #	AUTOLITE PLUG #	THREAD	REACH
2103-0113	4063	14mm	3/4"
2103-0118	4302	10mm	3/4"

PART #	AUTOLITE PLUG #	THREAD	REACH
2103-0123	3923	14mm	3/4"
2103-0069	4162	12mm	3/4"

NGK CROSS REFERENCE

PART #	NGK PLUG PART #
2103-0069	D9EA, DCPR8E, DCPR8EKP, DCPR8EVX, DP9EA-9, DP9EV-9, DP9EVX-9, DPR9EA-9, DPR9EIX-9, DPR9EV-9, DPR9EVX-9, DR8ES-L, J9A, KR8AI
2103-0113	B8EG, B8EGV, B8ES, B8EV, B8EVX, BPR9ES, BPR9EVX, BR8EA, BR8EG, BR8EIX, BR8ES, BR8ES SOLID, BR8ES-11, BR8ES-A, BE8EV, BR8EVX, BR9EYA, BR10ECS, BZ8ES, R5671-8
2103-0118	C9E, C9EHVX-9, C9EVX, CR6E, CR9E, CR9EB, CR9EH, CR9EH-9, CR9EHI-9, CR9EHIX-9, CR9EHVX-9, CR9EIA-9, CR9EIX, CR9EK, CR9EKPA, CR9EVX, CR9HIX-9, CR10E, CR10EK, IMR8C-9H, IMR9A-9H, IMR9C-9H, IMR9D-9H, PMR6B
2103-0121	B7ES, B7ES-11, B7EV, B7EVX, BR7EIX, BR7ES, BR7ES-11, BR7EVX, R4339-8, R5671-7
2103-0123	BKR6E, BKR6E-11, BKR6E-N-11, BKR6EK, BKR6EKU, BKR6EKUB, BKR6ES, BKR6ES-11BKR6EY, BKR6EYA, BKR7EKC-N, BKUR6ET, BKUR6ET-10, BKUR6ETB

DENSO

IW27





W22ES-U

IRIDIUM SPARK PLUGS

BETTER METALS MEAN BETTER SPARK PLUG DESIGNS

- Six times harder than platinum, iridium doesn't melt in temperatures up to 4,000°F
- Because the iridium electrodes of these plugs can be shrunk to only 0.4mm, voltage requirements decrease while firing performance improves
- 360° laser welding of electrode provides a seal that resists wear even in the worst conditions
- Ground electrode features a tapered cut and U-groove that form a large volume area for the flame's center
- Use NGK cross-reference chart to order and stock these plugs

IRIDIUM PLUG PART #	NGK CROSS-REFERENCE PLUG #
IWF22	B6HS, BP6HS, BP6HS-10, BPR6HS, BPR6HS-10, BPR6HSA, B7HS, BR7HS, BP7HS, BPR7HS, B7HVX, BP7EVX, BPR7HIX, BR7HIX
IW24	B8EG, B8ES, BR8ES, BR8ES-11, BR8EG, B8EGV, B8EV, BR8EVX, BP8ES, BPR8ES, BR8EV, BR8EVX, BR8EIX, R4118S-8
IWF24	B8HS, BR8HS, B8HV, B8HVX
IW27	B9ES, BR9ES, B9EG, BR9EG, B9EGV, B9EV, BR9EV, B9EVX, BR9EVX, BR9ECS, BPR9ES, BPR9EVX, BR9EYA, BR9EIX, R4118S-9

U-GROOVE SPARK PLUGS

STANDARD

PLUG PART #	THREAD	REACH
W24ES-U	14mm	3/4"
W24FS-U	14mm	1/2"
W27ES-U	14mm	3/4"

RESISTOR

PLUG PART #	THREAD	REACH
W24ESR-U	14mm	3/4"
W27ESR-U	14mm	3/4"

POWERMADD

E3 RESISTOR SPARK PLUGS

- Unique electrode shape maximizes the power created by the spark plug – Diamond Fire technology
- Electrode is a combination of performance and technology that results in an improved flame kernel shape
- This flame front ignites the bulk air/fuel mixture faster, moves heat into the combustion chamber faster and creates a more localized pressure front for faster pressure rise during the cylinder power stroke
- The result is more complete combustion and an improvement in engine performance
- A truly premium performance plug
- Sold each





PART #	THREAD	REACH	E3 PART #	CHAMPION REF #	NGK REF #
2103-0125	14mm	3/4"	E3.31	N84, N84G, N86, N86G, N87, N87G, RN2, RN2C, RN2G, RN3, RN3C, RN3G, RN7GY	BR8EIX, BR8ES, BR8EV, BPR9EIX, BPR9ES, BPR9EVX, BR9EYA, BZ8ES, BZ9ES

BOLD MAGENTA part numbers are new for 2020

RESISTOR COVERS



TB05EM

- NGK spark plug resistor covers used with resistor spark plugs are the best combination against radio frequency interference
- Protects aging engines from cutting out in wet conditions
- For use with 7mm diameter plug wires
- Sold each

PART #	COLOR
TB05EM	Red

PART #	COLOR
TB05EMA	Black

RACING WIRES



CR18035



CR48054

- Outer insulator of rugged, high-performance silicone and inner core of solid copper wire strands
- Connected with NGK resistor cover in either straight or 90° configurations
- Fits most applications for motorcycles, snowmobiles, watercraft and carts
- Resistor cover comes equipped with 5K-ohm ceramic resistance to defend against radio frequency interference that can disrupt electronic ignitions
- Wire/cover sets are available for plugs with removable terminals and for solid terminals in 50cm (19½") and 100cm (39") lengths

CAP TYPE	WIRE LENGTH	TERMINAL TYPE	PART #
Straight	50cm	Removable	CR18035
Straight	50cm	Solid	CR38089
90°	50cm	Removable	CR28048

CAP TYPE	WIRE LENGTH	TERMINAL TYPE	PART #
90°	50cm	Solid	CR48054
90°	100cm	Removable	CR58515
90°	100cm	Solid	CR68736

SPARK PLUG WIRE



- High-quality 7mm Hypalon®-covered spark plug wire with 19-strand tinned copper core
- Sold to dealer in 100' rolls; sold to consumer per foot

PART #	
01-114-1	

PLUG CARRIERS



- Impact-resistant plastic design fits snugly around spare spark plug
- Perfect for fanny pack or fender bag
- Keep plugs clean and gapped
- Sold in pairs

PART #	
2103-0215	

SPARK PLUG CADDY



- Dual-plug caddy holds two 14mm spark plugs securely in place

PART #	
2870368	

MAXI FUSE HOLDER CONNECTOR AND TERMINAL KIT



- Protects larger and more sensitive electronics such as amplifiers and heavy duty lighting
- Unlike molded fuse holders, this kit comes with two crimp terminals that will install virtually anywhere and on any wire you choose
- Made in the U.S.A.

PART #	
2130-0246	

BOLD MAGENTA part numbers are new for 2020


2102-0188


2112-0958


2112-0737

RICK'S MOTORSPORT ELECTRICS

STATORS

- Complete with all rubbers and OEM-style plug end
- No trigger/grommet

FITS MODEL	PART #
SEA DOO	
SP 800 97	**2102-0188**
GTX/SPX/GSX 800 96-99	**2102-0188**
XP 800 95-97	**2102-0188**
GSX/GTX Limited 951 98-99	**2102-0188**
GTX 951 00-02	**2102-0188**
LRV/RX/RXX/XP 951 00-02	**2102-0188**
1500 GTI/GTI SE 130 06-12	**2112-0958**
1500 GTI Rental 130 06-10	**2112-0958**
1500 GTI LTD 155 11-12	**2112-0958**
1500 GTS 130 11-12	**2112-0958**
1500 GTI SE 155 07-12	**2112-0958**
1500 GTR 215 12	**2112-0958**
1500 GTS Pro 130 11	**2112-0958**
1500 GTS Rental 99 11-12	**2112-0958**
1500 GTX 155 07-12	**2112-0958**
1500 GTX 215 08-09, 11-12	**2112-0958**
1500 GTX iS 215 10-11	**2112-0958**

FITS MODEL	PART #
SEA DOO (CONT)	
1500 GTX LTD 215 07-08	**2112-0958**
1500 GTX LTD iS 255 09	**2112-0958**
1500 GTX LTD iS 260 10-12	**2112-0958**
1500 GTX S 155 12	**2112-0958**
1500 RXP 155 07-08	**2112-0958**
1500 RXP 215 06-09	**2112-0958**
1500 RXP-X 255 08-11	**2112-0958**
1500 RXP-X 260 12	**2112-0958**
1500 RXP-X RS 255 09-11	**2112-0958**
1500 RXT 215 06-10	**2112-0958**
1500 RXT/ RXT aS X 260 11-12	**2112-0958**
1500 RXT aS X RS 260 11	**2112-0958**
1500 RXT iS 255 09	**2112-0958**
1500 RXT iS/RS 260 10-12	**2112-0958**
1500 RXT-X 255 08-09	**2112-0958**
1500 RXT-X 260 10-12	**2112-0958**
1500 RXT-X RS 255 09	**2112-0958**

FITS MODEL	PART #
SEA DOO (CONT)	
1500 RXT-X RS 260 10-11	**2112-0958**
1500 Wake 155 07-12	**2112-0958**
1500 Wake Pro 215 07-12	**2112-0958**
YAMAHA	
AR210 06-11	**2112-0737**
SR210 06-07	**2112-0737**
SX210 06-11	**2112-0737**
FX1000 05-08	**2112-0737**
FX1000 Cruiser 03-08	**2112-0737**
FX1000 FX140 02-04	**2112-0737**
FX1100 Cruiser 04-08	**2112-0737**
FX1100 H.O. 04-08	**2112-0737**
VX1100 Cruiser 07-11	**2112-0737**
VX1100 Sport 05-11	**2112-0737**
GP1300R 03-08	**2112-0737**

2102-0086




WSM PERFORMANCE PARTS

REPLACEMENT ARMATURES

- OEM-quality replacement parts at a low price

FITS MODEL	PART #
SEA-DOO	
580/650/720 95-04	**2102-0113**[1]
800 GSX 96-98	**2102-0086**
800 GSX LTD 98	**2102-0086**
800 GTX/GTX LTD 96-02	**2102-0086**
800 SPX 97-99	**2102-0086**
800 XP 95-97	**2102-0086**
951 GTS 98-01	**2102-0086**
951 LR/LRV 00-01	**2102-0086**
951 RX-X/XP 00-02	**2102-0086**
951 XP LTD. 98-99	**2102-0086**

[1] Complete stator assembly.



WSM PERFORMANCE PARTS


STATOR PLATE ASSEMBLY FOR YAMAHA

FITS MODEL	PART #
650 WaveRunner III 96	**2112-0637**
701 SuperJet 96-09	**2112-0637**
701 WaveBlaster 96	**2112-0637**
701 WaveRaider 94-97	**2112-0637**
701 WaveRunner III 97	**2112-0637**
701 WaveVenture 95-98	**2112-0637**
701 WaveRunner XL 99-03	**2112-0637**

2112-0458



2112-1219




2112-0462

RICK'S MOTORSPORT ELECTRICS

REGULATOR/RECTIFIERS

- Replacement-style regulator/rectifiers
- Made in the U.S.A.

FITS MODEL	PART #
KAWASAKI	
JS750 SX/SXI/SXI Pro 92-02	**2112-0458**
JS800 SX-R 03-08	**2112-0458**
SEA-DOO	
580 GT 90-91	**2112-1219**
580 GTS /GTX 92-95	**2112-1219**
580 SP 90-97	**2112-1219**
580 SPI 93-96	**2112-1219**
650 XP 93-94	**2112-1219**
650 XPI 94	**2112-1219**
720 GS 97-01	**2112-1221**
720 GS1 97	**2112-1221**
720 GTI 96-97	**2112-1219**
720 GTI 97-05	**2112-1221**
720 GTI LE 02-04	**2112-1221**
720 GTS 96-00	**2112-1219**
720 GTS 97	**2112-1221**
720 HX 95-97	**2112-1219**
720 SPX 93-96	**2112-1219**
720 XP 1995	**2112-1219**
800 GSX 96	**2112-1220**
800 GSX RFI 99-00	**2112-1218**
800 GTI LE RFI 03-04	**2112-1218**

FITS MODEL	PART #
SEA-DOO (CONT)	
800 GTI RFI 04	**2112-1218**
800 GTX 96-97	**2112-1220**
800 GTX RFI 98-02	**2112-1218**
800 SP 97	**2112-1220**
800 SPX 1997	**2112-1219**
800 SPX 97-99	**2112-1220**
800 XP 95-96	**2112-1220**
800 XP 97	**2112-1221**
951 GTX DI 00-03	**2112-1218**
951 LRV DI 02	**2112-1218**
951 RX DI 00-03	**2112-1218**
951 XP DI 03-04	**2112-1218**
GTX 1500 4-TEC/ Wakeboard Ed. 02-03	**2112-0460**
YAMAHA	
GP800 WaveRunner GP/800R 98-05	**2112-0462**
XL/XLT800 00-04	**2112-0462**
RA1100 WaveRaider 95-96	**2112-0462**
WVT1100 Wave Venture 96-97	**2112-0462**
GP1200 WaveRunner GP 97-99	**2112-0461**
SV1200 WaveRunner SUV 99-01	**2112-0461**
XA1200 WaveRunner XL 98	**2112-0461**



004-155



2102-0111

REPLACEMENT COILS AND VOLTAGE REGULATORS

• OEM-quality replacement parts at a low price

CHARGE COIL

FITS MODEL	PART #
KAWASAKI	
JS440/SX 84-92	**004-161**
JS550/SX 82-95	**004-161**
650 (all)	**004-165**
SEA-DOO	
580 GTS 92-95	**2102-0200**
580 GTX 92-93	**2102-0200**
580 SP 92-96	**2102-0200**
580 SPI 93-96	**2102-0200**
580 SPX 93	**2102-0200**
580 XP 92	**2102-0200**
650 GTX 95	**2102-0200**

FITS MODEL	PART #
SEA-DOO (CONT)	
650 SPX 94-95	**2102-0200**
720 GS 97-01	**2102-0200**
720 GSI 97	**2102-0200**
720 GTI 96-05	**2102-0200**
720 GTI LE 02-04	**2102-0200**
720 GTS 96-01	**2102-0200**
720 HX 95-97	**2102-0200**
720 SP 97	**2102-0200**
720 SPX 96-97	**2102-0200**
720 XP 95	**2102-0200**

FITS MODEL	PART #
YAMAHA	
650 Super Jet 90-95	**004-155**
650 WaveRunner III 90-93/95	**004-155**
650 WaveRunner LX 91-92	**004-155**
650 WaveRunner VXR 91-93/95	**004-155**
701 FX1 94-95	**004-155**
701 Super Jet 94-95	**004-155**
701 WaveBlaster 93-95	**004-155**
701 WaveRaider	**2102-0111**
701 WaveRunner III 94-95	**004-155**
701 WaveRunner VXR Pro 93-94	**004-155**



004-163



004-162



2102-0114

PULSING COIL

FITS MODEL	PART #
KAWASAKI	
JS440/SX 84-92	**004-163**
JS550/SX 82-95	**004-163**

EXCITING COIL

FITS MODEL	PART #
KAWASAKI	
JS440/SX 84-92	**004-162**
JS550/SX 82-95	**004-162**

LIGHTING COIL

FITS MODEL	PART #
SEA-DOO	
580/650/720 95-04	**2102-0114**
YAMAHA	
701 WaveRaider 94-95	**2102-0110**



004-180



2102-0272



2102-0202



004-157

IGNITION COIL

FITS MODEL	PART #
KAWASAKI	
750 SX/SXI/SXI Pro 92-02	**004-180**
900 (all)	**004-192**
1100 (all except STX 1100 00-01)	**004-192**
POLARIS	
650/780 92-97	**004-191**
SEA-DOO	
580 XP 92	**2102-0272**
580 GTX 92-93	**2102-0272**
580 GTS 92-96	**2102-0272**
580 SP 92-96	**2102-0272**
580 SPI 93-96	**2102-0272**
650 SPX 93-95	**2102-0272**
650 XPI 94	**2102-0272**
650 GTX 94-95	**2102-0272**
650 XP 95	**2102-0272**
720 HX 95-97	**2102-0272**
720 GTI 96-97	**2102-0272**


FITS MODEL	PART #
SEA-DOO (CONT)	
720 SPX 96-97	**2102-0272**
720 GSi 97	**2102-0165**
720 SP 97	**2102-0272**
720 GTS 97-00	**2102-0272**
720 GS 97-01	**2102-0165**
720 GTi 97-05	**2102-0165**
720 GTi LE 02-04	**2102-0165**
720 GTS 97, 01	**2102-0165**
800 GSX 96-97	**2102-0165**
800 GTX 96-97	**2102-0165**
800 SPX 97-99	**2102-0165**
800 XP 95-96	**2102-0165**
951 GTX Limited 98	**2102-0165**
1500 GTI 06-09	**2102-0201**
	2102-0202[1]
1500 GTX 03-09	**2102-0201**
	2102-0202[1]

FITS MODEL	PART #
SEA-DOO (CONT)	
1500 RXP 04-09	**2102-0201**
	2102-0202[1]
1500 RXT 05-09	**2102-0201**
	2102-0202[1]
1500 Wake 08-09	**2102-0201**
	2102-0202[1]
YAMAHA	
650 (all)	**004-157**
701 (all)	**004-157**
1100 WaveRaider 95-96	**2102-0085**
1100 WaveRunner FX/VX 04-09	**2102-0203**
1100 WaveVenture 96-97	**2102-0085**
1200 WaveRunner GP 97-99	**2102-0166**
1200 WaveRunner SUV 99-04	**2102-0166**
1200 WaveRunner XL 98	**2102-0166**

[1] Replacement rubber boot; replaces OEM #420-460-830.

2112-0209





2112-0924

2112-0925



VOLTAGE REGULATOR

FITS MODEL	PART #
KAWASAKI	
750 ZXi 95-97	**2112-0354**
900 STS 01-02	**2112-0354**
900 STX 97-98, 00-06	**2112-0354**
900 ZXi 95-97	**2112-0354**
1100 STX 97-99	**2112-0354**
1100 ZXi 96-03	**2112-0354**
Ultra 150 99-05	**2112-0355**
SEA-DOO	
All 95 models (except 800 XP)	**2112-0209**
580 SP, SPI 96	**2112-0209**
720 GS/GSI 97-01	**2112-0210**
720 GTI 96-97	**2112-0209**
720 GTI/GTI LE 98-04	**2112-0210**
720 GTS 96-00	**2112-0209**
720 GTS 01	**2112-0210**
720 HX 96-97	**2112-0209**
720 SP 97	**2112-0208**
720 SPX	**2112-0209**

FITS MODEL	PART #
SEA-DOO (CONT)	
800 GSX 96	**2112-0208**
800 GSX RFI 00	**2112-0211**
800 GTI LE RFI 03-04	**2112-0211**
800 GTI RFI 04	**2112-0211**
800 GTX 97-98	**2112-0208**
800 SPX 97-99	**2112-0208**
800 XP 96	**2112-0208**
951 GTX DI 00-03	**2112-0211**
951 GTX RFI 00-02	**2112-0211**
951 LRV DI 02	**2112-0211**
951 RX DI 00-03	**2112-0211**
951 XP DI 03-04	**2112-0211**
951 3D 05-07	**2112-0353**
1500 GTI/GTI SE	**2112-0353**
1500 GTX 4-TEC/Supercharged/ Wakeboard 04-07	**2112-0353**
1500 RXP 07	**2112-0353**


FITS MODEL	PART #
SEA-DOO (CONT)	
1500 RXP Supercharged 04-07	**2112-0353**
1500 RXT 05-07	**2112-0353**
YAMAHA	
500 87-93 (all)	**2112-0352**
650 90-96 (all)	**2112-0352**
701 90-06 (all)	**2112-0352**
760 96-00 (all)	**2112-0352**
WaveRunner 1100 FX/Cruiser/Cruiser HO 07-09	**2112-0452**
WaveRunner 1100 VX Deluxe/Cruiser/ Sport 05-09	**2112-0452**
WaveRunner 1200 GP 97-99	**2112-0924**
WaveRunner 1200 XL 98	**2112-0924**
WaveRunner 1200 XL 99-01	**2112-0925**
WaveRunner 1200 SUV 99-03	**2112-0924**
WaveRunner 1200 GP 00-02	**2112-0925**
WaveRunner 1200 SV 02-04	**2112-0924**
WaveRunner 1200 XLT 02-05	**2112-0925**



2102-0121



2102-0116



2102-0120

CDI BOXES

- OEM-quality replacement CDI boxes
- Noted models feature an adjustable rev limiter

FITS MODEL	PART #
KAWASAKI	
650	**2102-0152**
750 ST 94	**2102-0116**
750 SS 92-97	**2102-0116**
750 STX 98	**2102-0116**
750 STS 95-97	**2102-0116**
750 SX 94-95	**2102-0117**
750 SXI 95-97	**2102-0119**
750 SXI Pro 98-02	**2102-0119**
750 XI 93-97	**2102-0116**
750 XIR 94	**2102-0119**
800 SXR 03	**2102-0119**

FITS MODEL	PART #
SEA-DOO	
580 SP/SPI 93-94	**2102-0154**
580 SP/SPI 95	**2102-0120**[1]
580 SPX 93	**2102-0154**
650 GTX 94	**2102-0154**
720 GS 98-01	**2102-0121**[1]
720 GTI 01-05	**2102-0121**[1]
720 HX 95-96	**2102-0120**[1]
720 SP/SPX 96-97	**2102-0120**[1]
YAMAHA	
650/701 93-95	**2102-0153**

[1] Includes adjustable rev limiter.

START/STOP SWITCHES

FOR SEA-DOO

- OEM replacement start/stop switches

2106-0069



2106-0070



FITS MODEL	PART #
580 SP 95-96	2106-0069
580 SPi 95-96	2106-0069
650 SP 95	2106-0069
650 SPX 95	2106-0069
720 GS 97-98	2106-0070
720 GSi 97	2106-0070
720 GTi 97-98	2106-0070
720 GTS 97	2106-0070
720 GTS 98-99	2106-0069
720 HX 95-97	2106-0069


FITS MODEL	PART #
720 SP 97	2106-0069
720 SPX 96	2106-0069
720 XP 95	2106-0069
800 GSX 96-98	2106-0069
800 GTi LE RFI 03-05	2106-0071
800 GTX 97	2106-0070
800 GTX 98	2106-0069
800 GTX RFI 02	2106-0142
800 XP 95-96	2106-0069
951 LRV 00-01	2106-0142

FITS MODEL	PART #
951 RX 02	2106-0142
951 RX DI 03	2106-0071
951 XP DI 03-04	2106-0071
951 XP LTD 99	2106-0142
1500 GTI 06-07	2106-0068
1500 GTX 4-TEC 02-09	2106-0068
1500 RXP 04-09	2106-0068
1500 RXT 05-09	2106-0068

OVERHEAT/KEY ALARM

FOR SEA-DOO

- Replaces OEM #278-000-978



FITS MODEL	PART #
720 GS 97-01	2130-0068
720 GSI 97	2130-0068
800 GSX 97	2130-0068
800 GSX RFI 99-01	2130-0068
800 GTX 97	2130-0068

FITS MODEL	PART #
800 GTX RFI 98-01	2130-0068
800 XP 97	2130-0068
951 GTX/GTX DI 01	2130-0068
951 GTX LTD 98-99	2130-0068
951 LRV 00-01	2130-0068

FITS MODEL	PART #
951 LRV DI 02	2130-0068
951 RX 00-01	2130-0068
951 RX DI/RX X 01	2130-0068
951 XP 01	2130-0068

KILL SWITCHES

FOR SEA-DOO

- OEM replacement safety/kill switches
- PART #2106-0072 is a four-wire switch; PART #2106-0073 is a three-wire

2106-0072



FITS MODEL	PART #
580 GTS 95-96	2106-0073
720 GTi 96-97	2106-0073
720 GTS 97-01	2106-0073
720 XP 95	2106-0073

FITS MODEL	PART #
800 GTi LE RFI 05	2106-0072
1500 GTi 07	2106-0072
1500 GTX 07	2106-0072
1500 RXP 07-08	2106-0072

SAFETY SWITCH

FOR SEA-DOO

- Direct replacement for OEM #278-000-638



FITS MODEL	PART #
580 GTS 95-96	2106-0208
650 GTX 95	2106-0208
720 XP 95	2106-0208

FITS MODEL	PART #
720 GTI 96-97	2106-0208
720 GTS 97-00	2106-0208

UNIVERSAL KILL SWITCHES

- OEM-type replacement kill switches designed to match stock units

2106-0349



FITS MODEL	PART #
Circuit open at normal position	2106-0349
Circuit closed at normal position	2106-0350

PANEL-MOUNT TETHER-LINE KILL SWITCH

- Kills engine when rider falls off
- Attaches easily
- Wire measures 9.25"
- Tether measures 51"
- Bolt thread diameter: 10.5mm
- Normally closed



PART #	2106-0357

KILL SWITCH HOW TO ORDER

NOTICE TO CUSTOMERS: There are two types of stop switches: (1) Normally Open (NO) or (2) Normally Closed (NC).

Switches in this catalog are typically of the Normally Open (NO) type. They work by GROUNDING the primary ignition lead when activated.

Note that they will not work on electrical systems requiring a Normally Closed (NC) switch, which works by OPENING the circuit when activated. NC switches are typically used on battery type ignitions, which may have an ignition key as an identifier. NC switches are generally found on newer machines. If in doubt, check your machine's wiring schematic.

STARTERS

PARTS EUROPE

- Meet or exceed OEM specifications
- 100% OEM interchangeable with no modifications needed
- Double-sealed bearings
- Heavy-duty clutch drive
- Welded armatures that are heavy-duty epoxy sealed



FITS MODEL	PART #
ARCTIC CAT	
Barracuda 94-95	2110-0840
Daytona 93-94	2110-0840
Daytona 95	2110-0840
Monte Carlo 640 94-97	2110-0840
Montego 640/Deluxe 640 94-97	2110-0840
Tigershark 640 93	2110-0840
TS640 98-99	2110-0840
Daytona 770 96-97	2110-0840
Monte Carlo 770 96-97	2110-0840
TS770/L/R 98-99	2110-0840
Monte Carlo 900 96	2110-0840
Tigershark 900 95	2110-0840
Daytona 1000 97	2110-0840
Monte Carlo 1000 97	2110-0840
TS1000L/R 98	2110-0840
TS1100Li/R 99	2110-0840
KAWASAKI	
JS400 76	2110-0850
JS440 77-92	2110-0850
JS550 82-89	2110-0850
JS550 550 SX 90-95	2110-0850
JB650 Jet Mate 89-92	2110-0841
JF650 TS 89-96	2110-0841
JF650 X2 86-95	2110-0841
JL650 SC 91-95	2110-0841
JS650 650 SX 87-93	2110-0841
JH750 750 SS 92-97	2110-0841
JH750 750 Zxi 95-97	2110-0841
JH750 Super Sport XI 93-97	2110-0841
JH750 Xi Sport 98-99	2110-0841
JH750 XiR 94	2110-0841
JS750 750 SX 92-95	2110-0841
JS750 750 Sxi 95-97	2110-0841
JS750 750 SXi Pro 98-02	2110-0841
JT750 750 STX 98	2110-0841
JT750 ST 94-95	2110-0841
JT750 STS 95-97	2110-0841
JS800 SX-R 03-12	2110-0841
JH900 900 Zxi 95-97	2110-0841
JT900 900 STS 01-02	2110-0841
JT900 900 STX 97-06	2110-0841
JH1100 1100 Zxi 96-03	2110-0841
JH1100 Ultra 130 D.I. 01-04	2110-0841
JT1100 1100 STX 97-99	2110-0841
JT1100 1100 STX D.I. 00-03	2110-0841
JH1200 Ultra 150 99-05	2110-0844
JT1200 STX-12F 03-07	2110-0852
JT1200 STX-R 02-05	2110-0844
JT1500 STX 09-10	2110-0852
JT1500 STX-15F 04-19	2110-0852
JT1500 Ultra 250X 07-09	2110-0852
JT1500 Ultra 260LX 09-10	2110-0852
JT1500 Ultra 260X 09-10	2110-0852
JT1500 Ultra 300X/LX 11-13	2110-0852
JT1500 Ultra 310X/LX/R/SE 14-19	2110-0852
JT1500 Ultra LX 07-19	2110-0852
POLARIS	
Freedom 02-04	2110-0841
Genesis 99-02	2110-0841
Genesis FFI 00	2110-0841
Genesis Ficht 99	2110-0841
Genesis I 01-04	2110-0841
Hurricane 96-97	2110-0841
MSX 110 Turbo 04	2110-0500
MSX 140 03-04	2110-0841
MSX 150 Turbo 04	2110-0500
Octane 02-04	2110-0841
SL 650 92-95	2110-0841
SL 650 STD 95	2110-0841
SL 700 96-97	2110-0841
SL 700 Deluxe 97	2110-0841
SLT 700 96-97	2110-0841
SL 750 93-95	2110-0841
SLT 750 94-95	2110-0841

FITS MODEL	PART #
POLARIS (CONT)	
SL 780 96-97	2110-0841
SLT 780 96-97	2110-0841
SLX 780 95-96	2110-0841
Pro 785 99-00	2110-0841
SL 900 96-97	2110-0841
SL 1050 97	2110-0841
SLH 98-01	2110-0841
SLTH 98-99	2110-0841
SLTX 96-99	2110-0841
SLX 99	2110-0841
SLX 00-01	2110-0841
SLX Pro 785 97-98	2110-0841
SLXH 98	2110-0841
Virage 00-04	2110-0841
Virage I 02-04	2110-0841
Virage TX 00-02	2110-0841
Virage TXI 01-02	2110-0841
Pro 1200 00-01	2110-0841
Wave Runner (all)	2110-0841
SEA-DOO	
3D DI 04-05	2110-0851
3D DI 06-07	2110-0841
3D DI 07	2110-0843
GS 97	2110-0848
GS 98-01	2110-0848
GSI 97	2110-0848
GSX 96	2110-0849
GSX 97	2110-0849
GSX LTD 98-99	2110-0841
GSX RFI 99-01	2110-0851
GTI 96	2110-0848
GTI 96-97	2110-0848
GTI 98-03	2110-0848
GTI 04-05	2110-0848
GTI 06-08	2110-0843
GTI 09-11	2110-0843
GTI LTD 11	2110-0843
GTI LE 02-03	2110-0848
GTI LE 04	2110-0848
GTI LE 05	2110-0851
GTI RFI 03	2110-0851
GTI RFI 04-05	2110-0851
GTI SE 06-08	2110-0843
GTI SE 09-11	2110-0843
GTS 92	2110-0847
GTS 93-94	2110-0847
GTS 95-96	2110-0848
GTS 97	2110-0848
GTS 98-01	2110-0848
GTS 11	2110-0843
GTS Pro 11	2110-0843
GTX 92	2110-0847
GTX 93-94	2110-0847
GTX 95	2110-0848
GTX 96	2110-0849
GTX 97	2110-0849
GTX 98-02	2110-0841
GTX 07	2110-0843
GTX 08	2110-0843
GTX 09-11	2110-0843
GTX 4-TEC 02	2110-0843
GTX 4-TEC 03-08	2110-0843
GTX DI 00-03	2110-0841
GTX iS 09-11	2110-0843
GTX LTD 07-08	2110-0843
GTX LTD iS 09-11	2110-0843
GTX RFI 98	2110-0849
GTX RFI 99-02	2110-0851
GTX Wake 05-07	2110-0843
Wake 08	2110-0843
HX 95-97	2110-0848
LRV 00-01	2110-0841
LRV DI 02-03	2110-0841
RX 00-02	2110-0841

FITS MODEL	PART #
SEA-DOO (CONT)	
RX DI 00-03	2110-0841
RX X 01	2110-0841
RXP 04-08	2110-0843
RXP 09	2110-0843
RXP X 08-11	2110-0843
RXT 05-08	2110-0843
RXT 09-11	2110-0843
RXT iS 09-11	2110-0843
RXT X 09-11	2110-0843
RXT X aS 11	2110-0843
SP 92	2110-0847
SP 93-94	2110-0847
SP 95-96	2110-0848
SP 97	2110-0848
SPI 93-94	2110-0847
SPI 95-96	2110-0848
SPX 93	2110-0847
SPX 94	2110-0847
SPX 95	2110-0848
SPX 96	2110-0848
SPX 97	2110-0848
SPX 98-99	2110-0849
Wake 09-11	2110-0843
Wake Pro 09-11	2110-0843
XP 92-94	2110-0847
XP 95	2110-0848
XP 96-97	2110-0849
XP 98-02	2110-0841
XP DI 03-04	2110-0841
YAMAHA	
WR500 WaveRunner 87	2110-0855
WR500 WaveRunner 89-93	2110-0855
WJ500 Wave Jammer 87-91	2110-0855
WR650 WaveRunner LX 90-94	2110-0842
SJ650 Super Jet 90-93	2110-0842
WRA650 WaveRunner III 650 90-96	2110-0842
WRB650 WaveRunner VXR 91-95	2110-0842
FX700 FX1 94-95	2110-0842
RA700 Wave Raider 94-97	2110-0842
SJ700 Super Jet 94-17	2110-0842
WB700 Wave Blaster 93-96	2110-0842
WRA700 WaveRunner III 700 96-97	2110-0842
WRA700 WaveRunner III GP 94-95	2110-0842
WRB700 WaveRunner Pro VXR 93-94	2110-0842
WVT700 Wave Venture 700 95-98	2110-0842
XL700 WaveRunner 99-04	2110-0842
WB760 Wave Blaster 96-97	2110-0846
WVT760 Wave Venture 760 97	2110-0846
XL760 WaveRunner 98-99	2110-0846
GP760 WaveRunner 97-00	2110-0846
RA760 Wave Raider 760 96	2110-0846
GP800 WaveRunner 98-05	2110-0839
XL800 WaveRunner 00-01	2110-0839
FX1000 FX WaveRunner 02-08	2110-0853
FX1100 FX WaveRunner 04-08	2110-0853
RA1100 Wave Raider 1100 95-96	2110-0839
VX1100 WaveRunner 05-15	2110-0845
WVT1100 Wave Venture 1100 96-97	2110-0839
GP1200 WaveRunner 97-02	2110-0839
SUV1200 99-04	2110-0839
XL1200 WaveRunner 98-00	2110-0839
XLT1200 WaveRunner 01-05	2110-0839
GP1300 WaveRunner 03-08	2110-0839
FX1800 FX WaveRunner 08-19	2110-0854
GX1800 FZR WaveRunner 09-13	2110-0854
GX1800 FZS WaveRunner 09-13	2110-0854
VX1800 WaveRunner VXR 11-19	2110-0854
VX1800 WaveRunner VXS 11-17	2110-0854
XLT800 WaveRunner 02-04	2110-0839

RICK'S MOTORSPORT ELECTRICS


2110-0938


2110-1000


2110-0940

STARTERS


- Affordable starters are constructed with longer-life bearings than OEM
- Many OEM starter motors have an unprotected output needle bearing on the outside of the output shaft's seal; moisture can and does enter the output cap of the electric motor and follows the armature shaft to the unprotected output needle bearing, which corrodes the bearing
- Rick's takes the extra step of installing a double-sealed ball bearing, with the output shaft seal on the outside of the bearing in their new aftermarket unit
- This simple application of common-sense engineering does two things: first, the outside bearing is now protected from damaging water entry, and second, the sealed ball bearing is replaceable

FITS MODEL	PART #
ARCTIC CAT	
Barracuda 640 94-95	2110-0938
Daytona 640 93-95	2110-0938
Monte Carlo 640 94-97	2110-0938
Montego/Deluxe 640 94-97	2110-0938
Tigershark 640 all models 93, 98-99	2110-0938
Daytona 770 96-97	2110-0938
Monte Carlo 770 96-97	2110-0938
Tigershark 770 all models 98-99	2110-0938
Monte Carlo 900 96	2110-0938
Tigershark 900 all models 95-99	2110-0938
Daytona 1000 97	2110-0938
Monte Carlo 1000 97	2110-0938
Tigershark 1000 all models 98-99	2110-0938
Tigershark 1100 99	2110-0938
HONDA	
AquaTrax F-12/X 1235 02-07	2110-0943
AquaTrax F-12X GPScape 1235 04-07	2110-0943
AquaTrax R-12 1235 05-07	2110-0943
AquaTrax R-12X 1235 03-07	2110-0943
KAWASAKI	
JS400 76	2110-0935
JS440 77-92	2110-0935
JS550/SX550 82-85, 89-95	2110-0935
JF650 TS 89-96	2110-0939
JF650 X2 86-95	2110-0939
JL650 SC 91-95	2110-0939
JS650 SX 87-93	2110-0939
JH750 SS 92-97	2110-0939
JH750 ZXi 95-97	2110-0939
JH750 SS XI 93-97	2110-0939
JH750 Xi Sport 98-99	2110-0939
JH750 XiR 94	2110-0939
JS750 SX 92-95	2110-0939
JS750 SXi 95-96	2110-0939
JS750 SXi Pro 98-02	2110-0939
JT750 STX 98	2110-0939
JT750 ST 94-95	2110-0939
JT750 STS 95-97	2110-0939
JS800 SX-R 04-11	2110-0939
JH900 ZXi 95-97	2110-0939
JT900STX 97-06	2110-0939
JT1100 STX 97-99	2110-0939
JT1100 STX D.I. 00-03	2110-0939
JH1100 ZXi 96-03	2110-0939
JH1100 Ultra 130 01-04	2110-0939
JH1200 Ultra 150 99-05	2110-0942
JT1200 STX-R 02-05	2110-0942
JT1200 STX12F 03-07	2110-0934
JT1500 STX 04-15	2110-0934
JT1500 Ultra 250X 07-08	2110-0934
JT1500 Ultra 260 LX/X 09-10	2110-0934
JT1500 Ultra 300 LX/X 11-13	2110-0934
JT1500 Ultra 310 LX/R/X 14-15	2110-0934
JT1500 Ultra LX 07-15	2110-0934
POLARIS	
SL650/STD 92-95	2110-0939
SL750 93-95	2110-0939
SLT750 94-95	2110-0939
SLT780 96-97	2110-0939
SL780 96-97	2110-0939
SLX780 95-96	2110-0939

FITS MODEL	PART #
POLARIS (CONT)	
SLX Pro 785 97-98	2110-0939
Pro 785 99-00	2110-0939
SEA-DOO	
SP/GTS/GTX 580/650 92-94	2110-0932
XP580 92	2110-0932
SP/I581 95-96	2110-0933
GTS 2-Passenger 581/650 95	2110-0933
GTS 3-Passenger 581 95-96	2110-0933
SPX650 95	2110-0933
XP650 93-94	2110-0932
GTS 3-Passenger 650 95	2110-0933
GS718 97-01	2110-0933
GSI718 97	2110-0933
GTI718 96-05	2110-0933
GTS718 97-01	2110-0933
GTI LE 718 02-04	2110-0933
HX718 95-97	2110-0933
SP718 97	2110-0933
SPX718 96	2110-0933
XP718 95	2110-0933
SPX782 97	2110-0933
3D DI 782 04-05	2110-0941
GSX RFI 782 99-01	2110-0941
GTI LE 782 05	2110-0941
GTI RFI 782 03-05	2110-0941
GTX RFI 782 99-02	2110-0941
GSX/GTX800 96-97	2110-0937
GTX RFI 98	2110-0937
SPX800 98-99	2110-0937
Spark Ace/H.O. Ace 2-up/ 3-up 14-19	2110-1000
903 Trixx 17-19	2110-1000
GSX LTD 951 98-99	2110-0939
GTX 951 98-02	2110-0939
GTXDI951 00-03	2110-0939
LRV951 00-01	2110-0939
LRVDI951 02-03	2110-0939
RX951 00-02	2110-0939
RX DI 951 00-03	2110-0939
RX X 951 01	2110-0939
XP951 98-02	2110-0939
GTX S 155 12-15	2110-0944
GTX Wake 05-07	2110-0944
GTX Wake 155 05-08	2110-0944
GTX Wake 215 08	2110-0944
RXP 05-06	2110-0944
RXP 155 08	2110-0944
RXP 215 08-10	2110-0944
RXP X 255 08-11	2110-0944
RXP X 260 12-15	2110-0944
RXT 05-06	2110-0944
RXT 215 08-10	2110-0944
RXT 255 08	2110-0944
RXT 260 11-15	2110-0944
RXT IS 255 09	2110-0944
RXT IS 260 10-11	2110-0944
RXT X 255 08-09	2110-0944
RXT X 260 10-15	2110-0944
RXT X AS 11-15	2110-0944
Wake 155 08-15	2110-0944
Wake 215 08	2110-0944
Wake Pro 215 09-15	2110-0944
XP DI 951 03-04	2110-0939

FITS MODEL	PART #
SEA-DOO (CONT)	
Challenger 96-97	2110-0937
Challenger 98	2110-0933
Explorer 95-97	2110-0933
Speedster/Sportster 95-99	2110-0933
Sportster 00-06	2110-0939
YAMAHA	
AR210 270hp 3 cyl. 03-05	2110-0940
Exciter 135 3 Cyl. 98-99	2110-0940
LX210 03-05	2110-0940
Exciter 220 3 Cyl. 99	2110-0940
Exciter 270 3 Cyl. 98-99	2110-0940
WR650 LX 90-94	2110-0936
WRA650 III 90-96	2110-0936
WRB650 VXR 91-95	2110-0936
WRA700 III 96-97	2110-0936
WRA700 III GP 94-95	2110-0936
WRB700 Pro VXR 93-94	2110-0936
GP800 Wave Runner 98-05	2110-0940
XL800 Wave Runner 00-01	2110-0940
XLT800 Wave Runner 02-04	2110-0940
FX1000 FX140 998 03-04	2110-0945
FX1000 Waverunner FX 998 05-08	2110-0945
FX1000A FX140 Cruiser 998 02-08	2110-0945
SRT1000 03-05	2110-0945
FX1100 Waverunner FX HO 1052 04-06, 08	2110-0945
FX1100 Waverunner VX 1052 07	2110-0945
FX1100A Waverunner FX Cruiser HO 04-08	2110-0945
FX1100B Waverunner FX Cruiser HO 06	2110-0945
EXT1100 Exciter 96-98	2110-0940
RA1100 Wave Raider 95-96	2110-0940
WVT1100 Wave Venture 96-97	2110-0940
SRT1100 05	2110-0945
EXS1200 Exciter 98-99	2110-0940
EXT1200 Exciter 98-99	2110-0940
LST1200 99-05	2110-0940
SUV1200 99-04	2110-0940
XLT1200 Wave Runner 01-05	2110-0940
XL1200 Wave Runner 98-00	2110-0940
XRT1200 00-01	2110-0940
GP1200 Wave Runner 97-02	2110-0940
GP1200R Wave Runner 01-02	2110-0940
GP1300 Wave Runner 03-08	2110-0940
FX1800 (all models) 08-18	2110-0946
FZR/FZS1800 GX1800 (all models) 09-16	2110-0946
GP1800S 17	2110-0946
GP1800T 18	2110-0946
RM1800 13	2110-0946
RX1800 (all models) 12-13	2110-0946
SX 190 RX1800 (all models) 12	2110-0946
SXT1800 (all models) 10-13	2110-0946
XAT1800 (all models) 12-13	2110-0946
XR1800 3 Cyl. 00-01	2110-0940
VX1800 VC1800 (all models) 16-17	2110-0946
VXR1800 VX1800 (all models) 11-18	2110-0946
VXS1800 VX1800 (all models) 11-16	2110-0946
LS2000 3 Cyl. 99-03	2110-0940
LX2000 3 Cyl. 99-03	2110-0940

BOLD MAGENTA part numbers are new for 2020


2110-0196


2110-0408

STARTER SOLENOIDS/RELAYS

- OEM-quality replacement parts

FITS MODEL	PART #
KAWASAKI	
JS550SX 90-95	**2110-0196**
750 SXI Pro 98-02	**2110-0196**
750 ZXI 95-97	**2110-0195**
750 Xi Sport 98-99	**2110-0196**
800 SX-R 03-06	**2110-0196**
900 STS 01-02	**2110-0196**
900 STX 97-98	**2110-0195**
900 STX 99-06	**2110-0196**
900 ZXI 95-97	**2110-0195**
1100 STX 97-98	**2110-0195**
1100 STX 99	**2110-0196**
1100 ZXI 96-03	**2110-0195**
SEA-DOO	
580 GTX 93	**004-120**

FITS MODEL	PART #
SEA-DOO (CONT)	
580 GTS/SP/SPI/ SPX/XP 93-94	**004-120**
580 GTS 95-96	**2110-0194**
580 SPI 95-96	**2110-0194**
650 GTX 95	**2110-0194**
650 XP/XPI 93-94	**004-120**
720 GS 97-98	**2110-0194**
720 GSI 97	**2110-0194**
720 GTI 96-98	**2110-0194**
720 HX 95-97	**2110-0194**
720 SP/SPX 96-97	**2110-0194**
720 XP 95	**2110-0194**
800 GSX 96-98	**2110-0194**
800 SPX 97-98	**2110-0194**
800 XP 95	**2110-0194**

FITS MODEL	PART #
YAMAHA	
87-01 (all)	**2110-0408**
701 SuperJet 02-08	**2110-0381**
XL700 02-04	**2110-0381**
XLT800 02-04	**2110-0381**
GP800 02-05	**2110-0381**
FX1000 04	**2110-0381**
1100 FX/VX 04-08	**2110-0442**
FX140/Cruiser 02-04	**2110-0381**
GP1200 02	**2110-0381**
SUV1200 03	**2110-0381**
SV1200 02, 04	**2110-0381**
XLT1200 02-05	**2110-0381**
XLT1200 02-05	**2110-0381**
GP1300 03-08	**2110-0381**
1800 FZR/FZS 09	**2110-0442**



REPLACEMENT BRUSHES FOR 2-BRUSH MITSUBA STARTER MOTOR BRUSHES

- Replacement brushes for 2-brush starter motors
- Sold in pairs


PART #	CSMB4


2110-0113

STARTER SOLENOIDS

- New starter solenoids complete with connection hardware

DESCRIPTION	OEM #	PART #
SEA-DOO		
03-06 models	278-001-802	**2110-0112**
YAMAHA		
87-01 models	6GI-81941-10	**2110-0113**


PD-88750KYS


PD-88800SSD

STARTER DRIVES/BENDIX GEARS

- Life-tested drives meet or exceed OEM specifications
- 100% interchangeable with OEM parts

FITS MODEL	PART #
KAWASAKI	
650/750/1100 (all)	**PD-88750KYS**
POLARIS	
650/750/780/900/1050 (all)	**PD-88750KYS**

FITS MODEL	PART #
SEA-DOO	
580/650/720 (all)	**PD-88800SSD**
760/800 (all)	**PD-88800SSD**
951 (all)	**PD-88750KYS**

FITS MODEL	PART #
TIGER SHARK	
(19 tooth)	**PD-88750KYS**
YAMAHA	
701/760/1100/1200 (all)	**PD-88750KYS**

2212-0405




HOUR METER AND HOUR/TACH METER

- Hour meter keeps track of important maintenance times for oil changes, valve adjustments, spark plugs and more
- Usable with any gas engine
- Records and displays up to 9,999.9 hours; hours automatically roll over
- Includes log book to note oil changes, service intervals, etc.
- Peel and stick or attach with supplied hardware
- Connects to spark plug wire, so no batteries are needed
- Safely and completely encased in 100% epoxy
- Hour/tach meter adds the ability to check engine rpm; works with any gas engine up to two cylinders at speeds up to 20,000 rpm
- Firing pattern: 1 spark = 1 rpm; resolution in 10-rpm increments
- Made in the U.S.A.

DESCRIPTION	PART #
Hour meter	2212-0026
Hour meter w/ tachometer	2212-0405







WIRELESS HOUR METER

- The most advanced, accurate, reliable hour meter made and the quickest and easiest to install
- There are no connections required
- Automatically starts and stops from the running of your engine by sensing the resonance of the motor
- No wiring required; no power, ground or pick-up wire required – just peel and stick
- Includes resettable trip as well as total hours accumulated modes
- Includes double-sided tape and mounting screws
- Waterproof; shock-resistant
- Built-in battery has 5-7 year lifespan
- Comes with log book to track the service life, oil changes, valve adjustments, spark plugs, settings, etc.
- Records and displays to 9,999.9 hours
- Hourglass symbol automatically appears when engine is running and flashes on/off to indicate counting time
- Push button to display data when engine is not running
- Resolution 0.1 hour
- Works on any motorcycle, ATV/UTV or PWC automatically, 2- or 4-stroke
- Made with solid-state electronics, modern LCD; has superb environmental durability and enhanced functionality, making it the best choice of all possibilities without sacrificing performance, operation or budget
- Made with ROHS-compliant components
- CE Certified; IP-68 Rating
- Designed, assembled and packaged in the U.S.A.

PART #	2212-0426

RESETTABLE HOUR METER

- For use with motorcycles, ATVs, UTVs, snowmobiles and PWC
- Track the service of your vehicle's oil changes, valve adjustments, spark plugs, etc.
- Easy installation: peel and stick, no wiring necessary, or attach with enclosed hardware
- No battery required, connects to the spark plug wire
- Works on any gas engine
- Will fit Moose Racing Hour Meter Mounts PART #s 2212-0372 and 2212-0373
- Made in the U.S.A.

PART #	2212-0406

BOLD MAGENTA part numbers are new for 2020




GET

SETTABLE SOS ALARM AND WIRELESS HOURMETER

- Resistant to water, mud and dust
- Applied to the bike without the need for sensors or cables
- Performance App available for iOS and Android
- Detects when the bike falls and sends notifications to the selected accounts
- Sends alerts on service intervals
- Can be used as an hour counter to view total or partial intervals
- Easily replaceable battery for unlimited use
- IP67 certified

PART # 2212-0787



HARDLINE products

HOUR/TACH METER WITH LOG BOOK

- Tracks service time and rpm of your machine; perfect for timely oil changes, valve adjustments, spark plug replacements, etc.
- Resettable maximum rpm
- Usable with any gasoline engine
- Adjustable input for dual or single spark ignition systems
- Includes log book for writing down oil changes, valve service, and more
- Real time reading of tach up to 20k rpm
- Record total hours accumulated up to 9,999.99 hours; not resettable/erasable
- Peel and stick or attach with enclosed hardware
- Connects to spark plug wire; no batteries are required
- Safely and completely encased in 100% epoxy

PART # 2130-0102



HARDLINE products

RESETTABLE HOUR METER/ TACHOMETER WITH LOG BOOK

- Resettable timer and service modes that flash service messages at 5, 10 and 20 hours of operation
- Real time reading of Tach up to 20k rpm; records max rpm
- Also keeps track of total time accumulated
- Keeps track of important maintenance times for your machine including oil changes, valve adjustments, spark plugs, etc.
- Includes log book to write down oil changes, valve service, chassis lubrication, clutch service and suspension setting notes
- Usable with any gas engine
- Records and displays up to 9,999.9 hours
- Just peel and stick or attach with enclosed hardware
- Connects to spark plug wire; no batteries are needed
- Hours automatically roll over
- Safely and completely encased in 100% epoxy

PART # 2212-0399




ATHENA

STICK-ON HOUR METER

- Detects motor operation by discriminating casual vibrations from those given off by an activated motor
- Two meters: one with the re-settable partial count and the other records the total hours of operation
- Utilizes double-sided tape to stick to the bike
- Waterproof
- 6-year battery life

PART # 2212-0805

HARDLINE products



iMETER™ WIRELESS HOUR METER

- The most advanced, accurate, reliable hour meter made and the quickest and easiest to install
- There are no connections required
- Automatically starts and stops from the running of your engine by sensing the resonance of the motor
- No wiring required; no power, ground or pick-up wire required – just peel and stick
- Includes resettable trip as well as total-hours-accumulated modes
- Waterproof; shock-resistant
- Built-in battery has 5-7 year lifespan
- Comes with log book to track the service life – oil changes, valve adjustments, spark plugs, settings, etc.
- Records and displays to 9,999.9 hours
- Hour-glass symbol automatically appears when engine is running and flashes on/off to indicate counting time
- Push button to display data when engine is not running
- Resolution 0.1 hour
- Works on any motorcycle, ATV/UTV, snowmobile or PWC automatically; 2- or 4-stroke
- Made with solid-state electronics, modern LCD; iMETER has superb environmental durability and enhanced functionality, making it the best choice of all possibilities without sacrifice to performance, operation or budget
- Made with ROHS-compliant components
- CE Certified; IP-68 Rating
- Designed, assembled and packaged in the U.S.A.

PART # 2212-0425



HARDLINE products

HOUR METER WITH LOG BOOK

- Keeps track of important maintenance times including oil changes, valve adjustments, spark plugs, etc.
- Includes log book to record oil changes, valve service and more
- Usable with any gas engine
- Records and displays up to 9,999.9 hours; total hours are not resettable/erased
- Just peel and stick or attach with enclosed hardware
- Connects to spark plug wire; no batteries are needed
- Hours automatically roll over
- Safely and completely encased in 100% epoxy


PART # 2130-0103



TEMPERATURE SENSOR
FOR SEA-DOO 1500 GTX/RXP 4-TEC 02-09

- Replacement coolant temperature sensor

PART #	2130-0052



AC/DC CONVERTER

- Compact aluminum unit with strong resistance

PART #	2130-0048



WIRE CONNECTORS/ TERMINALS KIT

- Contains an assortment of male and female connectors, matching terminals and wire sleeving often used on imported motorcycles
- Kit includes (8) 6-place male/female connectors, (4) 4-place male/female connectors, (8) 2-place (parallel) male/female connectors, (6) 2-place (perpendicular) male/female connectors, (4) 8-place male/female connectors, (10) 3-place male/female connectors, (25) plastic sleeves, (25) female stud connectors, (25) male stud connectors, (50) male spade connectors, (50) female spade connectors

PART #	2120-0349



2120-0954



2120-0955





SOLDERLESS WIRE CONNECTORS

- No soldering gun required
- Low-heat solder melts with just a heat gun and shrinks the tubing for a watertight seal
- Waterproof, solderless heat shrink wire connectors come in four different sizes: yellow (AWG 10-12), blue (AWG 14-16), red (AWG 18-22) and white (AWG 24-26)
- PART #2120-0954 is a reclosable plastic box including 40 pieces red AWG 18-22, 40 pieces blue AWG 14-16, 10 pieces white AWG 24-26 and 10 pieces yellow AWG 10-12
- PART #2120-0955 contains 100 individual retail packs of the connectors: 15 packs (6 pcs./pack) white AWG 24-26, 32 packs (6 pcs./pack) red AWG 18-22, 35 packs (5 pcs./pack) blue AWG 14-16 and 5 packs (5 pcs./pack) yellow AWG 10-12
- Perfect for the service department or checkout counter in a wide-mouth, clear plastic jar
- Packs are individually labeled with bar codes to make it easy to deal with at the counter or for the service department; no individual pieces
- Sug. retail price is per bag

DESCRIPTION	PART #
100 Individual pcs. assortment kit in reclosable plastic box	2120-0954
Connector assortment jar, 100 total packs of four sizes	2120-0955
White AWG 24-26 100 packs (6pcs./pack)	2120-0969
Red AWG 18-22 100 packs (6pcs./pack)	2120-0970
Blue AWG 14-16 100 packs (5pcs./pack)	2120-0971
Yellow AWG 10-12 100 packs (5pcs./pack)	2120-0972



2120-0912



2120-0913



2120-0914

ADHESIVE LINED HEAT SHRINK

- Keep splices dry
- Heavily walled and adhesive lined
- Works well for battery lugs or aftermarket ignition switch terminals
- Comes in 4' lengths
- Sold in 4-pack
- Made in the U.S.A.

DIAMETER	PART #
3/16"	2120-0912
5/16"	2120-0913
1/2"	2120-0914




2120-0904



2120-0905



2120-0906



2120-0907



2120-0908

BRAIDED FLEX SLEEVING

- 3/8" ID blue flex sleeving
- Comes in 10 ft. section
- Available in eight colors
- Made in the U.S.A.



2120-0909



2120-0910




2120-0911

COLOR	PART #
Blue	2120-0904
Green	2120-0905
Red	2120-0906

COLOR	PART #
Yellow	2120-0907
Orange	2120-0908
Violet	2120-0909

COLOR	PART #
Pink	2120-0910
White	2120-0911

BOLD MAGENTA part numbers are new for 2020



Lubes

Transport & Trailer

PARTS EUROPE

FORMULA K2

- 100% synthetic, triple ester 2-stroke, high-performance premix oil
- Race track developed with factory race teams
- Ultimate hardware protection for even the most aggressive riders
- Optimal ring seal ensures maximum power output
- Very clean burning, high rpm formula reduces powervalve maintenance
- Proprietary additive system and esters combine to virtually eliminate wear
- Race proven formula has won titles around the world
- 473 ml (16 US fl oz.) bottles, 12 per case; liter bottles, 12 per case; sold each



3602-0022

DESCRIPTION	PART #
473 ml (16 US fl oz.)	3602-0022
1 liter	22901

CASTOR 927

RACING 2-CYCLE OIL

- Castor based, ester-fortified 2-stroke engine oil
- Unique blend of highly-refined castor oil, a specially prepared synthetic and an additive system that reduces carbon and gum formation and is biodegradable
- Provides excellent rust and corrosion protection
- Exotic esters and highly-refined castor oil maintain oil film thickness
- Also contains an exclusive additive that keeps power valves cleaner and working properly
- Provides extra protection at the highest temperatures on cylinder walls, bearing journals and other critical areas
- 473 ml (16 US fl oz.) bottles, 12 per case and 1 liter bottles, 12 per case; sold each



23916

DESCRIPTION	PART #
473 ml (16 US fl oz.) bottle	23916
1 liter	23901

SUPER M OIL

2-STROKE PREMIX

- Semi-synthetic, ester-based 2-stroke engine oil
- Ultimate hardware protection for all critical engine parts
- Low-ash, smokeless, ester-fortified synthetic blend premix oil with high thermal stability, better load-carrying capacity and excellent rust and corrosion protection
- Ultra-clean burning, smokeless formulation ensures maximum engine cleanliness
- Advanced, low-ash additive system reduces carbon deposits and prevents ring stick, corrosion and wear
- Exceeds JASO FD/ISO-L-EGD/ API TC specifications
- 473 ml (16 US fl oz.) bottles, 12 per case; liter bottles, 12 per case; 64 oz. bottles, six per case; and 5 gal. pail; sold each



20901

DESCRIPTION	PART #
1 liter	20901

SUPER M 2-CYCLE INJECTOR OIL

- Semi-synthetic, ester-based 2-stroke engine oil
- Low-ash, smokeless, ester-fortified synthetic blend for use in injector systems
- Ultimate hardware protection for all critical engine parts
- Surface-active esters and anti-wear additives combine to ensure anti-scuff protection
- Ultra-clean burning, smokeless formulation ensures maximum engine cleanliness
- Surface-active chemistry aggressively attaches to engine surfaces, keeping them clean and protected
- Exceeds JASO FD/ISO-L-EGD/API TC specifications
- Liter bottles, 12 per case or 1 gal. bottles, four per case; sold each



28901

DESCRIPTION	PART #
1 liter	28901
3,8 liter (1 gal.)	209128

HI TEST OCTANE BOOSTER

- Concentrated octane booster increases pump gas octane rating
- Suppresses detonation and pre-ignition
- Organic, contains no metal (lead, manganes or phosphorus) compounds
- Mix either with straight gas or with alcohol and nitrous mixtures
- For 2- or 4-stroke engines
- Legal for all racing applications
- Won't harm or discolor plastic gas tanks
- Cleans fuel delivery systems and eliminates pinging and knocking from low-quality gasolines
- Each 30 ml (1 US fl oz.) of octane booster per 3,8 liters (1 US gal.) of gas raises octane rating by four points
- 473 ml (16 US fl oz.) bottle, 12 per case; sold each



PART #	83916

QUICK 2 MIX™

- Oil/gas ratio mixing bottle
- Easy calibration – accurately mix ratios 24:1 to 100:1
- Durable polypropylene – accurate, convenient, easy, compact
- 20 per case; sold each



PART #	10120

BOLD MAGENTA part numbers are new for 2020



SC1 SILICONE DETAILER

- Restores the factory shine with a superior detailer specifically formulated for the powersports industry
- Safe on all finishes
- Cleans and polishes leaving a dry, long-lasting luster
- Excellent mud and debris release when left on surface wet
- Also effective as a light lubricant for cables and levers
- Fresh clean scent
- 340 g (12 oz.) net wt. cans, 12 per case; sold each
- Made in the U.S.A.

PART # **3706-0066**



6-IN-1 LUBRICATING FLUID

- Includes anti-wear additives that provide high film strength to this exceptional penetrating and lubricating fluid
- Cleans as it lubricates, protects against rust and corrosion, displaces water, and reduces friction
- Will not harm electrical contacts, vinyl, wood or paint
- 400 ml aerosol can, 12 per case; sold each

PART # **3607-0021**



WATERPROOF GREASE

- General purpose grease
- Superior water resistance, even in salt water, will ensure continued sealing and protection
- Ideal for wheel bearings, headsets, shock linkages, swingarm pivots and other motorcycle, ATV, snowmobile and marine chassis lubrication points
- Enhanced mechanical stability and special anti-wear additives protect and lubricate bearings for improved performance
- 454 g (16 oz.) net wt. tub or 397 g (14 oz.) net wt. cartridge; sold each

DESCRIPTION	PART #
454 g (16 oz.) net wt. tub	3607-0020
397 g (14 oz.) net wt. cartridge	3607-0023



SPEED ADDITIVE SHOOTER

- Formulated with state-of-the-art additives and fuel technologies in accordance with the requirements of today's engines, fuels and running conditions
- Optimizes performance and ensures driving enjoyment
- Engine starts easier and runs smoother
- 80 ml bottle; sold each

PART # **3707-0032**



4T ADDITIVE SHOOTER

- Increases engine performance
- Removes deposits in the fuel system, in valves, spark plugs and in the combustion chamber and prevents renewed formation
- Reduces fuel consumption
- Protects the entire fuel system from corrosion
- Prevents carburetor icing
- 80 ml bottle; sold each

PART # **3709-0002**



ENGINE FLUSH

- Cleaning fluid for clearing the engine interior of troublesome deposits
- Dissolves sludge and lacquer formers
- All types of oil-soluble and oil-insoluble residues are brought into suspension and removed during the next oil change
- An engine which has been cleaned of deposits and contamination and which is then filled with fresh oil not contaminated with old impurities can develop its full performance characteristics
- Available in 250 ml aerosol can

PART # **3707-0028**

3706-0058





GAS TREATMENT PACK

- Cures and prevents Ethanol fuel problems
- Makes all engines start easily and run smoothly
- Works in all 2- and 4-cycle engines
- Improves fuel economy
- Stabilizes gas for up to one year
- Removes carbon deposits; prevents new deposits from forming
- 237 ml (8 US fl oz.) bottle treats 182 liter (48 US gal.) of gas
- Cannot be overdosed
- PART #3706-0057 and PART #3706-0058 come with an eye-catching counter display; sold to dealer as a 6- or 48-pack, sold to consumer as each

DESCRIPTION	PART #
237 ml (8 US fl oz.) bottle 6-pk. no display	3706-0056
237 ml (8 US fl oz.) bottle 48-pk. w/ display	3706-0058



OIL ABSORBENT PADS

- Perfect for shop use; under stored vehicles, on shop benches to hold tool/parts, for mess-free carburetor repairs or any fuel- or oil-related repairs
- Will not absorb water
- Can be wrung out and re-used
- Absorbs 13 to 25 times its weight in oil and related liquids
- Dimensions: 17" x 19" sheets
- Sold in five packs
- Made in the U.S.A.

PART #	3850-0397



RX UV PROTECTANT CLEANER & POLISH™

- Provides a micro-thin layer of UV protectant that moisturizes and maintains factory shine quickly and easily
- Removes dirt, bugs, water-spots and salt
- Leaves any powersports vehicle with a protective finish and shine that prevents sun, dirt and water spot damage
- Maintains vinyl glass windows for excellent clarity
- Protects gauges, windscreens, fairings and instrument faces
- Polishes paint, gel-coat and colored plastic
- Shines and protects stainless steel, aluminum & chrome
- Provides UVA/UVB and anti-static protection

PART #	3704-0268

SWIVEL CARABINER TIE-DOWNS

- 6' long and 1.5" wide
- Oversized, high-strength, rubber-coated hook on one end
- Swivel carabiner hook means no more twisted straps
- Standard weight capacity: 1,850 lb.
- Ratchet weight capacity: 2,000 lb.
- Sold in pairs
- Made in the U.S.A.



DESCRIPTION	PART #
(A) Standard	3920-0338

DESCRIPTION	PART #
(B) Ratchet	3920-0339



HEAVY-DUTY TIE-DOWNS

- High-quality tie-downs that last
- Two oversized, high-strength rubber-coated hooks
- 6' long straps are printed with Moose Utility Division logo
- Available in standard and ratchet styles
- Made in the U.S.A.

COLOR	STANDARD TIE-DOWNS	RATCHETING TIE-DOWNS	QUAD PACK
Black	(C) 3920-0294	(F) 3920-0297	(I) 3920-0300
Red	(D) 3920-0295	(G) 3920-0298	-
Blue	(E) 3920-0296	(H) 3920-0299	-



CARABINER TIE-DOWNS

- Make securing your machine an easier job
- Each tie-down features one high-strength carabiner
- 1" wide straps are printed with the Moose Racing logo
- Built-in soft tie helps prevent damage to your machine
- 7' long (1' longer than industry standard), 1,350-lb. break strength
- Available in black, blue, orange and red
- Sold in pairs
- Made in the U.S.A.

COLOR	PART #
(J) Black	3920-0305
(K) Red	3920-0355

COLOR	PART #
(L) Blue	3920-0356
(M) Orange	3920-0357



HEAVY-DUTY TIE-DOWNS

- High-quality tie-downs from a brand you trust
- Two oversized, high-strength rubber-coated hooks
- 1" wide straps are printed with Moose Racing logo
- Built-in soft tie helps prevent damage to your machine
- 7' long (1' longer than industry standard); 1,350-lb. break strength
- Available in black, blue, red and orange
- Sold in pairs
- Made in the U.S.A.

COLOR	PART #
(N) Black	3920-0302
(O) Red	3920-0303

COLOR	PART #
(P) Blue	3920-0304
(Q) Orange	3920-0358



SOFT TYES

- Measure 1" x 18" with loops at each end
- Used to extend tie-down reach or for added protection of handlebars, frames, swingarms, etc.
- 3,000-lb. assembly strength
- Sold in pairs
- Made in the U.S.A.

COLOR	PART #
(R) Black	3920-0307

COLOR	PART #
(S) Red	3920-0308

COLOR	PART #
(T) Blue	3920-0309

BOLD MAGENTA part numbers are new for 2020

PARTS UNLIMITED

HEAVY-DUTY CAM BUCKLE TIE-DOWNS WITH BUILT-IN ASSIST



- 1 1/2" W x 6' L with built-in assist
- Webbing is rated at 5,000-lb. strength
- Nonslip cam buckles are made of strong cast aluminum with twice the strength of foreign buckles to promote longer life for the tie-down
- Hooks are 3/8" in diameter and rated at 1,200-lb. strength
- 600-lb. working load limit
- Full vinyl coating to protect chrome and paint
- Available in red, blue or black
- Packaged and sold in pairs

COLOR	PART #
(A) Red	TD00100
(B) Blue	TD00200

COLOR	PART #
(C) Black	TD00300

HEAVY-DUTY CAM BUCKLE TIE-DOWNS




- 1 1/2" x 6' webbing is rated at 5,000-lb. strength
- Nonslip cam buckles are made of strong cast aluminum
- Hooks are 3/8" in diameter and rated at 1,200 lb. strength
- 600-lb. working load limit
- Full vinyl coating to protect chrome and paint
- Packaged and sold in pairs

COLOR	PART #
(D) Black	3920-0077

COLOR	PART #
(E) Blue	3920-0079

HEAVY-DUTY RATCHETING TIE-DOWNS



- 1 1/2" x 6' webbing is rated at 5,000-lb. strength
- Ratcheting for easy cinching
- Two vinyl-coated hooks rated at 1,200-lb. straight pull strength
- 1000-lb. working load limit
- Available in black, red or blue; packaged and sold each

COLOR	PART #
(F) Black	3920-0080
(G) Red	3920-0081

COLOR	PART #
(H) Blue	3920-0082

HEAVY-DUTY CAM BUCKLE TIE-DOWNS WITH BUILT-IN ASSIST



- 1" nylon web strap, 66" long heavy-duty with built-in assist; rated at more than 1,200-lb. straight pull strength
- 400-lb. working load limit
- Cam action buckle
- Vinyl-coated 3/8" hooks
- Easy operation with maximum holding power
- Packaged and sold in pairs

COLOR	PART #
(I) Black	3920-0071
(J) Red	3920-0072

COLOR	PART #
(K) Blue	3920-0073

HEAVY-DUTY 7' CAM BUCKLE TIE-DOWNS




- 1" nylon web strap, 84" long heavy-duty; rated at more than 1,200-lb. straight pull strength
- Feature a cam action buckle with maximum holding power
- 400-lb. working load limit
- Vinyl-coated 3/8" heavy-duty hooks
- Easy operation with large hand loop for pulling tight
- Packaged and sold in pairs

COLOR	PART #
(L) Red	3920-0422
(M) Blue	3920-0423

COLOR	PART #
(N) Black	3920-0424

HEAVY-DUTY RATCHETING TIE-DOWNS WITH BUILT-IN ASSIST



- 1" nylon web strap, 6' long with built-in assist; rated at more than 1,200-lb. straight pull strength
- 400-lb. working load limit
- Ratchet for easy cinching
- Vinyl-coated 3/8" hooks
- Available in black, red or blue; packaged and sold each

COLOR	PART #
(O) Black	3920-0074
(P) Red	3920-0075

COLOR	PART #
(Q) Blue	3920-0076

HEAVY-DUTY RATCHETING TIE-DOWNS




- 1" nylon web strap, 6' long, rated at 1,500-lb. straight pull strength
- Ratchet for easy cinching
- Vinyl-coated 3/8" hooks rated at 1,200-lb.
- 400-lb. working load limit
- Available in red, black or blue; packaged and sold each

COLOR	PART #
(R) Black	131022
(S) Red	131021

COLOR	PART #
(T) Blue	131023

TIE-DOWN EXTENSIONS



- 1 1/2" wide x 18" long looped nylon straps
- Use to extend tie-down reach or for added protection of handlebars, seat rails, etc.
- 3,000-lb. assembly strength
- Sold in pairs

COLOR	PART #
(U) Black	3920-0083

COLOR	PART #
(V) Red	3920-0084

BOLD MAGENTA part numbers are new for 2020



1" RATCHET WITH SOFT-TYE

- Intended for middle-weight bikes, ATVs, snowmobiles, PWC and shop equipment
- Industrial-grade PowerTye ratchet
- Sewn-in Soft-Tye
- 4,500-lb. test nylon webbing
- 3/8" heavy-duty vinyl-coated hooks
- 700-lb. working load
- Double security stitching
- 6' length
- Sold in pairs
- Made in the U.S.A.

PART #	3920-0048

1" RATCHETS




- Intended for middle-weight bikes, snowmobiles, ATVs, PWC and shop equipment
- Industrial-grade PowerTye ratchet
- 4,500-lb. test nylon webbing
- 3/8" heavy-duty vinyl-coated hooks
- 700-lb. working load
- Double security stitching
- 6' length
- Sold in pairs
- Made in the U.S.A.

PART #	3920-0047

1" CAM BUCKLES WITH SOFT-TYE SEWN-IN

- Secure latch hook with vinyl-coated S-hook
- 1" wide cam buckle
- Integrated hand loop for easy adjustment
- 4,500-lb. test nylon webbing
- 400-lb. working load
- Double security stitching
- 5 1/2' length
- Sold in pairs
- Made in the U.S.A.




DESCRIPTION	PART #
(A) Red	3920-0291

DESCRIPTION	PART #
(B) Black	3920-0292

DESCRIPTION	PART #
(C) Blue	3920-0293

1" SOFT-TYE TIE-DOWNS

- Original PowerTye design features sewn-in Soft-Tye
- 4,500-lb. test nylon webbing
- 3/8" heavy-duty vinyl-coated hooks
- Industrial-grade PowerTye cam-buckle
- 400-lb. working load
- Hand loop for pulling tight
- 5 1/2' length plus Soft-Tye
- Double security stitching
- Sold in pairs
- Made in the U.S.A.



COLOR	PART #
(D) Black	3920-0038
(E) Red	3920-0039

COLOR	PART #
(F) Blue	3920-0040
(G) Silver	3920-0041

COLOR	PART #
(H) Green	3920-0042
(I) Yellow	3920-0043

1" STANDARD TIE-DOWNS

- 4,500-lb. test nylon webbing
- Industrial-grade PowerTye cam buckle
- 3/8" heavy-duty vinyl-coated hooks
- 400-lb. working load
- Hand loops for pulling tight
- 5 1/2' length
- Double security stitching
- Sold in pairs




COLOR	PART #
(J) Black	3920-0035
(K) Red	3920-0036

COLOR	PART #
(L) Blue	3920-0037

1" SOFT-TYE/EXTENSIONS

- Perfect for bars or secure areas too thick for hooks
- Won't scratch paint or chrome
- 4,500-lb. test nylon webbing
- Sold in pairs
- Made in the U.S.A.



COLOR	PART #
(M) Black	3920-0049
(N) Red	3920-0050

COLOR	PART #
(O) Blue	3920-0051

PLUSH SOFT-TYE COVERS

- Slide over existing 1" or 1 1/2" tie-down extensions to guard against scratching paint or chrome
- Strap not included
- 12" long
- Sold in pairs
- Made in the U.S.A.



PART #	3920-0136

NEOPRENE RATCHET COVERS

- Keep the metal ratchet from damaging paint and chrome
- Also keep excess webbing together
- Make the ratchet stay in the locked position
- Will fit 1" to 2" strap
- PowerTye logo
- Patent pending
- Sold in pairs
- Made in the U.S.A.



PART #	3920-0052

JET LOGIC

8-FT. TRIPLE-HOOK RATCHET TIE-DOWN WITH SOFT HOOK



- Ratchet secures entire machine with only one tie-down
- Three coated hooks, a soft hook and the 8 ft. length make this the universal tie-down
- Great for ATVs, snowmobiles, personal watercraft and motorcycles
- Available in black only

PART #	TDR-38

FULTON

TRANSOM RETRACTABLE RATCHET TIE-DOWNS




- 2" W x 43" L strap with 833-lb. load capacity and 2,500-lb. break strength
- Strap retracts for storage without tangling
- Vinyl-coated J-hook
- Include hardware for easy bolt-on function
- Sold in pairs

PART #	3920-0320

Caliber

MARINE SLIDES™

TRAILER BUNK PADS





3902-0205

- Make loading and unloading watercraft easy
- Made from a low-friction composite which is impervious to sun, weather and salt water
- Washout channels flush sand and debris from glides to protect hull from scratches
- Allow for loading and unloading in shallow areas while keeping wheel bearings and electrical systems dry
- Tough and durable for years of use
- Fit horizontal and vertical trailer bunks
- Fast and simple installation
- Available in 3" W x 15" L or 1½" W x 15" L
- Come with all mounting hardware
- Sold in 10-packs
- Made in the U.S.A.

COLOR	PART #
3" W x 15" L	
Black	**23010**
White	**23011**
Yellow	**23013**

COLOR	PART #
1½" W x 15" L	
Black	**3902-0205**
White	**3902-0206**

Caliber

D-RING ANCHOR KITS



- Rated to 5,000 lb.
- Flush mounting does not interfere with cargo
- Spring-loaded for no rattling when not in use
- Available in zinc-plated or stainless steel
- Each kit includes two D-rings, full backer plates and all hardware including Torx T-20 fasteners and driver
- Easy-to-follow installation template and instructions included on the package
- Made in the U.S.A.

DESCRIPTION	PART #
(F) Zinc-plated	**3920-0359**
Stainless steel	**3920-0360**

Atlantis

QUICK TIE-DOWN PIN

FOR YAMAHA



- Easy way to tie down any PWC, tow a skier, tow another PWC or boat, attach a docking line or winch your PWC onto a trailer or landing
- A clean look with quick attachment
- For all Yamaha models with front or rear bow eyes

PART #	A-8112

Caliber
Bunk Wrap

BUNK WRAP KITS



3902-0154

3902-0207

- Great for trailers and boat lifts
- Reduces the spread of invasive species
- Eliminates electrolysis breakdown on aluminum
- Wraps directly over carpeted bunks or on bare wood
- Slot fastening for wrinkle-free adjustment
- Material will not wear, crack, chip or fade
- Measures 2" x 4" in a 16' roll
- Available in gray or black
- Includes four end caps and necessary mounting hardware
- Made in the U.S.A.

DESCRIPTION	PART #
Gray	**3902-0154**
Black	**3902-0207**

FULTON

BUNK CARPET



- 12" x 144" marine-grade carpeting
- Allows the do-it-yourselfer to replace worn and dirty carpet on bunk trailers
- Protects PWC or boat from scratches on the hull
- Keeps investment in like-new condition
- Individual rolls are shrink-wrapped

PART #	3902-0008

BOLD MAGENTA part numbers are new for 2020



1706-0115




1706-0163

FULTON SPARE TIRE CARRIERS

- For rim and tire combinations from 8" to 15"; fits both 4- and 5-hole rims
- Even holds 20" x 8" x 10" wheel when mounted on 2' x 3' or 3' x 3' trailer frames

DESCRIPTION	PART #
Spare tire carrier	1706-0115
Spare tire carrier w/ lock	1706-0163



KIMPEX HIGH-MOUNT SPARE TIRE CARRIER

- Designed to mount on the side of all tongues up to 3" W x 4" H
- Heavy-duty welded and reinforced steel plate construction with galvanized finish
- Adjustable bolt circle to fit both 4- and 5-lug wheels
- Easy bolt-on installation

PART #	3902-0055



3902-0061

FULTON SWIVEL JACKS

- High-quality jacks with bolt-through or retaining ring swivel mounts
- Factory-assembled mounting bracket provides for quick-and-easy trailer installation
- Heavy-gauge steel stampings and proprietary bushing material for maximum support with minimal deflection
- Fit trailer tongues up to 3" x 5"
- 1:1 sidewind gear ratio makes operation simple
- 10" of screw travel; total lift of 22.75"
- Constructed of heavy-duty zinc-plated steel tubing with 6" reinforced poly wheel; 1,500-lb. swivel jack features an 8" wheel
- Made in China

LIFT CAPACITY	SERIES	PART #
RETAINING RING SWIVEL		
1,000 lb.	Value	3902-0061
BOLT-THROUGH SWIVEL		
1,200 lb.	High-performance	XP10S
1,500 lb.	High-performance	XP150



FULTON XLT 1,500-LB. SWIVEL JACK

- Factory-assembled mounting bracket provides for quick-and-easy bolt-on trailer installation
- 1,500-lb. capacity and up to 12" of lift
- Patent-pending TruTurn 360° castering system
- Fits trailer tongues up to 3" x 5"
- Sharkskin™ finish for optimum corrosion resistance
- Grease fittings in key locations for easy lubrication
- Stylized handles with soft touch grips
- Easy 5:1 cranking ratio cranks 35% faster than the competition

PART #	3902-0187



T903Z

FULTON TRAILER WINCH WITH STRAP

- Comfortable grip handle makes cranking a snap
- 900-lb. capacity
- Zinc-plated finish for superior corrosion protection
- 3.1:1 gear ratio lowers handle effort for smooth, easy operation
- Two-way ratchet, offset handle and nylon strap with hook-and-loop fastener
- Meets or exceeds SAE Standard J1853

- Replacement winch strap with hook available separately; measures 2" x 12' and features an 1,800-lb. maximum working load

DESCRIPTION	PART #
Trailer winch w/ strap	T903Z
Repl. winch strap	WSP12



3902-0186



3902-0185

KIMPEX SWIVEL JACKS

- 1,500 lb. single-wheel or 2,000 lb. dual-wheel design
- 6" swivel for easy maneuvering
- Lifts from 14" to 24"
- Fits up to 3" x 5" trailer tongue
- Easy toggle when pulling pin
- Protective corrosion-resistant finish
- Mounting hardware included

DESCRIPTION	PART #
1,500 lb. swivel jack	3902-0185
2,000 lb. dual-wheel swivel jack	3902-0186



KIMPEX

MANUAL TRAILER WINCH

- Quality non-corrosive material and meticulous workmanship on all components
- 1,000-lb. capacity

PART #	3902-0047

FULTON

FAS-LOK™ COUPLERS

- Straight-tongue stamped couplers with Fas-Lok™ mechanism for quick, easy hookup
- Couplers have lock holes for additional trailer security
- Choose from $1^{7}/_{8}$" and 2" ball models



1706-0138

BALL SIZE, CHANNEL WIDTH	SAE CLASS	PART #
$1^{7}/_{8}$", 2"	I	1706-0138
$1^{7}/_{8}$", 3"	I	1706-0139
2", 2"	II	1706-0141
2", 3"	II	1706-0142



FULTON

TRAILER HITCH CHAINS WITH HOOKS

- Rated at 5,000 lb.
- Measure 24" long
- Sold as a pair

PART #	3902-0062



3902-0063



3902-0064



3902-0131

KIMPEX

RECEIVER TUBES



3902-0045

- Dropdown receiver tubes match value and quality
- Solid one-piece forged construction
- For receiver hitches with 2" W x 2" L box opening
- For hitch balls with 1" shank diameter

DESCRIPTION	PART #
3.25" drop	3902-0045
2" drop	3902-0046

FULTON

BALL MOUNTS

- Fits receiver hitches with 2" x 2" receiver
- For hitch balls with 1" shank diameter
- Sleeve reducer available separately to convert 2" receiver tube for use with 2.5" receiver

DESCRIPTION	PART #
BALL MOUNTS	
2" x 2" x 2" drop	3902-0063
2" x 2" x 4" drop	3902-0064
SLEEVE REDUCER	
2.5"-2"	3902-0131

FULTON

TRAILER BALLS



3902-0058

- Solid steel hitch balls
- Cold forged for superior strength

HITCH BALL DIAMETER	SHANK DIAMETER	SHANK LENGTH	CAPACITY	PART #
$1^{7}/_{8}$"	$^{3}/_{4}$"	$1^{1}/_{2}$"	2,000 lb.	3902-0058
2"	$^{3}/_{4}$"	$1^{1}/_{2}$"	3,500 lb.	3902-0059
2"	1"	$2^{1}/_{8}$"	6,000 lb.	3902-0060
1,9"	$^{3}/_{4}$"	$1^{1}/_{2}$"	3,500 lb.	3902-0222



KIMPEX

TRAILER BALL

- Solid steel construction; chrome-plated

HITCH BALL DIA.	SHANK DIA.	SHANK LENGTH	CAPACITY	PART #
2"	$^{3}/_{4}$"	$1^{5}/_{8}$"	3,500 lb.	3902-0050
2"	1"	2"	5,000 lb.	3902-0051



GORILLA® COUPLER LOCK

- Revolutionary design shields lock from tampering devices
- Heavy-duty cast construction
- For 2" couplers

PART #	TP20X


FULTON



BRASS HITCH LOCK

- Economical theft deterrent
- Features a durable brass body
- Adjusts to fit most couplers

PART #	BHLO



4010-0274



1703-0006

RECEIVER LOCKS

- Keeps drawbar securely locked
- High-strength cast lock body with corrosion-resistant finish
- Quick-action lock for easy latching
- Vinyl lock cover keeps road debris out
- Available in hardened steel with $^{1}/_{2}$" or $^{5}/_{8}$" pin

DESCRIPTION	PART #
Combo lock set for 2" x 2" receiver	4010-0274
$^{1}/_{2}$" dia. pin for $1^{1}/_{4}$" x $1^{1}/_{8}$" receiver	1703-0005
$^{5}/_{8}$" dia. pin for 2" x 2" receiver	1703-0006

BOLD MAGENTA part numbers are new for 2020

FULTON

BEARING PROTECTOR WITH BRA

- Two great features in one product: wheel bearing protector with bra that captures any grease released by pressure relief
- No more grease on wheels
- Measure inner diameter of hub to obtain proper size; sold in pairs


1706-0131

DESCRIPTION	PART #
$1^{3}/_{4}$" protector	1706-0131
2" protector	1706-0132
2" protector cover	0213-0002

FULTON

TRAILER HUB BEARING KITS

- Kit contains two bearing cones, two bearing cups, grease seal and cotter pin
- Available in three spindle sizes


1706-0116

SPINDLE OD	HUB DIA.	PART #
1"	1.980"	1706-0116
$1^{1}/_{16}$"	1.980"	1706-0161
$1^{3}/_{8}$" x $1^{1}/_{16}$"	1.980"	1706-0118

CHRIS PRODUCTS

LED LIGHT BARS

- 3-function LED light bars that emit red when activated (running light, stop light, right and left turn signals)
- 55" wire length
- 15" x 1.5" x $^{7}/_{8}$"
- Polycarbonate base
- SAE/DOT compliant


2040-1031


2040-1032


2040-1033

DESCRIPTION	PART #
Red lens/black base	2040-1031

DESCRIPTION	PART #
Red lens/white base	2040-1032

DESCRIPTION	PART #
Clear lens/white base	2040-1033

Get Lit' Up! Brite-Lites!

TRAILER LED BRITE LITES

- Works with any enclosed, open, steel or aluminum trailer
- Hi-output LEDs are made with the highest quality LED components and have built-in reflectors
- Includes bullet wire leads for plug-in applications
- Works with rubber gasket or metal bezel mounts
- All units are waterproof sealed
- Replaces any standard trailer light
- DOT/SAE compliant


2010-0639


2010-0640


2060-0081


2060-0082


2060-0085


2060-0086


2060-0118


2060-0119


2060-0237


2060-0120


2060-0087


2060-0088


2060-0089

DESCRIPTION	PART #
14" long strip light, clear/11 red LED dual function	2010-0639[1]
Oval 2.5", marker light, clear lens/2 red LED	2010-0640
Oval 2.5", marker light, clear lens/2 amber LED	2010-0641
Oval 10 LED, red	2060-0081
Oval 10 LED, amber	2060-0082
Round 2", 8 LED, red	2060-0083
Round 2", 8 LED, amber	2060-0084
Round 2.5", 10 LED, red	2060-0085
Round 2.5", 10 LED, amber	2060-0086

DESCRIPTION	PART #
Rectangle 13.5", 13 LED dual function, red	2060-0118[1]
Rectangle 4", 6 LED, red w/ clear lens	2060-0119[1]
Rectangle 6", 12 red LED dual function	2060-0237[1]
Rectangle 3.75" 12 LED, red	2060-0120
Rectangle 3.75" 12 LED, amber	2060-0121
Rectangle 3 LED, red	2060-0087
Rectangle 3 LED, amber	2060-0088
Rectangle 3 LED, clear	2060-0089

[1] Dual function run and brake kit.

Get Lit' Up! Brite-Lites!

LED TAILLIGHT BULBS

- Revolutionary 360° design of LEDs around the base of the bulb
- Only LED taillight that will function in any mounting position and on any application
- Made of the highest quality LEDs to emit the most light possible
- LEDs draw extremely little electricity, are vibration-resistant and last up to 10,000 hours of use
- 1156 and 1157 have round metal bases, and the 3156 and 3157 have flat plastic bases
- Sold each


2060-0074


2060-0070


2060-0073


2060-0071

DESCRIPTION	PART #
1156	
Clear	2060-0150
Red	2060-0072
Amber	2060-0074

DESCRIPTION	PART #
1157	
Clear	2060-0068
Red	2060-0070
Red	2060-0351[1]
Amber	2060-0153

DESCRIPTION	PART #
3156	
Clear	2060-0350
Red	2060-0073
Amber	2060-0075

DESCRIPTION	PART #
3157	
Clear	2060-0069
Red	2060-0071
Amber	2060-0154

[1]This bulb is $^{5}/_{16}$" longer than standard 1157 bulb with 20 LEDs for maximum brightness.



ALARM CABLE LOCK

- 25mm Quadra-braid cable
- 72" length
- Push-button activation and weather-resistant housing
- Alarm will reset itself

PART #	4010-0187



ALARM CHAIN LOCK

- 10mm hardened chain links
- 36" length
- Push-button activation and weather-resistant housing
- Alarm will reset itself
- Includes three keys and batteries

PART #	4010-0186



4010-0010



4010-0011



4010-0012

GLADIATOR SERIES ARMORED CABLES

- Indestructible maximum-security armor-plated cable locks
- Plastic-covered braided stainless steel covers with patented hardened armor-plated steel cups that repel saw cuts and bolt cutters
- Flexible for easy transport
- Ballistic-grade polymer lock housing cover resists hammer strikes; protects lock mechanism
- Patented key cover resists grime and moisture

DESCRIPTION	PART #
48" x 26mm dia.	4010-0010
72" x 26mm dia.	4010-0011
36" x 22mm dia.	4010-0012



4010-0015



4010-0016



4010-0017

TRIMAFLEX™ COILED CABLE LOCKS

- High-strength Trimaflex™ quadra-braid cable with PVC protective coating to prevent surface scratching
- Lock mechanisms are covered in rugged plastic for durability and trouble-free use

DESCRIPTION	PART #
72" cable w/ U-lock	4010-0015
72" cable w/ combination lock	4010-0016
72" cable w/ quick-release lock	4010-0017

4010-0013





4010-0014



4010-0052



4010-0053



4010-0055

TRIMAFLEX™ MAX SECURITY BRAIDED CABLES

- Quadra-braid cables
- Available with integrated lock or for use with Trimax™ disc and U-locks

DESCRIPTION	PART #
WITH KEYED CABLE LOCK	
32" x 15mm	4010-0013
72" x 20mm	4010-0014

DESCRIPTION	PART #
DUAL-LOOP CABLES	
30' x 10mm	4010-0052
15' x 10mm	4010-0053

DESCRIPTION	PART #
DUAL-LOOP CABLES (CONT)	
12' x 12mm	4010-0054
8' x 15mm	4010-0055



MULTI-USE CABLE LOCK

- Feature 10' x 10mm Trimaflex™ ultra-tough braided cable
- Resettable combination MAG series lock
- Great for use on bikes, bike carriers, trailers or watercraft on the beach

PART #	4010-0049



VERSA CABLE LOCK

- Multi-use versa cable lock
- Trimaflex™ cable with locking cinching feature
- 6' x 10mm

PART #	4010-0071



RETRACTABLE CABLE LOCK

- Rugged three-digit resettable combination lock
- 36" L x 3mm diameter retractable cable

PART #	4010-0050

BOLD MAGENTA part numbers are new for 2020



4010-0020



4010-0025

STAINLESS STEEL HIGH-SECURITY SHIELDED PADLOCKS

- 70mm round padlock with 10mm hardened shackle and exclusive armor-plated key core for additional security
- Ultra-high security $2^{7}/_{8}$" lock with solid steel body and hidden $^{3}/_{8}$" diameter internal shackle
- Ideal for enclosed trailers, forks, cases with T-Hex™ chain and cargo boxes

DESCRIPTION	PART #
70mm stainless steel round padlock	4010-0020
$2^{7}/_{8}$" solid steel body padlock	4010-0025



4010-0024

4010-0023

MAXIMUM SECURITY PADLOCKS

- Hardened chrome steel padlocks
- Commercial grade
- Ideal for enclosed trailers, forks, cases with T-Hex™ chain and cargo boxes

DESCRIPTION	PART #
64mm round body, 1.25" x 11mm shackle, rekeyable	4010-0023
64mm round body, 2.25" x 11mm shackle, rekeyable	4010-0024



RESETTABLE COMBINATION PADLOCK

- Easy-to-use, resettable combination padlock features 2" W solid brass bodies and hardened shackles
- 1.25" x $^{5}/_{16}$" diameter shackle

PART #	4010-0018



4010-0001

WEATHERPROOF PADLOCK

- Rugged weather-resistant PVC housing covers laminated solid brass lock body
- Dual-locking $1^{1}/_{8}$" x $^{5}/_{16}$" diameter hardened shackle

DESCRIPTION	PART #
Single padlock	4010-0001
Set of three keyed-alike padlocks	4010-0002



UNIVERSAL CHOCK LOCK

- Ideal for motorcycles, trailers, ATVs, snowmobiles, etc.
- Easy two-step installation: just push lock around the wheel and slide lock tight
- Comes with three keys

PART #	4010-0085



UMAX50 UNATTENDED TRAILER LOCK

- Aluminum body with corrosion-resistant powdercoat finish
- Hardened steel $^{5}/_{8}$" hasp secures unattended trailer
- Reinforced shoulder guard resists hammer strikes and saw cuts
- Universal size; fits all coupler types from $1^{7}/_{8}$" to $2^{5}/_{16}$"
- Keyhole cover seals out dirt and grime

PART #	4010-0066



ADJUSTABLE COUPLER LOCK

- Features an adjustable locking pin
- The coupler has a $^{7}/_{8}$" to $3^{1}/_{2}$" span
- Triple-plated with a chrome finish

PART #	4010-0086



UNIVERSAL COUPLER LOCK

- Fits all coupler types and sizes from $1^{7}/_{8}$" to $2^{5}/_{16}$"
- Made of high-quality hardened steel
- Ballistic-grade polymer lock housing cover resists hammer strikes and protects lock mechanism
- AMS (Absolute Maximum Security) for your trailer with 360° of solid steel security
- Dual-force coupler lock can be used with cable or chain to secure trailer to ground anchor or fence
- Attractive package for grid rack or counter display

PART #	4010-0038



SOLID STAINLESS $^{5}/_{8}$" STEEL RECEIVER LOCKING PIN

- Polished 100% stainless steel
- Symmetrical design adds that classic finishing touch
- Head pull strength rated at over 5,000 lb.
- Quarter-turn lock and unlock
- Patented dual-lock lug design
- Patented internal O-ring cap helps seal out grime for trouble-free use
- Test specifications exceed 40,000 lb.

PART #	4010-0034

4010-0030



4010-0032



MACHINED HARDENED STEEL LOCKING PINS

- Quarter-turn locks/unlocks head
- Lock can't pop open or false lock
- Triple-plated chrome finish or black epoxy powdercoated finish

DESCRIPTION	PART #
Chrome, $^{1}/_{2}$" for all Class II receiver hitches	4010-0030
Chrome, $^{5}/_{8}$" for all Class III, IV and V receiver hitches	4010-0031
Black, $^{5}/_{8}$" for all Class III, IV and V receiver hitches	4010-0032

DELUXE RECEIVER PIN AND CLIP

- Triple-plated chrome

DESCRIPTION	PART #
$^{1}/_{2}$" for Class I and II receivers	4010-0036

4010-0039



4010-0042





4010-0045



4010-0047

PREMIUM COUPLER LOCKS

- Choice of stainless steel or triple-chrome-plated hardened steel
- Easy quarter-turn locks and unlocks head
- Can't pop open or be falsely locked
- Patented design incorporates O-ring and watertight cap to help seal out dirt and corrosion from the lock head mechanism
- Full-length solid forged lock pin can't pull out
- Available individually or in keyed-alike sets

DESCRIPTION	PART #
INDIVIDUAL HARDENED STEEL LOCKS	
For couplers w/ up to $^{3}/_{4}$" span	4010-0039
For couplers w/ up to $2^{1}/_{2}$" span	4010-0041
For couplers w/ up to $3^{1}/_{2}$" span	4010-0042
KEYED-ALIKE HARDENED STEEL LOCK SET	
One $^{5}/_{8}$" diameter lock and one $2^{1}/_{2}$" span lock	4010-0045
KEYED-ALIKE STAINLESS STEEL LOCK SET	
One $^{5}/_{8}$" diameter lock and one $^{9}/_{16}$" span lock	4010-0047



RESETTABLE COMBINATION RECEIVER LOCKING PIN

- Easy-to-read numbers
- Forged steel lock tip
- Triple-chrome-plated steel pin
- Heavy-duty collar overlaps hitch pin for unmatched strength and security
- For 2" x 2" receivers (Class III, IV, V)
- Protective lock head cover included

PART #	4010-0033




FLIP-TIP RECEIVER PIN

- Polished stainless steel
- $^{5}/_{8}$" pin for all Class III, IV and V receivers
- Easy operation; tip snaps firmly into place to install or remove
- Sold each

PART #	4010-0035



DESCRIPTION	PART #
$^{5}/_{8}$" for Class III, IV and V receivers	4010-0037



Tools Merchandising



4101-0390

EAZYMOVE

HEAVY DUTY ADJUSTABLE WATERCRAFT STAND



4101-0391

- Watercraft stand (PART #4101-0390) measures 14 1/2" tall, floor-to-center of carpeted bunk and can be adjusted in for stand-up watercraft (17" center-to-center of one bunk to the other), or adjusted out to 23" wide for runabout models with 1,400 lb. capacity
- Extension kit (PART #4101-0391) has four 9 1/2" long pieces to raise height of watercraft for shop use (20 1/2" tall, floor-to-center of bunk), or stagger on one side to angle watercraft for showroom/sales
- Replacement wheels and carpeted bunk sold separately

DESCRIPTION	PART #
Watercraft stand	4101-0390
Extension kit	4101-0391
Wheel w/ brake	4101-0392

DESCRIPTION	PART #
Wheel	4101-0393
Carpeted bunk	4120-0047

MOTORSPORT PRODUCTS

PWC SHORELINE SCISSOR STAND/RUNABOUT



- Elevates PWC off shoreline, preventing rocks, soil and debris from washing into pump
- Helps keep PWC from floating away due to wave action
- Stabilizes PWC for maintenance while on shore
- Folding scissor design is very compact for easy transportation and storage; folds flat to 47" x 5" x 20"
- Strong 1 1/2" nylon straps incorporated with heavy-duty aluminum buckles for extra strength
- Made of high-quality aircraft aluminum
- Stainless steel hardware used for assembly; won't rust
- Silver anodized for a long-lasting protective finish

PART #	4101-0349

MOTORSPORT PRODUCTS

PWC SHORELINE SCISSOR STAND/STAND UP



- Elevates PWC off shoreline, preventing rocks, soil and debris from washing into pump
- Helps keep PWC from floating away due to wave action
- Stabilizes PWC for maintenance while on shore
- Folding scissor design is very compact for easy transportation and storage; folds flat to 38" x 5" x 20"
- Strong 1 1/2" nylon straps incorporated with heavy-duty aluminum buckles for extra strength
- Made of high-quality aircraft aluminum
- Stainless steel hardware used for assembly; won't rust
- Silver anodized for a long-lasting protective finish


PART #	4101-0348

BOLD MAGENTA part numbers are new for 2020



EMGO

7" WIRE PLIERS



- For even, consistent and professional-looking results
- Return-spring mechanism enables quick, easy, repeated wire twisting
- Eliminate hand cramping

PART #	84-03816

MOOSE RACING

UNIVERSAL METRIC AND SAE 270-PIECE O-RING ASSORTMENT

- High-temperature (700°F), oil-, gas-, coolant- and chemical-resistant
- Used to seal oil lines, fuel system components and coolant passages on motorcycles, ATV, UTV, PWC and snowmobiles

PART #	2402-0163

MOOSE RACING

STAINLESS STEEL WIRE

- Stainless steel wire
- Spooled on a convenient plastic casing
- Spool perfect size for storage compartment or fanny pack
- 1-lb. can perfect for shop or garage use
- Available in two different diameters

DIAMETER X LENGTH	PART #
.028" x 120'	M112-0028
.032" x 75'	M112-0032

M112-0028

3850-0126



DIAMETER X LENGTH	PART #
.028" x 1 lb.	3850-0210
.032" x 1 lb.	3850-0126

MOOSE RACING

MADE IN THE USA



2402-0170

GEAR DRIVE HOSE CLAMPS

- 100% stainless steel, marine-grade high-nickel 316 stainless steel construction that will not rust
- Thin band, low-profile head make these clamps perfect for motorcycle applications
- Slim design allows for applications in tight, hard-to-reach places
- Simply the best clamp you can buy
- Available in 4-packs in multiple sizes
- Made in the U.S.A.



2402-0174

SIZE	PART #
6-16mm	2402-0166
7-17mm	2402-0167
8-22mm	2402-0168
10-25mm	2402-0169
10-27mm	2402-0170
13-32mm	2402-0171

SIZE	PART #
13-38mm	2402-0172
19-44mm	2402-0173
26-51mm	2402-0174
32-58mm	2402-0175
58-83mm	2402-0176

WSM PERFORMANCE PARTS

STAINLESS STEEL MINI CLAMPS

- Stainless steel mini clamps for many applications
- Sold each

161A

161

161B



2404-0033



2404-0034

2404-0035

SIZE	PART #
1/4" - 5/8"	161
5/16" - 7/8"	161A
3/8" - 1 1/16"	2404-0033

SIZE	PART #
1/2" - 1 1/2"	2404-0034
3/4" - 1 3/4"	2404-0035
1" - 2"	161B

Motion Pro

COOLING SYSTEM STEPLESS® CLAMP KIT

- 85-piece Stepless® clamp kit with an assortment of commonly used clamp sizes for cooling systems
- Stepless clamps provide secure 360° clamping with no gaps
- Specially formed edges reduce risk of damage to hose and hose barb
- Narrow 9mm band provides concentrated seal compression
- Tampering is visible
- Durable partitioned plastic box with snap lid keeps your stock of clamps organized and ready to use

DESCRIPTION	PART #
Cooling system Stepless clamp kit	2402-0110
Stepless clamps, 17.0-21.0mm (10-pk.)	2401-0548
Stepless clamps, 20.9-24.1mm (10-pk.)	2401-0549
Stepless clamps, 23.9-27.1mm (10-pk.)	2401-0550
Stepless clamps, 26.9-30.1mm (10-pk.)	2401-0551
Stepless clamps, 29.9-33.1mm (10-pk.)	2401-0552

2402-0110





2401-0548



2401-0556

- Please follow factory service manual recommendations for selecting correct clamp size for each engine
- Clamps require use of Motion Pro pincer tool PART #s 3801-0034 or 3801-0182 (sold separately)
- Individual clamp sizes available separately for restocking

DESCRIPTION	PART #
Stepless clamps, 32.9-36.1mm (10-pk.)	2401-0553
Stepless clamps, 36.4-39.6mm (5-pk.)	2401-0554
Stepless clamps, 40.8-44.0mm (5-pk.)	2401-0555
Stepless clamps, 43.8-47.0mm (5-pk.)	2401-0556
Stepless clamps, 7.8-9.5mm (10-pk.)	2401-0557

STEPLESS® EAR CLAMP KIT FOR FUEL SYSTEM

2402-0132





2401-0559

- Convenient kit includes 80 pieces of hardware, a Motion Pro Side Jaw Pincher tool and a convenient fuel line clamp size chart
- Narrow 5mm wide band provides concentrated seal compression
- 360° Stepless® design with no gaps on inner surface
- Specially formed strip edges reduce the risk of damage to the part being clamped
- Lightweight design
- Tampering is visible
- Kit includes 10 each of the clamps listed below in a convenient storage box
- Individual clamp sizes available separately in 10-pack for restocking
- Side jaw clamp pincher tool PART #3801-0182 also available separately

DESCRIPTION	PART #
Fuel system Stepless clamp kit	2402-0132
Stepless clamps, 7.8-9.5mm (fit Motion Pro Premium and clear vinyl 3/16" ID fuel line) (10-pk.)	2401-0557
Stepless clamps, 8.8-10.5mm (fit Motion Pro Low Permeation yellow fuel line w/ 1/4" ID) (10-pk.)	2401-0819
Stepless clamps, 9.6-11.13mm (fit Motion Pro Premium and clear vinyl 3/16" ID fuel line) (10-pk.)	2401-0716
Stepless clamps, 10.3-12.8mm (fit Motion Pro Premium 1/4" ID fuel line) (10-pk.)	2401-0558
Stepless clamps, 10.8-13.3mm (fit Motion Pro clear vinyl 1/4" ID fuel line) (10-pk.)	2401-0559
Stepless clamps, 12.0-14.5mm (fit Motion Pro Premium and clear vinyl 5/16" ID fuel line) (10-pk.)	2401-0560
Stepless clamps, 13.2-15.7mm (10-pk.)	2401-0717
Stepless clamps, 14.8-18.0mm (fit Motion Pro Premium and clear vinyl 3/8" ID fuel line) (10-pk.)	2401-0561



2402-0164

NYLON RATCHET CLAMPS

- One-piece, space saver, quick-release and no special tools needed
- Black in color
- Available in 16- and 100-packs
- 16-pack includes four 8mm clamps, four 9mm clamps, four 10mm clamps and four 12mm clamps
- 100-pack includes 25 8mm clamps, 25 9mm clamps, 25 10mm clamps and 25 12mm clamps
- Made in the U.S.A.

DESCRIPTION	PART #
16-pack	2402-0164
100-pack	2402-0165



9201-0013



9201-0014

X-TREME TAPE

- Resists extreme environments; won't melt up to 500°F, remains flexible to -60°F
- No adhesive, fuses only to itself
- Forms a water- and air-tight seal
- Tensile strength of 600 psi
- Insulates to 400 volts/mil
- Tight insulating tape is 1" W x 10' L and stretches to three times its length
- 18-pack display (nine red and nine black) sold to dealer; sold to consumer as each

DESCRIPTION	PART #
Black	9201-0013
Red	9201-0014

DESCRIPTION	PART #
18-pack	9201-0015



9201-0015

NITRO TAPE

- Self-fusing silicone tape
- Easy to remove
- Leaves no residue
- Stretches 300%
- Withstands a temperature range of -65°F to 500°F
- Insulates 8,000 volts per layer
- Waterproof
- Resists UV, oil, salt and corrosive chemicals
- 20 mil thick x 1" wide x 10' roll



PART #	9201-0029

2120-0642



2120-0145



LADDER-STYLE CABLE TIES

- Self-locking design for fast and secure installation
- Made from 316 stainless steel and ideal for applications that involve corrosion, vibration and high temperatures
- Compatible and look great when used to install exhaust and header wraps
- Available in two colors; natural silver stainless steel and polyester powdercoated black
- Available in 8" and 14" lengths
- Sold in 8-packs

DESCRIPTION	PART #
8" silver	2120-0642
8" black	2120-0643

DESCRIPTION	PART #
14" silver	2120-0644
14" black	2120-0645



2120-0645

STAINLESS STEEL CABLE TIES

- Perfect for high-temperature applications
- Ball bearing and barb fastening assembly locks tightly and will not slip
- Use anywhere a normal cable tie isn't strong enough or can't take the heat
- Two lengths available; sold in packs of five
- Made in the U.S.A.

DESCRIPTION	PART #
8"	2120-0144

DESCRIPTION	PART #
14"	2120-0145



PARTS UNLIMITED

BULK CABLE TIES

- Top-quality ties now available in bulk quantities
- Built strong with the highest tensile-strength nylon
- Available in black
- 100 per bag

DESCRIPTION	PART #
4"	LCT4
5.5"	LCT5
7.5"	LCT7

DESCRIPTION	PART #
11"	LCT11
15"	LCT15









MOOSE RACING

MADE IN THE USA

CABLE TIES

- These ties are made of strong 6/6 nylon
- They have UV additive so they will not fade or get brittle
- Available in 30-packs in an assortment of sizes: 4", 6" and 8" lengths
- Made in the U.S.A.

COLOR	PART #
Black	2404-0587
Gray	2404-0588

COLOR	PART #
Orange	2404-0589
White	2404-0586

K&L GENUINE

3-IN-1 TRUING STAND

- Check cranks for runout and fork tubes for straightness
- Also use to true spoke wheels and balance spoke and cast wheels
- 11" between balance points
- Handles crankshafts up to 11" between centers, rims up to 21"
- Indicator arm assembly included (for PART #35-8428)
- Dial indicator (PART #35-8428) not included; available separately





PART #	35-9573

K&L GENUINE

DIAL INDICATOR GAUGE WITH MAGNETIC BASE

- Reads 1.0" in increments of .001"
- Gauge can be locked for a zero setting
- Includes magnetic base stand that has an adjustable dial indicator mounting arm for a wide range of applications



PART #	3850-0013

K&L GENUINE

MAGNETIC BASE FOR DIAL INDICATORS

- For use with dial indicator gauge
- Features an easy-to-use on/off knob
- Flexible indicator mounting arm locks into place to make any job easy



PART #	3850-0014

K&L GENUINE

DIAL INDICATOR GAUGE FOR 3-IN-1 TRUING STAND

- Dial indicator gauge features $2^{1}/_{4}$" face with 1" sweep in 0.001" increments
- Use with 3-in-1 Truing Stand PART #35-9573



PART #	35-8428



2-STROKE LEAK-DOWN TESTER

- Designed to check for air leaks in 2-stroke engines
- Includes air pressure gauge, pump-up bulb and most fittings and adapters for single- and twin-cylinder 2-stroke engines
- Packed in a convenient carrying box, complete with instructions
- Made in the U.S.A.


PART #	P538



COMPRESSION TESTER SET

- Designed to check cylinder compression
- Contains hoses for 10, 12 and 14mm spark plug applications
- Features a quick-disconnect with a pressure-release valve and a 300 psi (20.67 bar) gauge
- Packed in a convenient carrying box, complete with instructions
- Made in the U.S.A.

PART #	MP08-0188



CRANKCASE SPLITTER V2

- The fastest and easiest to use case splitter ever devised
- Unique design makes it easy to center puller over crankshaft
- Grooved puller studs are fast and simple to install
- Captured retaining collars in puller arms allow quick adjustment and setup
- Durable tool steel body with protective black finish
- Billet 6061 aluminum arms with blue anodized finish
- Includes molded tray for storage and organization
- Designed by Motion Pro

PART #	3801-0282



DEGREE WHEEL

- Manufactured from .052" thick aluminum with a 6.75" outside diameter and a 6mm center hole
- Black anodized finish with easy-to-read numbers
- Check or set ignition and/or cam timing
- Can be used on 2- and 4-stroke engines

PART #	MP08-092

3801-0215



3810-0047



VALVE SEAL INSTALL TOOLS

- Properly aligns valve stem seal to valve guide so seal snaps on straight every time
- Holds four valve guide seals at one time for quick and easy installation on multi-valve cylinders
- Contoured design in bottom of handle cradles and protects the delicate inner lip of the valve stem seal while directing tool force to the sturdy outer rim
- Slim profile allows easy access to valve guides even on modern compact heads with deep lifter bores
- Rounded tip will not damage inner lip of valve stem seal or valve guide bore
- Anodized aluminum handles with stainless steel pilot shafts

DESCRIPTION	PART #
4.0mm	3801-0211
4.5mm	3801-0212
5.0mm	3801-0213
5.0mm for Hayabusa	3801-0214
5.5mm	3810-0046
4 pc. set (4.0mm, 4.5mm, 5.0mm and 5.0mm Hayabusa)	3801-0215
4 pc. set (4.0mm, 4.5mm, 5.0mm and 5.5mm)	3810-0047



ENGINE DEGREE WHEEL

- Plastic degree wheel made exclusively for engines
- A must for anyone modifying or repairing engines

PART #	8050-1010



3801-0223

VALVE GUIDE BALL HONES

- Durable enough to size C630 bronze and cast iron valve guide materials
- Available from 4mm up to 3/8" widths
- Sold each
- Made in the U.S.A.

SIZE	PART #
4mm	3801-0217
4.5mm	3801-0218
5mm	3801-0219
5.5mm	3801-0220

SIZE	PART #
7mm	3801-0221
5/16"	3801-0222
3/8"	3801-0223

MAXIMUM-DUTY FLYWHEEL PULLER

FOR POLARIS WATERCRAFT, SNOWMOBILES AND ATVS



- Pulls tough flywheels with ease
- The strongest and most durable puller available
- Supplied with high-quality grade 10.9 bolts: six 6mm short, six 6mm long and three 8mm long

PART #	20-142

UNIVERSAL FLYWHEEL PULLER



- For most motorcycle, ATV, watercraft and snowmobile engines
- Complete with hardware kit and adapter for male or female removal

PART #	855





CRANKSHAFT PULLER



- Precision tool used to install press-in crankshafts in an engine case
- Time-saving method maintains crankshaft true during installation
- Universal steel nut adapter works on virtually all crankshafts
- 22mm and 40mm billet aluminum face plate adapters ensure the crankshaft is pulled perfectly straight into bearings
- Reversible pull stud with both M10 x 1.25 and M12 x 1.25 threads
- Eliminates the need for a shop press to install a crankshaft
- Machined brass thrust washer for extra durability

PART #	3801-0306

SS-60-3



SS-61-5



Made in USA

PWC DRIVE COUPLER TOOLS

FOR YAMAHA

- Necessary for pulling engine from boat
- Available with three or five lugs
- Made in the U.S.A.

ENGINE SIZE	DESCRIPTION	PART #
Wave Runner 650 LX, 650III, 650 Special Jet, 650VXR, VXR PRO 701, 701 Deluxe, 701 Venture, Super Jet 701, Wave Venture 701, XL700	3-lug drive coupler tool	SS-60-3
Wave Rider 760/1100, Wave Rider II 760/1100, Wave Rider GP760/800/1200, Wave Rider XL760/1200LTD, Wave Rider SUV 1200	5-lug drive coupler tool	SS-61-5

PWC PULLERS

- Consult the descriptions first to find a tool or puller
- Made in the U.S.A.

NOTE: Internal threads in the engine part take a male-threaded tool or puller; external threads on the engine part take a female-threaded tool or puller.

NOTE: Lubricate heavily before use.

Made in USA

SS-37



SS-29



FITS ENGINE SIZE	SPECIFICATIONS	DESCRIPTION	PART #
KAWASAKI			
Universal	12-hole disc, 6mm and 8mm puller bolts	Flywheel/magneto puller	SS-37
	35mm x 1.5, right-hand, external, female (4" depth)	Flywheel/rotor puller	SS-29
POLARIS			
Universal	12-hole disc, 6mm and 8mm puller bolts	Flywheel/magneto puller	SS-37
SEA-DOO			
Universal	12-hole disc, 6mm and 8mm puller bolts	Flywheel/magneto puller	SS-37
	35mm x 1.5, right-hand, external, female (4" depth)	Flywheel/rotor puller	SS-29
YAMAHA			
Universal	12-hole disc, 6mm and 8mm puller bolts	Flywheel/magneto puller	SS-37

PISTON PIN PULLER



- Remove piston pins without damaging your piston
- Four bit sizes remove piston pins from 12mm (1/2") – 25mm (1")
- Anodized aluminum tool body is durable, yet easy on your piston

PART #	3801-0334

PISTON PIN PULLER



- Removes pins from sizes 12-20mm
- Won't damage piston or connecting rod


PART #	865



DOWEL PIN PULLER SET

- Collets come in 8mm, 10mm, 12mm and 14mm
- Puller rod helps to remove slightly stuck pins, while slide hammer works on more difficult pins
- Made from hardened steel
- Includes tray for storage and organization

PART #	3801-0272



DELUXE PISTON PIN PULLER

- Interchangeable piston adapters
- Made of durable 6061 aluminum
- Fits all piston pins from 12mm (1/2") to 24mm (1")
- Works on both full skirt and short skirt (slipper) pistons
- Non-marring aluminum pin adapters
- Durable blue anodized finish with laser-engraved logo
- Patent pending

PART #	3801-0147



TOP DEAD CENTER TOOL

- Made from 304 stainless steel and uses O-rings to prevent shaft from falling into combustion chamber
- Easily determine true top dead center when setting valves, timing and other top end work
- Can be used into conjunction with a dial indicator (not included) for accurate top dead center measurements
- Easily threads into 14mm spark plug threads

PART #	3801-0279



3801-0030

3801-0029

TIMING KIT
FOR 2-STROKE WATER-COOLED ENGINES

- Kit includes a dial indicator with extensions and a 14mm spark plug thread adapter
- Allows inspection and adjustment of ignition timing
- Designed to clear frame tubes on most recent water-cooled models
- Gauge face size 1 1/2"
- Adapter kit (sold separately) allows kit to be used on air-cooled engines; includes an extended thread adapter and dial indicator extension

DESCRIPTION	PART #
Timing kit for water-cooled 2-stroke engines	3801-0030
Adapter kit for air-cooled engines	3801-0029

3804-0005



CARBURETOR SYNCHRONIZERS

- Complete kits with vacuum gauges, hoses, adapters, mounting plate and instructions
- Available in 2-carb or 4-carb sets

DESCRIPTION	PART #
2-carb set	3804-0004

DESCRIPTION	PART #
4-carb set	3804-0005



CARB CLEANER KIT

- 14-piece wire set with spiral knurling for cleaning popular sized jets and carb body holes

PART #	35-3498



IGNITION SYSTEM TESTER

- Tests the integrity and strength of an ignition system
- Spark gap is adjustable from 0-10mm – the larger the gap the spark will jump, the stronger the ignition system
- Will test the ignition systems of most motorcycles, watercraft, ATVs and snowmobiles

PART #	MP08-122



STANDARD SPARK PLUG WRENCH

- Handle can be custom bent to better fit your application
- Fits standard 3/16" plug size
- Made in the U.S.A.

PART #	M204



RATCHET SPARK PLUG WRENCH

3801-0284

- Designed to fit in limited space on many water-cooled 2-stroke engines
- Ratchet mechanism works one way; turn over to reverse
- Fits standard $^{13}/_{16}$" plugs

DESCRIPTION	PART #
Ratchet plug wrench	P08-147
$^{13}/_{16}$" extension socket	3801-0284



SPARK PLUG GAP TOOL

- Ideal tool for checking and setting spark plug gap on almost any spark plug
- Includes 0.5mm, 0.6mm, 0.7mm, 0.8mm, 0.9mm and 1.0mm gap gauges
- Machined from billet 6061 aluminum
- Includes bottle opener on opposite end
- Durable blue anodizing
- Laser-etched markings for easy identification
- Designed by Motion Pro

PART # 3805-0126



HEAVY-DUTY SPRING PULLER

- Its heavy-duty handle provides extra leverage for pulling off stiff pipe springs
- Larger handle allows for better grip and longer hook area to get into hard-to-reach areas

PART # 3850-0486



SPRING HOOKS

- Used to remove exhaust pipe springs, seat or tank holding springs, cotter pins, sidestand springs and other parts
- Mini spring hook tool's ergonomic handle provides a secure grip at every angle, and compact size provides easy access

DESCRIPTION	PART #
Heavy-duty spring hook	MP08-127
Mini spring hook	3850-0212



SPRING PULLER

- Compact, lightweight, strong .102" diameter spring-tempered wire
- Urethane-covered handle
- 7" long
- Made in the U.S.A.

PART # 3850-0187




CABLE LUBER

- Allows a solid seal to the cable without having to remove from lever and perch

PART # 3850-0487







CABLE LUBER

- Used to inject lubricant into cable housing
- Clamps over housing and wire, allowing an aerosol can to be connected
- Once lube runs out the far end, the cable is lubricated


PART # MP08-0182



CABLE LUBER V3

- Original design that seals completely around the cable housing
- Makes it easy to clean and lubricate control cables
- Less mess and minimal wasted lubricant
- Unique design makes it the best-sealing cable luber on the market
- Works on most control cables with 4mm to 8mm OD housing
- Seals over free-spinning end fittings
- Adjustable plunger ensures efficient use of cable lube
- Easy to use and clean
- Best if used with Motion Pro Cable Lube (PART #3607-0024; sold separately)
- Patent pending

PART # 3850-0386



CABLE LUBER

- Allows lubricant to be injected into cable housing
- No need to remove cable from machine
- Inject lubricant into housing until it is expelled from the other end
- Single bolt design to ensure even contact on cable
- Sold each

PART # 1606-0002



CruzTOOLS

DMX™ FANNY PACK TOOL KIT

- Complete, ready-to-ride tool kit
- Includes pliers, hex keys, screwdriver, three-way PackWrench™, flashlight, tire levers, tire gauge and multiple wrenches
- Tough 5040-denier nylon camo carry pouch is designed to handle heavy abuse
- High-quality hardware and mounting strap
- Measures 7" x 10"

PART # 3812-0002



CruzTOOLS

DELUXE ECONOKIT® METRIC TOOL KIT

- Convenient, easy-to-carry tool kit
- Deluxe kit includes combination wrenches (10mm, 12mm, 14mm), 8" adjustable wrench, 8mm combination wrench, 6-in-1 screwdriver, 2-in-1 spark plug socket ($^5/_8$" x $^3/_{16}$"), gap gauge, locking pliers, electrical tape, cable ties, mechanic's wire, tire pressure gauge and shop towel
- Econokit® includes a heavyweight reinforced polyester shell with YKK zipper
- Closed dimensions are: 6" L x 9" W x 1$^1/_2$" H

PART # DS-196205

MOOSE RACING

METRIC TAP AND DIE SET



- Works great for cutting new threads as well as chasing threads that may have been damaged
- Manufactured from quality, uncoated high-speed steel for durability and precision cutting
- 40-piece set includes taps and dies along with correct tap and die wrenches, screwdriver for die wrench, pitch gauge, thread-drill size chart and durable plastic case
- Sizes listed below

NOTE: Not intended to be used with power tools.

PART # 3801-0280

INCLUDED SIZES

SIZE	SIZE	SIZE	SIZE
M3 x 0.5	M5 x 0.9	M8 x 1.00	M12 x 1.75
M3 x 0.6	M6 x 0.75	M8 x 1.25	$^1/_8$" NPT
M4 x 0.7	M6 x 1.00	M10 x 1.25mm	
M4 x 0.75	M7 x 0.75	M10 x 1.50	
M5 x 0.8	M7 x 1.00	M12 x 1.5	



CruzTOOLS

MINISET™ COMPACT METRIC TOOL KIT

- Powerful yet compact ratchet and socket set
- Midget $^1/_4$" drive ratchet with 2" extension and eight sockets
- Includes hex and #2 Phillips bits
- Top-grade polished chrome tools
- Includes tough carrying case
- Measures 4$^1/_2$" x 6$^1/_4$" x 1$^1/_2$"

PART # 3812-0013



MOOSE RACING

ECONOMY TOOL KIT

- Contains: 3-in-1 spark plug wrench (16mm/18mm/21mm), slip joint pliers, reversible screwdriver and open end wrenches (8mm, 10mm, 12mm, 14mm)
- Most popular tool sizes to fit on machine
- Comes with pouch

PART # 3812-0605



CruzTOOLS

OUTBACK'R™ FOLDING METRIC TOOL SET

- 15 tools in one 3$^1/_2$", 9 oz. package
- Made of heat-treated steel and chrome vanadium, it's built to last
- Includes 3mm, 4mm, 5mm and 6mm Allen wrenches, slotted and Phillips screwdrivers, $^1/_4$" socket driver with 8mm, 10mm and 12mm sockets, 13mm and 14mm open-end wrenches, plus three of the most common-sized spoke wrenches

PART # MTM-1

BOLD MAGENTA part numbers are new for 2020

T-HANDLE SOCKETS AND SCREWDRIVERS

- Great for shop and home mechanics alike
- Feature chrome vanadium tool steel, deep six-point sockets and Phillips bits with carbon steel T-style handles
- Metric sockets sold individually in 8, 10, 12, 13, 14, 17 and 19mm sizes or in sets of six or seven in sizes listed
- Screwdrivers available with #1 Phillips bit
- Metric sockets and screwdrivers finished in nickel-pewter; standard socket set finished in polished chrome
- Deep sockets allow nuts to be driven over long threaded bolts
- Hex socket extends only part of the way inside, allowing the nut to be held in the socket



3812-0046



MP01-113

- Slim outside diameter allows sockets to fit in tight areas
- Storage rack available – one-piece design with chrome finish holds 11 T-handle tools; hooks to toolbox or tray
- Wall-mount bracket for one-piece storage rack features quick-release pin for removing and attaching and a built-in bottle opener; made from heavy-duty 12-gauge zinc-plated steel; made in the U.S.A.

08-114X



3801-0114





Assembled rack and wall mount

DESCRIPTION	PART #
SETS	
Four-piece metric socket set (8mm, 10mm, 12mm, 14mm)	3812-0045
Six-piece metric socket set (8mm, 10mm, 12mm, 14mm, 17mm, 19mm)	3812-0046
Seven-piece metric socket set (8mm, 10mm, 12mm, 13mm, 14mm, 17mm, 19mm)	MP01-113

DESCRIPTION	PART #
INDIVIDUAL METRIC SOCKET T-HANDLES	
8mm socket; 7 3/4" L	P08-093
10mm socket; 7 1/2" L	P08-094
12mm socket; 8 3/4" L	P08-095
13mm socket; 8 3/4" L	P08-096
14mm socket; 8 3/4" L	P08-097
17mm socket; 10 1/4" L	P08-098
19mm socket; 10 1/4" L	P08-099

DESCRIPTION	PART #
T-HANDLE ACCESSORIES	
Storage rack	08-114X
Wall bracket for rack	3801-0114

T-HANDLE BIT DRIVER SPINNER

- Bearing-mounted spinner provides faster and easier removal and installation of bolts and nuts
- 1/4" hex drive head accepts most common driver bits
- Magnet inside drive head holds drive bits firmly in place
- Narrow drive head profile fits into tight spaces
- Padded grip handle
- Chrome vanadium handle and shaft
- Durable chrome finish on shaft and handle
- Blue anodized spinner with laser-engraved Motion Pro logo
- Shaft is 8" long
- Bits not included





PART #	3812-0047

SPINNER II T-HANDLE WITH SWIVEL (ROCKER) DRIVE

3812-0052



- High-quality Motion Pro T-handle
- Unique two-step drive head offers swivel (rocker) or fixed drive
- Bearing mounted spinner provides faster and easier removal and installation of bolts and nuts
- Padded grip handle
- Chrome vanadium handle and shaft
- Shaft is 12" long
- Durable chrome finish on shaft and handle
- Blue anodized spinner with laser-engraved Motion Pro logo

DESCRIPTION	PART #
3/8" drive	3812-0052
1/4" drive	3812-0054


T-HANDLE BIT DRIVER WITH #1, 2, 3 JIS CROSS-HEAD BITS



- High-quality Motion Pro standard bit driver T-handle
- Features three 1/4" drive heads, one at end of shaft and two at each end of handle with magnets to hold drivers firmly in place
- Includes high-grade S2 tool steel JIS (Japanese Industrial Standard) cross-head bits #1, #2, and #3; also accepts all common driver bits
- Use of traditional Phillips driver on JIS cross-head screws will damage screw head
- Narrow drive-head profile fits into tight spaces
- Chrome vanadium handle and shaft
- Durable chrome finish on shaft and handle
- Shaft is 8.5" long

PART #	3812-0049

P08-158



1/4" AND 3/8" DRIVE T-HANDLE DRIVERS

- Use any 1/4" or 3/8" drive attachments such as sockets, hex drives, crow's foot or swivels
- Chrome-vanadium tool steel shafts
- Feature a durable hard nickel-pewter finish

SIZE	PART #
1/4" drive (8.5" L)	P08-158
3/8" drive (10.5" L)	P08-159

MINI PRO T-HANDLE SET



- Compact size for easy access and easy transport
- 6 3/4" shaft length
- Set of three (8, 10, 12mm)
- Chrome-vanadium tool steel shafts
- Durable hard nickel-pewter finish

PART #	MP08-131



T-HANDLE DRIVER SOCKET SET

- Drop-forged "T" shaft
- Socket sizes – 8mm, 10mm and 12mm
- Measures 7"

PART #	3812-0608



13MM POWERDRIVE™ SLIDING T-SOCKET

- Ideal for garage or pit use
- Unique sliding T-handle for extra leverage
- Unmatched fit and finish with polished chrome and precision-forged socket

PART #	DS196274X



POWERDRIVE™ SLIDING T-DRIVER WITH EIGHT-PIECE SOCKET SET

- Sliding T-handle with 3/8" socket driver
- Professional mechanics' grade tool constructed with heat-treated chrome vanadium with a polished-chrome finish
- Includes 8mm, 10mm, 12mm, 14mm and 17mm six-point sockets, 5mm and 6mm hex bits and a #2 Phillips bit
- Sockets store on a clip that attaches to the T-driver handle

PART #	3812-0001



3/8" DRIVE SOCKET BIT SETS

- Top-grade metric hex and Torx bit socket sets include all the sizes you'll need
- Each set includes a socket rail with handle for quick organization
- Easy-to-read sizes with reverse laser imprint on each socket for quick identification
- Mechanic-grade with a heat-treated chrome vanadium alloy that exceeds ANSI specifications

DESCRIPTION	PART #
8-pc. Metric hex bit set	3812-0033
10-pc. Torx bit set	3812-0034



SEVEN T-HANDLE SET

- Kit comes with 8mm, 10mm, 12mm, 14mm and 17mm deep-wall, six-point metric sockets, plus #2 and #3 cross tip Phillips drivers
- Quality mechanics' tools made of chrome vanadium-plated steel alloy for maximum strength
- Electroplated bright chrome finish keeps them from corroding and gives tools a shiny, long-lasting appearance
- Set comes with a heavy-duty reusable vinyl pouch to keep your T-handles together and organized
- Great for shop, home or use at the track

PART #	3812-0048



CROSS SCREW DRIVER TOOL SET

- Cross-shaped handle has die-cast construction
- The cross is a mini 3-way with 8mm, 9mm and two 10mm sockets
- The two 10mm sockets are for the bits included
- Hex bit sizes – 2mm, 2.5mm, 3mm, 4mm, 5mm and 6mm
- Star bit size – T25
- Screwdriver bit sizes – Phillips #2 and slotted 4mm

PART #	3850-0402



1/4" JIS CROSS-HEAD HEX-DRIVE BITS

- Designed to fit JIS cross-head screws
- Made from high-grade S2 tool steel
- Hardened for maximum durability
- JIS cross-head bits are a must-have for most Japanese-made products and work equally well on traditional Philips-head screws
- Sold in pairs

NOTE: Use of traditional Philips driver on JIS cross-head screws will damage screw head.

DESCRIPTION	PART #
#1 JIS bit	3850-0286
#2 JIS bit	3850-0287
#3 JIS bit	3850-0288



MAGNETIC NUT DRIVER SET

- High-quality, nine-piece 1/4" hex-drive metric-socket bit set
- Includes 5, 5.5, 6, 7, 8, 9, 10, 12 and 13mm sizes
- Constructed from chrome-vanadium (CR-V) alloy steel for excellent strength and durability
- Magnet inside the sockets holds bolt heads or nuts in place
- Durable black finish
- Includes convenient holder to keep bits organized

PART #	3850-0275





MOOSE RACING

MADE IN THE USA

4-IN-1 MAGNETIC SCREWDRIVER

- Fishbowl display contains 20 screwdrivers
- Each screwdriver contains extension, two Phillips and two flat bits
- Great for tool and fanny packs
- Made in the U.S.A.

PART #	3850-0092



MOOSE RACING

TWO-IN-ONE HEX/ STAR WRENCH SET

- Special design hex key wrenches that let you use star or hex socket
- Torx sizes – T20, T25, T30, T40, T45 and T50
- Hex sizes – 5mm, 6mm, 7mm, 8mm, 9mm and 10mm
- Comes with reusable pouch

PART #	3812-0607



MOOSE RACING

10-PIECE HEX WRENCH SET

- Made from high-quality chrome vanadium
- Comes with plastic holder
- Includes sizes 1.5mm thru 10mm

PART #	3812-0043




MOOSE RACING

TWO-IN-ONE HEX/ SOCKET WRENCH SET

- Special design hex key wrenches that let you use hex or socket
- Hex and ball sizes – 5mm, 6mm, 7mm, 8mm, 9mm and 10mm
- Socket sizes – 5mm, 6mm, 7mm, 8mm, 9mm and 10mm
- Comes with reusable pouch

PART #	3812-0606



Motion Pro

BALL-END ALLEN SET

- Made of chrome-vanadium tool steel
- Sizes include: 1.5, 2, 2.5, 3, 4, 5, 6, 8 and 10mm
- Ball ends allow better access to Allen-head bolts (up to 25° working angle)
- Convenient holder included

PART #	MP08-0185





Motion Pro


COMBO Y-DRIVE WRENCH

- Innovative dual-use design combines six tools into one
- 8mm, 10mm and 12mm hex sockets
- 4mm, 5mm and 8mm hex drive
- Padded Y-shape for excellent grip and leverage
- Compact design is ideal for trail tool packs
- Chrome-vanadium tool steel

PART #	3850-0211



3812-0024



3812-0025

Motion Pro

HEX-PRO™ PIVOT HEAD WRENCHES

- 180° swivel head with extra-long handle for accessing hard-to-reach places
- Pivot design allows for easy rotation around obstructions
- Pivot design allows you to keep the wrench and fastener engaged when access is limited
- Great time-saver
- Heat-treated alloy tool steel
- Chrome-plated finish
- Include heavy-duty folding canvas storage pouch
- Take up less storage space than a typical hex key set

DESCRIPTION	PART #
Hex-Pro SAE Pivot Head Hex Wrench Set – $^3/_{16}$", $^7/_{32}$", $^1/_4$", $^5/_{16}$", $^3/_8$"	3812-0024
Hex-Pro Metric Pivot Head Hex Wrench Set – 3mm, 4mm, 5mm, 6mm, 8mm, 10mm	3812-0025



TORQUE WRENCH ADAPTER

- Chrome-vanadium tool steel with hard nickel pewter finish
- Properly torque 2-stroke cylinder base nuts and hard-to-reach fasteners
- Fits 12 and 14mm nuts and bolts
- Extends the reach of any $^{3}/_{8}$"-drive torque wrench by 3"
- Chart supplied for torque conversions
- Check owner's manual for proper torque specifications

PART # MP08-134



METRIC MP TOOL

- Any rider who doesn't have one of these is seriously unprepared
- Can be used to remove 8mm, 10mm, 12mm, and 14mm bolts; #2 and #3 Phillips-head screws; small and medium straight-slot screws; 5mm and 6mm Allen-head bolts; and bottle caps
- Versatility can be further enhanced by adding more $^{1}/_{4}$" and $^{3}/_{8}$" sockets

PART # MP08-161



SNAP RING PLIERS

- Economical pliers easily work with both inside- and outside-opening snap rings or clips
- Includes three extra sets of tips: one additional straight tip and two offset or angle tips

PART # MP08-0186



PINCER TOOL

- Used to install O-clips or Stepless® clamps
- Side jaw tool is designed for use where space is restricted

PART # 3801-0182



SAFETY WIRE DRILL JIG KIT

- Nut drill jig allows the safety wire holes to be drilled through the head of bolts or through nuts
- It will accept up to a 3.5mm diameter
- Metric bolt drill jig provides six drill holes for metric sizes – 6x1.0, 8x1.0, 8x1.25, 10x1.25, 10x1.5 and 12x1.5 bolts

PART # 3850-0404



SNAP RING TOOL

- Removal of internal snap rings used on hydraulic master cylinders
- Right angle allows up to 50mm deep in reach
- Can be used on fork seal retaining rings also

PART # 3808-0019

BOLD MAGENTA part numbers are new for 2020



HOSE SHEARS

- Scissor-action cutter
- Fast cutting of thin wall and small diameter PVC or T ygon®-type tubing
- Replaceable, PTFE-coated tool steel blades
- Blades can be re-sharpened

PART #	3801-0033



PRO FILL AIR CHUCK

- Pivoting angled head design allows access to difficult-to-reach tire valves
- Unique design provides added hand clearance between filler and hot brake rotors
- Billet aluminum construction for light weight and precise fit and function
- 1/4" NPT female inlet allows use of common air hose couplings and fittings
- Blue anodized finish with laser-engraved Motion Pro logo
- Perfect complement for Motion Pro air gauges
- Patent pending

PART #	3810-0073



GASKET SCRAPER TOOL

- Perfect size for repairs and maintenance
- Strong pressed steel blade with plastic handle
- Blade width 1", overall length 11"

PART #	3850-0401



SUPER SIPHON

- Dangerous liquids and chemicals can be transferred without fear of injury
- Works with almost all liquids including water, gas, diesel, kerosene, paint and thinners
- 1/2" diameter

PART #	0706-0226

TUFF JUG

- Wide-mouth design for easy pouring of additives and observing fuel level when filling
- Spill-proof, self-sealing spout automatically pours and shuts off as fuel level in tank fills to end of spout
- Spout also works with Space Saver, Jaz, VP and Scribner jugs
- Jug bottom is designed to prevent sliding and spilling in your truck bed
- Spill-proof spout also available separately
- Optional adapter snaps onto spill-proof spout and lets you use the Tuff Jug with karts, marine, lawn mowers and autos



DESCRIPTION	PART #
5-GAL.	
Red	**1030-0015**
White	**1030-0043**
Blue	**1030-0045**
Yellow	**1030-0051**
Orange	**1030-0052**
Kawi green	**1030-0074**

DESCRIPTION	PART #
2.7-GAL.	
Red	**1030-0047**
White	**1030-0046**
Blue	**1030-0048**
Orange	**1030-0053**
Kawi green	**1030-0073**

DESCRIPTION	PART #
OPTIONAL/REPL. COMPONENTS	
Extra Spout	**1030-0016**
Adapter	**1030-0042**
Standard cap and plug	**1030-0050**



ADVOCATE MX

JUG HANDLE

- 1½" nylon webbing strap designed to wrap around the lower portion of a five-gallon gas can
- Tightens around the can by use of a loop ring on one end and hook-and-loop sewn on the other end
- Grab handle sewn into one area of the strap that gives you an extra handle towards the bottom of the can, helping to lift and control the can when pouring the gas
- Makes it easier to lift and control a heavy full gas jug

PART # 1030-0062



Motion Pro

PROFUNNEL™

- Integrated shut-off valve allows a very precise amount of fluid to be dispensed
- Graduation marks for cubic centimeters, fluid ounces and premix ratios
- One liter (1 L) capacity
- Easy to understand premix ratio graduations for 32:1, 40:1, 50:1 and 60:1 for one to three gallons
- Adjustable ball-pivot spout allows easy, spill-free filling
- Top cover keeps dust and dirt out when not in use
- Magnet allows funnel to be stored on the side of the tool box
- Large molded handle for secure grip
- Reduced neck keeps funnel from dripping residue when funnel is laid on its side
- Made from ultra-durable HDPE plastic
- Tip size can be trimmed to fit your application

PART # 3850-0240



MOOSE RACING

TWO-PIECE FUNNEL

- Multi-use two-piece funnel
- 12" detachable flexible spout
- Includes easy-grip handle
- 15" overall length
- 6" diameter
- ¾" OD tip

PART # 3850-0202



MOOSE RACING

EASY POUR FLEX SPOUT

- Multi-purpose flexible funnel spout
- Double threads to fit most containers
- Complete with stopper cap and hang tab
- 9.25" length
- ¾" OD tip

PART # 3850-0201



tecMATE

12V LED FLASHLIGHT

- Reliable, powerful 6-LED emergency flashlight that checks battery status and if the vehicle charging system is working correctly
- Also works great in the workshop to light up those hard-to-see places on your machine
- SAE connector for connection to an SAE battery charging cord
- 40" L cable

PART # 3807-0182



Get Lit' Up! BRITE-LITES!

EMERGENCY LED FLASHLIGHT

- Emergency flashlight with three bright LEDs
- On/off/flash mode switch
- Clips to the top of any 9V battery (battery not included)
- Ideal for survival packs, tank bags, fanny packs, etc.
- Sold in 2-pack

PART # 3850-0101

BOLD MAGENTA part numbers are new for 2020




PARTS EUROPE

PARTS EUROPE COLLAPSIBLE CANOPY

- Top-quality 305 cm x 305 cm (10' x 10') shelter is great for indoor and outdoor events
- Durable powder-coated steel collapsible frame
- Canopy top made of heavy-duty PVC-coated fabric; water- and UV-resistant and flame retardant
- Quick-release folding frame makes it fast and easy to set up anywhere
- Hook-and-loop inner straps ensure a tight canopy fit
- Nylon composite fittings
- Includes carrying bag, instructions and stakes
- Box size is 157 cm L x 25,5 cm W x 25,5 cm H (62" x 10" x 10") and weighs approximately 24,9 kg (55 lb)
- Replacement parts available; please see below

PART #	9904-0840





PARTS EUROPE

REPLACEMENT PARTS FOR COLLAPSIBLE CANOPY

- For Parts Unlimited canopy PART #4030-0008

DESCRIPTION	PART #
(A) Plastic top corner fitting for std. corner leg	4030-0014
(B) Plastic bottom fitting for std. corner leg (pull)	4030-0015
(C) Plastic top cap for std. center pole	4030-0016
(D) Plastic bottom fitting for std. center pole	4030-0017
(E) Plastic fitting for std. or HD crosspiece	4030-0018
(F) Plastic foot for std. canopy leg	4030-0019
(G) Plastic pull pin fitting for std. leg bottom collar	4030-0020
(H) Plastic top fitting for std. center pole	4030-0021
(I) Replacement sides; set of three	4030-0033



DECALS

- Bright, colorful Parts Europe decals in two sizes
- Red and blue logo on white background
- 25 mm H x 10 cm L (1" x 4") decals sold in packs of 10
- 76 mm H x 20,5 cm L (3" x 8") decals sold in packs of 10

DESCRIPTION	PART #
25 mm H x 10 cm L (1" x 4") (10-pk.)	9904-0784
76 mm H x 20,5 cm L (3" x 8") (10-pk.)	9904-0785

BANNER

- Printed on durable vinyl
- Features grommets for easy hanging
- Great for shop displays or race events
- Measures 3' x 8'


PART #	9905-0050



PARTS EUROPE SHOPPING BAGS

- These 38 cm W x 45,5 cm L (15" x 18") bags are made of heavy-duty, 3-mil plastic
- Bags feature patch handles for easy carrying
- Parts Europe logo
- Box of 100

PART #	9904-0866



PIT MAT

- Designed to not only dress up your pit area but are also environmentally friendly
- The bike mats absorb up to 6 liters of fluid like radiator coolant along with other solvent-based products that can harm the environment by containing within the mat
- Not only lightweight but can be easily washed and reused
- Measures: 31" x 39"

PART #	9905-0114



NPI DISPLAY HANDLE

- Allows consumers to see RAM Mount products in use
- Mounts a handlebar of your choosing to display
- No charge with qualifying purchase; see your sales rep for details

PART #	9903-0501



YUASA BATTERY DISPLAY RACK

- Heavy-duty steel construction with three large wire shelves
- Includes wheel-kit for easy mobility
- Shelf liners included
- Measures 37" W x 62" H x 15" D

PART #	9903-0154



We Support The Sport®!

We are the #1 resource for powersports products. We support our dealers, vendors and fans at races, rallies, special events and showcases across the country. You can find out more by checking out the nationally known brands listed below and featured in our catalogs.

DEALER POLICIES: Please visit: partsnetweb.com/DealerPolicy and dragnetweb.com/DealerPolicy

CATALOG CONTENTS

We believe the contents and specifications of this catalog are correct. We assume no liability for errors in listings, specifications, part numbers, prices or model applications. We reserve the right to change specifications, product descriptions, product quality, pricing and application at any time without further notice and without further obligation. The reproduction of any material from this catalog is forbidden without our written approval.

iPad®, iPhone®, iPhoto®, iPod®, iPod classic®, iPod nano®, iPod shuffle®, iPod touch®, MacBook®, MacBook Air® and PowerBook® are registered trademarks of Apple Inc.

DuPont™and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

All model designations and applications used herein are determined by the manufacturer as USA-specific. Contact the individual manufacturer for additional international model information.

WARRANTIES AND GUARANTEES

We do not guarantee the items sold by us or warrant the merchantability or fitness of purpose. Manufacturers supply their own warranties and guarantees and most of them do not permit a wholesaler or distributor to make any adjustment, replace any part or accept for return or exchange any defective or unsatisfactory item. Please follow the guarantee instructions when provided by the manufacturer. Any damages arising from the design or manufacturing of any item are the sole responsibility of the manufacturer.

AMS® amstires.com

arctiva® arctiva.com

MOOSE RACING® mooseracing.com

icon® rideicon.com

MOOSE UTILITY DIVISION® mooseutilities.com

Slippery WETSUITS® slipperywetsuits.com

THOR® thormx.com

Z1R® z1r.com

Parts Europe GmbH
Conrad-Röntgen-Strasse 2
54332 Wasserliesch/Trier, Germany
Phone: +49 6501 9695-0
Fax: +49 6501 9695-2650
Sales: +49 6501 9695-2000
info@partseurope.eu

PARTS EUROPE® partseurope.eu

DRAG Specialties® dragspecialties.eu

A DIVISION OF LEMANS CORPORATION
PO Box 5222, Janesville, WI 53547-5222 • 608-758-1111

COPYRIGHT 2020 • LeMans Corporation • ALL RIGHTS RESERVED
These materials may not be copied or reproduced in any manner without written permission of LeMans Corporation.



PARTS EUROPE®

WATERCRAFT

2020