



1820-1864

## Ti-6 AND T-6 DUAL EXHAUST SYSTEMS

- Designed to improve performance and power over previous systems
- The ideal system for any rider or racer looking for improved performance, durability and a professional look
- Ti-6 Dual exhaust systems feature titanium construction throughout headpipe, Y-collector mid-pipe and canister, and are available with titanium or carbon fiber end cap
- Ti-6 and T-6 systems feature a removable spark arrestor, making it easy and fast to alternate between closed-course and off-road riding
- Ti-6 systems feature titanium construction throughout and carbon-fiber end cap
- T-6 systems feature stainless-steel construction throughout and aluminum silencer canister
- Machined aluminum muffler brackets for increased strength and durability
- Asymmetrical muffler configuration for increased packing volume
- Most systems equipped with a RC-4 Resonance Chamber for reduced sound output
- Machined mid-pipe to headpipe joint for a better, leak-free fit
- TIG precision welding



1820-1852



1820-1855

FITS MODEL	DESCRIPTION	PART #
<b>KTM</b>		
350 SX-F 19	Ti-6 Pro Titanium system w/ carbon end cap	1820-1864
	T-6 Stainless system w/ spark arrestor	1820-1893
	Ti-6 Titanium System	1821-1936
<b>YAMAHA</b>		
YZ250F 19	Ti-6 Titanium system w/ carbon end cap	1820-1852
	Ti-6 Pro Titanium system w/ carbon end cap	1820-1853
	T-6 Stainless system w/ spark arrestor	1820-1855



### PLATINUM PIPE

- Inspired by the championship winning Works pipe, the Platinum series pipe utilizes plating on the body to protect it from everyday wear and tear
- Unique nickel bath technology gives the surface added abrasion resistance and enhances the aesthetic look
- Stamped AKDQ high-quality carbon steel construction for exceptional fit and performance
- Hand-welded and pounded seams
- Embossed name plate and CNC-machined exhaust flange
- Reinforced mounting brackets and stinger for increased strength and durability

#### FITS MODEL

YAMAHA

YZ85 19

#### PART #

1820-1888



### WORKS PIPE

- The first Pro Circuit pipe built with a bare metal finish, giving it a unique style that sets it apart from all other pipes
- Durable construction conforms to the natural shape of the motorcycle for exceptional fit and performance
- Reinforced brackets and stingers prevent cracking, and CNC-machined flange provides precise leak-free fit
- Distinctive design yields increased horsepower and stronger throttle response throughout the entire rpm range
- Excellent choice for those who want factory-level high-performance features
- Features include stamped AKDQ high-quality carbon steel construction
- Hand-welded and pounded seams
- Embossed nameplate and CNC-machined exhaust flange

#### FITS MODEL

YAMAHA

YZ85 19

#### PART #

1820-1887

### T-6 SLIP-ON WITH REMOVABLE SPARK ARRESTOR

- T-6 Stainless Slip-On Silencers are designed for a rider looking for an inexpensive, easy-to-install, durable performance silencer that can bolt onto their stock headpipe
- Constructed of stainless steel throughout the mid-pipe and end-cap while the canister is constructed of aluminum for increased durability
- Machined aluminum muffler bracket for increased strength and durability
- Asymmetrical muffler configuration for increased packing volume
- Removable spark arrestor
- TIG precision welding



#### FITS MODEL

KTM

350 SX-F 19

#### PART #

1821-1935



### 304 FACTORY SOUND SILENCER

- Features a longer midsection than the R-304 Shorty for stronger mid-to-high-RPM performance
- Excellent replacement for the OEM silencer, while offering impressive performance gains
- 6061-T6 brushed aluminum housing
- Double-walled mounting brackets
- FIM-approved, stainless steel tubing and end-cap
- Steel Allen-head screws for easy rebuilding/repacking
- Exclusive E-glass pillow packing



#### FITS MODEL

#### PART #

YAMAHA

YZ85 19

1820-1889

### TYPE 296 SPARK ARRESTOR SILENCERS

- 96 db sound level
- Specially engineered internal metal baffle, chambers, and sound-absorbing materials for lower sound levels and no loss of motor performance
- FIM-approved stainless steel end cap
- Silencer body is made from extruded 6061-T6 aluminum to reduce weight
- Removable Allen-head screws make repacking an easy task
- Double-walled mounting brackets



#### FITS MODEL

#### PART #

YAMAHA

YZ85 19

1820-1890

### CLUTCH SPRINGS

- 12-15% stiffer than stock
- More positive clutch engagement
- Prevent clutch slipping
- Consistent spring performance
- Control how efficiently your clutch turns power into acceleration
- Sold as a set



#### FITS MODEL

#### PART #


YAMAHA

YZ250F 19

1131-3380



1811-3595



1811-3598

### SHORTY PREDATOR™ PRO SLIP-ON EXHAUST

- Increased horsepower
- Killer exhaust tone
- Revolutionary one-piece design made from 304 stainless steel for durability and quality
- Innovative HVO™ technology that improves performance with uninterrupted airflow
- Include a rubber mounting system that isolates engine vibration from the frame and eliminates bracket fatigue
- Sold in pairs

FITS MODEL	DESCRIPTION	PART #
<b>TRIUMPH</b>		
Bonneville T100 17-18	Black	<b>1811-3595</b>
	Polished	<b>1811-3596</b>
Bonneville T120 16-18	Black	<b>1811-3595</b>
	Polished	<b>1811-3596</b>
Street Twin 16-18, Street Cup 17-18	Black	<b>1811-3597</b>
Thrupton 1200 16-18	Polished	<b>1811-3598</b>



1811-3590

### BOMBER SLIP-ON EXHAUST

- Polished 304 stainless steel construction inside and out (no worries about chrome pitting)
- Louver core technology produces a distinctive deep rich exhaust tone
- Hidden mounting system eliminates unsightly mounting bracket (especially when passenger pegs are removed)
- Mechanical baffle (no repacking necessary)
- Two slip-ons included
- Whole system only weighs 8,2 kg (18 lb)

DESCRIPTION	PART #
<b>TRIUMPH</b>	
America 02-08	<b>1811-3590</b>
America 09-16	<b>1811-3591</b>
Speedmaster 02-08	<b>1811-3590</b>
Speedmaster 09-16	<b>1811-3591</b>



1811-3601

### SLEEPER PRO™ SLIP-ON MUFFLERS FOR TRIUMPH BONNEVILLE BOBBER 17-18

- Increased horsepower
- Authentic retro exhaust tone
- Revolutionary one-piece body made from 304 stainless steel for durability and quality
- Innovative HVO™ technology designed to improve performance through uninterrupted airflow
- Include a rubber mounting system that isolates engine vibration from the frame and eliminates bracket fatigue
- Compatible with center stand
- Sold in pairs

DESCRIPTION	PART #
Black finish	<b>1811-3600</b>
Brushed finish	<b>1811-3601</b>



### HOG SLAYER SLIP-ON EXHAUST FOR TRIUMPH THUNDERBIRD 1600 09-16, THUNDERBIRD STORM 11-15

- Polished 304 stainless steel construction is 5,4 kg (12 lb) lighter than stock
- Deep, throaty sound
- Wakes up bottom-end torque
- Grounded welds for seamless finish
- Smooth power delivery throughout entire rpm range
- Mechanical baffle, never needs repacking
- Two slip-on mufflers and stainless band clamps included

**NOTE:** EFI System re-mapping required.


**NOTE:** Updated version of Hog Slayers are designed to work with factory heat shields and does not have a BC logo stamped on it. Heat shields shown in photo are no longer included.

DESCRIPTION	PART #
Hog Slayer slip-on exhaust	<b>1811-3592</b>



## BC X EMPIRE SHOTGUN SLIP-ONS™ FOR TRIUMPH STREET SCRAMBLER 17-18

- Designed and tested by Ernie Vigil and Nick Apex of Freestyle Empire
- Stainless steel construction
- Significant power boost
- Minimal styling resulting in weight savings



DESCRIPTION	PART #
BC X Empire Shotgun slip-ons	1811-3599



1812-0331



1812-0332

## COMPETITION HEADERS

- Replaces factory-installed CAT to open up the exhaust system for maximum performance
- Made from 100% 304 stainless steel
- Weighs 0,9 kg (1,9 lb); 1,7 kg (3,8 lb) savings over stock CAT for X-Pipe
- Uses stock locating pin and left-side frame bolt for factory fit
- Offers more growl and power while reducing heat and weight
- Combine with a Power Commander V for additional tuning capability

**Note:** Due to Triumph's "original self learning system" no re-map is required. However, a custom tune based on your riding conditions and environment can unlock additional performance. This can be achieved with a Power Commander V or via your local Triumph Dealer.

**Note:** This product is designed for competition use only. Not for use on public roads.

FITS MODEL	PART #
<b>TRIUMPH</b>	
Bonneville T100 17-18	1812-0331
Bonneville Bobber 17-18	1812-0331
Thrupton 1200 16-18	1812-0331
Thrupton 1200 R 16-18	1812-0331
Street Cup 17-18	1812-0331
Street Twin 16-18	1812-0331
Street Scrambler 17-18	1812-0332



1811-3604

## TURNOUT PERFORMANCE PIPES FOR TRIUMPH BONNEVILLE BOBBER 17-18

- Vintage flat track looks
- Weigh 5,9 kg (13 lb) less than stock mufflers
- Rich, throaty sound
- Made from quality 304 stainless steel
- Install quickly and easily behind catalytic converter, which helps open up the deep, resonant note of engine
- Sold in pairs

DESCRIPTION	PART #
Black	1811-3604
Polished	1811-3605



1811-3603

## DRAG PERFORMANCE PIPES FOR TRIUMPH BONNEVILLE BOBBER 17-18

- Vintage drag racing looks
- Weigh 4,9 kg (13 lb) less than stock mufflers
- Rich, throaty sound
- Made from quality 304 stainless steel with a brushed finish
- Install quickly and easily

DESCRIPTION	PART #
Black	1811-3602
Brushed	1811-3603



0640-1336



0640-1337

## 2 MM BLINDSIGHT BAR END MIRRORS

- Convex mirrors with automotive-quality glass
- 6061-T6 aluminum CNC-machined billet construction
- Rubber-mounted to reduce vibration
- Will fit most handlebar/clip-ons with an outer diameter of 22 mm ( $\frac{7}{8}$ " ); requires 10 mm ( $\frac{3}{8}$ " ) of bare bar outboard of the grip/throttle assembly
- Blindsight mirror intended to be used in conjunction with left-side mirror or stock mirrors to help reveal blind spots
- Sold each

DESCRIPTION	COLOR	PART #
Blindsight LS (lane splitter) mirror, left side	Black	<b>0640-1336</b>
Blindsight LS (lane splitter) mirror, left side	Silver	<b>0640-1337</b>



## STANDARD 4-STROKE LEAK-DOWN TESTER

- Designed to check the amount of combustion chamber leakage in a 4-stroke engine
- Speeds up troubleshooting and helps to isolate bad components
- Gauge accurately displays the total percentage of leakage past the rings, head gasket, intake and exhaust valves
- Tests at 80 psi cylinder pressure; minimum air source of 90 psi required
- Includes 6,3 mm ( $\frac{1}{4}$ " ) male industrial quick connector
- Meets FAA leak-down test specifications for cylinders below 127 mm (5" ) bore diameter
- Hose and adapter fits 10 mm, 12 mm and 14 mm spark plug threads
- Includes high-quality regulator and gauge
- Includes convenient molded tray
- Instructions included



DESCRIPTION	PART #
Standard 4-stroke leak down tester	<b>3801-0347</b>



SUPERIOR AIRFLOW.  
SUPERIOR PERFORMANCE.

## SPORTBIKE RACE-SPEC HIGH-FLOW AIR FILTER™ (DESIGNED FOR CLOSED COURSE AND COMPETITION USE) FOR HONDA CBR1000RR 17-18

- Purpose-built for racing
- Designed to increase power on modified sportbikes
- Two-ply cotton race filter media
- Fewer pleats than standard K&N air filters opens up the intake tract
- Fuel-management modifications may be necessary



DESCRIPTION	PART #
Sportbike Race-Spec High-Flow air filters	<b>1011-4287</b>



SUPERIOR AIRFLOW.  
SUPERIOR PERFORMANCE.

## OE REPLACEMENT HIGH-FLOW AIR FILTER™ FOR BMW G310R 17-18, G310GS 18

- Designed to provide increased performance
- Pleated media provides a large filtration area offering long service intervals
- Multi-layers of woven cotton gauze media offers excellent filtration
- Fits directly into OEM airbox with application specific Sealing Bead to ensure a precise fit
- Fuel-management modifications are not required for increased performance
- Washable and reusable, pre-oiled and ready to ride



DESCRIPTION	PART #
OE Replacement High-Flow air filter	<b>1011-4286</b>



## HAND CLEANER

- All natural detergent-based formula
- No solvents
- Removes grease, dirt and oil without using pumice
- Gentle on hands and moisturizes skin
- 473 ml (16 US fl oz.) bottle



DESCRIPTION	PART #
Hand cleaner	<b>3704-0316</b>



### HOSE REMOVAL TOOL

- Facilitates removal of fuel, oil and cooling system hoses
- Two tools in one; one end is used to loosen stuck hose, the other end assists in pulling the hose off the fitting
- Reduces the possibility of damage to hoses and related components
- Lock nut at base of each tip allows 360° adjustment or removal of one tip for use in tight spaces
- Compact aluminum handle provides solid grip and excellent control
- High-quality steel tips with durable black oxide coating
- Designed by Motion Pro



DESCRIPTION	PART #
Hose removal tool	<b>3801-0348</b>

### DIGITAL TIRE PRESSURE GAUGE

- High-precision, accurate to +/- 0,6 psi
- Precise digital readout to 0,1 psi
- Reads 0-60 psi
- Continuous pressure reading, no need to reset when activating bleed valve
- Four selectable scales (PSI, BAR, KG-CM2, kPa)
- Large easy to read display with back light for low light applications
- Billet aluminum trapezoid body
- Billet aluminum air chuck provides tight, leak-free seal to tire valve and is specially designed for reading air pressure
- High-flow push button bleeder valve for precise pressure adjustment
- 38 cm (15") long high pressure hose with dual swivels and Motion Pro design air chuck
- Heavy-duty anti-shock protective rubber boot on gauge
- Battery-powered (1000 tests) with battery strength indicator
- Auto off to extend the battery life
- Batteries included (Qty. 2 AAA size)



DESCRIPTION	PART #
Digital tire pressure gauge	<b>3801-0343</b>

### RINGER FORK SEAL DRIVERS

- Innovative design makes tool easier and more secure to use than old-fashioned pin-aligned drivers
- Anodized aluminum locking ring features knurled finish for secure no-slip grip and positively locks body halves together during use
- No more worrying about part of the tool falling off and damaging the fork leg or hitting your feet
- Perfectly weighted to drive seals
- Body halves are machined from durable carbon steel and feature high-quality protective black e-coat with laser-engraved markings
- Patent pending



DESCRIPTION	PART #
49 mm	<b>3805-0173</b>
50 mm	<b>3805-0174</b>

### TIRE IRON SET

- Includes one 21,5 cm (8 1/2") tire iron, one 28 cm (11") tire iron and one 38 cm (15") double compound-curved tire iron



DESCRIPTION	PART #
Tire iron set	<b>3810-0090</b>

### MASTER LINK PRESS TOOL

- Easily presses on and off master link plates for clip-style chains
- Works on all 5 series chains
- Will not damage master links
- Hardened steel pins for reliable use
- Lightweight billet aluminum construction
- Durable blue anodized finish with laser-engraved markings
- Not for use in breaking rivet master links
- Original Motion Pro design



DESCRIPTION	PART #
Master link press tool	<b>3806-0077</b>

### CHAIN BRUSH

- Double-ended brush for cleaning chains and other components
- Three-sided brush to clean chain rollers and side plates in one operation
- Long straight bristles on opposite end to clean hard-to-reach areas
- Durable nylon brush and high-quality plastic handle



DESCRIPTION	PART #
Chain brush	<b>3850-0442</b>

## MEN'S AUTOMAG 2 JACKETS

- Durable textile chassis
- Ballistic nylon paneling impact zones
- D30® back, elbow and shoulder impact protectors are removable
- Arm straps reduce wind flap for better control and more comfortable riding
- Dual zipper vent cuffs plus front and back zipper vents for enhanced airflow
- Removable insulated full-length liner for cool weather riding
- Icon® Sport fit with straight body and semi-precurved arms



SIZE	(A) STEALTH	(B) BLUE	(C) GRAY	(D) HI VIZ	(E) RED
S	2820-4501	2820-4507	2820-4513	2820-4519	2820-4525
M	2820-4502	2820-4508	2820-4514	2820-4520	2820-4526
L	2820-4503	2820-4509	2820-4515	2820-4521	2820-4527
XL	2820-4504	2820-4510	2820-4516	2820-4522	2820-4528
2X	2820-4505	2820-4511	2820-4517	2820-4523	2820-4529
3X	2820-4506	2820-4512	2820-4518	2820-4524	2820-4530

SIZE	S	M	L	XL	2X	3X
Chest	89 cm-94 cm (35"-37")	94 cm-104 cm (37"-41")	104 cm-112 cm (41"-44")	112 cm-122 cm (44"-48")	122 cm-135 cm (48"-53")	135 cm-147 cm (53"-58")
Sleeve length	81 cm (32")	84 cm (33")	86 cm (34")	89 cm (35")	91 cm (36")	94 cm (37")

## WOMEN'S AUTOMAG 2 JACKETS

- Durable textile chassis
- Ballistic nylon paneling impact zones
- D30® back, elbow and shoulder impact protectors are removable
- Arm straps reduce wind flap for better control and more comfortable riding
- Dual zipper vent cuffs plus front and back zipper vents for enhanced airflow
- Removable insulated full-length liner for cool weather riding
- Icon® sport fit with straight body and semi-precurved arms



SIZE	(F) STEALTH	(G) GRAY	(H) PINK
XS	2822-1077	2822-1084	2822-1091
S	2822-1078	2822-1085	2822-1092
M	2822-1079	2822-1086	2822-1093
L	2822-1080	2822-1087	2822-1094
XL	2822-1081	2822-1088	2822-1095
2X	2822-1082	2822-1089	2822-1096

SIZE	XS	S	M	L	XL	2X
Chest	73,5 cm-81 cm (29"-32")	81 cm-89 cm (32"-35")	89 cm-97 cm (35"-38")	97 cm-104 cm (38"-41")	104 cm-112 cm (41"-44")	112 cm-122 cm (44"-48")
Sleeve length	73,5 cm (29")	75 cm (29,5")	76 cm (30")	77,5 cm (30,5")	79 cm (31")	80,5 cm (31,5")





A



MX SOLE



B



C



D



E



F



ATV SOLE

### M1.3 BOOTS

- Chassis is constructed with polyurethane-coated synthetic leather that is abrasion-resistant and flexible
- Reinforced TPU shin, ankle, and foot plates are engineered to improve stability without sacrificing mobility
- Low-profile compact lower toe box improves brake feel and ability to shift
- Integrated internal lace loop system secures foot and increases ankle stability
- Heavyweight suede leather inner calf guard improves abrasion and heat resistance
- Rigid steel shank reinforced sole eliminates flex and provides superior foot support
- Polyurethane plastic closure strap with metal buckle is adjustable and secure
- Internal soft EVA foam reinforced in impact areas improves comfort
- Multi-layer synthetic rubber outsole is long lasting and provides superior grip
- Polyester inner lining wicks moisture
- Tested and certified according to European standard EN 13634:2015

SIZE	(A) BLACK W/ MX SOLE	(B) RED W/ MX SOLE	(C) BLUE W/ MX SOLE	(D) HI VIZ W/ MX SOLE	(E) ORANGE/WHITE W/ MX SOLE	(F) BLACK W/ ATV SOLE
7	3410-1952	3410-1961	3410-1970	3410-1979	3410-1988	3410-1997
8	3410-1953	3410-1962	3410-1971	3410-1980	3410-1989	3410-1998
9	3410-1954	3410-1963	3410-1972	3410-1981	3410-1990	3410-1999
10	3410-1955	3410-1964	3410-1973	3410-1982	3410-1991	3410-2000
11	3410-1956	3410-1965	3410-1974	3410-1983	3410-1992	3410-2001
12	3410-1957	3410-1966	3410-1975	3410-1984	3410-1993	3410-2002
13	3410-1958	3410-1967	3410-1976	3410-1985	3410-1994	3410-2003
14	3410-1959	3410-1968	3410-1977	3410-1986	3410-1995	3410-2004
15	3410-1960	3410-1969	3410-1978	3410-1987	3410-1996	3410-2005

### M1.3 ADULT MX & ATV BOOT SIZE GUIDE

U.S.A. size	7	8	9	10	11	12	13	14	15
Euro size	40	41,5	43	44	45	46	47	48,5	50
UK	6,5	7,5	8,5	9,5	10,5	11,5	12,5	13,5	14,5
Japan	25	26	27	28	29	30	31	32	33
Inside length (inches)	10,2	10,4	10,8	11,2	11,4	11,8	12,2	12,5	12,9
Inside length (cm)	26	26,5	27,5	28,5	29	30	31	32	33




### YOUTH M1.3 BOOTS

- Chassis is constructed with polyurethane-coated synthetic leather that is abrasion-resistant and flexible
- Reinforced TPU shin, ankle, and foot plates are engineered to improve stability without sacrificing mobility
- Low-profile compact lower toe box improves brake feel and ability to shift
- Integrated internal lace loop system secures foot and increases ankle stability
- Heavyweight suede leather inner calf guard improves abrasion and heat resistance
- Rigid steel shank reinforced sole eliminates flex and provides superior foot support
- Polyurethane plastic closure strap with metal buckle is adjustable and secure
- Internal soft EVA foam reinforced in impact areas improves comfort
- Multi-layer synthetic rubber outsole is long lasting and provides superior grip
- Polyester inner lining wicks moisture
- Tested and certified according to European standard EN 13634:2015

SIZE	(A) BLACK	(B) BLACK/ORANGE	(C) BLACK/HI VIZ
<b>YOUTH</b>			
1	3411-0423	3411-0437	3411-0444
2	3411-0424	3411-0438	3411-0445
3	3411-0425	3411-0439	3411-0446
4	3411-0426	3411-0440	3411-0447
5	3411-0427	3411-0441	3411-0448
6	3411-0428	3411-0442	3411-0449
7	3411-0429	3411-0443	3411-0450

SIZE	(D) BLACK	(E) BLACK/ORANGE	(F) BLACK/HI VIZ
<b>CHILD</b>			
10	3411-0465	-	3411-0473
11	3411-0466	-	3411-0474
12	3411-0467	-	3411-0475
13	3411-0468	-	3411-0476



### SYNAPSE LITE KNEEGUARDS

- Minimal lightweight design
- Additional padding for top of knee
- Slide freely under pants
- Recessed adjustable hook-and-loop straps
- Tested and certified to Standard EN 1621-1:201
- Available in adult and youth sizes
- Sold in pairs

DESCRIPTION	PART #
Adult	2704-0492
Youth	2704-0493



### PRIME PRO JERSEYS

- Hybrid fit with set-in style tailored sleeves
- Tapered collar and cuffs
- Minimal seams for maximum comfort
- Fully ventilated arms and back panel
- Moisture-wicking material keeps you dry
- Tail silicone print helps keep jersey tucked in
- Flat-stitched seams minimize irritation
- See size chart on page 12 before ordering

#### APOLLO JERSEYS

SIZE	(A) BLACK/MINT
S	2910-5275
M	2910-5276
L	2910-5277
XL	2910-5278
2X	2910-5279



### PRIME PRO PANTS

- Ultra-lightweight pre-curved chassis design
- Inner compression short
- Abrasion-tolerant, poly/spandex blend
- Premium-grade, full-grain leather inner knee panels
- Aramid fiber backed inner knee panels
- Engineered small expansion stretch panels on waist
- Strategically-placed vented mesh panels
- Laser-cut holes for ventilation
- Inner waist silicone band
- Interior hip pocket (easily removable)
- Ratchet-style waist closure
- See size chart on page 12 before ordering



Back view

#### APOLLO PANTS

SIZE	(B) BLACK/MINT
Europe 44 (USA 28)	2901-7732
Europe 46 (USA 30)	2901-7733
Europe 48 (USA 32)	2901-7734
Europe 50 (USA 34)	2901-7735
Europe 52 (USA 36)	2901-7736
Europe 54 (USA 38)	2901-7737
Europe 56 (USA 40)	2901-7738



### PULSE JERSEYS

- Cut and finish allow for an exceptional fit that minimizes unnecessary material, without hindering mobility
- Moisture-wicking material designed to complement the tailored fit pulls the moisture away from skin to keep rider cool and dry
- No-fade sublimated graphics
- Heat transfer neck label
- See size chart below before ordering

### PULSE PANTS

- Abrasion-resistant polyester and nylon are bound together with double- and triple-stitched seams to ensure durability
- Purpose built TPR features
- Athletic mesh inner liner
- Interior hip pocket
- See size chart below before ordering

Back view



A



B

### 2080 PANTS

SIZE	(B) MULTI
Europe 44 (USA 28)	<b>2901-7771</b>
Europe 46 (USA 30)	<b>2901-7772</b>
Europe 48 (USA 32)	<b>2901-7773</b>
Europe 50 (USA 34)	<b>2901-7774</b>
Europe 52 (USA 36)	<b>2901-7775</b>

SIZE	(B) MULTI
Europe 54 (USA 38)	<b>2901-7776</b>
Europe 56 (USA 40)	<b>2901-7777</b>
Europe 58 (USA 42)	<b>2901-7778</b>
Europe 60 (USA 44)	<b>2901-7779</b>

### 2080 JERSEYS

SIZE	(A) MULTI
S	<b>2910-5296</b>
M	<b>2910-5297</b>
L	<b>2910-5298</b>

SIZE	(A) MULTI
XL	<b>2910-5299</b>
2X	<b>2910-5300</b>
3X	<b>2910-5301</b>

Back view



C



E

Back view



D



F

### FACTOR PANTS

SIZE	(E) FACTOR, ACID/TEAL	(F) FACTOR, NAVY/POWDER
Europe 44 (USA 28)	<b>2901-7780</b>	<b>2901-7789</b>
Europe 46 (USA 30)	<b>2901-7781</b>	<b>2901-7790</b>
Europe 48 (USA 32)	<b>2901-7782</b>	<b>2901-7791</b>
Europe 50 (USA 34)	<b>2901-7783</b>	<b>2901-7792</b>
Europe 52 (USA 36)	<b>2901-7784</b>	<b>2901-7793</b>
Europe 54 (USA 38)	<b>2901-7785</b>	<b>2901-7794</b>
Europe 56 (USA 40)	<b>2901-7786</b>	<b>2901-7795</b>
Europe 58 (USA 42)	<b>2901-7787</b>	<b>2901-7796</b>
Europe 60 (USA 44)	<b>2901-7788</b>	<b>2901-7797</b>

### FACTOR JERSEYS

SIZE	(C) FACTOR, ACID/TEAL	(D) FACTOR, NAVY/POWDER
S	<b>2910-5302</b>	<b>2910-5308</b>
M	<b>2910-5303</b>	<b>2910-5309</b>
L	<b>2910-5304</b>	<b>2910-5310</b>
XL	<b>2910-5305</b>	<b>2910-5311</b>
2X	<b>2910-5306</b>	<b>2910-5312</b>
3X	<b>2910-5307</b>	<b>2910-5313</b>

## MEN'S RIDING GEAR SIZE CHARTS

NOTE: Prime Pro jerseys have a tighter fit. Pulse jerseys have a traditional fit.

### MEN'S JERSEYS

SIZE	CHEST GIRTH	SIZE	CHEST GIRTH	SIZE	CHEST GIRTH
XXS	70 cm-78 cm (27,5"-30,7")	M	94 cm-102 cm (37,0"-40,2")	2X	118 cm-128 cm (46,5"-50,4")
XS	78 cm-86 cm (30,7"-33,9")	L	102 cm-110 cm (40,2"-43,3")	3X	128 cm-141 cm (50,4"-55,5")
S	86 cm-94 cm (33,9"-37,0")	XL	110 cm-118 cm (43,3"-46,5")		

### MEN'S OFFROAD PANTS

SIZE	WAIST	INSEAM	SIZE	WAIST	INSEAM
Europe 44 (USA 28)	68,5 cm-71 cm (27"-28")	75 cm (29,5")	Europe 54 (USA 38)	94 cm-97 cm (37"-38")	81 cm (32")
Europe 46 (USA 30)	73,5 cm-76 cm (29"-30")	76 cm (30")	Europe 56 (USA 40)	99 cm-102 cm (39"-40")	81 cm (32")
Europe 48 (USA 32)	79 cm-81 cm (31"-32")	77,5 cm (30,5")	Europe 58 (USA 42)	104 cm-107 cm (41"-42")	81 cm (32")
Europe 50 (USA 34)	84 cm-86 cm (33"-34")	79 cm (31")	Europe 60 (USA 44)	109 cm-112 cm (43"-44")	81 cm (32")
Europe 52 (USA 36)	89 cm-91 cm (35"-36")	81 cm (32")			



## RADIAL BOOTS

- Pre-curved injection molded components throughout
- Radial hinge component adds structure and reduces over extension
- Injection-molded, positive-lock buckle system
- Adjustable straps allow for a custom and secure fit
- Injection-molded medial-abrasion plate with integrated shift protection
- Fully synthetic calf overlays deliver premium durability and optimal grip
- Low-profile toe box for unhindered shifting
- Uni-directional outsole with steel shank for rigidity
- Replaceable outsole inserts for extended wear
- Mesh liner promotes airflow while interior EVA panels enhance comfort
- Tested and certified to standard EN 13634: 2017

SIZE	(A) RED/BLACK	(B) BLACK	(C) FLO ORANGE/FLO YELLOW	(D) WHITE
Europe 39 (USA 7)	3410-2244	3410-2253	3410-2262	3410-2271
Europe 41 (USA 8)	3410-2245	3410-2254	3410-2263	3410-2272
Europe 43 (USA 9)	3410-2246	3410-2255	3410-2264	3410-2273
Europe 44 (USA 10)	3410-2247	3410-2256	3410-2265	3410-2274
Europe 45 (USA 11)	3410-2248	3410-2257	3410-2266	3410-2275
Europe 46 (USA 12)	3410-2249	3410-2258	3410-2267	3410-2276
Europe 47 (USA 13)	3410-2250	3410-2259	3410-2268	3410-2277
Europe 48,5 (USA 14)	3410-2251	3410-2260	3410-2269	3410-2278
Europe 50,5 (USA 15)	3410-2252	3410-2261	3410-2270	3410-2279

## THOR RADIAL BOOT REPLACEMENT PARTS



Outsoles



Buckle Kit



Strap kit

DESCRIPTION	COLOR	PART #
<b>RADIAL</b>		
Strap kit	Black/red	3430-0885
	White	3430-0886
	Flo orange	3430-0887
	Red/black	3430-0888
Buckle kit	Black	3430-0882
	White	3430-0883
	Flo orange/flo yellow	3430-0884
Outsoles (7-8)	Black/gray	3430-0889
	Black/white	3430-0895
	Black/flo orange	3430-0901
	Black/red	3430-0907
Outsoles (9)	Black/gray	3430-0890
	Black/white	3430-0896
	Black/flo orange	3430-0902
	Black/red	3430-0908

DESCRIPTION	COLOR	PART #
<b>RADIAL (CONT)</b>		
Outsoles (10)	Black/gray	3430-0891
	Black/white	3430-0897
	Black/flo orange	3430-0903
	Black/red	3430-0909
Outsoles (11)	Black/gray	3430-0892
	Black/white	3430-0898
	Black/flo orange	3430-0904
	Black/red	3430-0910
Outsoles (12-13)	Black/gray	3430-0893
	Black/white	3430-0899
	Black/flo orange	3430-0905
	Black/red	3430-0911
Outsoles (14-15)	Black/gray	3430-0894
	Black/white	3430-0900
	Black/flo orange	3430-0906
	Black/red	3430-0912