

**VANCE  
HINES**



**BRUSHED  
STAINLESS STEEL  
SLIP-ON MUFFLER  
FOR DUCATI  
SCRAMBLER 16-17**

- Brushed stainless finish
- Carbon fiber end cap
- Laser engraved riveted logo badge
- Dimple punched transition heat shield

**DESCRIPTION**

Slip-on muffler

**PART #**

**1811-3476**

**FENDER ELIMINATOR  
FOR DUCATI SCRAMBLER 15-17**

- Stainless steel construction
- Matte black ceramic finish
- Clean license plate frame included
- All hardware included to remount OEM lighting
- For U.S. license plates only

**DESCRIPTION**

Fender eliminator

**PART #**

**2030-1215**





1811-3439



1811-3438

**TRACK SLIP-ON MUFFLERS FOR SCOUT/SCOUT SIXTY 15-19, SCOUT BOBBER 18-19**

- Deep sound with race inspired looks
- Matching billet aluminum end caps
- Easy installation
- All required hardware included
- Sold in pairs

PART #	DESCRIPTION	PART #	DESCRIPTION
1811-3439	Black	1811-3438	Chrome



**SETTABLE SOS ALARM AND WIRELESS HOUR METER**

- Resistant to water, mud, and dust
- Applied to the bike without the need for sensors or cables
- Performance App available for iOS and Android
- Detects when the bike falls and sends notifications to the selected accounts
- Sends alerts on service intervals
- Can be used as an hour counter to view total or partial intervals
- Easily replaceable battery for unlimited use
- IP67 certified



DESCRIPTION	PART #
Hour meter	2212-0787



0707-0064



0707-0065



0707-0066



0707-0067

**FUEL FILTERS**

- Universal in-line fuel filters for 6,4 mm (1/4") and 7,9 mm (5/16") ID fuel lines
- Designed for low pressure fuel filter lines
- Compatible with standard, Race and E85 fuels
- Sold to dealer as a display card of 20; sold to consumer as each

DESCRIPTION	FUEL LINE	OVERALL LENGTH	ELEMENT	FILTRATION MICRONS	GRAVITY FLOW RATE ML/MIN.	PART #
Large	7,9 mm (5/16")	44,5 mm (1 3/4")	Stainless steel	100	800	0707-0064
Slim 90	6,4 mm (1/4")	60,3 mm (2 3/8")	Plastic	40	560	0707-0065
Large volume	6,4 mm (1/4")	60,3 mm (2 3/8")	Paper	70	470	0707-0066
Slim	6,4 mm (1/4")	50,8 mm (2")	Bronze	40	400	0707-0067




A



B



C

## AIRFORM HELMETS

- Injection molded polycarbonate shell for strength
- Internal airflow geometry and continuous venting system keep rider cool
- Fog-free Icon Optics™ shield with Rapid-Release™ system
- Prolock™ positive shield-locking system
- TracShield™ shield with tear-off posts available; sold separately
- Internal Dropshield™ with exterior switch
- Comfortable sculpted neck roll
- Removable molded breath deflector
- Fully removable Hydradry™ 3-piece moisture wicking liner
- Internal speaker pockets
- Rubatone is a matte-finish rubberized paint developed to match your riding gear

**NOTE:** The DROPSHIELD™ visor must only be used while the main face shield is in the fully closed position.

## ICON HELMET SIZE CHART

SIZE	HAT SIZE	CENTIMETERS	INCHES
XS	6 <sup>5</sup> / <sub>8</sub> - 6 <sup>3</sup> / <sub>4</sub>	53 - 54	20 <sup>7</sup> / <sub>8</sub> - 21 <sup>1</sup> / <sub>4</sub>
S	6 <sup>7</sup> / <sub>8</sub> - 7	55 - 56	21 <sup>5</sup> / <sub>8</sub> - 22
M	7 <sup>1</sup> / <sub>8</sub> - 7 <sup>1</sup> / <sub>4</sub>	57 - 58	22 <sup>3</sup> / <sub>8</sub> - 22 <sup>3</sup> / <sub>4</sub>
L	7 <sup>3</sup> / <sub>8</sub> - 7 <sup>1</sup> / <sub>2</sub>	59 - 60	23 <sup>1</sup> / <sub>8</sub> - 23 <sup>1</sup> / <sub>2</sub>

SIZE	(A) RUBATONE BLACK	(B) BLACK	(C) WHITE
XS	0101-12093	0101-12100	0101-12107
S	0101-12094	0101-12101	0101-12108
M	0101-12095	0101-12102	0101-12109
L	0101-12096	0101-12103	0101-12110
XL	0101-12097	0101-12104	0101-12111
2X	0101-12098	0101-12105	0101-12112
3X	0101-12099	0101-12106	0101-12113

SIZE	HAT SIZE	CENTIMETERS	INCHES
XL	7 <sup>5</sup> / <sub>8</sub> - 7 <sup>3</sup> / <sub>4</sub>	61 - 62	24 - 24 <sup>3</sup> / <sub>8</sub>
2X	7 <sup>7</sup> / <sub>8</sub> - 8	63 - 64	24 <sup>3</sup> / <sub>4</sub> - 25 <sup>1</sup> / <sub>8</sub>
3X	8 <sup>1</sup> / <sub>8</sub> - 8 <sup>1</sup> / <sub>4</sub>	65 - 66	25 <sup>1</sup> / <sub>2</sub> - 26



A



C



B



D

### SECTOR WARP HELMET

- Dual-density EPS liner provides more progressive impact absorption
- Fully adjustable visor provides ample coverage
- High-flow mouth vent with filter to prevent roost from entering
- Injection-molded polycarbonate/ABS shell
- Flexible rubber nosepiece helps deflect roost
- Rear shell shape quickly and easily repositions the goggle strap
- Extensive venting with internal air passages for maximum cooling
- For replacement parts and accessories, see below
- See helmet size guide below before ordering

SIZE	(A) CHARCOAL/BLACK	(B) NAVY/BLUE	(C) NAVY/TEAL	(D) RED/BLACK
XS	0110-6038	0110-6044	0110-6050	0110-6056
S	0110-6039	0110-6045	0110-6051	0110-6057
M	0110-6040	0110-6046	0110-6052	0110-6058
L	0110-6041	0110-6047	0110-6053	0110-6059
XL	0110-6042	0110-6048	0110-6054	0110-6060
2X	0110-6043	0110-6049	0110-6055	0110-6061



A



B



C



D

### VISORS FOR THOR SECTOR HELMETS

- Visor kits include color-matched visor and three visor screws

COLOR	PART #
<b>SECTOR WARP VISOR KITS</b>	
(A) Charcoal/black	0132-1284
(B) Navy/blue	0132-1285

COLOR	PART #
<b>SECTOR WARP VISOR KITS (CONT)</b>	
(C) Navy/teal	0132-1286
(D) Red/black	0132-1287

### THOR HELMET SIZE CHART

SIZE	HAT SIZE	CENTIMETERS	INCHES
XS	6 <sup>5</sup> / <sub>8</sub> - 6 <sup>3</sup> / <sub>4</sub>	53 - 54	20 <sup>3</sup> / <sub>4</sub> - 21 <sup>1</sup> / <sub>4</sub>
S	6 <sup>7</sup> / <sub>8</sub> - 7	55 - 56	21 <sup>5</sup> / <sub>8</sub> - 22
M	7 <sup>1</sup> / <sub>8</sub> - 7 <sup>1</sup> / <sub>4</sub>	57 - 58	22 <sup>3</sup> / <sub>8</sub> - 22 <sup>3</sup> / <sub>4</sub>

SIZE	HAT SIZE	CENTIMETERS	INCHES
L	7 <sup>3</sup> / <sub>8</sub> - 7 <sup>1</sup> / <sub>2</sub>	59 - 60	23 <sup>1</sup> / <sub>8</sub> - 23 <sup>1</sup> / <sub>2</sub>
XL	7 <sup>5</sup> / <sub>8</sub> - 7 <sup>3</sup> / <sub>4</sub>	61 - 62	23 <sup>7</sup> / <sub>8</sub> - 24 <sup>1</sup> / <sub>4</sub>
2X	7 <sup>7</sup> / <sub>8</sub> - 8	63 - 64	24 <sup>5</sup> / <sub>8</sub> - 25



A



B



## M1 AGROID JERSEYS

- Improved ventilation with panels of micro mesh in non-roost zones
- Semi-ventilated polyester in roost zones
- Custom collar and stretch neck taping for maximum comfort
- Quick-drying fabric removes moisture away from the skin to keep you dry and comfortable
- Non-restrictive durable stretch mini cuffs
- High-quality sublimated graphics
- Available in sizes S-3X

SIZE	(A) AGROID MINT/GREEN	(B) AGROID WHITE	(C) AGROID ORANGE	(D) AGROID RED
S	<b>2910-5327</b>	<b>2910-5333</b>	<b>2910-5339</b>	<b>2910-5345</b>
M	<b>2910-5328</b>	<b>2910-5334</b>	<b>2910-5340</b>	<b>2910-5346</b>
L	<b>2910-5329</b>	<b>2910-5335</b>	<b>2910-5341</b>	<b>2910-5347</b>
XL	<b>2910-5330</b>	<b>2910-5336</b>	<b>2910-5342</b>	<b>2910-5348</b>
2X	<b>2910-5331</b>	<b>2910-5337</b>	<b>2910-5343</b>	<b>2910-5349</b>
3X	<b>2910-5332</b>	<b>2910-5338</b>	<b>2910-5344</b>	<b>2910-5350</b>

SIZE	CHEST	SLEEVE LENGTH
S	104 cm-109 cm (41"-43")	84 cm-86 cm (33"-34")
M	109 cm-114 cm (43"-45")	86 cm-89 cm (34"-35")
L	114 cm-119 cm (45"-47")	89 cm-91 cm (35"-36")

SIZE	CHEST	SLEEVE LENGTH
XL	119 cm-124 cm (47"-49")	91 cm-94 cm (36"-37")
2X	124 cm-130 cm (49"-51")	94 cm-97 cm (37"-38")
3X	130 cm-135 cm (51"-53")	97 cm-99 cm (38"-39")




C



D

## M1 AGROID PANTS

- High-denier polyester chassis with double- and triple-stitched seams
- High-quality sublimated graphics
- Oversized knee area with full-grain genuine leather inner panels
- Reinforced high-denier polyester seat panel
- Pre-bent ergonomic pant design
- 3-point waist adjustment system allows you to fine-tune fit

SIZE	(A) AGROID MINT/GREEN	(B) AGROID WHITE	(C) AGROID ORANGE	(D) AGROID RED
Europe 44 (USA 28)	<b>2901-7807</b>	<b>2901-7815</b>	<b>2901-7823</b>	<b>2901-7831</b>
Europe 46 (USA 30)	<b>2901-7808</b>	<b>2901-7816</b>	<b>2901-7824</b>	<b>2901-7832</b>
Europe 48 (USA 32)	<b>2901-7809</b>	<b>2901-7817</b>	<b>2901-7825</b>	<b>2901-7833</b>
Europe 50 (USA 34)	<b>2901-7810</b>	<b>2901-7818</b>	<b>2901-7826</b>	<b>2901-7834</b>
Europe 52 (USA 36)	<b>2901-7811</b>	<b>2901-7819</b>	<b>2901-7827</b>	<b>2901-7835</b>
Europe 54 (USA 38)	<b>2901-7812</b>	<b>2901-7820</b>	<b>2901-7828</b>	<b>2901-7836</b>
Europe 56 (USA 40)	<b>2901-7813</b>	<b>2901-7821</b>	<b>2901-7829</b>	<b>2901-7837</b>
Europe 58 (USA 42)	<b>2901-7814</b>	<b>2901-7822</b>	<b>2901-7830</b>	<b>2901-7838</b>

SIZE WAIST	CINCHED/EXPANDED	INSEAM	SIZE WAIST	CINCHED/EXPANDED	INSEAM
Europe 44 (USA 28)	68,5 cm-76 cm (27"-30")	73,5 cm (29")	Europe 52 (USA 36)	89 cm-97 cm (35"-38")	81 cm (32")
Europe 46 (USA 30)	73,5 cm-81 cm (29"-32")	73,5 cm (29")	Europe 54 (USA 38)	94 cm-102 cm (37"-40")	81 cm (32")
Europe 48 (USA 32)	79 cm-86 cm (31"-34")	76 cm (30")	Europe 56 (USA 40)	99 cm-107 cm (39"-42")	84 cm (33")
Europe 50 (USA 34)	84 cm-91 cm (33"-36")	79 cm (31")	Europe 58 (USA 42)	104 cm-112 cm (41"-44")	84 cm (33")

**MOOSE**  
 RACING


## MX2 AGROID GLOVES

- Sublimated spandex backhand provides breathable, stretch fit for maximum comfort and performance
- Pre-curved pinched finger design for ergonomic fit
- Tacky grip print on fingers and palm provides added control
- Breathable and non-fading sublimated graphics
- Lightweight slip-on glove design
- Single layer synthetic leather palm for maximum feel
- Available in sizes S-3X

SIZE	(A) AGROID MINT/GREEN	(B) AGROID WHITE	(C) AGROID ORANGE	(D) AGROID RED
S	3330-5765	3330-5771	3330-5777	3330-5783
M	3330-5766	3330-5772	3330-5778	3330-5784
L	3330-5767	3330-5773	3330-5779	3330-5785
XL	3330-5768	3330-5774	3330-5780	3330-5786
2X	3330-5769	3330-5775	3330-5781	3330-5787
3X	3330-5770	3330-5776	3330-5782	3330-5788

**100%**

2601-2589



2601-2588



2601-2587



2601-2590



2601-2586



2601-2594



2601-2593



2601-2592



2601-2595



2601-2591

**RACECRAFT GOGGLES**

- Outriggers help to achieve perfect fit and balance
- Removable nose guard; the attachment of the nose guard ensures stability and protection in the most testing conditions
- Anti-fog coated Lexan lens for flawless vision; shares the same lens shape across the product line
- 9 pin lens retention system; the highest number of retention points in the industry ensures a secure fit
- Thirsty triple layer moisture managing foam
- 45 mm wide silicone coated strap eliminates slippage
- Air intakes channel air into the foam, aiding in moisture management
- In the box: Nose guard, extra clear lens (mirror lens only), stack of tear-offs and sublimated microfiber bag

**MIRROR LENS**

FRAME	LENS COLOR	STRAP COLOR	PART #
Alta	Silver	Black/white	<b>2601-2589</b>
Andrea	Silver	Fluorescent yellow/black	<b>2601-2588</b>
Kuriakin	Blue	Red/blue/white	<b>2601-2587</b>
Klepto	Pink	Purple/fluorescent yellow	<b>2601-2590</b>
LTD	Gold	White/gold	<b>2601-2586</b>

**CLEAR LENS**

FRAME	STRAP COLOR	PART #
Alta	Black/white	<b>2601-2594</b>
Andrea	Fluorescent yellow/black	<b>2601-2593</b>
Kuriakin	Red/blue/white	<b>2601-2592</b>
Klepto	Purple/fluorescent yellow	<b>2601-2595</b>
LTD	White/gold	<b>2601-2591</b>



2601-2598



2601-2599



2601-2597



2601-2596



2601-2602



2601-2604



2601-2601



2601-2600

**ACCURI GOGGLES**

- Thirsty triple layer moisture managing foam
- Anti-fog coated Lexan lens for flawless vision; shares the same lens shape across the product line
- 9 pin lens retention system; the highest number of retention points in the industry ensures a secure fit

**MIRROR LENS**

FRAME	LENS COLOR	STRAP COLOR	PART #
Bali	Silver	Dark green/white	<b>2601-2598</b>
Berlin	Silver	Gray/fluorescent yellow	<b>2601-2599</b>
Galak	Gold	Aqua/orange	<b>2601-2597</b>
Supply	Blue	Yellow/navy blue	<b>2601-2596</b>

- 45 mm wide silicone-coated strap eliminates slippage
- The most advanced form of simple, all 100% adult goggles share the same lens and tear-off profile
- In the box: Extra clear lens (mirror lens models only), and a sublimated microfiber bag

**CLEAR LENS**

FRAME	STRAP COLOR	PART #
Bali	Dark green/white	<b>2601-2602</b>
Berlin	Gray/fluorescent yellow	<b>2601-2604</b>
Galak	Aqua/orange	<b>2601-2601</b>
Supply	Yellow/navy blue	<b>2601-2600</b>





2601-2646



2601-2647



2601-2648



2601-2649

**3450 RIOT GOGGLES WITH ROLL-OFF SYSTEM**

- Goggles equipped with roll-off system and anti-stick lens
- XL roll-off system with film measuring 40,5 mm H (1,6")
- Patented "no-fog" lenses combined with anti-stick lenses
- Possible to mount roll-off and tear-off at the same time
- 1 mm-thick lens
- Homologation CE-EN #AC-96025 REV.3



2601-2650



2601-2337

DESCRIPTION	PART #
Fluorescent orange/blue	2601-2646
Light blue/white	2601-2647
Electric blue/fluorescent yellow	2601-2648
Black/white	2601-2649

DESCRIPTION	PART #
Blue/red	2601-2650
Fluorescent yellow/navy	2601-2651
Gray/red	2601-2652
White/black	2601-2337



2601-2632



2601-2633



2601-2634



2601-2635



2601-2636



2601-2639



2601-2640



2601-2641



2601-2642



2601-2643



2601-2644



2601-2637

**3450 RIOT GOGGLES**

- Light-sensitive, clear or multilayered mirrored lenses available
- Light-sensitive lenses take less than five seconds to go from clear to smoke and vice-versa
- Feature patented "no-fog" lens technology, rated the best no-fog performance on the market
- 1 mm-thick lenses are anti-UV and anti-scratch
- Built-in tear-off pins
- Double-density foam with hydrorepellent, colored velvet
- Silicone-treated strap to fix the strap on helmet
- Pre-cut foam and molded channels for eyeglasses temples
- Homologation CE-EN #AC-96025 REV.3



2601-2638

DESCRIPTION	PART #
<b>LIGHT SENSITIVE</b>	
Fluorescent orange/blue	2601-2632
Light blue/white	2601-2633
White/black	2601-2634
Blue/red	2601-2635
Gray/red	2601-2636
<b>MIRRORED</b>	
Fluorescent/blue	2601-2639
Light blue/white	2601-2640

DESCRIPTION	PART #
<b>MIRRORED (CONT)</b>	
Electric blue/fluorescent yellow	2601-2641
White/black	2601-2642
Blue/red	2601-2643
Fluorescent yellow/navy	2601-2644
Gray/red	2601-2645
<b>CLEAR</b>	
Fluorescent yellow/navy	2601-2637
Gray/red	2601-2638



2601-2620



2601-2621



2601-2622



2601-2623



2601-2624



2601-2625



2601-2626

### 3200 VENOM GOGGLES WITH ROLL-OFF SYSTEM

- Patented “no-fog” lens combined with XL roll-off system
- Increased vision area with a more curved lens to increase the field of vision
- Wider ventilation area for better airflow
- Triple-layered pre-formed felted face foam maximizes comfort and sweat control for superior moisture wicking
- Pre-cut foam and molded channels for people who wear glasses
- Large strip of treated silicone on the strap to avoid slippage on helmet
- Homologation CE-EN #AC-96025 REV.3



2601-2627



2601-2628



2601-2630



2601-2631

DESCRIPTION	PART #	DESCRIPTION	PART #
Orange	2601-2620	Blue/fluorescent orange	2601-2626
Blue	2601-2621	Blue/fluorescent yellow	2601-2627
Black	2601-2622	Fluorescent yellow/blue	2601-2628
Red	2601-2623	Black/white	2601-2629
Green	2601-2624	Red/blue	2601-2630
Light blue/white	2601-2625	Red/gray	2601-2631

### 3208 MX/ENDURO GOGGLES WITH ROLL-OFF SYSTEM

- Patented “no-fog” lens combined with XL roll-off system
- Increased vision area with a more curved lens to increase the field of vision
- Wider ventilation area for better airflow
- Triple-layered pre-formed felted face foam maximizes comfort and sweat control for superior moisture wicking
- Pre-cut foam and molded channels for people who wear glasses
- Large strip of treated silicone on the strap to avoid slippage on helmet
- Available in black



DESCRIPTION	PART #
3208 MX/Enduro goggles	2601-2332

### 3450 MX GOGGLES

- Light-sensitive lens takes less than five seconds to go from clear to smoke and vice-versa
- Features patented “no-fog” lens technology rated the best no-fog performance on the market
- 1 mm-thick lenses are anti-UV and anti-scratch
- Built-in tear-off pins
- Double-density foam with hydrorepellent and colored velvet
- Silicone-treated strap to fix the strap on helmet
- Pre-cut foam and molded channels for eyeglasses temples
- Available in carbon style



DESCRIPTION	PART #
3450 MX goggles	2601-2313



2601-2608



2601-2609



2601-2610



2601-2611



2601-2612



2601-2613



2601-2614



2601-2615



2601-2616



2601-2617



2601-2618



2601-2619

### 3200 MX VENOM GOGGLES

- Multilayered mirrored lens or light sensitive lenses available
- Light sensitive lens takes less than five seconds to go from clear to smoke and vice-versa
- Feature patented ProGrip™ “no-fog” lens technology; rated the best no-fog performance on the market
- 1 mm-thick lenses are anti-UV and anti-scratch

- Built-in tear-off pins
- Double-density foam with hydrorepellent, colored velvet
- Silicone-treated strap to fix the strap on helmet
- Pre-cut foam and molded channels for eyeglasses temples
- Homologation CE-EN #AC-96025 REV.3

DESCRIPTION	PART #
<b>LIGHT SENSITIVE</b>	
Orange	<b>2601-2608</b>
Blue	<b>2601-2609</b>
Black	<b>2601-2610</b>
Red	<b>2601-2611</b>
Green	<b>2601-2612</b>
Carbon	<b>2601-2605</b>

DESCRIPTION	PART #
<b>MIRRORED</b>	
Light blue/white	<b>2601-2613</b>
Blue/fluorescent orange	<b>2601-2614</b>
Navy/fluorescent yellow	<b>2601-2615</b>
Fluorescent yellow/blue	<b>2601-2616</b>
Black/white	<b>2601-2617</b>
Black/red	<b>2601-2618</b>
Red/blue	<b>2601-2619</b>



2601-2301



2601-2302



2601-2303



2601-2304



2601-2305



2601-2504

### 3400 MENACE GOGGLES

- Advanced professional, high-functioning goggles with stunning off-road performance capabilities
- High-quality anti-UV, anti-scratch 1 mm-thick lens
- Feature “no-fog” lens technology
- Multilayered mirrored lens
- Built-in tear-off pins

- Quick and easy tear-offs system
- Comfortable silicone-treated, double-density foam, hydrorepellant head strap for a secure fit
- Pre-cut foam and molded channels for eyeglasses temples
- Additional clear “no-fog” lens, PART #2602-0729, included
- Homologation CE-EN #AC-96025 REV.3

GOGGLE COLOR	LENS COLOR	PART #
White/black	Silver	<b>2601-2301</b>
Red/white	Blue	<b>2601-2302</b>
Black/white	Gold	<b>2601-2303</b>

GOGGLE COLOR	LENS COLOR	PART #
White/light blue	Blue	<b>2601-2304</b>
Black/yellow	Yellow	<b>2601-2305</b>
Blue/orange	Fluorescent orange	<b>2601-2504</b>



2601-2272



2601-2273



2601-2274



2601-2275



2601-2276



2601-2277



2601-2278



2601-2279

### 3201 ATZAKI GOGGLES

- Premiere, high-functioning goggles with stunning offroad performance capabilities
- Anti-UV, anti-scratch lens

- High-quality 1 mm-thick lens
- Feature a silicone-treated, single-density foam, hydrorepellent head strap

- Available with clear lenses
- Homologation CE-EN #AC-10170

DESCRIPTION	PART #
White	<b>2601-2272</b>
Red	<b>2601-2273</b>
Black	<b>2601-2274</b>

DESCRIPTION	PART #
Blue	<b>2601-2275</b>
Yellow	<b>2601-2276</b>
Green	<b>2601-2277</b>

DESCRIPTION	PART #
Orange	<b>2601-2278</b>
Silver	<b>2601-2279</b>



2601-2491



2601-2492



2601-2493




2601-2494




2601-2495



2601-2497



2601-2499



2601-2496



2601-2498

### 3303 VISTA GOGGLES

- Premium goggles that mix excellent performance capabilities with comfort
- High-quality no-scratch, anti-UV 1 mm lens
- Feature “no-fog” lens technology
- Available with transparent and multilayered mirrored lenses

- Built-in tear-off pins
- Comfortable double-density foam and hydrorepellant head strap
- Pre-cut foam and molded channels for eyeglasses temples
- Homologation CE-EN #IT30358BD170713

DESCRIPTION	PART #
<b>W/ CLEAR LENS</b>	
White	<b>2601-2491</b>
Blue	<b>2601-2492</b>
Black	<b>2601-2493</b>
Red	<b>2601-2494</b>

DESCRIPTION	PART #
<b>W/ MIRRORRED LENS</b>	
Blue/fluorescent orange	<b>2601-2495<sup>1</sup></b>
Fluorescent yellow/red	<b>2601-2496<sup>1</sup></b>
Black/white	<b>2601-2497<sup>1</sup></b>
Red/blue	<b>2601-2498<sup>1</sup></b>

DESCRIPTION	PART #
<b>W/ MIRRORRED LENS (CONT)</b>	
Turquoise/black	<b>2601-2499<sup>1</sup></b>

<sup>1</sup> Includes free clear “no-fog” lens PART #2602-0812.



2601-2500



2601-2501



2601-2502



2601-2503



2602-0829



2602-0830

### 3303 VISTA GOGGLES WITH ROLL-OFF SYSTEM

- Equipped with roll-off system and anti-stick lens
- XL roll-off system adds 30% downward visual field
- Feature “no-fog” lens technology
- 1 mm lens thickness
- Comfortable double-density foam and hydrorepellant head strap
- Homologation CE-EN #IT30358BD170713

### VISTA ROLL-OFF FILM SYSTEM FOR GOGGLES

- XXL system gives 54% gain in visibility
- Film measures 40,5 mm x 6,5 m (1,6” x 21,3’), system measures 51 mm H (2”)
- Patented “no-fog” lenses combined with anti-stick lenses
- Possible to mount roll-off and tear-off at the same time
- Fits all ProGrip™ Vista goggles

DESCRIPTION	PART #	DESCRIPTION	PART #
White	<b>2601-2500</b>	Black	<b>2601-2502</b>
Blue	<b>2601-2501</b>	Red	<b>2601-2503</b>

DESCRIPTION	PART #
Vista roll-off system	<b>2602-0829</b>
Roll-off mud flaps (3-pk.)	<b>2602-0830</b>
Repl. film rolls (8-pk.)	<b>2602-0836</b>



2602-0125



2602-0751



2602-0812



2602-0813



2602-0814



2602-0815



2602-0816



2602-0817

### REPLACEMENT XL ROLL-OFF FILM SYSTEM ACCESSORIES

- Fit XL roll-off film system

DESCRIPTION	PART #
Repl. film rolls (12-pk.)	<b>2602-0125</b>
Roll-off mud flaps (3-pk.)	<b>2602-0751</b>

### REPLACEMENT LENSES FOR VISTA GOGGLES

DESCRIPTION	PART #	DESCRIPTION	PART #
Clear	<b>2602-0812</b>	Multilayered red	<b>2602-0816</b>
Clear, roll-off w/ special anti-stick	<b>2602-0813</b>	Tear-offs (10-pk.)	<b>2602-0817</b>
Multilayered blue	<b>2602-0814</b>	Tear-offs (25-pk.)	<b>2602-0818</b>
Multilayered yellow	<b>2602-0815</b>		



2602-0729



2602-0731



2602-0732



2602-0733



2602-0737



2602-0739



2602-0740



2602-0741



2602-0742



2602-0743



2602-0744



2602-0758

### REPLACEMENT LENSES

- 1 mm thick "no-fog", anti-scratch and anti-UV lenses with pins for tear-off
- Standard and laminated tear-off packs also available; see chart
- Fit 3200, 3201, 3208, 3404 and 3450 goggles



2602-0753

DESCRIPTION	PART #	DESCRIPTION	PART #
Clear (ea.)	<b>2602-0729</b>	Multilayered orange (ea.)	<b>2602-0742</b>
Clear, double-sided no fog (ea.)	<b>2602-0731</b>	Multilayered green (ea.)	<b>2602-0743</b>
Clear, double-sided anti-scratch (ea.)	<b>2602-0732</b>	Multilayered silver (ea.)	<b>2602-0744</b>
Clear, roll-offs special anti-stick (ea.)	<b>2602-0733</b>	Multilayered light blue (ea.)	<b>2602-0837</b>
Clear, double light sensitive (ea.)	<b>2602-0737</b>	Clear, double layered light sensitive (ea.)	<b>2602-0758</b>
Multilayered blue (ea.)	<b>2602-0739</b>	Standard tear-offs (10-pk.)	<b>2602-0753</b>
Multilayered yellow (ea.)	<b>2602-0740</b>	Standard tear-offs (25-pk.)	<b>2602-0754</b>
Multilayered red (ea.)	<b>2602-0741</b>	Laminated tear-offs (7-pk.)	<b>2602-0755</b>