



0821-2901



0821-2904



0821-2905



0821-2907



0821-2909

AIR SEAT CUSHIONS

- Eliminate painful pressure points and promote blood circulation by utilizing adjustable interconnected air cells which conform to the rider's shape regardless of weight or seating position
- Reduce shock and vibration to reduce lower back pain; improve air circulation under the rider to disperse heat and perspiration
- Add shock absorption to provide greater overall seat comfort
- Three size options: Smart, Sport and Pillion
- Smart (39,5 cm W x 86 cm L x 51 mm H (15,5" x 34" x 2")) is a universal fit for most large cruisers, standards, sports touring and adventure touring models; special features include a wide front-to-back cutout to reduce contact with the scrotum, prostate and tailbone; tapered front and back air cells provide optimal fit for elevated front and back seat contours and also improve leg passage
- Sport (32 cm W x 32 cm L x 51 mm H (12,5" x 12,5" x 2")) was designed with a 15 cm (6") front to match the narrow seat profile of most dual sport, adventure touring, sport touring and other non-touring models; special features include a narrow front with tapered cells to reduce contact with the scrotum and provide easy leg passage; back cutout area reduces contact with tailbone

- Pillion (23 cm W x 29 cm L x 51 mm H (9" x 11,5" x 2")) is a universal fit for passengers on almost all motorcycles; may also be used by the rider on very short or narrow saddles; special features allow the passenger or rider to use the Pillion lengthways or sideways
- Three cushioning options: Classic, Air Gel and Lite
- Classic cushions are made with medical-grade neoprene rubber for the ultimate in comfort, elasticity and natural "butt feel" in a motorcycle seat cushion
- Air Gel features three layers of polyurethane with gel pads inserted inside each individual air cell to provide additional cushioning, shock absorption and vibration dampening; can also be used without air when the rider wishes to feel 100% "close to the bike" yet needs some additional cushioning
- Lite is made of economical, lightweight polyurethane and reduces painful pressure points, promotes blood circulation, reduces heat and moisture buildup and lowers shock and vibration better than any other low-cost comfort product

DESCRIPTION	PART #
SMART	
Classic	0821-2901
Air Gel	0821-2902
Lite	0821-2903
SPORT	
Classic	0821-2904
Air Gel	0821-2905

DESCRIPTION	PART #
SPORT (CONT)	
Lite	0821-2906
PILLION	
Classic	0821-2907
Air Gel	0821-2908
Lite	0821-2909

REV2 THROTTLE KIT FOR SUZUKI SFV650 09-17/SV650 17-19



- The most advanced variable-rate throttle in the world
- Innovative reel changing system lets you tailor the throttle rate to riding conditions and rider preference
- Ultra-compact housing with snap-together elbows make it easy to install and change reels
- New sleek design requires less handlebar space for lever clearance and throttle position
- Use smaller reels for slower throttle rate and larger reels for faster throttle rate
- Included cam reel provides progressive throttle response preferred by some riders
- Unique reel design allows fast reel changes
- Cable boot keeps dirt and dust out for reliable and smooth operation
- Billet aluminum inline cable adjusters for easy installation and adjustment
- Lower section of cables use 5 mm housing with PTFE liner for reduced friction, increased routing flexibility and lighter weight
- Upper section of cables use 6 mm housing to provide solid support of adjusters
- Simple to install and maintain
- Kit includes Rev2 throttle assembly with throttle tube, Motion Pro Revolver black vinyl cables, Motion Pro RoadControl grips and Rev2 Street cam reel
- Standard interchangeable reels 35 mm, 40 mm, 45 mm, 50 mm are also included
- Designed by Motion Pro
- Patent pending

WARNING: Rev2 Kits have cables specifically designed for fitment on specific models, but the Rev2 throttle itself is not model specific. Therefore, in some situations, the Rev2 kit may not be a direct bolt-on installation due to space limitations on the stock handlebar. In some installations, it may be necessary to move other control components on the stock handlebar, shorten the Rev2 throttle tube and grip, install longer aftermarket handlebars or possibly all of the above. It is up to the end user to determine the best method for fitment on their motorcycle, and ensure that the Rev2 kit is installed properly and with the correct clearances for safe operation. Installation should be done by a qualified mechanic and carefully checked for proper function. Improper installation could result in great bodily injury or death.

DESCRIPTION	PART #
Rev2 throttle kit	0632-0846

REV2 THROTTLE KIT FOR SUZUKI DR-Z400E 04-07, DR-Z400S 00-17, DR-Z400SM 05-19

- Second generation of the innovative reel-changing system lets you tailor the throttle rate to riding conditions and rider preference
- Ultra-compact housing with snap-together elbows makes it easy to install and change reels
- Sleek design requires less handlebar space for lever clearance and throttle position
- Uses smaller reels for slower throttle rate and larger reels for faster throttle rate
- Included cam reel provides progressive throttle response preferred by some riders
- Unique design reel allows for fast reel changes
- Cable boot keeps dirt and dust out for reliable and smooth operation
- Billet aluminum inline cable adjusters for easy installation and adjustment
- Lower section of cables use 5 mm housing with PTFE liner for reduced friction, increased routing flexibility and lighter weight
- Upper section of cables use 6 mm housing to provide solid support of adjusters
- Simple to install and maintain
- Designed by Motion Pro
- Patent pending

DESCRIPTION	PART #
Rev2 throttle kit	0632-0847

THROTTLE CABLE FOR YAMAHA YXZ1000 16-19 (ALL)

- Black vinyl coil-wound housing
- Meets or exceeds OEM quality
- Inner POM sleeve for longer life and smooth operation



DESCRIPTION	PART #
Throttle cable	0650-1721

THROTTLE SLEEVES FOR KAWASAKI

- Replaces OEM throttle sleeves
- Heavier duty and exceeds the quality and durability of OEM sleeves
- Will not scar bars like aluminum sleeves
- Nylon fabric composite material
- Fixed end cap
- Molded ridges to help secure grips
- One-piece tube and reel design

0632-0849



FITS MODEL	PART #
KX65 00-19	0632-0849

0632-0848



FITS MODEL	PART #
KX85 01-19	0632-0849

FITS MODEL	PART #
KLX110/L/R 10-19	0632-0848



BPF ROD GUIDE WRENCH

- Used to remove internal rod guide on Showa BPF 41 mm and 43 mm forks
- Black oxide finish
- 43 mm side replaces Honda OEM tool 070MB-MGPA100, Kawasaki OEM tool 57001-1758 and Suzuki OEM tool 09940-84710
- 41 mm side replaces Honda OEM tool 070MB-MCJ0100, Kawasaki OEM tool 57001-1742 and Suzuki OEM tool 09910-84711

DESCRIPTION	PART #
BPF rod guide wrench	3805-0192

SHOCK BEARING PULLER

- Safely removes and installs the upper spherical bearing on rear shocks
- Fits 24 mm OD bearings
- Durable hardened tool steel construction
- Corrosion-resistant black oxide coating
- Laser-etched for easy identification
- Reversible puller cup with cutaway fits a wide variety of shock reservoir and compression adjuster configurations
- Durable brass thrust washer

DESCRIPTION	PART #
Shock bearing puller	3805-0194



FORK SEAL BULLET TOOL SET

- Protect the fork seal and wiper of inverted forks from damage by the bushing groove during installation
- Save time by eliminating the need to wrap the fork tube with tape
- Set includes 36 mm, 41 mm, 43 mm, 45 mm, 46 mm, 47 mm, 48 mm and 49 mm bullet tools; also available separately
- Fitment size is marked on each bullet for easy identification

DESCRIPTION	PART #
Fork seal bullet tools	3805-0193



TORX BIT SET

- Double-ended Torx Bits
- Sizes T25/T30 and T40/T45
- Durable nickel pewter finish
- Rubber O-ring keep bits securely in place
- Bits compatible with PART #MP08161 MP Tool Metric
- Also fit 1/4" drive by 5/16" socket (Motion Pro P/N 08-0384) or 5/16" T-Handle socket (Motion Pro P/N 08-0307)

DESCRIPTION	PART #
Torx bit set	3812-0660

DOWEL PIN PULLERS

- Designed to assist in pulling stuck dowel pins from engine cases
- To be used in conjunction with Dowel Pin Puller Set PART #3801-0272 (sold separately)
- Durable hardened steel construction
- Laser-etched for easy identification
- Patented design

DESCRIPTION	PART #
12,5 mm puller	3801-0358
13,8 mm puller	3801-0359
17 mm puller	3801-0360

DESCRIPTION	PART #
19 mm puller	3801-0361
21 mm puller	3801-0362




VFORCE4
 BY MOTO TASSINARI

VFORCE4 REED VALVES AND REPLACEMENT REEDS

- Advanced reed petal resin system, carbon fiber and lay-up
- Pre-curved reed petal ensures better seal at the tip
- Wider reed cage for maximum airflow
- Combined reed tip area is increased by 10,5% for better airflow
- Airfoil shape added to cage tip to increase velocity from the outer ports
- Long reed stops added to progressively slow reed petal tip velocity for increased petal durability
- Reduced frontal area of the central wing combined with a more aerodynamic shape
- Replacement reeds sold one set per reed cage, PART #1008-0315 sold separately

FITS MODEL	REED VALVE PART #
HUSQVARNA	
TC85 14-20	1008-0316
KTM	
85/105 SX 03-20	1008-0316

MOOSE
 RACING

MUD RADIATOR COVERS

- Designed to protect your radiator from clogging up with mud in inclement conditions
- Easy to install with elastic straps that wrap around the radiator core housing
- Made of silicone so that mud will not stick to radiator causing restriction of air into cooling fins
- Used by many GP and US MX factory race teams around the World
- Available in white

FITS MODEL	PART #
HONDA	
CRF250R 19-20	1901-0798
CRF450R 16	1901-0799
CRF450R 17-20	1901-0779
HUSQVARNA	
125 2-strokes 03-20 (all)	1901-0780
250 2-strokes 03-20 (all)	1901-0781
250 4-stroke 05-20 (all)	1901-0782
350 4-stroke 14-20 (all)	1901-0783
450 4-stroke 05-20 (all)	1901-0784
KAWASAKI	
KX250F 16-20	1901-0785
KX450F 16-20	1901-0786



1011-4335



1011-4334



1011-4327

K&N
 SUPERIOR AIRFLOW.
 SUPERIOR PERFORMANCE.

OE REPLACEMENT HIGH-FLOW AIR FILTERS™

- Designed to provide increased performance
- Pleated media provides a large filtration area offering long service intervals
- Multi-layers of woven cotton gauze media offers excellent filtration
- Fits directly into OEM airbox with application-specific Sealing Bead to ensure a precise fit
- Fuel-management modifications are not required for increased performance
- Washable and reusable, pre-oiled and ready to ride

FITS MODEL	PART #
HONDA	
Gold Wing 18-19	1011-4335
KAWASAKI	
Z900 17-19	1011-4334
MOTO GUZZI	
V9 Bobber 16-19	1011-4327



1901-0797



FITS MODEL	PART #
KTM	
125 2-stroke 05-18	1901-0787
250 2-stroke 01-20	1901-0788
250 4-stroke 17-20	1901-0789
350 4-stroke 14-20	1901-0790
450 4-stroke 04-20	1901-0791
SUZUKI	
RM-Z250 04-20	1901-0792
RM-Z450 05-20	1901-0793
YAMAHA	
YZ125 98-20	1901-0794
YZ250 98-20	1901-0795
YZ250F 04-20	1901-0796
YZ450F 04-20	1901-0797



A



B



C



D



E




F

ROAD MAXX

- Injection-molded ABS shell
- Multi-density EPS liner provides impact absorption
- Removable, moisture-wicking polyester liner and cheek pads
- Scratch-resistant polycarbonate clear face shield
- Drop-down sun visor makes helmet versatile in all lighting conditions
- Intake and exhaust vents improve temperature regulation
- See helmet size guide before ordering
- ECE 22.05 certified

SIZE	HAT SIZE	CENTIMETERS	INCHES
S	6 ⁷ / ₈ - 7	55 - 56	21 ⁵ / ₈ - 22
M	7 ¹ / ₈ - 7 ¹ / ₄	57 - 58	22 ³ / ₈ - 22 ³ / ₄
L	7 ³ / ₈ - 7 ¹ / ₂	59 - 60	23 ¹ / ₈ - 23 ¹ / ₂
XL	7 ⁵ / ₈ - 7 ³ / ₄	61 - 62	24 - 24 ³ / ₈
2X	7 ⁷ / ₈ - 8	63 - 64	24 ³ / ₄ - 25 ¹ / ₈
3X	8 ¹ / ₈ - 8 ¹ / ₄	65 - 66	25 ¹ / ₂ - 26

SIZE	(A) BLACK	(B) FLAT BLACK	(C) WHITE	(D) SILVER	(E) DARK SILVER	(F) WINE
S	0104-2510	0104-2517	0104-2524	0104-2531	0104-2538	0104-2545
M	0104-2511	0104-2518	0104-2525	0104-2532	0104-2539	0104-2546
L	0104-2512	0104-2519	0104-2526	0104-2533	0104-2540	0104-2547
XL	0104-2513	0104-2520	0104-2527	0104-2534	0104-2541	0104-2548
2X	0104-2514	0104-2521	0104-2528	0104-2535	0104-2542	0104-2549
3X	0104-2515	0104-2522	0104-2529	0104-2536	0104-2543	0104-2550



CONSTRUCT VARIANT PRO

- Tough fiberglass/composite shell
- Intermediate-oval headform is wind-tunnel tested and refined
- Low-drag visor
- Extensive venting with high-flow EPS channels
- Optically correct quick-change fog-free face shield
- 5-piece modular Hydradry™ moisture-wicking liner
- Meets or exceeds ECE 22-05 helmet safety standards

NOTE: Does not ship with PSC or MFJ certification stickers unless purchased from an authorized dealer in that country.

SIZE	(A) BLACK	(B) WHITE
XS	0101-12409	0101-12416
S	0101-12410	0101-12417
M	0101-12411	0101-12418
L	0101-12412	0101-12419
XL	0101-12413	0101-12420
2X	0101-12414	0101-12421
3X	0101-12415	0101-12422

SIZE	HAT SIZE	CENTIMETERS	INCHES
XS	6 ⁵ / ₈ -6 ³ / ₄	53-54	20 ⁷ / ₈ -21 ¹ / ₄
S	6 ⁷ / ₈ -7	55-56	21 ⁵ / ₈ -22
M	7 ¹ / ₈ -7 ¹ / ₄	57-58	22 ³ / ₈ -22 ³ / ₄
L	7 ³ / ₈ -7 ¹ / ₂	59-60	23 ¹ / ₈ -23 ¹ / ₂
XL	7 ⁵ / ₈ -7 ³ / ₄	61-62	24-24 ³ / ₈
2X	7 ⁷ / ₈ -8	63-64	24 ³ / ₄ -25 ¹ / ₈
3X	8 ¹ / ₈ -8 ¹ / ₄	65-66	25 ¹ / ₂ -26



MEN'S ICON 1000™ BRIGAND GLOVES

- Durable textile chassis stands up to the demands of the road
- Cool, comfortable high-airflow mesh on back
- Knit nylon finger gussets
- Touchscreen capable
- Secure wrist closures keep gloves in place

SIZE	BLACK
S	3301-3725
M	3301-3726
L	3301-3727
XL	3301-3728
2X	3301-3729
3X	3301-3730



MEN'S ICON 1000™ BRIGAND JACKET

- Durable Cordura® denim chassis stands up to abuse
- D3O® shoulder, elbow and back impact protectors are removable
- Removable, insulated and waterproof liner adds versatility
- Front pocket closures are magnetic
- Premium YKK® zippers
- Black reflective logos add visibility
- Icon Sport fit with straight body and semi-precurved arms



Back view

SIZE	SLATE	SIZE	SLATE
S	2820-4990	XL	2820-4993
M	2820-4991	2X	2820-4994
L	2820-4992	3X	2820-4995

SIZE	S	M	L	XL	2X	3X
Chest	89 cm-94 cm (35"-37")	94 cm-104 cm (37"-41")	104 cm-112 cm (41"-44")	112 cm-122 cm (44"-48")	122 cm-135 cm (48"-53")	135 cm-147 cm (53"-58")
Sleeve length	81 cm (32")	84 cm (33")	86 cm (34")	89 cm (35")	91 cm (36")	94 cm (37")



200 GM OF INSULATION
THROUGHOUT



YKK

Little Parts. Big Difference..

3M Scotchlite™
Reflective Material



BREATHABLE



INSULATED



SEALED SEAMS



WATERPROOF

FIT



GARMENT WARMTH



**FULL LENGTH BIB WITH
STRETCH SIDE PANELS**



INTERIOR ZIPPER POCKET
KEEPS ITEMS CLOSE TO THE
BODY FOR ADDED WARMTH

ADJUSTABLE LENGTH
LOWER LEG ADJUSTERS
TO SHORTEN INSEAM



MEN'S PIVOT 3 INSULATED JACKETS AND BIBS

- A new bolder, more colorful addition to the Pivot lineup
- Fully-insulated waterproof 300D polyester chassis
- Insulation for maximum warmth performance; 200 grams throughout
- Microporous coated fabric, seam-sealing and durable waterproof coating on outer shell
- Smooth and comfortable nylon taffeta hanging liner is quilted to hold insulation in place
- Pocket pattern design includes two fleece-lined handwarmer pockets and two interior cargo pockets
- Full-length side leg zippers on bib for easy entry/exit with boots
- Fleece-lined collar and interior snow gaiter cuff
- Side leg zipper on bib can be zipped down at top for venting and access to interior zippered pockets
- Full-length bib waist with side stretch panels
- Adjustable bib length can be shortened by 38 mm (1,5") or 76 mm (3")
- Double-layer waterproof seat



MEN'S PIVOT 3 INSULATED JACKETS AND BIBS (CONT)



JACKETS

SIZE	(A) BLACK/WHITE	(B) BLACK/ORANGE	(C) BLUE/HI-VIZ	(D) BLACK/GREEN	(E) RED/HI-VIZ
S	3120-1946	3120-1954	3120-1962	3120-1970	3120-1978
M	3120-1947	3120-1955	3120-1963	3120-1971	3120-1979
L	3120-1948	3120-1956	3120-1964	3120-1972	3120-1980
XL	3120-1949	3120-1957	3120-1965	3120-1973	3120-1981
2X	3120-1950	3120-1958	3120-1966	3120-1974	3120-1982
3X	3120-1951	3120-1959	3120-1967	3120-1975	3120-1983
4X	3120-1952	-	-	-	-
5X	3120-1953	-	-	-	-

BIBS

SIZE	BLACK	SIZE	BLACK	SIZE	BLACK
S	3130-1164	2X	3130-1168	3X short	3130-1198
M	3130-1165	3X	3130-1169	4X short	3130-1199
L	3130-1166	4X	3130-1170	5X short	3130-1200
XL	3130-1167	5X	3130-1171		



YKK
Little Parts. Big Difference..



BREATHABLE



INSULATED



SEALED SEAMS



WATERPROOF

GARMENT WARMTH



SHELL WARM WARMER WARMEST

FIT



SLIM REGULAR RELAXED

3M | **Scotchlite™**
Reflective Material



WOMEN'S PIVOT 3 INSULATED JACKETS AND BIBS

- A new bolder, more colorful addition to the Pivot lineup
- Fully-insulated waterproof 300D polyester chassis
- Insulation for maximum warmth performance; 200 grams throughout
- Microporous coated fabric, seam-sealing and durable waterproof coating on outer shell
- Smooth and comfortable nylon taffeta hanging liner is quilted to hold insulation in place
- Pocket pattern design includes two fleece-lined handwarmer pockets and two interior cargo pockets
- Full-length side leg zippers on bib for easy entry/exit with boots
- Fleece-lined collar and interior snow gaiter cuff
- Side leg zipper on bib can be zipped down at top for venting and access to interior zippered pockets
- Side waist adjusters allow fine tuning at waist of bib
- Adjustable bib length can be shortened by 38 mm (1,5") or 76 mm (3")
- Double-layer waterproof seat

JACKETS

SIZE	(A) BLACK/WHITE	(B) BLACK/MINT	(C) BLACK/PINK
XS	3121-0769	3121-0770	3121-0771
S	3121-0726	3121-0731	3121-0736
M	3121-0727	3121-0732	3121-0737
L	3121-0728	3121-0733	3121-0738
XL	3121-0729	3121-0734	3121-0739
2X	3121-0730	3121-0735	3121-0740

BIBS

SIZE	BLACK
XS	3131-0496
S	3131-0497
M	3131-0498
L	3131-0499
XL	3131-0500
2X	3131-0501