



EVOLUTION LINE EXHAUST SYSTEM FOR YAMAHA YZ250F 19-21

- The flagship of the Akrapovic exhaust system range
- Used and tested by top factory teams in motorcycle racing
- Unique and dedicated to maximizing the engine's performance, while reducing overall weight for optimized overall handling of the motorcycle
- Made entirely of titanium
- Exhaust system meets FIM noise limits, and features a more durable welded bracket and titanium end cap
- Also features a new coating for the silencer outer sleeve for better scratch resistance and easier cleaning

NOTE: Country restrictions apply. Please check our website to determine if these products can be shipped to your country.



HEADER/MUFFLER TYPE

PART

Titanium/titanium (single muffler)

1820-1992



1811-3876



1811-4141



UPSWEEP SLIP-ON MUFFLERS

- Mild steel with matte black ceramic finish
- Tapered cone muffler and eliminator-style end cap
- Perforated baffle with fiberglass wrap
- Laser-engraved riveted badge
- Include instructions and mounting hardware

NOTE: Must remove stock slip-on.



FITS MODEL

PART

HONDA

Rebel 300/500 17-19

1811-3876

FITS MODEL

PART

HONDA (CONT)

Rebel 1100 21

1811-4141



HG 07 5-LEVEL HEATED GRIPS

- Five-level temperature controller allows you to adjust the temperature to desired comfort level
- Resistant to outdoor conditions and elevated temperatures
- Resistant to damage, even at high temperatures
- Thumb heater included for ATVs
- Sold in pairs

| DESCRIPTION | PART # |
|---------------------------------------|------------------|
| For 22 mm handlebars w/ 130 mm K grip | 0631-0271 |



DL-04 TACHOMETER/SPEEDOMETER FOR BMW R NINE T 14-16

- Plug-and-play
- Includes an odometer and trip meter
- Range of 0-360 km/h (0-225 mph)
- 12VDC
- Effective temperature range -10 °C - 60 °C
- Multi-color indicator lights
- Measures 96 mm in dia.
- ECE approved

| DESCRIPTION | PART # |
|--------------------------------------|------------------|
| DL-04 tachometer/speedometer for BMW | 2201-0229 |



STAR LED FOG LIGHTS

- Small, high-quality, bell-shaped fog light
- Provide great visibility even at dense fog
- Measure 62,9 mm in dia. x 68,5 mm L
- Available in black
- ECE approved
- Sold in pairs

| DESCRIPTION |
|---------------------|
| Star LED fog lights |

| PART # |
|------------------|
| 2040-2760 |



KOSO®
Feel The Speed



2020-1975



2020-1974

SONIC LED INDICATOR LIGHTS

- 12V/2,3W
- Measure 24 mm L x 100 mm W x 22 mm H
- Thread size: M8 x 20 mm
- Available in matte black
- ECE approved
- Sold each



| DESCRIPTION | PART # |
|-------------------------------------|-----------|
| Front light | 2020-1975 |
| Rear light and brake light function | 2020-1974 |



Z4 LED INDICATOR LIGHT

- 12V/2,2 watt
- Measures 24 mm x 112 mm
- M8 x 125 thread
- Available in matte black
- ECE approved
- Sold each



| DESCRIPTION | PART # |
|------------------------|-----------|
| Z4 LED indicator light | 2020-1973 |

CURVE LED LICENSE PLATE LIGHT

- Universal, slim and compact design fits most motorcycles, ATVs and scooters
- For 12V systems
- Comes with pre-attached cables
- Available in black
- Measures 45 mm L x 27 mm W x 12 mm H
- ECE approved
- Sold each



| DESCRIPTION | PART # |
|-------------------------------|-----------|
| Curve LED license plate light | 2030-1957 |



MINI 12V FLASHER RELAY

- Digital relay
- 12V
- Measures 10 mm in dia. x 22 mm L

| DESCRIPTION | PART # |
|------------------------|-----------|
| Mini 12V flasher relay | 2130-0315 |



EGT SENSOR - SPORT

- Replacement exhaust temperature sensor for Koso EGT meters

| DESCRIPTION | PART # |
|--------------------|-----------|
| EGT sensor - sport | 2130-0314 |



LITHIUM ION BATTERIES

- High power with reduced weight and dimensions
- Prompt crank even under extreme conditions
- Features robust brass terminals and is high-temperature resistant
- Super-fast charging rate
- Water resistance of IP54



2113-0800



2113-0801

| YUASA REFERENCE # | DIMENSIONS | WEIGHT | CCA | PART # |
|---|--|----------------|-----|------------------|
| YTZ5S, YTX4L-BS, YTX7S, YTX7A-BS and YTX5L-BS | 107 mm L x 56 mm W x 85 mm H (4 ¹ / ₄ " x 2 ¹ / ₄ " x 3 ³ / ₈ ") | 500 g (1,1 lb) | 175 | 2113-0800 |
| - | 86 mm L x 54 mm W x 90 mm H (3 ³ / ₈ " x 2 ¹ / ₈ " x 3 ¹ / ₂ ") | 420 g (0,9 lb) | 140 | 2113-0801 |

| FITS MODEL | PART # |
|-----------------------------|------------------|
| BETA | |
| RR 2T 250/300 18-21 | 2113-0800 |
| RR 4T 350/390/430/480 18-21 | 2113-0800 |
| GAS GAS | |
| EC200/250/300 18-19 | 2113-0800 |
| XC200/250/300 18-19 | 2113-0800 |
| HONDA | |
| CRF250/450 18-21 | 2113-0801 |
| HUSQVARNA | |
| FC 250/350/450 16-17 | 2113-0801 |
| FC 250/250/350/450 18-21 | 2113-0800 |
| FE 250/350/450 17-21 | 2113-0800 |
| TE 250 18-21 | 2113-0800 |
| TE 300 17-21 | 2113-0800 |
| KAWASAKI | |
| KXF450 19-21 | 2113-0800 |

| FITS MODEL | PART # |
|-------------------------|------------------|
| KTM | |
| SX-F 250/350/450 16-17 | 2113-0801 |
| SX-F 250/350/450 18-21 | 2113-0800 |
| EXC 250/300 17-21 | 2113-0800 |
| EXC-F 250/350/450 17-21 | 2113-0800 |
| Freeride 250 14-21 | 2113-0800 |
| SHERCO | |
| SE/SE-R 125 18-21 | 2113-0800 |
| SE/SE-R 250/300 14-21 | 2113-0800 |
| SEF-R 250/300/450 14-21 | 2113-0800 |
| SEF-R 500 20-21 | 2113-0800 |
| YAMAHA | |
| YZ250F 19-21 | 2113-0800 |
| YZ450F 18-21 | 2113-0800 |



THE IGNITION SPECIALIST™

IRIDIUM IX

IRIDIUM IX SPARK PLUGS

- The ultimate in the evolution of spark plug technology and performance from the industry leader
- The iridium electrode is 25% smaller than a platinum electrode, and it's just 1/4 the size of a conventional nickel electrode
- Ultra-small-diameter center electrode reduces voltage requirement and extends ignition system life
- Metal shell plating has enhanced anticorrosion qualities



| PART # | NGK PLUG # | THREAD | REACH |
|------------------|------------|--------|---------------|
| 2103-0506 | BR9ECSIX-5 | 14 mm | 19 mm (3/4") |
| 2103-0507 | BPR8HIX | 14 mm | 13 mm (1/2") |
| 2103-0505 | KR8BI | 12 mm | 19 mm (3/4") |
| 2103-0514 | SILMAR7A9S | 10 mm | 25 mm (1.04") |



THE IGNITION SPECIALIST™

SPARK PLUGS

- Superior construction for serious power
- NGK makes plugs for almost every application and riding style
- Versatile plugs with wide operating heat ranges prevent fouling from running too cool and preignition from running too hot
- Feature high alumina ceramics for improved heat dissipation and electrical insulation, deep-seated copper core for a wider heat range and a nickel alloy tip for longer life



| PART # | NGK PLUG # | THREAD | REACH |
|------------------|-------------|--------|--------------|
| 2103-0510 | BCPR5ES | 14 mm | 19 mm (3/4") |
| 2103-0511 | BCPR6ES | 14 mm | 19 mm (3/4") |
| 2103-0513 | BPMP7ASOLID | 14 mm | 10 mm (3/8") |
| 2103-0508 | BR10ECM | 14 mm | 19 mm (3/4") |



VCR38GT REARSET

- Super high-grade 7075 aluminium
- Perfect combination of durability, strength and weight
- Continuously adjustable
- Multiple adjustment possibilities: footrest, shift travel, foot length
- Brake lever positioning by eccentric adjuster
- Precise positioning by graded-scale
- Fixing of the optimum position with a central clamping screw
- No play, double ball-bearing gear and brake lever
- Standard and reverse shifting possible
- Optimized ergonomics by use of innovative rolling toe piece on gear lever
- Rolling toe piece enables less effort when shifting gears
- Available in black anodized
- Integrated brake light microswitch

| FITS MODEL | ADDITIONAL REVERSE SHIFTING | PART # |
|-----------------|-----------------------------|------------------|
| KAWASAKI | | |
| ZX-6R 636 13- | No | 1623-0552 |



GP LIGHT 2 CLIP-ONS

- Aluminum construction
- Ideal as replacement or crash handlebars
- Extremely lightweight: approximately 335 g per handlebar
- Fixed inclination angle 6° is the optimum compromise between a sporty and relaxed riding position
- Separate bolting for clamp and tube to avoid damage to fork in a crash
- Bolting of tube is at outer position for easier changing with standard tools
- Replacement tubes available separately
- Available with natural color clamps and black tubes
- Sold in pairs

APPLICATION CHART

| FITS MODEL | FORK SIZE | PART # |
|----------------------------|-----------|------------------|
| APRILIA | | |
| RSV 1000 R (Mille R) 99-03 | 51 mm | 0601-5611 |
| RSV 4 09-12 | 51 mm | 0601-5611 |
| RSV 4 1000 RR/RF 18- | 51 mm | 0601-5611 |
| RSV 4 1100 Factory 19- | 51 mm | 0601-5611 |
| RSV 4 ABS 13-14 | 51 mm | 0601-5611 |
| RSV4 APRC 11-14 | 51 mm | 0601-5611 |
| RSV4 RR/RF 15-18 | 51 mm | 0601-5611 |



FACTOR-X REARSETS

- Unique proprietary Gilles Tooling coupled with World Superbike comprehension
- Puristic sportiness combined with aesthetic design
- Perfect balance of lightweight construction and stress resistance
- Double ball bearing shift and brake lever
- Three adjustable settings
- Anodized black finish

NOTE: Brake light switch is not included.

NOTE: For use on street, please add the optional street legalization kit; sold separately, see page 711 of the Parts Europe 2021 Street catalog.

| FIT MODEL | BLACK # |
|------------------------------|------------------|
| HONDA | |
| CB 650 F 14-18 | 1623-0550 |
| CB 650 R Neo Sports Cafe 19- | 1623-0550 |
| CBR 650 F 14-18 | 1623-0550 |
| CBR 650 R 19- | 1623-0550 |
| YAMAHA | |
| YZF-R25 15-18 | 1623-0551 |
| YZF-R3 15- | 1623-0551 |



SHIFTHOLDER KIT

- Helps to eliminate gear shift problems
- Gearshaft stands too far out of the gear box; it bends elastically when shifting hard or quick, which is the reason for imprecise gear shifting
- Stabilizes the gear shaft and eliminates vague shifting
- Brass bushing and needle bearing
- Hard anodized titanium color
- Sold each

| FITS MODEL | PART # |
|----------------------|------------------|
| HONDA | |
| CBR 900 RR/929 00-02 | 1602-1403 |
| CBR 900 RR/954 02-04 | 1602-1403 |



SPROCKET COVER

- Unique design matches the look of other parts of the bike for a clean and uniform look and feel

| FITS MODEL | PART # |
|-------------------------------------|------------------|
| YAMAHA | |
| MT-09/FZ-09 13- | 1202-0157 |
| MT-09 Street Rally 13-16 | 1202-0157 |
| MT-09 Tracer/Tracer 900/FJ-09 14-17 | 1202-0157 |
| NIKEN/GT 18- | 1202-0157 |
| Tracer 900/GT 18- | 1202-0157 |
| XSR 900 16- | 1202-0157 |



WATER PUMP COVER WITH IMPELLER FOR KAWASAKI KX450 19-20

- Made of CNC-machined billet aluminum
- Strong, lightweight and durable to provide years of outstanding protection and performance
- Designed with an impeller to increase water flow and reduce hydraulic friction and cavitation

| DESCRIPTION | PART # |
|------------------------------|------------------|
| Water pump cover w/ impeller | 0940-2003 |



0940-2005



CLUTCH COVERS

- Improves heat dissipation
- Stronger than stock
- Precision machined from billet T6 aircraft-quality aluminum
- Race proven by virtually every factory race team
- Hard-coated to resist boot wear

| FITS MODEL | PART # |
|-----------------|------------------|
| KAWASAKI | |
| KX250 21 | 0940-2005 |
| KX450 21 | 0940-2004 |



CLICK-TORQUE WRENCH

- Features 1/2" square drive, reversible ratchet and 45 teeth
- Easily set and save the desired torque value
- Audible and tactile clicks release the mechanism when set torque is reached
- Measuring range: 20 N/m - 100 N/m
- Robust design with ergonomic two-component handle suitable for right-hand use

| DESCRIPTION | PART # |
|---------------------|------------------|
| Click-torque wrench | 3850-0550 |



A



B



C



ECE 22.05

RANGE DUAL SPORT UPTAKE HELMETS

- Injection-molded ABS shell
- Scratch-resistant polycarbonate face shield
- Versatile design can be used with or without the face shield (hardware included for helmet conversion)
- Drop-down sun visor makes helmet versatile in all lighting conditions
- Adjustable, removable helmet visor
- Dual-density EPS foam padding with fully removable polyester moisture-wicking liner and cheek pads
- See helmet size guide below before ordering



| SIZE | (A) BLACK/HI-VIZ | (B) BLACK/WHITE | (C) BLACK/RED |
|------|------------------|-----------------|---------------|
| S | 0140-0002 | 0140-0008 | 0140-0014 |
| M | 0140-0003 | 0140-0009 | 0140-0015 |
| L | 0140-0004 | 0140-0010 | 0140-0016 |
| XL | 0140-0005 | 0140-0011 | 0140-0017 |
| 2X | 0140-0006 | 0140-0012 | 0140-0018 |

| SIZE | HAT SIZE | INCHES | CENTIMETERS |
|------|---|---|-------------|
| S | 6 ⁷ / ₈ - 7 | 21 ⁵ / ₈ - 22 | 55 - 56 |
| M | 7 ¹ / ₈ - 7 ¹ / ₄ | 22 ³ / ₈ - 22 ³ / ₄ | 57 - 58 |
| L | 7 ³ / ₈ - 7 ¹ / ₂ | 23 ¹ / ₈ - 23 ¹ / ₂ | 59 - 60 |
| XL | 7 ⁵ / ₈ - 7 ³ / ₄ | 24 - 24 ³ / ₈ | 61 - 62 |
| 2X | 7 ⁷ / ₈ - 8 | 24 ³ / ₄ - 25 ¹ / ₈ | 63 - 64 |

AFX**ECE 22.05****FX-17**

- Aerodynamic shell design constructed using advanced poly-alloy plastic for light weight and strength
- Hypoallergenic and antimicrobial nylon liner and cheek pads are removable and washable
- Ear cavity space for speakers
- Removable screw-on vented visor
- Fully molded eyeport trim with incorporated goggle grabber
- 11 points of ventilation with chin, side, rear and forehead vents
- Clear-coat finish to protect paint and graphics
- Square D-ring style retention system
- See helmet size guide below before ordering
- ECE-22.05 certified

| SIZE | (A) ATTACK MATTE BLACK/SILVER | (B) ATTACK MATTE BLACK/RED | (C) ATTACK MATTE BLACK/ORANGE | (D) ATTACK MATTE BLACK/BLUE | (E) ATTACK MATTE BLACK/GREEN |
|------|----------------------------------|-------------------------------|----------------------------------|--------------------------------|---------------------------------|
| XS | 0110-7142 | 0110-7148 | 0110-7154 | 0110-7160 | 0110-7178 |
| S | 0110-7143 | 0110-7149 | 0110-7155 | 0110-7161 | 0110-7179 |
| M | 0110-7144 | 0110-7150 | 0110-7156 | 0110-7162 | 0110-7180 |
| L | 0110-7145 | 0110-7151 | 0110-7157 | 0110-7163 | 0110-7181 |
| XL | 0110-7146 | 0110-7152 | 0110-7158 | 0110-7164 | 0110-7182 |
| 2X | 0110-7147 | 0110-7153 | 0110-7159 | 0110-7165 | 0110-7183 |

AFX HELMET SIZE CHART

| SIZE | HAT SIZE | INCHES | CENTIMETERS |
|-----------------|---|---|-------------|
| XS ¹ | 6,625 - 6 ³ / ₄ | 20 ⁷ / ₈ - 21 ¹ / ₄ | 53 - 54 |
| S | 6 ⁷ / ₈ - 7 | 21 ⁵ / ₈ - 22 | 55 - 56 |
| M | 7 ¹ / ₈ - 7 ¹ / ₄ | 22 ³ / ₈ - 22 ³ / ₄ | 57 - 58 |
| L | 7 ³ / ₈ - 7 ¹ / ₂ | 23 ¹ / ₈ - 23 ¹ / ₂ | 59 - 60 |
| XL | 7 ⁵ / ₈ - 7 ³ / ₄ | 24 - 24 ³ / ₈ | 61 - 62 |
| 2X | 7 ⁷ / ₈ - 8 | 24 ³ / ₄ - 25 ¹ / ₈ | 63 - 64 |

¹ Due to size similarities between Youth Large and Adult X-Small, it is the Parent's/Guardian's responsibility to determine if a Youth rider may safely and comfortably wear an Adult sized helmet.

icon**ECE 22.05**

Includes Clear &
RST Blue FliteShield™

Includes Dark
Smoke DropShield™



4HORSEMEN™ AIRFLITE™

- Injection-molded polycarbonate shell for strength
- Multiple oversized intake and exhaust ports are strategically placed to keep you cool and comfortable, including four intake vents, MX-inspired chinbar vent and two exhaust ports that channel air between the comfort liner and the protective, energy-absorbing EPS foam liner
- Quick-change, fog-free outer FliteShield™ keeps debris away, while the internal, interchangeable DropShield™ keeps the sun in check with a flip of a switch
- Removable molded breath deflector and chin curtain

- Moisture-wicking Hydradry™ interior is fully removable and washable
- Both wind drag and weight are decreased by sculpting the traditional neckline of the Airflite™ to avoid jacket or suit interference
- See helmet size guide on page 10 before ordering
- Meets ECE 22-05 (Europe) safety and testing standards

NOTE: Does not ship with SAI, PSC or MFJ certification stickers unless purchased from an authorized dealer in that country.


| SIZE | BLUE |
|------|------------|
| XS | 0101-13917 |
| S | 0101-13918 |
| M | 0101-13919 |
| L | 0101-13920 |

| SIZE | BLUE |
|------|------------|
| XL | 0101-13921 |
| 2X | 0101-13922 |
| 3X | 0101-13923 |



A

Includes Clear & RST
Blue Icon Optics™ Shield



Glow in the dark

B



Includes Clear & RST
Green Icon Optics™ Shield

ECE 22.05

Includes Clear & RST
Red Icon Optics™ Shield



C



MANIK'R™ AIRFORM™

- Injection-molded polycarbonate shell for strength
- Internal airflow geometry and continuous venting system keep rider cool
- Fog-free Icon Optics™ shield with Rapid-Release™ system
- Manik'r includes red, blue or green Optics™ shield to match helmet
- Prolock™ positive shield-locking system
- TracShield™ shield with tear-off posts available; sold separately
- Internal Dropshield™ with exterior switch
- Comfortable sculpted neck roll
- Removable molded breath deflector
- Fully removable Hydradry™ 3-piece moisture-wicking liner
- Internal speaker pockets work with Icon's R.A.U. Bluetooth® device
- See helmet size guide below before ordering
- All World Standard meets or exceeds the following: ECE 22-05 (Europe) helmet safety standards

NOTE: Does not ship with PSC or MFJ certification stickers unless purchased from an authorized dealer in that country.

NOTE: The Dropshield™ visor must only be used while the main face shield is in the fully closed position.

ICON HELMET SIZE CHART

| SIZE | HAT SIZE | INCHES | CENTIMETERS |
|------|---|---|-------------|
| XXS | 6 ³ / ₈ - 6 ¹ / ₂ | 20 ¹ / ₈ - 20 ¹ / ₂ | 51 - 52 |
| XS | 6 ⁵ / ₈ - 6 ³ / ₄ | 20 ⁷ / ₈ - 21 ¹ / ₄ | 53 - 54 |
| S | 6 ⁷ / ₈ - 7 | 21 ⁵ / ₈ - 22 | 55 - 56 |
| M | 7 ¹ / ₈ - 7 ¹ / ₄ | 22 ³ / ₈ - 22 ³ / ₄ | 57 - 58 |

MANIK'R™

| SIZE | (A) BLUE | (B) GREEN | (C) RED |
|------|------------|------------|------------|
| XS | 0101-13861 | 0101-13868 | 0101-13875 |
| S | 0101-13862 | 0101-13869 | 0101-13876 |
| M | 0101-13863 | 0101-13870 | 0101-13877 |
| L | 0101-13864 | 0101-13871 | 0101-13878 |
| XL | 0101-13865 | 0101-13872 | 0101-13879 |
| 2X | 0101-13866 | 0101-13873 | 0101-13880 |
| 3X | 0101-13867 | 0101-13874 | 0101-13881 |

| SIZE | HAT SIZE | INCHES | CENTIMETERS |
|------|---|---|-------------|
| L | 7 ³ / ₈ - 7 ¹ / ₂ | 23 ¹ / ₈ - 23 ¹ / ₂ | 59 - 60 |
| XL | 7 ⁵ / ₈ - 7 ³ / ₄ | 24 - 24 ³ / ₈ | 61 - 62 |
| 2X | 7 ⁷ / ₈ - 8 | 24 ³ / ₄ - 25 ¹ / ₈ | 63 - 64 |
| 3X | 8 ¹ / ₈ - 8 ¹ / ₄ | 25 ¹ / ₂ - 26 | 65 - 66 |


icon


MEN'S STORMHAWK™ GLOVES

- Abrasion-resistant, ripstop polyester chassis are paired with Hipora™ waterproof interior inserts for comfortable, dry riding when the weather turns against you
- Ax® Laredo synthetic palms and palm overlays improve wear and grip properties
- Rigid knuckle plates and internal D3O® knuckle inserts to provide functional backhand coverage
- Secure hook-and-loop wrist closures
- Tested and certified according to standard - EN 13594:2015, Level 1, KP

| SIZE | BLACK |
|------|-----------|
| S | 3301-3965 |
| M | 3301-3966 |
| L | 3301-3967 |

| SIZE | BLACK |
|------|-----------|
| XL | 3301-3968 |
| 2X | 3301-3969 |
| 3X | 3301-3970 |



A



B



MEN'S STORMHAWK™ WATERPROOF BOOTS

- Premium leather uppers feature a water-resistant finish
- Breathable eVent waterproof liners help keep feet dry
- Highly lugged oil/slip-resistant rubber outsoles provide peak motorcycle performance
- Open-cell polyurethane insoles cushion feet
- BOA® lacing system for easy on/off and a comfortable fit
- Dual D3O® inserts provide ankle coverage
- Reinforced rubber toe-caps, reflective heel accents and shifter interface nubs
- Tested and certified according to standard - EN 13634:2017

C



| SIZE | (A) BLACK | (B) BROWN | (C) GRAY |
|------|-----------|-----------|-----------|
| 7 | 3403-1149 | 3403-1161 | 3403-1173 |
| 8 | 3403-1150 | 3403-1162 | 3403-1174 |
| 8,5 | 3403-1151 | 3403-1163 | 3403-1175 |
| 9 | 3403-1152 | 3403-1164 | 3403-1176 |
| 9,5 | 3403-1153 | 3403-1165 | 3403-1177 |
| 10 | 3403-1154 | 3403-1166 | 3403-1178 |

| SIZE | (A) BLACK | (B) BROWN | (C) GRAY |
|------|-----------|-----------|-----------|
| 10,5 | 3403-1155 | 3403-1167 | 3403-1179 |
| 11 | 3403-1156 | 3403-1168 | 3403-1180 |
| 11,5 | 3403-1157 | 3403-1169 | 3403-1181 |
| 12 | 3403-1158 | 3403-1170 | 3403-1182 |
| 13 | 3403-1159 | 3403-1171 | 3403-1183 |
| 14 | 3403-1160 | 3403-1172 | 3403-1184 |



STELLA T-KIRA v2 AIR JACKET

- Engineered specifically for an optimized women's performance fit
- 600-Denier polyester internal reinforcement on shoulders and elbows for additional abrasion-resistance
- Hook-and-loop system on waist and cuff for a secure closure
- Collar construction with soft lining for enhanced rider comfort
- Rear of the jacket is elongated for enhanced coverage when riding
- Two front zippered pockets, inner waterproof document pocket and two inner pockets on the liner for safe and secure storage
- Reflective details
- Certified Level 2 EN1621-2:2014 Alpinestars Nucleon back protector; sold separately
- Certified Level 1 EN1621-1:2012 Alpinestars Nucleon Flex Plus shoulder and elbow protectors
- Certified riding garment to Category II prEN17092 standards - A class
- Available in women's U.S. sizes S-XL; see Alpinestars size chart on page 16 before ordering



Back view

| SIZE | (A) BLACK/WHITE | (B) GREEN/SILVER |
|------|-----------------|------------------|
| S | 2822-1380 | 2822-1384 |
| M | 2822-1381 | 2822-1385 |
| L | 2822-1382 | 2822-1386 |
| XL | 2822-1383 | 2822-1387 |



T-SP5 RIDEKNIT JACKET

- Tech-Air 5® ready
- Knit construction offers enhanced breathability and flexibility for optimized rider comfort
- DFS Lite in key areas for additional abrasion-resistance
- With a highly durable and abrasion-resistant poly-fabric main shell and subtly incorporated class-leading Nucleon Flex Plus protection
- Designed to keep you safe and comfortable as you hold the throttle open
- Fully optimized for use with or without Tech-Air 5, Alpinestars world-leading electronic airbag safety system, this universal, sports fit riding jacket is equipped with knitted technology fabric on the seam area for maximum stretchability, thus optimizing fit and comfort, while zippered air intakes provide crucial ventilation
- Knitted design textile jacket designed with a body-mapped fit and pre-curved sleeves and body for optimal riding performance
- Strategically positioned stretch panel inserts have been designed to accommodate Alpinestars airbag system, allowing expansion when the airbag inflates
- Chassis constructed from hard-wearing poly-fabric for comfort, durability and abrasion-resistance
- Large mesh panel on back of collar for optimized levels of airflow
- Level 1 Nucleon Flex Plus armor on shoulder and elbow; Nucleon chest Level 1 and Nucleon Level 1 and 2 back protectors sold separately
- DFS Lite shoulders with dynamic friction shield on shoulder for enhanced abrasion-resistance
- Rear of the jacket is elongated for enhanced coverage when riding
- Knitted technology fabric on seam area for maximum stretchability, thus optimizing fit and comfort
- Stretch knitted panels on armpit, inner arms and torso for an optimized fit and performance
- Hook-and-loop waist and cuff with semi-automatic zip for a secure closure
- Multiple pockets on the liner for safe and secure storage



- Large tooth Vision main zipper for ease of use, even with gloved hands
- Loops allow attachment to Alpinestars riding pants
- Woven camouflage print for lightness and flexibility, thus improving comfort while giving the jacket a distinctive, unique look
- Level 1 EN1621-1:2012 Alpinestars Nucleon Flex Plus shoulder and elbow protectors
- Fully certified riding garment to Category II prEN17092 standards - A class
- Available in men's U.S. sizes S-4X; see Alpinestars size chart on page 16 before ordering

| SIZE | BLACK CAMO |
|------|------------------|
| S | 2820-5566 |
| M | 2820-5567 |
| L | 2820-5568 |
| XL | 2820-5569 |

| SIZE | BLACK CAMO |
|------|------------------|
| 2X | 2820-5570 |
| 3X | 2820-5571 |
| 4X | 2820-5572 |

T-SP5 RIDEKNIT PANTS

- Highly durable and abrasion-resistant poly-fabric construction
- Subtly incorporated class-leading Nucleon Flex knee and Bio Flex hip protectors
- Feature a modern silhouette and are tapered to fit with sports riding footwear
- Fully optimized for sports and performance riding
- Include a unique knitted technology fabric on the seam area for maximum stretchability, thus enhancing fit and comfort
- Fully CE-certified riding garment to CE – Category II prEN17092 standards – A class
- Available in men's U.S. sizes S-4X; see Alpinestars size chart on page 16 before ordering

| SIZE | BLACK |
|------|------------------|
| S | 2821-1307 |
| M | 2821-1308 |
| L | 2821-1309 |
| XL | 2821-1310 |

| SIZE | BLACK |
|------|------------------|
| 2X | 2821-1311 |
| 3X | 2821-1312 |
| 4X | 2821-1313 |



Back view



AMMO JERSEY

- Stretch lightweight mesh main fabric, which is moisture-wicking and durable
- Cut longer in the rear area for compatibility with Alpinestars MX pants
- Stretch collar construction for fit and comfort
- Fade-resistant sublimated graphics
- Fitted cuffs for optimized fit

| SIZE | BLACK/GRAY/ BRIGHT GREEN |
|------|-----------------------------|
| S | 2910-5656 |
| M | 2910-5657 |
| L | 2910-5658 |
| XL | 2910-5659 |
| 2X | 2910-5660 |



Back view

AMMO PANTS

- Back-yoke is made of solid poly-fabric to guarantee freedom of movement
- Advanced four-way stretch main construction for freedom of movement with a race-derived fit
- Soft stretch back panel from the upper thigh to the bottom of the leg provides increased comfort and flexibility
- Internal comfort liner made of an extensive lightweight mesh with stretch panel inserts for improved feel and function
- Pre-curved, ergonomic leg construction for improved performance in the riding position
- Heavy poly-fabric reinforcement on the seat area and inner leg panels provide superior abrasion resistance
- Leather reinforced inner-leg panels for heat resistance, grip and comfort
- Innovative 3D knee construction and expansion panel designed to accommodate knee protectors
- 3D injection-molded rubber logos for durability
- Ratchet closure with dual waist adjustment pull-tabs for safe, personalized fit
- Convenient interior hip pocket for key/coil storage
- Available in U.S. even sizes 28-40; see Alpinestars size chart on page 16 before ordering

| SIZE | BLACK/GRAY/ BRIGHT GREEN |
|------|-----------------------------|
| 28 | 2901-8191 |
| 30 | 2901-8192 |
| 32 | 2901-8193 |
| 34 | 2901-8194 |
| 36 | 2901-8195 |
| 38 | 2901-8196 |
| 40 | 2901-8197 |



Back view



AMMO GLOVES

- Strap closure
- Synthetic suede palm
- Rolling palm on backhand and index
- Localized perforation on palm for better breathability
- Sublimated graphic on backhand
- Short cuff
- Thumb patch reinforcement for durability
- Puller to help entrance into gloves
- Stretch fourchettes

| SIZE | BLACK/BRIGHT GREEN |
|------|--------------------|
| M | 3330-6044 |
| L | 3330-6045 |
| XL | 3330-6046 |
| 2X | 3330-6047 |



SHORE GLOVES

- Lightweight summer glove with multi-material main shell construction
- Stretch fabric and mesh for fit/breathability
- Palms and fingers are leather
- Synthetic suede reinforcements on fingers and side of the hands
- Ergonomic stretch insert between thumbs and palms
- Padded foam 5 mm knuckle guard
- Touchscreen-compatible fingertips
- Hook-and-loop wrist closures
- Category II, Level 1 EN13594:2015, KP



| SIZE | BLACK/FLUO YELLOW |
|------|-------------------|
| S | 3301-3250 |
| M | 3301-3251 |
| L | 3301-3252 |



| SIZE | BLACK/FLUO YELLOW |
|------|-------------------|
| XL | 3301-3253 |
| 2X | 3301-3254 |
| 3X | 3301-3255 |

ATOM GLOVES

- Stretch fabric/mesh/leather main body construction
- Soft, viscoelastic PU foam compound knuckle guards are ergonomically profiled
- Hook-and-loop wrist closures grip on top of the wrist
- Mesh/stretch fabric backhands for lightweight, cooling performance
- Ergonomic stretch inserts between thumbs and palms and on back of the hands for improved flexibility
- Thumb and palm reinforcements constructed from synthetic suede for durability and grip
- Touchscreen-compatible fingertips
- Reflective piping on fingertips
- Short cuff design
- Category II, Level 1 EN13594:2015, KP



| SIZE | BLACK/FLUO YELLOW |
|------|-------------------|
| S | 3301-3292 |
| M | 3301-3293 |
| L | 3301-3294 |



| SIZE | BLACK/FLUO YELLOW |
|------|-------------------|
| XL | 3301-3295 |
| 2X | 3301-3296 |
| 3X | 3301-3297 |

PRIMER RIDING SHOES

- Can be worn off the bike casually for off-bike urban activities
- Provides excellent spongy underfoot feel for all-day comfort
- Snug fit coupled with ample inner volume creates a shoe which offers exceptional all-round foot comfort
- Flex grooves on foot front offer enhanced levels of flex while walking
- Oil resistant dual rubber compound for optimized grip on unclean/slippy surfaces
- The increased medial sole edge radius enables easy movement on the bike's pegs
- Open Cell PU removable Ortholite technical insock for easy step in and enhanced comfort
- Open cell PU polyurethane compound ensures high-levels of breathability, thus reducing overheating when worn
- Nubuck leather quarters on upper for feel, stability and enhanced levels of abrasion-resistance
- Tongue has been designed to remain in position when riding for a snug, secure fit
- Asymmetric rubber layer on forefoot for additional durability in the gear shift area
- Internal EVA patch material between outer and inner materials reduces pressure on foot in the gear shift area for optimized levels of comfort



- Open cell PU foam ankle protector for additional protection
- CE-certified TPU full-length plate for protection and improved foot comfort
- Outsole has an asymmetric stud configuration which provides excellent levels of grip and high-abrasion resistance
- Fore foot and rear foot bumpers for added stability, protection and durability
- Available in men's sizes 8.5-13; see Alpinestars size chart below before ordering

| SIZE | BLACK |
|------|------------------|
| 8.5 | 3405-2590 |
| 9 | 3405-2591 |
| 9.5 | 3405-2592 |
| 10 | 3405-2593 |
| 10.5 | 3405-2594 |

| SIZE | BLACK |
|------|------------------|
| 11 | 3405-2595 |
| 11.5 | 3405-2596 |
| 12 | 3405-2597 |
| 12.5 | 3405-2598 |
| 13 | 3405-2599 |

CHARGER PRO BACKPACK

- Aerodynamically-shaped, semi-rigid backpack
- Thermo-formed front panel is semi-rigid for strength and aerodynamically sculpted to provide minimal drag when riding
- Front panel has a smooth surface fabric construction for additional aerodynamic performance and features a polyurethane-coated pattern embossed polyester for durability
- Durable textured main body fabric utilizes a Jaquard-weave 440g polyester with TPE back coating for exceptional durability
- Clamshell main compartment opening with inner gusset for ease of use
- Single auto-lock slider zipper on main compartment for a secure closure
- Expandable, allowing users to increase the capacity of the backpack by approximately 4.5 liters
- Adjustable harness allows riders to adapt it to their torso length for a personalized fit, thus ensuring stability and comfort
- Harness has been designed to be used with one hand, and features a quick-release magnetic center buckle for quick and easy use
- The lower strap has quick release buckles, making it easy for riders to remove the backpack
- Removable waist belt allows riders to adapt the bag to their personal riding requirements

- When worn, belt offers greater stability; when removed it allows greater freedom of movement
- Equipped with a small pocket at top of the main compartment for storage of essentials, with removable waist belt pockets for additional storage options
- A padded laptop pocket with a closure strap, individual organizer pockets plus additional mesh pockets allow riders to quickly and easily sort and store items
- Built-in helmet carrier with color keyed anchor point allows riders to easily and securely carry a helmet without fear of dropping it
- Rain cover included for wet weather performance
- Reflective piping
- Designed to accommodate an Alpinestars Nucleon KR-CELLi medium size back protector



| DESCRIPTION | BLACK |
|----------------------|------------------|
| Charger Pro backpack | 3517-0499 |



MEN'S APPAREL SIZE CHART

| EURO SIZE | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 | 60 | 62 | 64 | 66 | 68 |
|----------------|-----|----|----|----|----|----|-----|-----|-----|-----|-----|----|----|----|----|
| INT. SIZE | XXS | XS | S | M | L | XL | XXL | 3XL | 4XL | 5XL | 6XL | | | | |
| U.S. SIZE | 30 | 32 | 34 | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
| U.S. PANT SIZE | 24 | 26 | 28 | 30 | 32 | 34 | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 |

WOMEN'S APPAREL SIZE CHART

| EURO SIZE | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 |
|----------------|-----|----|----|----|----|----|-----|-----|----|----|
| INT. SIZE | XXS | XS | S | M | L | XL | XXL | 3XL | | |
| U.S. SIZE | 0 | 2 | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 |
| U.S. PANT SIZE | 22 | 24 | 26 | 28 | 30 | 32 | 34 | 36 | 38 | 40 |



S L I P P E R Y



Back view

TOUR COAT

- The ideal addition for cold days on the water
- Oversized cut allows coat to be worn over PFD (personal flotation device)
- 2 mm neoprene construction
- Heavy-duty, two-way front zip
- Flat-stitched seams
- Two front zip pockets with mesh drainage ports
- Removable hood

SIZE

S/M

L/XL

BLACK**3270-0049****3270-0050**



S L I P P E R Y



Back view

MEN'S BREAKER SPRING SUIT

- Perfect for those times when a full suit is too much, but shorts aren't enough
- 2 mm neoprene construction for supreme fit and flexibility
- Flat-stitched seams for ultimate comfort
- Rear $\frac{3}{4}$ zip closure for added lower-back flex and ease of entry

MEN'S SIZE GUIDE

| MEASUREMENT | S | M | L | XL | 2X |
|-------------|------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| Height | 168 cm - 175 cm (5' 6" - 5' 9") | 173 cm - 180 cm (5' 8" - 5' 11") | 178 cm - 185 cm (5' 10" - 6' 1") | 180 cm - 191 cm (5' 11" - 6' 3") | 185 cm - 193 cm (6' 1" - 6' 4") |
| Chest | 89 cm - 94 cm (35" - 37") | 94 cm - 99 cm (37" - 39") | 99 cm - 104 cm (39" - 41") | 104 cm - 109 cm (41" - 43") | 109 cm - 114 cm (43" - 45") |
| Weight | 54 kg - 63 kg (120 lb - 140 lb) | 63 kg - 77 kg (140 lb - 170 lb) | 77 kg - 86 kg (170 lb - 190 lb) | 81 kg - 95 kg (180 lb - 210 lb) | 90 kg - 102 kg (200 lb - 225 lb) |

SIZE**BLACK/
CHARCOAL**

| | |
|----|------------------|
| S | 3210-0087 |
| M | 3210-0088 |
| L | 3210-0089 |
| XL | 3210-0090 |
| 2X | 3210-0091 |



S L I P P E R Y



Back view

MEN'S BREAKER PRO WETSUIT

- Designed with the serious competitor in mind
- Maximized to provide comfort, flexibility and breathability
- Coupled with a glide-skin chest panel to keep the rider's core temperature optimal
- Features 1,5 mm airprene, 1,5 mm glide-skin at chest for added comfort and 1,5 mm Tatex at knee for abrasion-resistance
- Hook-and-loop shoulder closure

MEN'S SIZE GUIDE

| MEASUREMENT | S | M | L | XL | 2X |
|-------------|------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| Height | 168 cm - 175 cm (5' 6" - 5' 9") | 173 cm - 180 cm (5' 8" - 5' 11") | 178 cm - 185 cm (5' 10" - 6' 1") | 180 cm - 191 cm (5' 11" - 6' 3") | 185 cm - 193 cm (6' 1" - 6' 4") |
| Chest | 89 cm - 94 cm (35" - 37") | 94 cm - 99 cm (37" - 39") | 99 cm - 104 cm (39" - 41") | 104 cm - 109 cm (41" - 43") | 109 cm - 114 cm (43" - 45") |
| Weight | 54 kg - 63 kg (120 lb - 140 lb) | 63 kg - 77 kg (140 lb - 170 lb) | 77 kg - 86 kg (170 lb - 190 lb) | 81 kg - 95 kg (180 lb - 210 lb) | 90 kg - 102 kg (200 lb - 225 lb) |

SIZE

BLACK

| | |
|----|-----------|
| S | 3201-0252 |
| M | 3201-0253 |
| L | 3201-0254 |
| XL | 3201-0255 |
| 2X | 3201-0256 |
| 3X | 3201-0257 |



S L I P P E R Y



A



Back view

B



BREAKER JOHN AND JACKET WETSUITS

- Designed for active riders
- Breaker John and Jacket combo offers performance and mobility while providing a lightweight layer of protection between the rider and the watercraft
- This versatile suit allows the rider to take control of the elements by utilizing the pieces individually or together for maximum warmth and coverage
- Material is 2 mm neoprene with flat-stitched seams for ultimate comfort
- 1,5 mm Tatex at knee for abrasion resistance; 1,5 mm Airprene calf allows water to drain
- Hook-and-loop shoulder closure on suit; keep-key pocket
- Front-zip jacket

| SIZE | (A) BLACK/CHARCOAL | (B) BLACK/AQUA |
|------|--------------------|----------------|
| S | 3201-0276 | 3201-0288 |
| M | 3201-0277 | 3201-0289 |
| L | 3201-0278 | 3201-0290 |
| XL | 3201-0279 | 3201-0291 |
| 2X | 3201-0280 | 3201-0292 |
| 3X | 3201-0281 | 3201-0293 |

MEN'S SIZE GUIDE

| MEASUREMENT | S | M | L | XL | 2X | 3X |
|-------------|------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| Height | 168 cm - 175 cm (5' 6" - 5' 9") | 173 cm - 180 cm (5' 8" - 5' 11") | 178 cm - 185 cm (5' 10" - 6' 1") | 180 cm - 191 cm (5' 11" - 6' 3") | 185 cm - 193 cm (6' 1" - 6' 4") | 188 cm - 196 cm (6' 2" - 6' 5") |
| Chest | 89 cm - 94 cm (35" - 37") | 94 cm - 99 cm (37" - 39") | 99 cm - 104 cm (39" - 41") | 104 cm - 109 cm (41" - 43") | 109 cm - 114 cm (43" - 45") | 114 cm - 119 cm (45" - 47") |
| Weight | 54 kg - 63 kg (120 lb - 140 lb) | 63 kg - 77 kg (140 lb - 170 lb) | 77 kg - 86 kg (170 lb - 190 lb) | 81 kg - 95 kg (180 lb - 210 lb) | 90 kg - 102 kg (200 lb - 225 lb) | 97 kg - 108 kg (215 lb - 240 lb) |



S L I P P E R Y

AMP SHOES

- 2 mm neoprene construction
- Flat-stitched seams for added comfort
- Heel cup for support
- Molded rubber sole
- Barrel-lock draw-cord closure for a secure fit

| SIZE | BLACK | SIZE | BLACK |
|------|------------------|------|------------------|
| S | 3261-0165 | XL | 3261-0168 |
| M | 3261-0166 | 2X | 3261-0169 |
| L | 3261-0167 | | |

**SIZE GUIDE**

| SHOE TYPE | S | M | L | XL | 2X |
|-----------|--------------|---------------|---------------|-----------------|-----------------|
| Men | 39-41 (7-8) | 41-43 (8-9) | 43-44 (9-10) | 45-46 (11-12) | 46-47 (12-13) |
| Women | 40-41 (9-10) | 41-42 (10-11) | 42-44 (11-12) | 44-45,5 (12-13) | 45,5-47 (13-14) |

LIQUID RACE BOOTS

- Internal heel and athletic sole structure provide stability
- Airmesh and perforated chassis for ventilation and drainage
- Removable inner 1,5 mm neoprene booty
- Pull-tabs and laces for easy and fast on/off
- Anti-abrasion, highly durable heel and toe

| SIZE | BLACK |
|------|------------------|
| XS | 3261-0157 |
| M | 3261-0159 |
| L | 3261-0160 |
| XL | 3261-0161 |
| 2X | 3261-0162 |

**SIZE GUIDE**

| SHOE TYPE | XS | M | L | XL | 2X |
|-----------|---------------|-----------------|-----------------|-----------------|-----------------|
| Men | 39-40 (6-6,5) | 41-42 (8-8,5) | 42-43 (9-9,5) | 43-44 (10-10,5) | 44-45 (11-11,5) |
| Women | 38-39 (8-8,5) | 40-41 (10-10,5) | 41-42 (11-11,5) | - | - |

AMP BOOTS

- 2 mm neoprene construction
- Flat-stitched seams for added comfort
- Heel cup for support
- Molded rubber sole
- Rear zip and locking drawcord provide a secure fit

| SIZE | BLACK |
|------|------------------|
| XS | 3261-0170 |
| S | 3261-0171 |
| M | 3261-0172 |
| L | 3261-0173 |
| XL | 3261-0174 |

**SIZE GUIDE**

| SHOE TYPE | XS | S | M | L | XL |
|-----------|---------------|---------------|-----------------|-----------------|-----------------|
| Men | 39-40 (6-6,5) | 40-41 (7-7,5) | 41-42 (8-8,5) | 42-43 (9-9,5) | 43-44 (10-10,5) |
| Women | 38-39 (8-8,5) | 39-40 (9-9,5) | 40-41 (10-10,5) | 41-42 (11-11,5) | - |