

LV ONE EVO SLIP-ONS FOR KTM 390 ADVENTURE 20

- The latest EVOLUTION of the popular LV ONE: Aggressive Sound and Style
- Clean laser-etched Leo Vince logo in an innovative carved design (for the carbon-fiber exhaust: bright aluminum die-cut high-temp resistant Leo Vince adhesive logo)
- Asymmetric design and high-temp resistant full carbon-fiber end cap
- Impact-resistant sandblasted oval AISI 304 stainless steel sleeve – titanium look
- TIG-welded stainless steel front cup
- Adjustable full-carbon fastening strap
- Removable dB killer, weight savings and flawless installation
- Universal mufflers are measured by inlet diameter and housing length



LeoVince®



1811-4084



1811-4083



1811-4085

TAILPIPE/MUFFLER/END CAP

PART

Stainless/stainless/carbon

1811-4083

Stainless/black/carbon

1811-4084

Stainless/carbon/carbon

1811-4085

GP ONE SLIP-ON

- Made from AISI 304 stainless steel
- Laser-etched Leo Vince logo
- Matte black finish with a sandblasted end cap
- See Page 33 of the 2021 Parts Europe Street Catalog for the complete line of GP One Slip-ons

FITS MODEL

PART

HUSQVARNA

Vitpilen 401 20

1811-4086

Svartpilen 401 20

1811-4086



1811-4086

LV-10 SLIP-ONS

- Compact and lightweight design
- Made from AISI 304 stainless steel
- Sandblasted end cap
- High-heat-resistant thermal packing
- Titanium or black stainless finishes
- Laser-etched logo
- See page 29 of the 2021 Parts Europe Street Catalog for the complete line of LV-10 slip ons



1811-4088



1811-4089

FITS MODEL

TAILPIPE/MUFFLER/END CAP

PART

HUSQVARNA

Svartpilen 401 20

Stainless/black/stainless

1811-4088

Stainless/titanium/titanium

1811-4089

Vitpilen 401 20

Stainless/black/stainless

1811-4088

Stainless/titanium/titanium

1811-4089




1811-3290




1811-4142

SLIP-ON SERIES MUFFLERS

- Slip-on mufflers represent the first step in the exhaust system tuning process
- Easy to install and offers a great balance between price and performance
- More power, more torque, less weight and the unique Akrapovic sound
- Muffler sleeves constructed from titanium or carbon fiber
- End caps constructed from titanium or carbon fiber
- Optional available stainless steel or titanium headpipes (sold separately) offer an upgrade to a full system when used with the Akrapovic slip-on muffler
- Optional available titanium link pipes (sold separately) can be combined with Akrapovic slip-on mufflers

NOTE: Country restrictions apply. Please check our website if these products can be shipped to your country.



1812-0507



1812-0509

FITS MODEL	DESCRIPTION	APPROVALS	PART #
BMW			
R nineT 21, R nineT Racer/ Pure/Scrambler/Urban G/S 21	Single black titanium muffler/carbon end cap	EC/ECE Type Approval	1811-3290
	2-into-1 stainless headpipe (must order link pipe to install)	-	1812-0539
	2-into-1 titanium headpipe (must order link pipe to install)	-	1812-0540
	Titanium link pipe for low installed muffler (must remove pillion passenger frame to install and aluminium muffler holder from BMW's accessories range (BMW product code 77 11 8 564 071) must be mounted, and covers for the main frame's threaded fasteners (BMW product code 77 25 8 536 857) are also recommended to hide the unattractive screw connections on the main frame)	EC/ECE Type Approval	1812-0541
	Titanium link pipe for high installed muffler (must remove passenger pegs to install)	EC/ECE Type Approval	1812-0542
KAWASAKI			
ZX-10R 21, ZX-10RR 21	Single carbon muffler/titanium end cap (when installed w/ link pipe ECU must be re-mapped)	EC/ECE Type Approval	1811-4139
	Single black titanium muffler/titanium end cap (when installed w/ headpipe or link pipe ECU must be re-mapped)	-	1811-4142
	4-into-1 titanium headpipe (for perfect performance, throttle response and durability ECU re-mapping is mandatory)	-	1812-0507
	4-into-1 stainless headpipe (for perfect performance, throttle response and durability ECU re-mapping is mandatory)	-	1812-0508
	Titanium link pipe (when installed w/ slip-on ECU must be re-mapped)	-	1812-0509
YAMAHA			
Ténéré 700 19-21	Single titanium muffler w/ carbon end cap and heat shield	EC/ECE Type Approval	1811-4189
	2-into-1 stainless headpipe (for best performance, throttle response and durability special mapping is recommended)	-	1812-0530



EVOLUTION LINE COMPLETE EXHAUST SYSTEM FOR KAWASAKI ZX-10R 21, ZX-10RR 21

- The flagship of the Akrapovic exhaust systems, used and tested by top factory teams in racing
- Unique and dedicated to maximizing engine performance while reducing overall weight for optimized handling of the whole motorcycle
- Significantly lighter compared to the stock exhaust system
- Headpipes/collector/link pipe are made of titanium
- Muffler sleeve constructed from carbon fiber
- End cap constructed from titanium
- Optional stainless Track day link pipe/collector with resonator lowers the noise levels for use on racetracks where lower noise levels are required (sold separately)

NOTE: Country restrictions apply. Please check our website if these products can be shipped to your country.

DESCRIPTION	PART #
4-into-1 header w/ carbon muffler and titanium end cap (ECU re-mapping is required)	1810-2871



1810-2871

DESCRIPTION	PART #
Optional stainless Track day link pipe/collector w/ resonator (for perfect performance, throttle response and durability ECU re-mapping is recommended)	1812-0510



RACING LINE COMPLETE EXHAUST SYSTEMS

- A complete high-quality stainless steel exhaust system made with close attention to detail
- Unique design enables it to obtain the maximum output while significantly reducing overall weight for top performance in everyday riding or even in the most challenging races
- Headpipes/collector/link pipe are made of stainless steel
- Muffler sleeves constructed from titanium or carbon fiber
- End caps constructed from titanium or carbon fiber
- Optional stainless Track day link pipe/collector with resonator lowers the noise levels for use on racetracks where lower noise levels are required (sold separately)

NOTE: Country restrictions apply. Please check our website if these products can be shipped to your country.

FITS MODEL	DESCRIPTION	APPROVALS	PART #
KAWASAKI			
Z650 21, Ninja 650 21	2-into-1 header w/ titanium muffler and carbon end cap (catalytic converter is included within the system)	EC/ECE Type Approval	1810-2866
ZX-10R 21, ZX-10RR 21	4-into-1 header w/ carbon muffler and titanium end cap (ECU re-mapping is required)	-	1810-2872
	Optional stainless Track day link pipe/collector w/ resonator (for perfect performance, throttle response and durability ECU re-mapping is recommended)	-	1812-0510
YAMAHA			
YZF-R125 21, MT-125 21	1-into-1 header w/ titanium muffler and carbon end cap	EC/ECE Type Approval	1810-2865



1810-2866



1810-2872



1810-2865



0520-3255



0520-3256



1403-3510



1403-3507

REPLACEMENT PLASTIC FOR YAMAHA TW200 87-21

- All Maier bodywork is made of tough, vacuum-formed, high-gloss polypropylene
- Drilling is required
- Colors are OEM color matched

HEADLIGHT SHELLS

COLOR	PART #
Black	0520-3254
White	0520-3255

REAR FENDERS

COLOR	PART #
Black	1403-3509
White	1403-3510

SIDE PANELS

COLOR	PART #
Black	0520-3256
White	0520-3257

FRONT FENDERS

COLOR	PART #
Black	1403-3507
White	1403-3508

Moose
 RACING®


0506-1693

PRO SKID PLATE

- Made from a flexible high-density polyethylene construction
- HDPE is an excellent material; a technical plastic which offers many characteristics to protect your bike
- 6 mm thick for maximum protection of the frame and cases
- Goes through a thermoforming process and is then welded
- 40% lighter than 4 mm aluminum
- No more vibrating or rattling
- Mounting hardware and installation instructions included

FITS MODEL

PART

YAMAHA

YZ450F 18-21

0506-1693

YZ450FX 19-21

0506-1693

0506-1695

PRO LG SKID PLATES

- Made from high-density polyethylene construction
- 8 mm thick HDPE offers more protection than the standard Pro Skid Plate
- Full linkage protection
- 40% lighter than aluminum and no rattling
- Mounting hardware and installation instructions included

FITS MODEL

PART

KTM

Adventure 390 21

0506-1695

YAMAHA

YZ125 05-21

0506-1694

YZ125X 05-21

0506-1694



0530-1625



0530-1590



0530-1628



0530-1631

FRONT AND REAR BUMPERS

- ATV bumpers are made from 38 mm (1½") tubular steel; UTV bumpers from 44 mm (1¾") tubular steel
- Bolt-on design, no drilling necessary
- Multiple frame mounting points for added strength
- Headlight or taillight protection
- Full-coverage, heavy-duty look
- Powdercoated steel
- Honda bumpers are gloss, all others are wrinkle finish



0530-1585



0530-1586

FITS MODEL	DESCRIPTION	BUMPER PART #
HONDA		
TRX420 Rancher 15-20	Front	0530-1625
	Rear	0530-1590
TRX500 Rubicon/Foreman 15-20	Front	0530-1589
	Rear	0530-1590
Pioneer 1000 16-21	Front	0530-1587
	Rear	0530-1588
Pioneer 1000-5 16-21	Front	0530-1587

FITS MODEL	DESCRIPTION	BUMPER PART #
KAWASAKI		
Brute Force 750 12-21	Front	0530-1628
	Rear	0530-1629
SUZUKI		
King Quad 750 19-21	Front	0530-1630
	Rear	0530-1631
YAMAHA		
Grizzly/Kodiak 700 16-19	Front	0530-1585
	Rear	0530-1586



PIPE ARMOR

- Privateer-priced pipeguard with works protection
- Sturdy armor for your vulnerable and expensive exhaust
- 3 mm aluminum is the thickest pipe protector available for 2-strokes
- 1,6 mm (1/16") thick stainless steel for 4-strokes
- Helps prevent power-robbing dents
- Width is 124 mm (4 7/8") in the front and tapers off to 76 mm (3") in the rear



DESCRIPTION	PART #
2-stroke pipe armor (soft)	1861-1498

CORE EXP CLUTCH KITS

- Core EXP3.0 is a centrifugal auto clutch featuring Rekluse's EXP (auto clutch) technology
- Full clutch control and use of the lever is retained for a no-compromise riding experience
- Core EXP 3.0 offers dead-on clutch engagement every time and allows riders to take off and stop in gear without using clutch lever
- With Core EXP3.0, you'll confidently navigate traffic and slow-speed conditions
- Rekluse's billet center hub and pressure plate convert the clutch to six coil springs which improves lever feel, clutch performance and durability
- Increased oil passages in the center hub and pressure plate move more oil through the clutch, decreasing operating temperatures and increasing clutch life
- Installing Core EXP3.0 does not require modification to stock components
- Shifting the transmission remains unchanged (clutch lever use is recommended for shifting)



1130-0639

1130-0640

FITS MODEL	PART #
GAS GAS	
MC65 21	1130-0627
HONDA	
CRF150R 07-21	1130-0637
HUSQVARNA	
TC65 17-21	1130-0627
TC 85 14-17	1130-0639
KAWASAKI	
KX65 00-21	1130-0641
KX80/85 98-21 (all)	1130-0640
KX100 98-21 (all)	1130-0640

FITS MODEL	PART #
KTM	
65 SX 09-13, 65 SXS 12-13, 65 XC 09	1130-0642
65 SX 14-21, 65 SXS 14-15	1130-0627
85 SX 03-12, 85 SXS 12, 85 XC 08-09	1130-0638
85 SX 13-17, 85 SXS 13-15	1130-0639
105 SX 04/06-11, 105 XC 08-09	1130-0638
SUZUKI	
RM65 00-07	1130-0641
YAMAHA	
YZ65 18-21	1130-0630
YZ85 02-21	1130-0630

PARTS UNLIMITED**EMBOSSED STAINLESS-STEEL HOSE CLAMPS**

- 316 SS corrosion-resistant; appropriate for multiple applications including marine
- Smooth concave-convex stamped band and flared edge prevents hoses from damage during installation
- Slim 9 mm band with low-profile head design is perfect for those tight applications
- Material and clamping range are stamped on band for easy identification
- In accordance with DIN 3017 standard under RoHS & REACH standard
- Sold in 10-pk

ASSORTED KIT

- Seven popular sizes of 316 SS hose clamps included
- Sold as 60-piece kit, packed in a segregated plastic storage box



2402-0279

10-PK HOSE CLAMPS

SIZE (MM)	SIZE (INCH)	PART #
8-12 mm	5/16" - 1/2"	2402-0266
10-16 mm	3/8" - 5/8"	2402-0267
12-22 mm	1/2" - 7/8"	2402-0268
16-27 mm	5/8" - 1 1/16"	2402-0269
20-32 mm	3/4" - 1 1/4"	2402-0270
25-40 mm	1" - 1 5/8"	2402-0271
32-50 mm	1 1/4" - 2"	2402-0272
40-60 mm	1 1/2" - 2 3/8"	2402-0273

SIZE (MM)	SIZE (INCH)	PART #
50-70 mm	2" - 2 3/4"	2402-0274
60-80 mm	2 3/8" - 3 1/8"	2402-0275
70-90 mm	2 3/4" - 3 1/2"	2402-0276
80-100 mm	3 1/8" - 3 29/32"	2402-0277
100-120 mm	3 29/32" - 4 11/16"	2402-0278

DESCRIPTION	PART #
Hose clamp assorted kit	2402-0279

ASSORTED KIT SIZE CHART

SIZE (MM)	SIZE (INCH)	QUANTITY
08-12 mm	5/16" - 1/2"	20
10-16 mm	3/8" - 5/8"	10
12-22 mm	1/2" - 7/8"	10
16-27 mm	5/8" - 1 1/16"	8
20-32 mm	3/4" - 1 1/4"	4
25-40 mm	1" - 1 5/8"	4
32-50 mm	1 1/4" - 2"	4



2110-1086



2110-1088

STARTERS

- New starter motors
- Starters bolt on as direct replacements for OEM

FITS MODELS	PART #
APRILIA	
AF1 50 Europa/Futura 90-92	2110-1086
Classic 50 92-99	2110-1086
Pegaso 50 92-94	2110-1086
RS 50 European models 93-10	2110-1086
RS 50 U.S. models 93-05	2110-1086
RS 50 Extrema 93-98	2110-1086
RS 50 Replica 06-10	2110-1086
KAWASAKI	
ZX1000 Ninja ZX10R 11-20	2112-1437
ZX1000 Ninja ZX10RR 18-20	2112-1437
KTM	
690 Duke 08-17	2110-1088
690 Enduro/R 08-17	2110-1088

FITS MODELS	PART #
KTM (CONT)	
690 Rally 07-09	2110-1088
690 SMC 08-09	2110-1088
690 SMR 08	2110-1088
690 Supermoto 07	2110-1088
TRIUMPH	
Speed Triple 1050 11-15	2110-1087
Sprint GT 1050 15-18	2110-1087
Tiger 1050 Sport	2110-1087
YAMAHA	
TZR 50 (all)	2110-1086

STARTER MOTOR BRUSH

- Replacement brush for 2- and 4-brush starter motors

DESCRIPTION	PART #
Repl. brush for Aprilia SXV 450/550 07-09	2110-1090





Includes Internal RST Bronze DropShield™
RST Bronze and Clear FliteShield™



Includes Includes Red and Clear RST FliteShield™;
Includes Dark Smoke Dropshield™

ECE 22.05

AIRFLITE™

- Injection-molded polycarbonate shell for strength
- Multiple oversized intake and exhaust ports are strategically placed to keep you cool and comfortable, including four intake vents, MX-inspired chinbar vent and two exhaust ports that channel air between the comfort liner and the protective, energy-absorbing EPS foam liner
- Quick-change, fog-free outer FliteShield™ keeps debris away, while the internal, interchangeable DropShield™ keeps the sun in check with a flip of a switch
- Removable molded breath deflector and chin curtain
- Moisture-wicking Hydradry™ interior is fully removable and washable
- Both wind drag and weight are decreased by sculpting the traditional neckline of the Airflite™ to avoid jacket or suit interference
- Rubatone is a matte rubberized paint developed to match your riding gear
- See helmet size guide below before ordering
- Meets ECE 22.05 (Europe) safety and testing standards

ICON HELMET SIZE CHART

SIZE	HAT SIZE	INCHES	CENTIMETERS
XXS	6 ³ / ₈ - 6 ¹ / ₂	20 ¹ / ₈ - 20 ¹ / ₂	51 - 52
XS	6 ⁵ / ₈ - 6 ³ / ₄	20 ⁷ / ₈ - 21 ¹ / ₄	53 - 54
S	6 ⁷ / ₈ - 7	21 ⁵ / ₈ - 22	55 - 56
M	7 ¹ / ₈ - 7 ¹ / ₄	22 ³ / ₈ - 22 ³ / ₄	57 - 58
L	7 ³ / ₈ - 7 ¹ / ₂	23 ¹ / ₈ - 23 ¹ / ₂	59 - 60
XL	7 ⁵ / ₈ - 7 ³ / ₄	24 - 24 ³ / ₈	61 - 62
2X	7 ⁷ / ₈ - 8	24 ³ / ₄ - 25 ¹ / ₈	63 - 64
3X	8 ¹ / ₈ - 8 ¹ / ₄	25 ¹ / ₂ - 26	65 - 66

FREEDOM SPITTER

SIZE	(A) GOLD
XS	0101-13924
S	0101-13925
M	0101-13926
L	0101-13927
XL	0101-13928
2X	0101-13929
3X	0101-13930

URSA MAJOR

SIZE	(B) GOLD
XS	0101-13931
S	0101-13932
M	0101-13933
L	0101-13934
XL	0101-13935
2X	0101-13936



0940-2007



CLUTCH COVERS FOR KAWASAKI

- CNC-machined from T-6 billet aircraft-grade aluminum to improve durability and heat dissipation
- Cooler operating temperatures means improved performance

FITS MODEL	PART #
KX250 21	0940-2007
KX450 21	0940-2008



0940-2008

FACTORY TEAM LONG-SLEEVE THERMAL

- 60% cotton, 40% polyester
- Screen-printed with quality graphics
- Stylish, soft feel and lightweight
- Factory flag graphic printed on wearer's left chest, logo print on the sleeve
- Contrasting stitch throughout

SIZE	BLACK
S	3030-21237
M	3030-21238
L	3030-21239
XL	3030-21240
2X	3030-21241



back view



A

back view



B



C



back view

SNAPBACK HATS

- High-quality embroidered logos
- One size fits most

SIZE	(A) TRADEMARK, PEWTER/TAN	(B) DIAMOND, BLACK/WHITE	(C) JAVA, TAN
One size	2501-3755	2501-3756	2501-3757

AST AIR v2 JACKETS

- Tech-Air 5® ready
- Ventilated construction offers enhanced breathability and airflow for optimized rider comfort
- GP Lite on shoulder for additional abrasion-resistance
- Offering a personalized sports riding fit, the AST-1 v2 Air jacket is an exceptionally light and durable jacket featuring a main mesh shell for superior ventilation that is fully optimized for use with or without Tech-Air 5
- Tech-Air 5 compatible; Tech-Air is the world's first completely electronic, self-contained, full independent upper body motorcycle airbag system with no bike-to-rider set-up configurations required
- Strategically positioned stretch panel inserts have been designed to accommodate Alpinestars airbag system, allowing expansion when the airbag inflates but also offering a high level of anatomical performance and a superior fit when riding without the system fitted
- Constructed from hard-wearing 600 denier poly-fabric and incorporating extensive mesh panels strategically placed on the front, back and arms for optimum airflow performance
- Removable Nucleon Flex protectors in the elbows and shoulders are lightweight, sleek and promote exceptional resistance against impacts
- GP Lite on the shoulders for superior abrasion-resistance in a key area
- Chest and back pad compartments with comfort padding
- Sleeves feature pre-curved construction for increased comfort performance in riding position
- Volume adjustment system on sleeves incorporates hook-and-loop adjustments for a highly personalized fit and to help maintain positioning of elbow protector
- Elongated rear profile and hook-and-loop D-ring waist adjustment for added riding comfort and customization
- External hand pockets are zipped for a safe and secure closure
- Textile comfort edge on collar and cuffs for comfort and moisture-wicking
- YKK® auto-locking zippers for durability and safety
- Reflective details
- Category II prEN17092 standards – A class
- Level 1 EN1621-1:2012 Alpinestars Nucleon Flex shoulder and elbow protectors



A



B



C



SIZE	(A) BLACK/WHITE	(B) BLACK/RED FLUO	(C) BLACK/YELLOW FLUO
S	2820-5635	2820-5642	2820-5649
M	2820-5636	2820-5643	2820-5650
L	2820-5637	2820-5644	2820-5651
XL	2820-5638	2820-5645	2820-5652
2X	2820-5639	2820-5646	2820-5653
3X	2820-5640	2820-5647	2820-5654
4X	2820-5641	2820-5648	2820-5655

ACCESS THIGH BAGS

- Ergonomic and durable bag sits on the thigh for easy access to keys, ID, credit cards, a cell phone and other small essentials, on and off the bike
- Slim and unobtrusive
- Optimized capacity and access through a convenient top-zipper closure

COLOR

Black
Black/red

PART

3510-0169
3510-0170



3510-0169



3510-0170

PRIMER RIDING SHOES

- Can be worn off the bike casually for off-bike urban activities
- Provides excellent spongy underfoot feel for all-day comfort
- Snug fit coupled with ample inner volume creates a shoe which offers exceptional all-round foot comfort
- Flex grooves on foot front offer enhanced levels of flex while walking
- Oil resistant dual rubber compound for optimized grip on unclean/slippery surfaces
- The increased medial sole edge radius enables easy movement on the bike's pegs
- Open cell PU removable Ortholite technical insock for easy step in and enhanced comfort
- Open cell PU polyurethane compound ensures high-levels of breathability, thus reducing overheating when worn
- Nubuck leather quarters on upper for feel, stability and enhanced levels of abrasion-resistance
- Tongue has been designed to remain in position when riding for a snug, secure fit
- Asymmetric rubber layer on forefoot for additional durability in the gear shift area
- Internal EVA patch material between outer and inner materials reduces pressure on foot in the gear shift area for optimized levels of comfort
- Open cell PU foam ankle protector for additional protection
- Certified TPU full-length plate for protection and improved foot comfort
- Outsole has an asymmetric stud configuration which provides excellent levels of grip and high-abrasion resistance
- Fore foot and rear foot bumpers for added stability, protection and durability
- Available in U.S. men's sizes 8.5-13; see Alpinestars size chart on page 13 before ordering



SIZE	BLACK
8.5	3405-2590
9	3405-2591
9.5	3405-2592
10	3405-2593
10.5	3405-2594

SIZE	BLACK
11	3405-2595
11.5	3405-2596
12	3405-2597
12.5	3405-2598
13	3405-2599

FASTER-3 RIDEKNIT RIDING SHOES

- Main upper material is combination of advanced microfiber, knitted mesh and seamless thermo-welded microfibers to create an innovative, technical finish
- Lower tongue, lateral and medial quarter in knitted mesh for breathability, comfort and a modern street look
- Air vent details on lateral and toe area are strategically positioned to improve airflow and ventilation
- Enhanced TPU ankle extended into lower lateral area gives improved support and protection
- TPR slider detail on lateral toe box gives improved flex and protection
- TPR heel counter design ensures additional lateral support and security
- Asymmetric toe design gives protection on shift area
- Traditional lace closure system for easy, secure and comfortable fit
- Lateral adjustable hook-and-loop closure system with TPR strap for increased security
- Medial dual-density ankle protectors are applied between the upper and added lining to provide strategic protection and fit around flexibility in key areas
- Tongue and collar padding provides high levels of comfort and fit around the ankle and instep
- 3D mesh lining for high-levels of breathability with anti-slip microsuede in the heel
- Replaceable anatomical EVA footbed with Lycra® lining on top
- Extremely lightweight, specifically compounded, rubber sole provides a textured grip, excellent absorption and features an integrated support shank for enhanced sole rigidity
- The following standards apply to this product: EN 13634:2017
- Available in U.S. men's sizes listed; see Alpinestars size guide on page 13 before ordering



SIZE	(A) BLACK/SILVER	(B) BLACK/GRAY
7	3405-2689	3405-2704
8	3405-2691	3405-2706
8.5	3405-2692	3405-2707
9	3405-2693	3405-2708
9.5	3405-2694	3405-2709
10	3405-2695	3405-2710
10.5	3405-2696	3405-2711
11	3405-2697	3405-2712
11.5	3405-2698	3405-2713
12	3405-2699	3405-2714
13	3405-2701	3405-2716
14	3405-2703	3405-2718



TECH 10 BOOTS

- Combine dual front and rear blade connectors
- Provide a complete and seamless flexion control system, from the foot shell all the way up to the shin plate
- Engineered to 'float' freely between the lower and upper boot construction
- Asymmetrical, dual pivot arms on boot frame
- A unique feature is the ankle control system developed in the outer shell construction, allowing natural ankle movement, vertical compression control and improved impact protection
- Asymmetrical medial and lateral double pivot system for improved levels of flexibility and precision for both independent and synchronized movement
- Redesigned dual-density TPU rear blade system engineered to prevent hyper-extension while offering improved flex control and impact resistance
- Dynamic Heel Compression Protector (DHCP), an innovative safety feature which includes a fully integrated collapsible heel area with expanded poly-foam to absorb high impact energies during a crash
- Features lighter, anatomically redesigned medial and lateral torsion arms
- Double pivot system allows the Tech 10 to retain its integrity while flexing
- Low-profile, pull-on design for reduced material build, less weight and to facilitate easier and quicker wearing
- Innovative flexion inserts work seamlessly with new flex support system for ultimate in performance
- TPU protection and shock absorbing padding on the heel and ankles
- Constructed from a dual-density compound and combined with the rear blade system
- Energy dissipating shin plate features a new anatomic design for reduced surface area and weight-saving
- Completely redesigned sole with proprietary grip sculpturing to improve footpeg performance, grip and mud and water run-off
- Exclusive dual-compound sole is seamlessly integrated to the multi-density foot base structure with built-in support
- Slim-line buckles include high-impact bridge closures which are cold forged for precision and strength
- Closure system features contra-closure, doubling closure security and a quick release/locking system with self-aligning, memory design for easy, precise closure and improved riding performance and security



- Soles and buckles are easily replaceable
- Chassis combines advanced lightweight microfiber and impact and abrasion resistant TPU shell
- Foot shell features five different compounds in a single lightweight piece to offer strength while maintaining flexibility and structural integrity
- Soft microfiber gaiter helps seal out excessive water and dirt entry
- Poly-fabric lining with 3D open-cell foam incorporates anti-slip suede in heel area, keeping the foot located inside the boot
- Check Alpinestars size chart below before ordering

NON-VENTED

SIZE	BLACK/RED
7	3410-2474
8	3410-2475
9	3410-2476
10	3410-2477
11	3410-2478
12	3410-2479
13	3410-2480

EUROPEAN/U.S.A. SHOE SIZE EQUIVALENTS

- European to U.S.A. men's shoe size conversions
- Check before ordering European-size Alpinestars boots or shoes

ADULT

SIZE	5	6	7	8	9	10	11	12	13	14	15	16
U.S.	5	6	7	8	9	10	11	12	13	14	15	16
Europe	38	39	40,5	42	43	44,5	45,5	47	48	49,5	51	52

KIDS/YOUTH

SIZE	KIDS				YOUTH							
U.S.	10	11	12	13	1	2	3	4	5	6	7	8
Europe	28	29	30,5	32	33	34	35,5	37	38	39	40,5	42
Japan	17,5	18,5	19,5	20	21	21,5	22,5	23	24	25	25,5	26,5

CHROME GLOVES

- Durable, multi-panel main shell construction for durability and comfort
- Top hand is a mix of mesh, spandex and leather for enhanced durability and rider comfort
- Synthetic suede and leather reinforced palm for improved grip and abrasion-resistance
- Ergonomic 'carbon look' knuckle guard provides exceptional impact and abrasion protection
- Hook-and-loop wrist cuff for a personalized closure
- Touchscreen-compatible index fingertip and thumb for use with smartphones and GPS systems
- New construction uses minimal seams for optimized levels of rider comfort
- The following standards apply to this product: EN 13594 2015, Level 1 KP



SIZE	BLACK/GRAY
S	3301-4037
M	3301-4038

SIZE	BLACK/GRAY
L	3301-4039
XL	3301-4040

SIZE	BLACK/GRAY
2X	3301-4041
3X	3301-4042

ALPINESTARS CREW SOCKS

- 32% nylon, 54% polyester, 14% spandex
- Logo crew sock

SIZE	BLACK
S	3431-0645
M	3431-0646

SIZE	BLACK
L	3431-0647
XL	3431-0648

**CORP SHIFT 2 CURVED BRIM HAT**

- 98% cotton, 2% polyurethane
- Curved bill with structured crown
- Flex back
- Stretch twill main fabric
- Left panel 3D embroidered logo
- Internal and back labeling

SIZE	CHARCOAL/ ORANGE
S/M	2501-3600
L/XL	2501-3601



A



B

ARCED HATS

- 100% cotton
- Curved bill with structured crown; snap-back
- Twill main fabric
- Side metal eyelets
- 3D embroidery arched Alpinestars logo
- Internal and back labeling
- One size fits most

SIZE	(A) BLACK/MILITARY	(B) CHARCOAL/BLACK
One size	2501-3634	2501-3635



A



B



C



D



E

BIKE MATS

- Protects the ground and environment
- Absorbs oil, water, dust
- Easy to clean, rubbery bottom and anti-slip
- Comes in a variety of colors
- Meets FIM environmental rules

DESCRIPTION	80 CM X 210 CM
MOOSE RACING	
(A) Red	9201-0069
(B) Green	9201-0070
(C) Blue	9201-0071

DESCRIPTION	80 CM X 210 CM
MOOSE RACING (CONT)	
(D) Yellow/blue	9201-0072
(E) Orange	9201-0073

MOOSE RACING WORK BENCH MAT

- Designed to dress up your work bench but also aid in absorbing any fluids that may leak from your motor or whatever you may be working on the bench and are environmentally friendly
- Absorbs 1 liter of oil, contact cleaner, anti-freeze, or other fluids that may spill onto the work bench area
- Helps aid in keeping work area organized and looking professional without the issues of having to clean up after every spill
- Can be cleaned with mild soap and water and reused
- Saves on cleaning supplies and cleaners and reduces clean up time in the work area
- Measures: 53,5 cm W x 76 cm L (21" x 30")



DESCRIPTION	PART #
Moose Racing work bench mat	9905-0161