



RACING LINE COMPLETE EXHAUST SYSTEM FOR YAMAHA XSR 125 2021

- A complete high-quality stainless steel exhaust system made with close attention to detail
- Unique design enables it to obtain the maximum output while significantly reducing overall weight for top performance in everyday riding or even in the most challenging races
- Headpipes/collector/link pipe are made of stainless steel
- Muffler sleeve constructed from titanium
- End cap constructed from titanium
- Fitted with a 600 cpsi catalytic converter in the middle of the link pipe

NOTE: Country restrictions apply. Please check our website if these products can be shipped to your country.



DESCRIPTION	APPROVALS	PART #
1-into-1 header w/ titanium muffler and titanium end cap	EC/ECE Type Approval	1810-3051

SLIP-ON SERIES MUFFLER FOR HONDA MSX 125/GROM 21

- Slip-on mufflers represent the first step in the exhaust system tuning process
- Easy to install and offers a great balance between price and performance
- More power, more torque, less weight and the unique Akrapovic sound
- Muffler sleeve constructed from titanium with a black finish
- End caps constructed from titanium with a natural finish
- Optional available stainless steel headpipe (sold separately) offers an upgrade to a full system when used with the Akrapovic slip-on muffler
- Optional carbon fiber heat shield available separately

NOTE: Country restrictions apply. Please check our website if these products can be shipped to your country.



1811-4241

DESCRIPTION	PART #
Single black titanium muffler/natural titanium end cap	1811-4241
1-into-1 stainless headpipe	1812-0548
Optional carbon fiber heat shield	1861-1609



HYDRAULIC LIFT STAND

- Easily lifts bikes from 50cc to 650cc
- Built with steel construction that has a black powdercoated finish for added durability that outperforms aluminum lift stands
- Large 38 cm x 30,5 cm (15" x 12") top surface is coated with thick, durable non-slip material and has a built-in drain hole
- Secure system keeps bike on stand with J-hooks that tighten on the footpegs to prevent movement in the raised position
- Adjustable feet accommodate bikes with differences in ground clearance
- Raises easily with foot-activated hydraulic pump
- Locking bar relieves pressure from pump and prevents bike from prematurely lowering while being used
- Locks at 41,5 cm, 58 cm, 71 cm and 81 cm heights (16¹/₄", 22³/₄", 28" and 32")
- Lowers by releasing valve knob
- Down position height is 32,5 cm (12³/₄")
- Maximum weight capacity is 158 kg (350 lb)



DESCRIPTION

Hydraulic lift stand

PART

4110-0183

LIFT STAND

- Easily lifts dirt bikes from 50cc to 650cc
- Built with steel construction that has a black powdercoated finish for added durability that outperforms aluminum lift stands
- Large top surface lifts both wheels off the ground on most models
- Coated with thick, durable non-slip material
- Simple lift design will not pinch fingers when carried
- Built-in tool tray on base
- Measures 31 cm (12¹/₄") in down position and 40 cm (15³/₄") in lifted position



DESCRIPTION

Lift stand

PART

4110-0181



9201-0069



9201-0070



9201-0071



9201-0072



9201-0073



9201-0075

MOOSE RACING BIKE MATS

- Protects the ground and environment
- Absorbs oil, water, dust
- Easy to clean, rubbery bottom and anti-slip
- Comes in a variety of colors
- Meets FIM environmental rules
- 80 cm W x 200 cm L (31¹/₂" x 78³/₄")

DESCRIPTION	PART #	DESCRIPTION	PART #
Red	9201-0069	Yellow/blue	9201-0072
Green	9201-0070	Orange	9201-0073
Blue	9201-0071	ATV	9201-0075¹

¹ 160 cm W x 213 cm L (63" x 83³/₄")



1512-0247



1512-0248

FRONT AND REAR MESH RACKS

- Constructed from heavy-duty, expanded steel mesh
- Universal fit and includes mounting hardware for easy installation
- Corrosion-resistant powdercoat finish
- Front: 91 cm L x 43 cm W x 16 cm H (36" x 17" x 6¹/₄"")
- Rear: 104 cm L x 67,5 cm W x 16 cm (41" x 26¹/₂" x 6¹/₄"")

NOTE: Do not exceed manufacturer's recommended weight capacity limits.

DESCRIPTION	PART #	DESCRIPTION	PART #
Front	1512-0247	Rear	1512-0248



DROP RACK

- Constructed from heavy-duty, expanded steel mesh
- Universal fit and includes mounting hardware for easy installation
- Corrosion-resistant powdercoat finish
- 104 cm L x 68 cm W x 32,5 cm H (41" x 26³/₄" x 12³/₄"")

NOTE: Do not exceed manufacturer's recommended weight capacity limits.

DESCRIPTION	PART #
ATV drop rack	1512-0246



0530-1628



FRONT AND REAR BUMPERS

- ATV bumpers are made from 38 mm (1½") tubular steel; UTV bumpers from 44 mm (1¾") tubular steel
- Bolt-on design, no drilling necessary
- Multiple frame mounting points for added strength
- Headlight or taillight protection
- Full-coverage, heavy-duty look
- Powdercoated steel
- Honda bumpers are gloss, all others are wrinkle finish

FITS MODEL	DESCRIPTION	BUMPER PART #
KAWASAKI		
Brute Force 750 12-21	Front	0530-1628
	Rear	0530-1629



0530-1631

FITS MODEL	DESCRIPTION	BUMPER PART #
SUZUKI		
King Quad 750 19-21	Front	0530-1630
	Rear	0530-1631



MUFFLER BAG/HEAT SHIELD FOR KTM 20-22 350-500 EXC-F, HUSQVARNA FE250-501 20-22, GAS GAS EC250-450 21-22

- Protect your adventure bike's saddlebags from damaging exhaust heat
- Mount the carbon fiber heat shield/guard on your new adventure dirt bike for some much-needed lightweight protection
- This carbon fiber guard is sleek and stylish protection for your expensive muffler and luggage bags

DESCRIPTION	PART #
Muffler bag/heat shield	1861-1608



EXTREME FRONT ROTOR GUARD FOR KTM/HUSQVARNA 17-22, GAS GAS 21-22

- Designed and tested in the most extreme conditions and race proven in the U.S.A. – THE Hard-Cross Enduro Series
- Provides excellent protection for your front rotor
- Five layers of carbon fiber and aramid material that extends to the outer leading edge of the rotor guard for maximum protection to the rotor
- Four-point mounting plate is made of durable aluminum that provides added strength and eliminates any flex around rotor
- Comes preassembled to assure fit and finish


DESCRIPTION	PART #
Extreme front rotor guard	0520-3291



MIKUNI REPLACEMENT HOSE KIT

- Now you can replace your Mikuni stock drain hoses when they get old and brittle with a replacement hose set
- 5 mm ($\frac{3}{16}$ ") hoses are measured and pre-cut to length
- Kit includes all hoses that fit the Mikuni carburetor
- They use stock pink hose color

DESCRIPTION	PART #
OEM-style vent hose kit for Mikuni	0706-0411



COPPER BANJO WASHERS

- Provide a positive, secure seal when replacing banjo bolts and brake line fittings
- 10 mm ID x 14 mm OD
- 1 mm thickness
- Sold in packs of 25

DESCRIPTION	PART #
Copper banjo washers	1742-0708

MOOSE
RACING



CARBURETOR CLAMPS

- Moose Racing now offers the exact replacement OEM-style clamps at an affordable price
- Clamps come in a black-anodized finish with a Phillips-style screw just like the OEM clamps
- Available in a 6-pack or sold each
- About 50% less than the OEM clamp

SIZE	QTY.	PART #
29 mm-32 mm	6-pk.	2402-0280
	ea.	2402-0285
35 mm-38 mm	6-pk.	2402-0281
	ea.	2402-0286
41 mm-49 mm	6-pk.	2402-0282
	ea.	2402-0287
49 mm-51 mm	6-pk.	2402-0283
	ea.	2402-0288
55 mm-58 mm	6-pk.	2402-0284
	ea.	2402-0289



CLIP-ON REGISTRATION HOLDER

- Made from carbon fiber and designed to clip over the upper fork leg
- Stick your registration sticker directly to the carbon holder then clip on to the fork leg
- Easy way to prevent your tag from falling off when riding on the trail
- Looks good and helps protect fork leg

DESCRIPTION	PART #
Clip on registration holder	0412-0547



0934-6977



0934-6978

POWERSPORTS ALL-GASKET

- Comes with two sheets of gasket material – 29 cm wide x 39,5 cm long (0,032" x 11,5" x 15,5")
- Material is premium compressed sheet, manufactured with aramid and other synthetic fibers and uses an NBR (Nitrile Butadiene Rubber) binder
- Flexible, easy to use, trace and cut with scissors or razor knife
- Resistant to: oils, solvents, fuels, mild acids and alkalis, water, low-pressure steam, air and other gases
- Recommended applications to seal: engine case side covers, valve covers, base and cylinder, transmissions, drive line components, water pumps, thermostats, fuel pumps, oil line and hose flanges
- Also have favorable properties for high heat insulation and exhaust mount insulation
- Service conditions up to 399 °C (750 °F)

DESCRIPTION	PART #
Green: 0,38 mm thick ($\frac{1}{64}$ "/0,015")	0934-6977
Blue: 1,6 mm thick ($\frac{1}{16}$ "/0,062")	0934-6978



0230-1137



0230-1152



0230-1167

416X WHEELS

- Designed to take on woods, deep mud and sand
- 100% X-rayed on the production line to ensure the highest quality and reliability
- Center caps included
- 12x7 handle load capacities up to 675 lb, 12x8 up to 1,150 lb, 14x7 up to 700 lb and 14x8 up to 1,300 lb

SIZE	POSITION	SIZE	BOLT PATTERN	OFFSET	MACHINED BLACK WHEEL PART #	MATTE BLACK WHEEL PART #	BRONZE WHEEL PART #	LUG NUT-CHROME (16-PK.)	LUG NUT-BLACK (16-PK.)
BOMBARDIER/CAN-AM									
Outlander 330/400/500/570/650/800/850/1000 03-21	F	12x7	4/136	4+3	0230-1138	0230-1153	0230-1168	0232-0203	0232-0204
	R	12x8	4/136	4+4	0230-1141	0230-1156	0230-1171	0232-0203	0232-0204
	F	14x7	4/136	4+3	0230-1144	0230-1159	0230-1174	0232-0203	0232-0204
Renegade 500/570/800/850/1000 09-21	F	12x7	4/136	4+3	0230-1138	0230-1153	0230-1168	0232-0203	0232-0204
	R	12x8	4/136	4+4	0230-1141	0230-1156	0230-1171	0232-0203	0232-0204
	F	14x7	4/136	4+3	0230-1144	0230-1159	0230-1174	0232-0203	0232-0204
Traxter 4x4 99-06	F	12x7	4/136	4+3	0230-1138	0230-1153	0230-1168	0232-0203	0232-0204
	R	12x8	4/136	4+4	0230-1141	0230-1156	0230-1171	0232-0203	0232-0204
	F	14x7	4/136	4+3	0230-1144	0230-1159	0230-1174	0232-0203	0232-0204
Quest 650 01-06	F	12x7	4/136	4+3	0230-1138	0230-1153	0230-1168	0232-0203	0232-0204
	R	12x8	4/136	4+4	0230-1141	0230-1156	0230-1171	0232-0203	0232-0204
	F	14x7	4/136	4+3	0230-1144	0230-1159	0230-1174	0232-0203	0232-0204
Maverick/Max 1000 14-21	F	12x7	4/136	4+3	0230-1138	0230-1153	0230-1168	0232-0203	0232-0204
	R	12x8	4/136	4+4	0230-1141	0230-1156	0230-1171	0232-0203	0232-0204
	F	14x7	4/136	4+3	0230-1144	0230-1159	0230-1174	0232-0203	0232-0204
Commander 800/1000 13-21	F/R	14x7	4/136	5+2	0230-1147	0230-1162	-	0232-0203	0232-0204
	F	12x7	4/136	4+3	0230-1138	0230-1153	0230-1168	0232-0203	0232-0204
	R	12x8	4/136	4+4	0230-1141	0230-1156	0230-1171	0232-0203	0232-0204
Defender 100 16-21	F	14x7	4/136	4+3	0230-1144	0230-1159	0230-1174	0232-0203	0232-0204
	F/R	14x7	4/136	5+2	0230-1147	0230-1162	-	0232-0203	0232-0204
	F	12x7	4/136	4+3	0230-1138	0230-1153	0230-1168	0232-0203	0232-0204
Defender 100 16-21	R	12x8	4/136	4+4	0230-1141	0230-1156	0230-1171	0232-0203	0232-0204
	F	14x7	4/136	4+3	0230-1144	0230-1159	0230-1174	0232-0203	0232-0204
	F/R	14x7	4/136	5+2	0230-1147	0230-1162	-	0232-0203	0232-0204
HONDA									
TRX650/680 Rincon 4x4 02-18	F	12x7	4/110	4+3	0230-1139	0230-1154	0230-1169	0232-0203	0232-0204
	R	12x8	4/110	4+4	0230-1142	0230-1157	0230-1172	0232-0203	0232-0204
	F	14x7	4/110	4+3	0230-1145	0230-1160	-	0232-0203	0232-0204
TRX420AT/500AT Rancher 09-22	F	12x7	4/110	4+3	0230-1139	0230-1154	0230-1169	0232-0203	0232-0204
	R	12x8	4/110	4+4	0230-1142	0230-1157	0230-1172	0232-0203	0232-0204
	F	14x7	4/110	4+3	0230-1145	0230-1160	-	0232-0203	0232-0204
Big Red 700 MUV 09-13	F	12x7	4/110	4+3	0230-1139	0230-1154	0230-1169	0232-0209	0223-0217
	R	12x8	4/110	4+4	0230-1142	0230-1157	0230-1172	0232-0209	0223-0217
	F	14x7	4/110	4+3	0230-1145	0230-1160	-	0232-0209	0223-0217
Pioneer 500/700 14-22	F/R	14x7	4/110	5+2	0230-1148	0230-1163	-	0232-0209	0223-0217
	F	12x7	4/110	4+3	0230-1139	0230-1154	0230-1169	0232-0209	0223-0217
	R	12x8	4/110	4+4	0230-1142	0230-1157	0230-1172	0232-0209	0223-0217
Pioneer 500/700 14-22	F	14x7	4/110	4+3	0230-1145	0230-1160	-	0232-0209	0223-0217
	F/R	14x7	4/110	5+2	0230-1148	0230-1163	-	0232-0209	0223-0217
	F	12x7	4/110	4+3	0230-1139	0230-1154	0230-1169	0232-0209	0223-0217

416X WHEELS continued on next page.



416X WHEELS (CONT)

SIZE	POSITION	SIZE	BOLT PATTERN	OFFSET	MACHINED BLACK WHEEL PART #	MATTE BLACK WHEEL PART #	BRONZE WHEEL PART #	LUG NUT-CHROME (16-PK.)	LUG NUT-BLACK (16-PK.)
HONDA (CONT)									
Pioneer 1000 16-22	F	12x7	4/136	4+3	0230-1138	0230-1153	0230-1168	0232-0209	0223-0217
	R	12x8	4/136	4+4	0230-1141	0230-1156	0230-1171	0232-0209	0223-0217
	F	14x7	4/136	4+3	0230-1144	0230-1159	0230-1174	0232-0209	0223-0217
	F/R	14x7	4/136	5+2	0230-1147	0230-1162	-	0232-0209	0223-0217
KAWASAKI									
Brute Force 650l 4x4 06-18 (IRS model)	F	12x7	4/110	4+3	0230-1139	0230-1154	0230-1169	0232-0203	0232-0204
	R	12x8	4/110	4+4	0230-1142	0230-1157	0230-1172	0232-0203	0232-0204
	F	14x7	4/110	4+3	0230-1145	0230-1160	-	0232-0203	0232-0204
Brute Force 750 4x4 05-22 (IRS)	F	12x7	4/110	4+3	0230-1139	0230-1154	0230-1169	0232-0203	0232-0204
	R	12x8	4/110	4+4	0230-1142	0230-1157	0230-1172	0232-0203	0232-0204
	F	14x7	4/110	4+3	0230-1145	0230-1160	-	0232-0203	0232-0204
Teryx 750/800 08-22	F	12x7	4/136	4+3	0230-1138	0230-1153	0230-1168	0232-0207	0232-0208
	R	12x8	4/136	4+4	0230-1141	0230-1156	0230-1171	0232-0207	0232-0208
	F	14x7	4/136	4+3	0230-1144	0230-1159	0230-1174	0232-0207	0232-0208
	F/R	14x7	4/136	5+2	0230-1147	0230-1162	-	0232-0207	0232-0208
Mule 2500/3000/4010 Series All *Note: Lift kit needed for 26" or larger tires	F	12x7	4/136	4+3	0230-1138	0230-1153	0230-1168	0232-0207	0232-0208
	R	12x8	4/136	4+4	0230-1141	0230-1156	0230-1171	0232-0207	0232-0208
	F	14x7	4/136	4+3	0230-1144	0230-1159	0230-1174	0232-0207	0232-0208
	R	14x8	4/136	4+4	0230-1150	0230-1165	0230-1180	0232-0207	0232-0208
Mule Pro FXT 15-22	F	12x7	4/136	4+3	0230-1138	0230-1153	0230-1168	0232-0207	0232-0208
	R	12x8	4/136	4+4	0230-1141	0230-1156	0230-1171	0232-0207	0232-0208
	F	14x7	4/136	4+3	0230-1144	0230-1159	0230-1174	0232-0207	0232-0208
KYMCO									
500MUX SA 08-10/MXU IE 08-11/500 UXV 10-14	F	12x7	4/110	4+3	0230-1139	0230-1154	0230-1169	0232-0203	0232-0204
	R	12x8	4/110	4+4	0230-1142	0230-1157	0230-1172	0232-0203	0232-0204
375/500/700 MXU-IE15-21	F	12x7	4/110	4+3	0230-1139	0230-1154	0230-1169	0232-0203	0232-0204
	R	12x8	4/110	4+4	0230-1142	0230-1157	0230-1172	0232-0203	0232-0204
450/500/700 UXV 08-21	F	12x7	4/110	4+3	0230-1139	0230-1154	0230-1169	0232-0203	0232-0204
	R	12x8	4/110	4+4	0230-1142	0230-1157	0230-1172	0232-0203	0232-0204
POLARIS									
Sportsman 335 99-06	F	12x7	4/156	4+3	0230-1137	0230-1152	0230-1167	0232-0205	0232-0206
	R	12x8	4/156	4+4	0230-1140	0230-1155	0230-1170	0232-0205	0232-0206
	F	14x7	4/156	4+3	0230-1143	0230-1158	0230-1173	0232-0205	0232-0206
Sportsman 400/450 01-13	F	12x7	4/156	4+3	0230-1137	0230-1152	0230-1167	0232-0205	0232-0206
	R	12x8	4/156	4+4	0230-1140	0230-1155	0230-1170	0232-0205	0232-0206
	F	14x7	4/156	4+3	0230-1143	0230-1158	0230-1173	0232-0205	0232-0206
Sportsman 500 96-13	F	12x7	4/156	4+3	0230-1137	0230-1152	0230-1167	0232-0205	0232-0206
	R	12x8	4/156	4+4	0230-1140	0230-1155	0230-1170	0232-0205	0232-0206
	F	14x7	4/156	4+3	0230-1143	0230-1158	0230-1173	0232-0205	0232-0206
Magnum 500 02-06	F	12x7	4/156	4+3	0230-1137	0230-1152	0230-1167	0232-0205	0232-0206
	R	12x8	4/156	4+4	0230-1140	0230-1155	0230-1170	0232-0205	0232-0206
	F	14x7	4/156	4+3	0230-1143	0230-1158	0230-1173	0232-0205	0232-0206
Sportsman 570 14-13	F	12x7	4/156	4+3	0230-1137	0230-1152	0230-1167	0232-0205	0232-0206
	R	12x8	4/156	4+4	0230-1140	0230-1155	0230-1170	0232-0205	0232-0206
	F	14x7	4/156	4+3	0230-1143	0230-1158	0230-1173	0232-0205	0232-0206
Sportsman 600 03-08	F	12x7	4/156	4+3	0230-1137	0230-1152	0230-1167	0232-0205	0232-0206
	R	12x8	4/156	4+4	0230-1140	0230-1155	0230-1170	0232-0205	0232-0206
	F	14x7	4/156	4+3	0230-1143	0230-1158	0230-1173	0232-0205	0232-0206
Sportsman 700 02-09	F	12x7	4/156	4+3	0230-1137	0230-1152	0230-1167	0232-0205	0232-0206
	R	12x8	4/156	4+4	0230-1140	0230-1155	0230-1170	0232-0205	0232-0206
	F	14x7	4/156	4+3	0230-1143	0230-1158	0230-1173	0232-0205	0232-0206
Sportsman 800 05-14	F	12x7	4/156	4+3	0230-1137	0230-1152	0230-1167	0232-0205	0232-0206
	R	12x8	4/156	4+4	0230-1140	0230-1155	0230-1170	0232-0205	0232-0206
	F	14x7	4/156	4+3	0230-1143	0230-1158	0230-1173	0232-0205	0232-0206
	F/R	14x7	4/156	5+2	0230-1146	0230-1161	-	0232-0205	0232-0206
Ranger ETX/570/EV/ 800 6x6 4x4 03-21	F	12x7	4/156	4+3	0230-1137	0230-1152	0230-1167	0232-0205	0232-0206
	R	12x8	4/156	4+4	0230-1140	0230-1155	0230-1170	0232-0205	0232-0206
	F	14x7	4/156	4+3	0230-1143	0230-1158	0230-1173	0232-0205	0232-0206
	F/R	14x7	4/156	5+2	0230-1146	0230-1161	-	0232-0205	0232-0206
Ranger XP900 and Diesel 14-21	F	12x7	4/156	4+3	0230-1137	0230-1152	0230-1167	0232-0209	0223-0217
	R	12x8	4/156	4+4	0230-1140	0230-1155	0230-1170	0232-0209	0223-0217
	F	14x7	4/156	4+3	0230-1143	0230-1158	0230-1173	0232-0209	0223-0217
	F/R	14x7	4/156	5+2	0230-1146	0230-1161	-	0232-0209	0223-0217

416X WHEELS continued on next page.



416X WHEELS (CONT)

SIZE	POSITION	SIZE	BOLT PATTERN	OFFSET	MACHINED BLACK WHEEL PART #	MATTE BLACK WHEEL PART #	BRONZE WHEEL PART #	LUG NUT-CHROME (16-PK.)	LUG NUT-BLACK (16-PK.)
POLARIS (CONT)									
Sportsman Ace 570/900 14-21	F	12x7	4/156	4+3	0230-1137	0230-1152	0230-1167	0232-0205	0232-0206
	R	12x8	4/156	4+4	0230-1140	0230-1155	0230-1170	0232-0205	0232-0206
	F	14x7	4/156	4+3	0230-1143	0230-1158	0230-1173	0232-0205	0232-0206
Sportsman XP 550/ 700/800/850 09-21 Note: Sportsman XP 2009 is 5" wider with aftermarket wheels	F	12x7	4/156	4+3	0230-1137	0230-1152	0230-1167	0232-0205	0232-0206
	R	12x8	4/156	4+4	0230-1140	0230-1155	0230-1170	0232-0205	0232-0206
	F	14x7	4/156	4+3	0230-1143	0230-1158	0230-1173	0232-0205	0232-0206
Sportsman X2 500/550/800 09-15	F	12x7	4/156	4+3	0230-1137	0230-1152	0230-1167	0232-0205	0232-0206
	R	12x8	4/156	4+4	0230-1140	0230-1155	0230-1170	0232-0205	0232-0206
	F	14x7	4/156	4+3	0230-1143	0230-1158	0230-1173	0232-0205	0232-0206
RZR 800/900XP 08-14 and RZR 570 14-18	F	12x7	4/156	4+3	0230-1137	0230-1152	0230-1167	0232-0205	0232-0206
	R	12x8	4/156	4+4	0230-1140	0230-1155	0230-1170	0232-0205	0232-0206
	F	14x7	4/156	4+3	0230-1143	0230-1158	0230-1173	0232-0205	0232-0206
	F/R	14x7	4/156	5+2	0230-1146	0230-1161	-	0232-0205	0232-0206
RZR 900/900 XC/900 S 15-21	F	12x7	4/156	4+3	0230-1137	0230-1152	0230-1167	0232-0209	0223-0217
	R	12x8	4/156	4+4	0230-1140	0230-1155	0230-1170	0232-0209	0223-0217
	F	14x7	4/156	4+3	0230-1143	0230-1158	0230-1173	0232-0209	0223-0217
	F/R	14x7	4/156	5+2	0230-1146	0230-1161	-	0232-0209	0223-0217
RZR 1000 XP/14-21	F	12x7	4/156	4+3	0230-1137	0230-1152	0230-1167	0232-0209	0223-0217
	R	12x8	4/156	4+4	0230-1140	0230-1155	0230-1170	0232-0209	0223-0217
	F	14x7	4/156	4+3	0230-1143	0230-1158	0230-1173	0232-0209	0223-0217
	F/R	14x7	4/156	5+2	0230-1146	0230-1161	-	0232-0209	0223-0217
General 17-21	F	12x7	4/156	4+3	0230-1137	0230-1152	0230-1167	0232-0209	0223-0217
	R	12x8	4/156	4+4	0230-1140	0230-1155	0230-1170	0232-0209	0223-0217
	F	14x7	4/156	4+3	0230-1143	0230-1158	0230-1173	0232-0209	0223-0217
	F/R	14x7	4/156	5+2	0230-1146	0230-1161	-	0232-0209	0223-0217
SUZUKI									
King Quad 450/700/750 05-21	F	12x7	4/110	4+3	0230-1139	0230-1154	0230-1169	0232-0203	0232-0204
	R	12x8	4/110	4+4	0230-1142	0230-1157	0230-1172	0232-0203	0232-0204
	F	14x7	4/110	4+3	0230-1145	0230-1160	-	0232-0203	0232-0204
YAMAHA									
Grizzly 350 IRS 07-15	F	12x7	4/110	4+3	0230-1139	0230-1154	0230-1169	0232-0203	0232-0204
	R	12x8	4/110	4+4	0230-1142	0230-1157	0230-1172	0232-0203	0232-0204
	F	14x7	4/110	4+3	0230-1145	0230-1160	-	0232-0203	0232-0204
Kodiak 400/450 4x4 05-06	F	12x7	4/110	4+3	0230-1139	0230-1154	0230-1169	0232-0203	0232-0204
	R	12x8	4/110	4+4	0230-1142	0230-1157	0230-1172	0232-0203	0232-0204
	F	14x7	4/110	4+3	0230-1145	0230-1160	-	0232-0203	0232-0204
Grizzly 400/450/ 550/700 4x4 07-21	F	12x7	4/110	4+3	0230-1139	0230-1154	0230-1169	0232-0203	0232-0204
	R	12x8	4/110	4+4	0230-1142	0230-1157	0230-1172	0232-0203	0232-0204
	F	14x7	4/110	4+3	0230-1145	0230-1160	-	0232-0203	0232-0204
Big Bear 400 IRS 07-12	F	12x7	4/110	4+3	0230-1139	0230-1154	0230-1169	0232-0203	0232-0204
	R	12x8	4/110	4+4	0230-1142	0230-1157	0230-1172	0232-0203	0232-0204
	F	14x7	4/110	4+3	0230-1145	0230-1160	-	0232-0203	0232-0204
Grizzly 660 02-09	F	12x7	4/110	4+3	0230-1139	0230-1154	0230-1169	0232-0203	0232-0204
	R	12x8	4/110	4+4	0230-1142	0230-1157	0230-1172	0232-0203	0232-0204
	F	14x7	4/110	4+3	0230-1145	0230-1160	-	0232-0203	0232-0204
Rhino 450/660/700 04-13	F	12x7	4/110	4+3	0230-1139	0230-1154	0230-1169	0232-0203	0232-0204
	R	12x8	4/110	4+4	0230-1142	0230-1157	0230-1172	0232-0203	0232-0204
	F	14x7	4/110	4+3	0230-1145	0230-1160	-	0232-0203	0232-0204
	F/R	14x7	4/110	5+2	0230-1148	0230-1163	-	0232-0203	0232-0204
Viking 14-21	F	12x7	4/110	4+3	0230-1139	0230-1154	0230-1169	0232-0207	0232-0208
	R	12x8	4/110	4+4	0230-1142	0230-1157	0230-1172	0232-0207	0232-0208
	F	14x7	4/110	4+3	0230-1145	0230-1160	-	0232-0207	0232-0208
	F/R	14x7	4/110	5+2	0230-1148	0230-1163	-	0232-0207	0232-0208
Wolverine 16-21	F	12x7	4/110	4+3	0230-1139	0230-1154	0230-1169	0232-0207	0232-0208
	R	12x8	4/110	4+4	0230-1142	0230-1157	0230-1172	0232-0207	0232-0208
	F	14x7	4/110	4+3	0230-1145	0230-1160	-	0232-0207	0232-0208
	F/R	14x7	4/110	5+2	0230-1148	0230-1163	-	0232-0207	0232-0208
YZX 1000R 16-21	F	14x7	4/110	4+3	0230-1145	0230-1160	-	0232-0207	0232-0208
	F/R	14x7	4/110	5+2	0230-1148	0230-1163	-	0232-0207	0232-0208



JT SPROCKETS

- Computer-designed to achieve ultimate strength at minimum weight
- JT combines leading-edge technology with top materials to produce the ultimate quality sprocket range with unbeatable value
- Every sprocket meets or exceeds the highest possible quality standards
- Sprockets are heat-treated and beadblasted to reduce material surface tension
- Front sprockets made with top-quality SCM420 chromoly steel alloy
- JT aluminum sprockets are about 30% lighter than a comparable steel equivalent, which reduces unsprung rotating weight and improves performance
- Lightweight front sprockets available for some applications

FITS MODEL	STOCK GEARING	STOCK CHAIN	FRONT SIZE	FRONT SPROCKET #
BETAMOTOR				
350 Jonathan 01-02	15/41	520x120	15	1212-1918
400 Alp 4.0 10-11				
400 M4 Supermoto				



Countershaft

SELF CLEANING STEEL SPROCKETS "SC"

- Manufactured to exacting tolerances and designed with special self-cleaning grooves for added life performance
- Made from the best chromoly steel and fully heat-treated for maximum durability, SC sprockets are designed for champions

FITS MODEL	STOCK GEARING	STOCK CHAIN	FRONT SIZE	FRONT SPROCKET #
SUZUKI				
DR200 86-91, 96-20	15/41	520x120	15	1212-1918
DR350 94-99	15/41	520x120		
DR-Z400 00-20	15/41	520x120		



DT4 FLAT TRACK TIRES

- Flat track tire for professional and amateur racers
- Developed with input from some of the top flat track racers and champions
- Suggested Pressures: Cold 0,4 km (1/4 mile) 12-14 psi; 0,8 km (1/2 mile) 16-24 psi; 1,6 km (1 mile) 22-28 psi (optimum inflation pressure varies from track to track, depending upon track length, surface conditions and machine size)
- Tube type (TT)
- Not for street use

NOTE: Dunlop recommends that if tire warmers are used they are set at 70-80 °C for 45 minutes to 1 hour (maximum); tire performance degradation may occur if tires are subjected to repeated tire warming cycles, and/or temperatures/times in excess of these.



DT4 Rear

SIZE	COMPOUND	LOAD/SPEED INDEX	TL/TT	RECOMMENDED RIM	RIM RANGE	WIDTH (MM) MEASURED ON RECOMMENDED RIM	DIAMETER (MM) MEASURED ON RECOMMENDED RIM	PART #
REAR								
140/80 - 19	R3, Soft	NHS	TT	3.0	2.25 - 3.0	131 mm	683 mm	0313-0895
140/80 - 19	R5, Medium	NHS	TT	3.0	2.25 - 3.0	131 mm	683 mm	0313-0896
140/80 - 19	R9, Hard	NHS	TT	3.0	2.25 - 3.0	131 mm	683 mm	0313-0897

KURYAKYN**PET PALACE TITAN**

- Perfect for the passenger seat of most touring motorcycles, ATVs, UTVs or automobiles, and it comes loaded with creature comforts to keep pets weighing up to 16 kg (35 lbs.) pampered in the wind
- Made from durable UV-rated, weather-resistant 1200-denier textile material
- Rigid internal support structure for safety, durability and longevity
- Front zippered opening folds down completely for easy pup loading/unloading on the bike, or halfway to allow maximum airflow for pets
- Internal adjustable leash system keeps dog/pet secure while in the bag
- Metal D-rings and a variety of adjustable straps offer safe and secure mounting
- Large integrated top vent with zippered mesh sun shade provides airflow and reduces heat without jeopardizing stability
- All-new light gray interior reduces heat and improves interior visibility in low light
- Includes collapsible travel bowl for food/water
- Two integrated external rider-facing bottle pockets

- Multiple MOLLE modular attachment points for pet supplies or tools
- Dimensions: 56 cm W x 30,5 cm D x 47 cm T (22" x 12" x 18,5")
- 78 liter internal capacity (4752 cubic inches); 16 kg (35 lbs.) recommended weight capacity

DESCRIPTION

Pet Palace Titan

PART #**3515-0224****HIDDEN ANTENNA**

- Flexible and discreet design can be tucked away virtually anywhere for a clean look
- 28 cm (11") long with 51 mm (2") of cable
- Requires no power wire; simple plug-in installation
- Offered with universal round antenna connector
- Provides AM/FM and Weatherband signal (no CB radio capabilities)

**DESCRIPTION**

Hidden antenna w/ universal connector

PART #**4401-0263**

2020-2018



2020-2017

TRAILER WIRING AND RELAY HARNESSES FOR HONDA GL1800 GOLD WING 18-21

- Eliminate overloading stock lighting or accessory circuits
- 5-Wire Plus 1: Provides standard 5-wire output (run, brake, left turn, right turn, ground), does not include receptacle kits due to variance in trailer manufacturer requirements
- 4-Wire Plus 1: Provides standard 4-wire output (run, left turn/brake, right turn/brake, ground), includes flat-4 connector

- Both harnesses contain a "bonus wire" to provide fused 12V power to the trailer for compartment lights or security/keyless entry systems

DESCRIPTION

5-wire Plus 1

PART #**2020-2018****DESCRIPTION**

4-wire Plus 1

PART #**2020-2017**

KURYAKYN



DILLINGER BAR-END MIRRORS FOR HONDA GROM 125 14-20, 22

- Functional bar-end mirror option that delivers a rugged look, with redesigned mounting hardware specifically for Honda Groms
- Features aluminum construction with a machined stainless steel ball and nylon socket for smooth pivoting, easy adjustability and secure positioning
- Convex glass offers wider field of vision
- Compatible with most Grom models, 22 mm (7/8") or 25,4 mm (1") handlebars
- Mirror head measures approximately 10 cm x 10 cm (4" x 4")
- Sold each (can mount on throttle or clutch side)

DESCRIPTION	PART #	DESCRIPTION	PART #
Satin black	0640-1525	Silver	0640-1526



0634-0563



0634-0564

0634-0565

LODESTAR HANDLEBAR SLIDERS

- Keep your bar-end weights, add some subtle style and get the added benefit of protection from tip-overs or low-side crashes
- Protect handguards and, to some degree, levers, from damage during tip-overs or low-side crashes
- Direct bolt-on installation that retains use of the stock bar-end weights (install outside of hand guards)
- CNC machined 6061-T6 aluminum offered in gold, black or silver anodized finishes
- Sold in pairs


FITS MODEL	DESCRIPTION	PART #
HONDA		
Grom 125 14-20, 22	Gold	0634-0563
	Black	0634-0564
	Silver	0634-0565



TAIL TIDY KIT FOR HONDA GROM 125

- Designed to eliminate the stock plastic license plate and turn signal mount on 2022 Grom for a super-clean look
- Made from durable steel construction
- Includes Kuryakyn by Kellermann KL1 LED License Plate Light
- Accepts any Kuryakyn by Kellermann LED turn signals or aftermarket turn signals that mount via M8 studs
- If using/mounting Kuryakyn by Kellermann Atto, micro S, or Rhombus S turn signals, separate purchase of Kuryakyn M8 x 20mm Adapter PART #2020-1665 (quantity of two) is required
- If using Kuryakyn or aftermarket LED turn signals, separate purchase of Kuryakyn Electronic LED Flasher Relay, PART #2050-0444, is required

DESCRIPTION	PART #
Tail Tidy Kit	2030-2067



TURN SIGNAL ADAPTER KIT FOR HONDA GROM 125 22

- Includes adapter plates for installing custom turn signals (sold separately) on front and rear
- Made from laser-cut steel
- Accepts any Kuryakyn by Kellermann LED turn signals (or any aftermarket turn signals) that mount via M8 studs
- If using/mounting Kuryakyn by Kellermann Atto, micro S or Rhombus S turn signals, separate purchase of Kuryakyn M8 x 20mm Adapter PART #2020-1665 (quantity of two) is required
- If using Kuryakyn or aftermarket LED turn signals, separate purchase of Kuryakyn Electronic LED Flasher Relay, PART #2050-0444, is required

DESCRIPTION	PART #
Turn signal adapter kit	2020-1996



HUSTLER HANDLEBARS

- Super-strong 22 mm (7/8") wall aluminum flexes to reduce vibration and rider fatigue
- 22 mm (7/8") clamp area does not require oversized risers or a clamp kit
- Mandrel precision pre-bent hook on each end
- Compatible with stock controls and grips
- 25 mm (1") rise, 76 cm (30") wide, 10° pullback
- Include black RSI custom 3D-molded bar pad
- Available in black

DESCRIPTION

Hustler handlebars

PART

0601-4371



DRIVER FOOTPEG KIT FOR BMW F 850 GS 18-

- Enduro Explorer style footpeg kit with a silver finish
- For foldable turning joints
- Constructed from high-strength aluminum
- Available in a variety of styles to complement your bike
- Each kit includes two footpegs and two plugs
- For the complete line of Gilles Tooling footpeg kits, see pages 718-725 of the 2021 Parts Europe Street catalog

STYLE

Enduro Explorer footpeg kit

PART

1620-2359



PSA2 SWINGARM SPOOLS

- Two-part construction; rotatable POM roll attaches to anodized bracket in one simple step
- Rotatable mounting makes jacking up the bike noticeably easier
- Available in M6 or M8 sizes



1303-0351



1303-0353



1303-0355

DESCRIPTION

M6

Black

1303-0351

M6

Blue

1303-0352

DESCRIPTION

M6

Red

1303-0353

M8

Black

1303-0354

DESCRIPTION

M8

Blue

1303-0355

M8

Red

1303-0356



BRAKE LEVER REMOTE CONTROLS

- Allows for rapid MPL brake lever adjustment while riding
- Mounts on the left side of the handlebar for easy access



0611-0192

FITS MODEL

APRILIA

RSV4 Factory 09-12 0611-0194

RSV4 Factory APRC 11-13 0611-0194

RSV4 Factory APRC ABS 13-14 0611-0194

RSV4 RF 17-18 0611-0194

RSV4 RR 18-20 0611-0194

DUCATI

848 Evo 08-13 0611-0193

Panigale 959 16-19 0611-0193

1098 S/R 07-09 0611-0193

1198 R/S/SP 09-11 0611-0193

Panigale 1199 12-14 0611-0193

FITS MODEL

DUCATI (CONT)

Monster 1200 R 16-19 0611-0193

Panigale 1299 15-17 0611-0193

HONDA

CBR600RR 07-16 0611-0192

CBR1000RR Fireblade 08-19 0611-0192

KAWASAKI

Ninja ZX-10R 16-19 0611-0193

SUZUKI

GSX-R 600 11-16 0611-0192

GSX-R 750 11-18 0611-0192

GSX-R 1000 09-19 0611-0192

FITS MODEL

SUZUKI (CONT)

GSX-R 1000R 17-19 0611-0192

TRIUMPH

Speed Triple R 16-17 0611-0194

Speed Triple RS 18-20 0611-0194

Speed Triple S 16-20 0611-0194

YAMAHA

YZF-R1 15-20 0611-0194

YZF-R1M 15-20 0611-0194

YZF-R6 17-20 0611-0194



BRAKE PADS AND SHOES

LONG-LIFE SINTERED "R" BRAKE PADS

- Highest durability ATV grade brake pads
- Offer maximum durability and excellent braking performance
- Constructed of sintered bronze for longest lifetime

FITS MODEL	FRONT PAD/SHOE COMPOUND	FRONT PART #
CF MOTO		
400 C-Force 18-19	R Sintered	1721-3132
950 Z-Force 20	R Sintered	1721-3132



- Best for riding in water, mud, dust or sand
- Not for highway use

FITS MODEL	FRONT PAD/SHOE COMPOUND	FRONT PART #
CF MOTO (CONT)		
1000 U-Force 20	R Sintered	1721-3132
1000 Z-Force 18-19	R Sintered	1721-3132


EBC CLUTCH KITS AND SPRINGS

CK STANDARD SERIES CLUTCH KITS

- Cork-based clutch material impregnated with aluminum particles to increase wear life and heat resistance
- Highly compressed construction avoids swell and clutch drag
- Ideal for general-purpose street/sport/touring bikes
- Kit includes complete engine set of friction plates only
- For use with manufacturer's recommended engine oil

DRC RACE/SPORT ARAMID SERIES CLUTCH KITS

- Aramid paper-lined plate set, complete with heavy-duty clutch springs
- For use in heavy sport bikes and production-based race bikes
- SRC/DRC kits have longer plate life and higher heat resistance
- SRC/DRC kits have a more aggressive/faster clutch takeup than the CK Standard series clutch kits
- For use with manufacturer's recommended engine oil



OFFROAD

DESCRIPTION	CK CLUTCH SERIES PART #	DRC CLUTCH KIT PART #
YAMAHA		
YZ250F 16-21	1131-3724	1131-3725

SCOOTER

DESCRIPTION	DRC CLUTCH KIT PART #
YAMAHA	
T Max 530 ABS 12-21, T Max 530 DX/SX ABS 17-21, T Max 530 Black Max ABS 13, T Max 530 Bronze Max ABS 14, T Max 530 Iron Max ABS 15	1131-3661



520/525 ZRA CHAINS

- Manufactured with high-carbon alloy steel
- Shot-peened rollers, pins and plates
- Solid bushings
- Pre-stretched to enhance performance
- Natural steel color
- Z-Ring seals for high mileage, reduced elongation and extended lubrication intervals



520 ZRA

DESCRIPTION	PART #	DESCRIPTION	PART #
114 links	1224-0223	Rivet connecting link	1225-0559
118 links	1224-0224	Clip connecting link	1225-0560
120 links	1224-0181		

525 ZRA

DESCRIPTION	PART #	DESCRIPTION	PART #
114 links	1224-0173	Rivet connecting link	1224-0176
118 links	1224-0225	Clip connecting link	1224-0177
120 links	1224-0174		



525ZRE Z-RING CHAINS

- High-performance ZR chain with Z44 seal Z-ring sections
- Z-ring flexes when assembled, creating a spring effect that guarantees seal will not diminish over time
- Z-ring section also provides enhanced chain flexibility
- Features high alloy steel plates and pins, solid bushings and rollers and shot-peened plates, pins and rollers
- Pre-stretched to enhance performance
- Clip-type and rivet-type links included



DESCRIPTION	PART #	DESCRIPTION	PART #
525ZRE		525ZRE (CONT)	
114 links	1224-0221	Clip connecting link	1225-0491
118 links	1224-0222	Rivet connection link	1225-0490
120 links	1224-0169		



CYLINDERS AND CYLINDER HEAD KIT

- Ready-to-install, direct bolt-on cylinders require no re-plating and look virtually identical to the OEM cylinders
- Nickel Silicon Carbide-plated for long life

CYLINDER HEAD KIT

FITS MODEL	DESCRIPTION	PART #
KAWASAKI		
KX250F 06-08	Includes cylinder head, cam caps and cam cap bolts	0931-1018

ATV/UTV CYLINDERS

FITS MODEL	DESCRIPTION	PART #
HONDA		
TRX700XX 08-09	Standard bore (102 mm)	0931-1014
POLARIS		
ACE 900 EPS XC 17-19	Standard bore (93 mm)	0931-1023
Ranger 900 17-19	Standard bore (93 mm)	0931-1023
RZR 900 17-20	Standard bore (93 mm)	0931-1023

OFF-ROAD CYLINDERS

FITS MODEL	DESCRIPTION	PART #
GAS GAS		
MC 50 21-22	Standard bore (39,5 mm)	0931-1022
HONDA		
CRF450X 05-17	Standard bore (96 mm)	0931-1013
HUSQVARNA		
TC 50 17-22	Standard bore (39,5 mm)	0931-1022



FITS MODEL	DESCRIPTION	PART #
POLARIS (CONT)		
Ranger 1000 20	Standard bore (93 mm)	0931-1023
YAMAHA		
YZ450 17	Standard bore (95 mm)	0931-1016
YZ450R/R SE 09-21	Standard bore (95 mm)	0931-1016
YZ450X 10-11	Standard bore (95 mm)	0931-1016

FITS MODEL	DESCRIPTION	PART #
KTM		
SX 50 09-22	Standard bore (39,5 mm)	0931-1022
YAMAHA		
WR450F 21	Standard bore (97 mm)	0931-1020
YZ450F 20-22	Standard bore (97 mm)	0931-1020
YZ450FX 21-22	Standard bore (97 mm)	0931-1020



FUEL TAP REBUILD KITS

- Includes components to rebuild one fuel tap
- Kit includes face screws, tank bolts, face gasket, tank gasket, diaphragm, O-rings, wave washer and miscellaneous components
- Non-rebuildable riveted Honda-specific kits include special drill and self-tapping screws along with instructions for an easy and inexpensive rebuild

FITS MODEL	PART #
HONDA	
CMX250 07-16	0705-0453
CB400F 89-90	0705-0459
CB400T 78-81	0705-0450
CM400 79-81	0705-0450
VT600C Shadow 88-98	0705-0459
VT600CD 93-98	0705-0459
CB650 79-80	0705-0450
CB650 81-82	0705-0459
NT650 GT 88-91	0705-0453
VF700C 87	0705-0453
CB750 C 80/82	0705-0450
CB750F Super Sport 81-82	0705-0459

FITS MODEL	PART #
HONDA (CONT)	
CB750K 79-80	0705-0450
CB750K 81	0705-0453
CB750K 82	0705-0459
CB750L 79	0705-0450
CB750SC 82-83	0705-0459
VF750C 88	0705-0453
CB900C 81-82	0705-0459
CB900F 81-82	0705-0453
VTR1000F 98	0705-0462
CB1100F Super Sport 83	0705-0459
CBR1100XX 97-98	0705-0462
CBX1100 82	0705-0459

DIAPHRAGM ONLY KITS

- Kit includes diaphragm and hardware
- Rebuild diaphragm only
- Some fuel taps are not fully rebuildable
- The diaphragms can be a source of many issues associated with improperly functioning auto shutoff fuel taps



0705-0450

0705-0453



PCV

DYNOJET



SFM

POWER COMMANDER V

- Fuel control for each individual cylinder in a smaller enclosure
- "Warm-up" fuel adjustment (unit reads engine temp and allows fuel/timing adjustments based on the reading)
- Reduced size from the PCIII USB
- Easy to install
- USB powered from computer; 9 volt adapter is no longer needed
- Two-position map-switching function built in
- Can add any Single Pole Single Throw (SPST) switch and toggle between two different fuel maps
- Gear/speed input allows for map adjustment based on gear
- Analog input allows user to install any 0-5 volt sensor
- Build an adjustment table based on analog input such as boost or temperature

FITS MODEL	PART #
INDIAN	
Chief 22 with crank sensor	1020-3481
KAWASAKI	
KLR650 Adventure/Traveler 22	1020-3485



QEM

- Power Commander V is capable of allowing each cylinder to be mapped individually and for each gear with the gear position input connected
- More tuning ranges than PCIII USB
- Enhanced "accel pump" utility

FITS MODEL	PART #
TRIUMPH	
Tiger Sport 850 21	1020-3487
YAMAHA	
MT-07 21	1020-3483

FITS MODEL	PART #
YAMAHA (CONT)	
MT-09 21	1020-3482 ¹
YZF-R7 22	1020-3486

¹ Includes ignition adjustment.



STAGE 2 POWER PACKAGE

- Flash performance tunes via OEM diagnostic connector; no need to remove and send out ECU
- Displays vehicle data channels in real-time
- Weather-resistant for use in all conditions
- High contrast display, viewable in direct sunlight

FITS MODEL	PART #
For Indian Thunderstroke 111"/116" 14-21	1020-3484



PV3

POWER VISION 3

- Flash performance tunes via OEM diagnostic connector, no need to remove and send out ECU
- Display vehicle data channels in real-time
- Weather-resistant for use in all conditions
- High-contrast display, viewable in direct sunlight
- Fueling revised for maximum power and torque
- Spark timing optimized for 91-93 octane fuel
- Rev limit raised
- Speed limit raised

NOTE: All Power Vision returns and/or adjustments must be made directly with Dynojet Research.

FITS MODEL	PART #
HONDA	
Grom MSX125 ABS 21-22	1020-3477
CB500/GBR500 14-18	1020-3479
CB/GBR650 14-20	1020-3480

FITS MODEL	PART #
HONDA (CONT)	
CB/GBR650 21	1020-3478
YAMAHA	
Super Tenere XTZ-1200 14-21	1020-3476



COMPRESSION TESTER SET

- Helps you to quickly and easily inspect engine compression on both 4-stroke and 2-stroke engines
- Redesigned and improved billet gauge manifold with integrated pressure release valve
- Easy-to-read precision 0-300 psi analog gauge with protective rubber boot
- Hose and adapters included for 10 mm, 12 mm and 14 mm spark plugs
- Integrated quick-disconnect fitting for easy hose installation and removal
- Nylon storage pouch

DESCRIPTION	PART #
Compression Tester Set	3801-0414

FLYWHEEL PULLERS

- Measurements are from male threads (outside edge)
- Consult the descriptions first to find a tool or puller

NOTE: Internal threads in the engine part take a male-threaded tool or puller; external threads on the engine part take a female-threaded tool or puller.

NOTE: Lubricate heavily before use.

OFFROAD BIKE APPLICATIONS

FITS MODEL	PART #
TM	
250/300 EN 2-strokes 19-21	3801-0412

PULLER DIMENSIONS

DESCRIPTION	PART #
28 mm x 1,25, right-hand, female	3801-0412



TRI-LAYER SUBMERSIBLE FUEL LINES

- Semi-rigid tubing with a thin nylon layer, polyurethane middle layer and a thin nylon inner layer which allows more maximum space efficiency compared to other submersible tubing
- Very high chemical resistance to withstand almost any chemical exposure, especially fuels and oils
- Can be used for other fuel line applications including fuel injection and with fuel containing alcohol
- Available in translucent white

DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION	PART #
6,3 mm W x 46 cm L (1/4" x 18")	0706-0413	6,3 mm W x 91 cm L (1/4" x 3')	0706-0414	6,3 mm W x 305 cm L (1/4" x 10')	0706-0415



PRO FORK OIL LEVEL TOOL

- Use this tool to check and adjust the oil level on conventional and single chamber cartridge forks
- Adjustable ring will measure oil levels from 0 to 300 mm in 5 mm increments
- Syringe has a capacity of 60 ml
- New plunger head design features two fluorocarbon elastomer X-Ring seals that provide superior sealing and chemical resistance
- Billet aluminum plunger knob with durable black anodized finish
- New plunger head design allows easy cleaning and replacement of seals
- Can be used on bicycles equipped with front suspension

DESCRIPTION	PART #
Pro fork oil level tool	3805-0221



3801-0412



UTV FLYWHEEL/ROTOR PULLER APPLICATIONS

FITS MODEL	PART #
KAWASAKI	
Teryx KRX1000 (all)	3801-0413

DESCRIPTION	PART #
39 mm x 1,5, right-hand, female	3801-0413



0706-0413

AFX**ECE 22.05****FX-111 MODULAR**

- Modular helmet is constructed using thermoplastic poly-alloy
- Four flush-fit ventilation points (three intake, one exhaust) provide optimal airflow
- Flip-down inner sun shield for built-in eye protection
- Microlock quick-release and cam pivot chin bar linkage system for security and comfort
- Cheek pad liner is washable
- ECE 22.05 certified

SIZE	(A) MATTE BLACK	(B) GLOSS BLACK	(C) FROST GRAY	(D) WHITE
S	0140-0121	0140-0127	0140-0133	0140-0139
M	0140-0122	0140-0128	0140-0134	0140-0140
L	0140-0123	0140-0129	0140-0135	0140-0141
XL	0140-0124	0140-0130	0140-0136	0140-0142
2X	0140-0125	0140-0131	0140-0137	0140-0143

AFX HELMET SIZE CHART

SIZE	HAT SIZE	INCHES	CENTIMETERS
S	6 ⁷ / ₈ - 7	21 ⁵ / ₈ - 22	55 - 56
M	7 ¹ / ₈ - 7 ¹ / ₄	22 ³ / ₈ - 22 ³ / ₄	57 - 58
L	7 ³ / ₈ - 7 ¹ / ₂	23 ¹ / ₈ - 23 ¹ / ₂	59 - 60
XL	7 ⁵ / ₈ - 7 ³ / ₄	24 - 24 ³ / ₈	61 - 62
2X	7 ⁷ / ₈ - 8	24 ³ / ₄ - 25 ¹ / ₈	63 - 64




Includes Clear FliteShield™
and Dark Smoke ForceShield™;
includes Dark Smoke DropShield™



ECE 22.05

DEMO AIRFLITE™ MIPS STEALTH™

- MIPS is now available in a Street helmet
- MIPS Brain Protection System can reduce harmful forces transmitted to the brain in certain types of impacts by allowing a slight uncoupled movement of the shell and liner during a crash
- Injection-molded polycarbonate shell for strength
- Multiple oversized intake and exhaust ports are strategically placed to keep you cool and comfortable, including four intake vents, MX-inspired chinbar vent and two exhaust ports that channel air between the comfort liner and the protective, energy-absorbing EPS foam liner
- Quick-change, fog-free outer FliteShield™ keeps debris away, while the internal, interchangeable DropShield™ keeps the sun in check with the flip of a switch
- Removable molded breath deflector and chin curtain
- Moisture-wicking Hydradry™ interior is fully removable and washable

SIZE	BLACK	SIZE	BLACK
XS	0101-14122	M	0101-14124
S	0101-14123	L	0101-14125

- Both wind drag and weight are decreased by sculpting the traditional neckline of the Airflite™ to avoid jacket or suit interference
- See helmet size guide below before ordering
- For replacement parts and accessories, see page 19
- Meets DOT FMVSS 218 (US), ECE 22-05 (Europe), SAI AS1698:2006 (Australia) and PSC (Japan) safety and testing standards


NOTE: Does not ship with SAI, PSC OR MFJ certification stickers unless purchased from an authorized dealer in that country.

SIZE	BLACK	SIZE	BLACK
XL	0101-14126	3X	0101-14128
2X	0101-14127		

ICON HELMET SIZE CHART

SIZE	HAT SIZE	INCHES	CENTIMETERS
XXS	6 ³ / ₈ - 6 ¹ / ₂	20 ¹ / ₈ - 20 ¹ / ₂	51 - 52
XS	6 ⁵ / ₈ - 6 ³ / ₄	20 ⁷ / ₈ - 21 ¹ / ₄	53 - 54
S	6 ⁷ / ₈ - 7	21 ⁵ / ₈ - 22	55 - 56
M	7 ¹ / ₈ - 7 ¹ / ₄	22 ³ / ₈ - 22 ³ / ₄	57 - 58

SIZE	HAT SIZE	INCHES	CENTIMETERS
L	7 ³ / ₈ - 7 ¹ / ₂	23 ¹ / ₈ - 23 ¹ / ₂	59 - 60
XL	7 ⁵ / ₈ - 7 ³ / ₄	24 - 24 ³ / ₈	61 - 62
2X	7 ⁷ / ₈ - 8	24 ³ / ₄ - 25 ¹ / ₈	63 - 64
3X	8 ¹ / ₈ - 8 ¹ / ₄	25 ¹ / ₂ - 26	65 - 66



ICON STREET HELMET SHIELDS AND PIVOT KITS FORCE™ SHIELDS/PIVOT KITS

- Compatible with Airflite™ helmets, featuring a 3D-molded process for optical clarity and a fog-free coating

DESCRIPTION	PART #
(A) Clear fog-free	0130-0992
(B) Light smoke fog-free	0130-0993
(C) Dark smoke fog-free	0130-0994
(D) RST purple fog-free	0130-1001¹

DESCRIPTION	PART #
(E) RST blue fog-free	0130-0999¹
(F) RST green fog-free	0130-1000¹
(G) RST red fog-free	0130-0998¹
(H) RST gold fog-free	0130-0996¹

DESCRIPTION	PART #
(I) RST silver fog-free	0130-0995¹
(J) RST bronze fog-free	0130-0997¹

¹ Colors may vary on RST shields.



Back view

MEN'S ICON 1000™ RETROSKULL™ COACH JACKET

- 100% nylon taffeta shell
- Comfortable polyester brushed tricot liner
- Snap front, slash pockets and elastic cuffs
- Graphics on both front and back

SIZE	BLACK
S	3001-1261
M	3001-1262
L	3001-1263

SIZE	BLACK
XL	3001-1264
2X	3001-1265
3X	3001-1266




MEN'S MOTORHEAD3 GLOVES

- Ax® Laredo synthetic chassis and palms for a hide-like feel and positive control feedback
- D3O® knuckle impact protector inserts throughout the gloves provide significant coverage
- Hook-and-loop wrist closures allow for easy on/off as well as adjustability
- Tested and certified according to standard EN 13594: 2015

SIZE	BLACK	SIZE	BLACK
S	3301-4237	XL	3301-4240
M	3301-4238	2X	3301-4241
L	3301-4239	3X	3301-4242



A



Back view



B



C

Back view



VENTURE XT WATER-RESISTANT JACKETS

- Lightweight and durable main shell with a water-resistant treatment for effective wet weather performance
- Large opening vents on the sleeves, and a back and front Super Airflow panel for enhanced airflow
- Nucleon Flex Plus armor delivers optimal protection against impacts
- Featuring an engineered fit to deliver the highest level of active protection, this suit is Tech-Air® ready and can accommodate the Tech-Air® 5 Airbag System, for complete upper body protection
- Soft collar construction for enhanced rider comfort
- Dakar-inspired lower pocket, ergonomic crossed hand side pockets and waterproof chest pocket for real-world practicality
- Ready to be upgraded with Nucleon chest and back inserts; sold separately
- The following standards apply to this product: A-class certification
- Available in men's sizes S-4X; see Alpinestars size chart on page 23 before ordering

SIZE	(A) BLACK/BLACK	(B) CAMEL/BLACK	(C) CAMO/OLIVE GREEN
S	2920-0644	2920-0651	2920-0658
M	2920-0645	2920-0652	2920-0659
L	2920-0646	2920-0653	2920-0660
XL	2920-0647	2920-0654	2920-0661

SIZE	(A) BLACK/BLACK	(B) CAMEL/BLACK	(C) CAMO/OLIVE GREEN
2X	2920-0648	2920-0655	2920-0662
3X	2920-0649	2920-0656	2920-0663
4X	2920-0650	2920-0657	2920-0664



VENTURE XT WATER-RESISTANT IN BOOT PANTS

- Lightweight and durable main shell with a water-resistant treatment for effective wet weather performance
- Thigh vents for enhanced airflow
- Nucleon Flex Pro armor delivers optimal protection against impacts
- Technical stretch fabric at the crotch, back yoke and knee for optimal freedom of movement
- Ergonomic cargo pocket for easy access even when riding when seated or standing up on the footrests
- Reinforced seat area for additional strength in a key area
- Synthetic leather inner knee for enhanced durability and contact with the bike
- Ready to be upgraded with Nucleon hip inserts; sold separately
- The following standards apply to this product: A-class certification
- Available in men's U.S. sizes S-4X; see Alpinestars size chart on page 23 before ordering



A



B



Back view

SIZE	(A) BLACK	(B) TAN/BLACK
S	2901-9525	2901-9532
M	2901-9526	2901-9533
L	2901-9527	2901-9534
XL	2901-9528	2901-9535

SIZE	(A) BLACK	(B) TAN/BLACK
2X	2901-9529	2901-9536
3X	2901-9530	2901-9537
4X	2901-9531	2901-9538

VENTURE XT WATER-RESISTANT OVER BOOT PANTS

- Lightweight and durable main shell with a water-resistant treatment for effective wet weather performance
- Thigh vents for enhanced airflow
- Nucleon Flex Plus armor delivers optimal protection against impacts
- Technical stretch fabric at the crotch, back yoke and knee for optimal freedom of movement
- Ergonomic cargo pocket for easy access, even when riding, when seated or standing up on the footrests
- Reinforced seat area for additional strength in a key area
- Synthetic leather inner knee for enhanced durability and contact with the bike
- Ready to be upgraded with Nucleon hip inserts; sold separately
- The following standards apply to this product: A-class certification
- Available in men's U.S. sizes S-4X; see Alpinestars size chart on page 23 before ordering



C



D



Back view

SIZE	(C) BLACK	(D) TAN/BLACK
S	2901-9539	2901-9546
M	2901-9540	2901-9547
L	2901-9541	2901-9548
XL	2901-9542	2901-9549

SIZE	(C) BLACK	(D) TAN/BLACK
2X	2901-9543	2901-9550
3X	2901-9544	2901-9551
4X	2901-9545	2901-9552



RX-5 DRYSTAR® JACKET

- New sport touring jacket
- Tech-Air® ready
- Can accommodate the Tech-Air® 5 Airbag System, for complete upper body protection
- Protective and comfortable
Nucleon Flex Plus armor is highly flexible and adaptive, and has a thin profile for optimum rider comfort
- Engineered material for durable protection on exposed areas with a dedicated soft construction focused on high flexibility and freedom of movement for optimum rider comfort
- Drystar® waterproof and breathable membrane for effective all-weather performance
- Stretch membrane used under sleeve and scapula area for enhanced comfort
- Direct ventilation on chest and sleeves for optimum airflow
- Removable 120 g thermal liner with silk padding delivers warm comfort and breathability
- Sport touring fit with an extended back for greater coverage in the riding position



Back view



- GP Lite shoulders for additional impact protection
- The following standards apply to the product: AA class certification
- Available in men's U.S. sizes S-4X; see Alpinestars size chart on page 23 before ordering

SIZE	BLACK/ANTHRACITE
S	2820-5740
M	2820-5741

SIZE	BLACK/ANTHRACITE
L	2820-5742
XL	2820-5743

SIZE	BLACK/ANTHRACITE
2X	2820-5744
3X	2820-5745

SIZE	BLACK/ANTHRACITE
4X	2820-5746



ALLIANCE SHERPA HYBRID FLEECE JACKET

- 80% cotton, 20% polyester; 280 G/M2
- Poly overlay front and back yokes
- Sherpa-lined body, taffeta lined with poly sleeves
- Coil zipper at front, drawcord at hood
- Rib cuffs and hem
- HD print logo at sleeve and front body
- Internal main label and external label branding

SIZE	CHARCOAL HEATHER
M	3001-1282
L	3001-1283

SIZE	CHARCOAL HEATHER
XL	3001-1284
2X	3001-1285



SESSIONS II FLEECE

- 100% polyester, 240 G/M2
- Hooded, zip-front poly fleece
- Zip-front body with contrast panels
- Mesh-lined hood, tech drawcords with rib cuffs and hem
- Chest HD logo, sleeve graphics
- Internal main label and external label branding

SIZE	RED/BLACK
M	3050-5693
L	3050-5694

SIZE	RED/BLACK
XL	3050-5695
2X	3050-5696



MULTI RACE HOODIES

- 80% cotton, 20% polyester; 280 G/M2
- Hooded pullover fleece
- Multiple race-inspired graphics logos
- Jersey hood lining, rib cuffs and hem
- Internal main label and external label branding

SIZE	(A) RED	(B) BLACK
M	3050-5713	3050-5717
L	3050-5714	3050-5718
XL	3050-5715	3050-5719
2X	3050-5716	3050-5720



ALPINESTARS SIZE CHARTS

- Use to determine U.S. size equivalents when ordering Alpinestars apparel

MEN'S APPAREL SIZE CHART

EURO SIZE	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68
INT. SIZE	XXS	XS	S	M	L	XL	XXL	3XL	4XL	5XL	6XL				
U.S. SIZE	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58
U.S. PANT SIZE	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52

WOMEN'S APPAREL SIZE CHART

EURO SIZE	36	38	40	42	44	46	48	50	52	54
INT. SIZE	XXS	XS	S	M	L	XL	XXL	3XL		
U.S. SIZE	0	2	4	6	8	10	12	14	16	18
U.S. PANT SIZE	22	24	26	28	30	32	34	36	38	40

RANGE 2-IN-1 GORE-TEX® GLOVES

- 2-in-1 multi-season glove with removable thermal fleece internal warm glove
- Gore-Tex® with Gore® Grip for effective wet weather performance
- High quality finger construction for warmth, comfort and safety
- Stretch insert on backhand and palm for an optimized fit
- Dual finger touchscreen
- Removable thermal fleece glove with Lycra® cuff for enhanced comfort and fit
- Silicon grip on palm for control and dexterity with the bike's controls
- The following standards apply to this product: CE Level 1 KP



SIZE	BLACK
S	3310-0950
M	3310-0951
L	3310-0952

SIZE	BLACK
XL	3310-0953
2X	3310-0954
3X	3310-0955

SP-8 HDRY® GLOVES

- Universal riding glove bristling with racing DNA
- Drystar® performance membrane construction for guaranteed waterproofness and sensitivity when operating the bike's controls
- Premium, full-grain goat leather and synthetic leather material construction is comfortable, durable and offers excellent abrasion-resistance
- Extended cuff for greater coverage with an integrated closure for security and ease of use
- An innovative microfiber and PU grip insert is strategically positioned on the palm and thumb for excellent levels of grip control and durability
- Alpinestars' exclusive ergonomic stretch insert between palm and thumb offers an enhanced range of hand movement and greater sensitivity while operating the bike controls
- Incorporates a premium quality synthetic suede palm and landing reinforcement for grip, control and durability
- Arshield reinforcement on the palm slider for superior abrasion-resistance
- Excellent repeated impact performance is offered by the advanced



MotoGP-derived SP dual-density knuckle protector

- Alpinestars' third and fourth finger bridge prevents seam failure and finger separation in the event of a slide
- Perforated cuff and finger sidewalls for superior airflow and breathability
- Hook-and-loop cuff and wrist closure with an elasticized wrist design for secure, personalized fit
- Pre-shaped, anatomical finger design and half inner/half outer external seams for comfort and exceptional feel
- Touchscreen compatible fingertip on index finger and thumb for use with touchscreen devices

SIZE	BLACK/BLACK	SIZE	BLACK/BLACK	SIZE	BLACK/BLACK	SIZE	BLACK/BLACK	SIZE	BLACK/BLACK	SIZE	BLACK/BLACK
S	3310-0908	M	3310-0909	L	3310-0910	XL	3310-0911	2X	3310-0912	3X	3310-0913



TECH 5 BOOTS

- Upper constructed from innovative and lightweight microfiber material with action leather on toe box
- Redesigned instep and Achilles accordion flex zones
- Contoured TPU calf protector plate, TPU higher medial protector and TPU outer lateral ankle
- Injected TPU shin plate connected with the TPU medial protector panel
- Hook-and-loop upper closure and TPR flap for broad-ranging calf fit adjustment and support
- TPU higher medial protector is designed with technical texture for improved grip
- Biomechanical pivot
- Ergonomic TPU triple buckle straps
- Incorporates innovative one-piece TPU injected dual-compound foot shell, reinforced by a metal shank inside and co-injected toe reinforcement
- TPU heel patch connected with shell and lateral/medial TPU sections
- Extended PU synthetic gaiter helps seal out excessive water and dirt entry
- Soft poly foam surrounds the ankles and collar
- Full inner textile lining



- Closure system includes four polymer buckles with an innovative closure system that includes a ratchet with memory and a quick-release/locking system with self-aligning design for precise closure; all buckles are replaceable
- Replaceable anatomic EVA footbed with textile lining on top
- Exclusive high-grip rubber compound outsole
- Sole is replaceable
- The following standards apply to this product: EN 13634:2017
- See Alpinestars size chart below before ordering

SIZE	BLACK/RED/FLUO YELLOW
7	3410-2719
8	3410-2720
9	3410-2721

SIZE	BLACK/RED/FLUO YELLOW
10	3410-2722
11	3410-2723
12	3410-2724

SIZE	BLACK/RED/FLUO YELLOW
13	3410-2725
14	3410-2726

EUROPEAN/U.S.A. BOOT SIZE EQUIVALENTS

- European to U.S.A. men's and women's boot size conversions
- Check before ordering European-size Alpinestars boots

ALPINESTARS/EURO SIZE		U.S.A. BOOT SIZE MEN'S	WOMEN'S
36	=	3½	5
37	=	4	6
38	=	5	7
39	=	6	8
40	=	6½	8½
41	=	7½	9
42	=	8	10
43	=	9	11

ALPINESTARS/EURO SIZE		U.S.A. BOOT SIZE MEN'S	WOMEN'S
44	=	9½	11½
45	=	10½	-
46	=	11½	-
47	=	12	-
48	=	12½	-
49	=	13½	-
50	=	14	-