Product News

STREET • OFFROAD • ATV/UTV • SNOWMOBILE • WATERCRAFT • TIRE & SERVICE • SCOOTER • BICYCLE

RACING LINE COMPLETE EXHAUST SYSTEM

FOR KAWASAKI NINJA ZX-4R/RR 23

- · A complete high-quality stainless steel exhaust system made with close attention to detail
- . Unique design enables it to obtain the maximum output while significantly reducing overall weight for top performance in everyday riding or even in the most challenging races
- Headpipes/collector/link pipe are made of stainless steel
- · Muffler sleeve constructed from carbon fiber
- · End cap constructed from carbon fiber



2-into-1 header w/ carbon muffler and carbon end cap

1810-3158







See chart for details

SLIP-ON SERIES MUFFLER

FOR KAWASAKI NINJA ZX-4R/RR 23

- · Slip-on mufflers represent the first step in the exhaust system tuning process
- · Easy to install and offers a great balance between price and performance
- More power, more torque, less weight and the unique Akrapovic sound
- Muffler sleeve constructed from carbon fiber
- · End cap constructed from titanium
- No remapping needed

| DESCRIPTION | APPROVALS | PART # |
|--|-------------------------|-----------|
| Single carbon muffler/ titanium end cap | EC/ECE Type Approval | 1811-4507 |







See chart for details

SLIP-ON SERIES MUFFLER

FOR KAWASAKI Z900 (A2) 18-23, Z900 17-19

- Slip-on mufflers represent the first step in the exhaust system tuning process
- Easy to install and offers a great balance between price and performance
- · More power, more torque, less weight and the unique Akrapovic sound
- Muffler sleeve constructed from titanium
- End cap constructed from carbon fiber

| DESCRIPTION | APPROVALS | PART # |
|--|-------------------------|-----------|
| Single titanium muffler/ carbon end cap | EC/ECE Type Approval | 1811-4510 |







for details

SLIP-ON SERIES MUFFLER

FOR KAWASAKI Z H2 20-23

- Slip-on mufflers represent the first step in the exhaust system tuning process
- · Easy to install and offers a great balance between price and performance
- More power, more torque, less weight and the unique Akrapovic sound
- · Muffler sleeve constructed from titanium
- End cap constructed from carbon fiber
- · Catalytic converter included within the system

| DESCRIPTION | APPROVALS | PART # |
|---|-------------------------|-----------|
| Single black titanium muffler/ carbon end cap | EC/ECE Type Approval | 1811-4516 |


REPLACEMENT PARTS

- · Replace lost or damaged exhaust parts
- Listed by Akrapovic replacement #
- Sold each

| AKRAPOVIC # | PART # |
|---------------|-----------|
| TITANIUM BELT | |
| P-TT90 | 1860-2424 |

| AKRAPOVIC # | PART # |
|-------------|-----------|
| MUFFLER | |
| P-98 | 1860-2426 |
| P-98 | 1860-2426 |







AKRAPOVIC #

P-HSB12E1







AKRAPOVIC # PART # **END CAP** V-EC373 1860-2429



LV-10 SLIP-ON

FOR BENELLI LEONCINO 800 22-23

- Compact and lightweight design
- Made from AISI 304 stainless steel
- Sandblasted end cap
- High-heat-resistant thermal packing
- Full matte black finish
- · Laser-etched logo



| IAILPIPE/MUFFLER/END GAP | APPKUVAL5 | PAKI # |
|-------------------------------------|-------------------|-----------|
| Stainless/black stainless/stainless | ECE type approval | 1811-4529 |



- carved design (for the carbon-fiber exhaust: bright aluminum die-cut high-temp resistant Leo Vince adhesive logo)
- Asymmetric design and high-temp resistant full carbon-fiber end cap
- Impact-resistant sandblasted oval AISI 304 stainless steel sleeve - titanium look
- TIG-welded stainless steel front cup

- · Adjustable full-carbon fastening strap
- Removable dB killer, weight savings and flawless installation
- Universal mufflers are measured by inlet diameter and housing length

| FITS MODEL | TAILPIPE/MUFFLER/END CAP | DESCRIPTION | PART # |
|-----------------------|----------------------------|-------------------|-----------|
| HONDA | | | |
| ADV 350/SK 350i 22-23 | Stainless/stainless/carbon | ECE type approval | 1811-4528 |
| KAWASAKI | | | |
| Z 125/Ninja 125 19-23 | Stainless/carbon/carbon | ECE type approval | 1811-4527 |
| | | | |



LV ONE EVO AND NERO SLIP-ON MUFFLERS LV ONE EVO

- The latest EVOLUTION of the popular LV ONE: Aggressive Sound and Style
- Clean laser-etched Leo Vince logo in an innovative carved design (for the carbon-fiber exhaust: bright aluminum die-cut high-temp resistant Leo Vince adhesive logo)
- Asymmetric design and high-temp resistant full carbon-fiber end cap
- Impact-resistant sandblasted oval AISI 304 stainless steel sleeve – titanium look
- TIG-welded stainless steel front cup
- Adjustable full-carbon fastening strap
- Removable dB killer, weight savings and flawless installation

NERO

- Features a stainless steel muffler sleeve with a unique metallic black paint applied using ceramic engineering techniques to create a highly temperature-resistant finish
- Mount bracket and muffler flanges are AISI 304 stainless steel that is TIG-welded for strength
- Exhaust end cap is carbon fiber with an asymmetrical, aggressive slash-cut design
- Leo Vince logo is laser-etched on the muffler

TAILPIPE/MUFFLER/END CAP

- Meets EVO II homologation requirements
- Mufflers come with a dB killer insert installed; insert is removable

PART #

| 1110 11102 | | , | |
|------------------------------|------------|----------------------------------|-----------|
| HONDA | | | |
| ADV 350 22-23, SH 350I 21-23 | LV-One Evo | Stainless/stainless/carbon | 1811-4528 |
| | Nero | Stainless/black stainless/carbon | 1811-4526 |

MUFFLER TYPE



FITS MODEL

GP STYLE SLIP-ON MUFFLERS

FOR KTM DUKE 790 18-20, DUKE 890 20-23

• Street full systems and silencers offer a unique appeal for your bike



DESCRIPTION PART #
Stainless steel muffler, high mounting 1811-4525

slip streames inc.

GOLD WING WRAPAROUND WINDSHIELDS

FOR HONDA GL1200 84, GL1200A 84-87, GL1200D 84-88, GL1200I 84-87, GL1200L, GL1200SEI 86

- · Features black fairing brackets on each side for strength and security
- Wraps around mirrors and is taller than the OEM shields for added protection
- Silk-screened base similar to stock; double-edge routed for a smooth border
- Fits with Wingleader[®] windshield trim or with OEM trim on Interstate, Aspencade, SE-i and Limited Edition 84-87 models
- Measures 68,5 cm W x 65 cm H (27" x 25¹/₂")

HONDA

FITS MODEL PART #





- Shields are designed with vents to channel in fresh air
- Made of sturdy 5 mm (3/16") Lucite®
- · Distortion-free, optically clear and break-resistant
- Vents are constructed of tough polystyrene material with brass and plastic mechanisms
- Replacement vents available

| FITS MODEL | DESCRIPTION | PART # |
|----------------|--|--------|
| HONDA | | |
| GL1500 88-90 | 70 cm H (27 ¹ / ₂ ") | S166V |
| GL1500A 91-97 | 70 cm H (27 ¹ / ₂ ") | S166V |
| GL1500I 91-96 | 70 cm H (27 ¹ / ₂ ") | S166V |
| GL1500SE 90-00 | 70 cm H (27 ¹ / ₂ ") | S166V |





DS-710298A

| FITS MODEL | DESCRIPTION | PART # |
|-----------------------------|----------------------|-----------|
| HONDA (CONT) | | |
| GL1800 01-15 | 66 cm H (26"), clear | S167V-C |
| GL1800 01-15 | 66 cm H (26"), tint | S167V-T |
| REPLACEMENT PARTS | | |
| Repl. clear vent for GL1800 | - | 2350-0481 |

2350-0481

GOLD WING TOURSHIELDS

- High-quality replacement windshields available in clear and smoke, either vented or unvented
- · Provides more wind protection for both rider and passenger
- Made of 5 mm (3/16") Lucite®
- · Molded in slanted shape to fit lines of fairing
- Reduces buffeting and improves gas mileage
- GL1500, GL1500 A, GL1500 I and GL1500 SE measure 71 cm W x 86 cm H (28" x 34"); GL1800, GL1800 ABS, GL1800 AD ABS, GL1800 AL ABS, GL1800 B, GL1800 HPN and GL1800 P measure 71 cm W x 84 cm H (28" x 33")

| DESCRIPTION | PART # |
|--|--------|
| FOR HONDA GL1500 88-90, GL1500A 91-97, GL1500I 91-96, GL1500SE 90-00 (71 CM W X 86 CM H (28" X 34")) | |
| Clear | T166C |
| Clear vented | T166CV |
| Smoke | T166S |
| Smoke vented | T166SV |



| DESCRIPTION | PART # |
|--|---------|
| FOR HONDA GL1800 03-15, GL1800 ABS 01-15, GL1800AD ABS 07- GL1800AL ABS 08-10, GL1800B 07-08, GL1800HPN 07-10, GL1800P 07-08 (71 CM W X 84 CM H (28" X 33")) | 10, |
| Clear | T167-C |
| Clear vented | T167V-C |
| Smoke | T167-T |
| Smoke vented | T167V-T |

Slip Streames inc.





GOLD WING WRAPAROUND TOURING WINDSHIELDS FOR HONDA GOLD WING GL1800 18-20

• Offers quite a bit more protection

- Offers quite a bit more protection, extending out to protect hands
- The best wind protector in the market for the new GL
- Three heights available

| SIZE | PARI # |
|--------------------------------------|-----------|
| 63,5 cm W x 51,5 cm H (25" x 20,25") | 2312-0449 |

SIZE PART #
63,5 cm W x 56,5 cm H (25" x 22,25") 2312-0450

SIZE PART #
63,5 cm W x 61,5 cm H (25" x 24,25")
2312-0451

S166







FOR GL1100 80-83, GL1100A 82-83, GL1100D 80-83, GL1100I 80-83

- For Hondaline fairings that meet or exceed OEM and ANSI-ZZ61 specifications
- · Standard height in clear or tinted finish
- Measures 56 cm W x 51,5 cm H (22" x 201/4")

FOR GL1200 84, GL1200A 84-87, GL1200D 84-88, GL1200I 84-87, GL1200L 85, GL1200SEI 86

- Designed for superb fit and made of Lucite®
- Available in clear finish with beveled edges
- Measures 58,5 cm W x 59,5 cm H (23" x 23¹/₂")

| DESCRIPTION | PART # |
|--|---------------|
| FOR HONDA GL1100 80-83, GL1100A 82-83, GL1100D 80-83, | GL1100I 80-83 |
| Clear | DS-710304 |
| Tinted | DS-710305 |
| FOR HONDA GL1200 84, GL1200A 84-87, GL1200D 84-88, GL1200I 84-87, GL1200L 85, GL1200SEI 86 | |
| Clear | DS-710308 |



FOR GL1500 88-90, GL1500A 91-97, GL1500I 91-96, GL1500SE 90-00 AND GL1800 01-15

- Available in a standard height or shorty version
- Made of 5 mm (3/16") acrylic
- GL1500, GL1500A, GL1500I and GL1500SE measure 81 cm W x 70 cm H (32" x 27¹/₂"); GL1800 measures 81 cm W x 66 cm H (32" x 26")

| DESCRIPTION | PART # |
|--|-------------------------------|
| FOR HONDA GL1500 88-90, GL1500A 91-97, 0 | GL1500I 91-96, GL1500SE 90-00 |
| Standard, clear | S166 |
| Euro shorty style, clear | 2312-0389 |
| FOR HONDA GL1800 01-15 | |
| Standard, clear | \$167 |
| Standard, tinted | \$167T |
| Euro shorty style, clear | 2312-0390 |

™sw-motech

LEGEND GEAR SIDE BAG SYSTEM LC BLACK EDITION

FOR KAWASAKI VULCAN S 15-23

- Vintage, lightweight soft luggage design with modern support
- Coated canvas sailing material and robust synthetic leather reinforce the bags' structure
- Fiber-reinforced polyamide quick-lock system provides fast and reliable attachment and removal of the bags
- LC1 dimensions: 26 cm H x 31 cm W x 14 cm D (10¹/₄" x 12¹/₄" x 5¹/₂"); 9,8 liter carrying capacity
- Include a pair of side bags, two waterproof inner bags, two SLC side carriers and all required mounting hardware



FOR TRIUMPH BONNEVILLE/THRUXTON 04-15

- Allows for simple and secure mounting on the bike's original attachment points
- Quick-release mounting system allows side bags to be easily attached or removed
- Provides secure hold for side bags, side cases, adapter plates and universal side bracket number plates
- · Available for both the left and right sides of the motorcycle
- Includes mounting hardware



CRASH BARSFOR YAMAHA XSR 700 16-23

- Highly stable construction appropriate for the peg length of the motorcycle
- Model-specific development guarantees precise fit and reliable frame linkage
- Optimized lean angle guaranteed
- Reliable protection for important components
- Simple mounting by screwing on factory-made mounting points on the frame
- Weather and corrosion resistant

| DESCRIPTION | PART # |
|-------------|-----------|
| Crash bars | 0505-2387 |



| DESCRIPTION | COLOR | PART # |
|--|-------|-----------|
| Legend Gear side bag system LC Black Edition | Black | 3501-1999 |



| DESCRIPTION | LEFT PART # | RIGHT PART # |
|-------------------|-------------|--------------|
| SLC side carriers | 1510-1162 | 1510-1163 |



CYLINDER GUARDS

FOR BMW R1200R 12-18

- Protect cylinder valve covers against falls and slides
- · Specially adapted to the shape of the valve cover
- · Laser-cut brushed aluminum frame
- Include two cylinder protectors, mounting hardware and instructions

0506-2103

| DESCRIPTION | PART # |
|-----------------|-----------|
| Cylinder guards | 0506-2101 |

ENGINE GUARDS

- Provides additional protection against rocks and contact with the ground
- High-quality aluminum alloy construction
- Secure fit doesn't affect ground clearance
- · Easy installation on frame mounting points
- Also protects header and exhaust parts
- · Cutouts allow access to oil drain screws

| FITS MODEL | DESCRIPTION | PART # |
|-------------------|-------------|-----------|
| HONDA | | |
| XL750 Transalp 23 | Black | 0506-2103 |

| | FITS MODEL | DESCRIPTION | PART # |
|--------------|------------------|-------------|-----------|
| HONDA (CONT) | | | |
| | CB 750 Hornet 23 | Black | 0521-2076 |

| FITS MODEL | DESCRIPTION | PART # |
|-----------------------|--------------|-----------|
| KTM | | |
| Super Duke 1290 14-23 | Black/orange | 0506-2115 |

+49 (0) 6501 96 95 -2000 • partseurope.eu

∵sw-motech°



HANDGUARD MOUNTING KIT

FOR HONDA XL 750 TRANSALP 23

- · Available in BBStorm and Kobra designs
- · Made of impact-resistant moplen plastic
- · Protects from debris and weather

| DESCRIPTION | PARI # |
|-----------------------|-----------|
| BBStorm handquard kit | 0635-2364 |



GEAR LEVER

FOR BMW F 800 09-19

- Modern, two-piece design and constructed with CNC-milled aluminum
- Spring mechanism enables lever to be folded down and protects it in case of a crash
- Can be adjusted 1 cm, 2 cm or 3 cm beyond the original position
- Scratch resistant

| DESCRIPTION | PART # | |
|-------------|-----------|--|
| Gear lever | 1602-1540 | |



MIRROR EXTENSIONS FOR HANDLEBAR-MOUNTED MIRRORS

- Significantly improve the rider's field of vision
- · Securely hold mirrors, even at high speeds
- CNC-milled, aluminum construction
- · Simple mounting onto mirror thread
- Up to 4 cm higher, up to 4 cm lateral shift
- ABE approved

| DESCRIPTION | PART # |
|-------------------------------------|-----------|
| Handlebar-mounted mirror extensions | 0641-0337 |



FOR HONDA CB 750 HORNET 23

- · Large contact surface enhances bike stability, even on uneven or soft ground
- · Mounts on original sidestand
- · CNC-milled anodized aluminum alloy
- · Mounting instructions included

| DESCRIPTION | PART # |
|--------------------------|-----------|
| Sidestand foot extension | 0510-0662 |

EVO HIGH BEAM LIGHT KITS

FOR SUZUKI DL 1050 V-STROM 20-23

- Wide-range high beam capacity with powerful, long-lasting LEDs
- Provides optimal lighting for both on- and off-road riding
- Water- and dust-resistant
- · Includes two high beam lights, two light mounts, cable harness, handlebar switch and necessary mounting material



| DESCRIPTION | PAKI # |
|----------------------|-----------|
| EVO high beam lights | 2001-2722 |

SPARK PLUG CAP

- Designed to reduce electromagnetic interference and radio frequency interference
- Highly durable phenolic resin and EPDM rubber
- · Ceramic resistors ensure optimum performance and reliability
- · Built to withstand extreme heat and vibration
- · Prevents flashover
- · Ensures optimal service life and performance





| THREAD | NGK # | PART # |
|--------|-------|-----------|
| 14 mm | 8787 | 2104-0389 |



OPTIMATE MONITOR 0-126

- SAE to DIN/AUTO 12V socket adapter with state of charge monitor that plugs directly into your motorcycle, ATV/SxS, car, pickup truck or boat's 12V powersports - adapter with 24/7 battery status at a blink of an LED
- SAE connection system fits any SAE standard 2 pin connector, includes in-line seal that mates with OptiMate SAE with premium quality
- Ideal for 12V lead-acid and 12.8V lithium LFP (LiFePO₄) batteries
- · Battery status indication every 3 seconds with an LED blink
- Battery status indication for high performance AGM
- · Battery status indication for lithium-ion LFP
- · Fits both auto and bike sockets
- With weatherproof sealing cap

| DESCRIPTION | PART # |
|----------------------------|-----------|
| Volt tester 4 LED AUTO/DIN | 3807-0663 |

OPTIMATE CABLE 0-49

- Adapter, SAE to XLR 3-pin plug for 24V battery charging
- Adapt your OptiMate 24V battery charger to optimize the performance of the 24V battery in your medical equipment
- XLR 3-pin plug fits the socket on your electric 24V powered wheelchair, rideon scooter or other medical equipment
- Prepare your OptiMate 24V battery charger to connect to your medical equipment
- · Works with these OptiMate 24V battery chargers
- Length 30cm (12")
- Rubber in-line seal protects SAE connection
- · Rated for low °t and outdoor use
- Thicker insulation for better protection (1.2 mm/0,045")
- Current rating: 10A ave. / 13A max

| DESCRIPTION | PART # |
|-----------------------|-----------|
| SAE to XLR 3-pin plug | 3807-0672 |

OPTIMATE USB 0-114

- USB Smart 3300mA dual output charger, with bike socket
- The portable 3300mA Dual USB charger with USB-A and USB-C port, with 90° elbow bike plug connector that fits your BMW or Triumph motorcycle
- 1x USB-A port and 1x USB-C port 90° elbow DIN plug
- Powerful 3300mA charge current delivered from USB-C port or current is shared if USB-A port is also used – Fast and safe recharging for all USB-C and USB-A devices
- Works on your BMW or Triumph fitted with a modern 12V battery, lead-acid (Pb / AGM) or lithium-Ion (LiFePO₄ / LFP)
 does not drain the battery when vehicle is parked
- Vehicle battery Volts = 13.3V: USB on
- Built-in protection turns off USB charging after 1 hour to prevent your parked vehicle's battery from draining
- Rated for normal T° and outdoor use

| nated for normal i and edition do | | |
|-----------------------------------|-----------|--|
| DESCRIPTION | PART # | |
| USB-charger dual output | 3807-0673 | |



OPTIMATE USB 0-119

- Delivers 3300mA dual USB charging power with USB-A and USB-C port, with in-line 180° bike plug for your Triumph, Ducati Multistrada or BMW motorcycle
- 1x USB-A port and 1x USB-C port in-line 180° DIN plug
- Works on your Ducati M/S, BMW or Triumph fitted with a modern 12V battery, lead-acid or lithium-lon
- Built-in protection turns off USB charging after 1 hour to prevent your parked vehicle's battery from draining
- Rated for normal T° and outdoor use

| DESCRIPTION | PANI# |
|-----------------------|-----------|
| USB charger bike plug | 3807-0671 |



OPTIMATE SWIVELLING CHARGER HOOK

- Keep your OptiMate charger off the floor, hang it on the handlebar, strut or cable
- Fits any OptiMate battery charger with integrated wall mounts
- The hook clicks together and can rotate
- Made from durable high temperature ABS plastic
- Includes hook-and-loop to hold wires

| DESCRIPTION | PART # |
|------------------------|-----------|
| Swiveling charger hook | 3807-0668 |



ENGINE STAND

- Stand works for most 2- and 4-stroke single, vertical-cylinder engines
- Engine can be quickly secured with T-handles no tools needed
- Easy lock pin lever allows rotation of engine to multiple positions
- · Included pan to catch fluids is easily removable for cleanup
- · Side handles for easy carrying with engine mounted
- Durable steel construction with black powdercoat finish

| DESCRIPTION | PART # | |
|--------------|-----------|--|
| Engine stand | 4101-0543 | |





LINKAGE BEARING KITS

- · Each kit includes the lower shock bearing, all the shafts, seals and spacers in the link, link arm and lower shock mount
- 52100 bearing steel and hard-plated spacers resist wear and rust

| FITS MODEL | PART # |
|------------------|-----------|
| SUZUKI | |
| DL650 04-11 | 1302-0743 |
| DL 650 ABS 07-21 | 1302-0743 |

OUTER CLUTCH COVER GASKET FOR KAWASAKI KX250/250X 21-22

· Great when replacing a clutch

| FITS MODEL | PART # |
|----------------------|-----------|
| SUZUKI (CONT) | |
| DL650 XT ABS 17-21 | 1302-0743 |
| DL1000 V-Strom 02-12 | 1302-0743 |



PART

DESCRIPTION Clutch cover gasket 0934-7465

SEAT FOAM

Sold each

FOR YAMAHA YFZ450R 09-22

- · Replace that torn-up seat!
- · OEM-style seat foam at a fraction of the cost
- Uses stock base plate

| FITS MODEL | PART # |
|------------|-----------|
| Seat foam | 0812-0192 |



EFI FUEL PUMP REBUILD KIT


- Kit includes all necessary parts to rebuild the OEM fuel pump module
- · Kit includes: pump, filter, hoses, clamps, wiring harness and filter if needed
- · Restore lost performance or non-functioning fuel pump with this economical solution
- Kit comes ready for plug-and-play installation

| FITS MODEL | PART # |
|------------------------|-----------|
| KTM | |
| Adventure 990 07-13 | 1009-0143 |
| Supermoto 990 10-11 | 1009-0143 |
| Adventure R 1090 17-18 | 1009-0143 |
| Adventure 1190 14-16 | 1009-0143 |

| FITS MODEL | PART # |
|---------------------------------|-----------|
| KTM (CONT) | |
| Super Adventure R 1290 17-20 | 1009-0143 |
| Super Adventure S 1290 18-20 | 1009-0143 |
| Super Adventure T 1290 17 | 1009-0143 |



RIM LOCKS



- Helps prevent tire and inner tube from slipping on rim
- · Recommended for off-road use motorcycles only
- · Recommended for any low-pressure applications
- Sold each

| DESCRIPTION | PAKI # | DESCRIPT |
|----------------|-----------|-------------|
| 1,60" rim lock | 0304-0294 | 1,85" rim l |

| DESCRIPTION | PART # |
|----------------|-----------|
| 1,85" rim lock | 0304-0295 |

0304-0294



POWERSPORTS ALL-GASKET

- · Comes with two sheets of gasket material - 0,38 mm thick x 29 cm wide x 39,5 cm long (0,015" x 11,5" x 15,5")
- · Material is premium compressed sheet, manufactured with aramid and other synthetic fibers and uses an NBR (Nitrile Butadiene Rubber) binder
- Flexible, easy to use, trace and cut with scissors or razor knife
- · Resistant to: oils, solvents, fuels, mild acids and alkalis, water, low pressure steam, air and other gases
- Recommended applications to seal: engine case side covers, valve covers, base and cylinder, transmissions, drive line components, water pumps, thermostats, fuel pumps, oil line and hose flanges
- · Also have favorable properties for high heat insulation and exhaust mount insulation
- Service conditions up to 399 °C (750 °F)

| DESCRIPTION | PART # |
|------------------------|-----------|
| Powersports All-Gasket | 0934-7527 |



FUEL TAP REBUILD KITS

- · Includes components to rebuild one fuel tap
- Kit includes face screws, tank bolts, face gasket, tank gasket, diaphragm, O-rings, wave washer and miscellaneous components
- Non-rebuildable riveted Honda-specific kits include special drill and self-tapping screws along with instructions for an easy and inexpensive rebuild

DIAPHRAGM ONLY KITS

- Kit includes diaphragm and hardware
- · Rebuild diaphragm only

FITS MODEL

- · Some fuel taps are not fully rebuildable
- The diaphragms can be a source of many issues associated with improperly functioning auto shutoff fuel taps

PART #







| FITS MIDDEL | PAKI # |
|--------------------------|------------------------|
| HONDA | |
| CMX250 07-16 | 0705-0453 |
| CB400F 89-90 | 0705-0459 |
| CB400T 78-81 | 0705-0450 |
| CM400 79-81 | 0705-0450 |
| GB500 89-90 | 0705-0456 |
| CB600F (599) 04/06 | 0705-0468 ¹ |
| CBR600F2 91-94 | 0705-0468 ¹ |
| VT600C Shadow 88-98 | 0705-0459 |
| VT600CD 93-98 | 0705-0459 |
| CB650 79-80 | 0705-0450 |
| CB650 81-82 | 0705-0459 |
| NT650 GT 88-91 | 0705-0453 |
| VF700C 87 | 0705-0453 |
| VF700F 84-85 | 0705-0455 |
| VFR700 Interceptor 86-87 | 0705-0455 |
| CB750 C 80/82 | 0705-0450 |
| CB750F Super Sport 81-82 | 0705-0459 |
| CB750K 79-80 | 0705-0450 |
| CB750K 81 | 0705-0453 |
| CB750K 82 | 0705-0459 |
| CB750L 79 | 0705-0450 |
| CB750SC 82-83 | 0705-0459 |
| VF750C 88 | 0705-0453 |
| VF750F 83-84/86 | 0705-0455 |
| CB900C 81-82 | 0705-0459 |
| CB900F 81-82 | 0705-0453 |
| | |


| FITS MODEL | PART # |
|-----------------------------------|------------------------|
| HONDA (CONT) | |
| CBR900RR (919) 96-99 | 0705-0468 ¹ |
| CBR1000F 87-88 | 0705-0458 |
| GL1000 Gold Wing 75-79 | 0705-0449 |
| VF1000F 84-86 | 0705-0455 |
| VTR1000F 98 | 0705-0462 |
| CB1100F Super Sport 83 | 0705-0459 |
| CBR1100XX 97-98 | 0705-0462 |
| CBX1100 82 | 0705-0459 |
| GL1100 80-83 | 0705-0449 |
| GL1100A 82-83 | 0705-0449 |
| GL1100I 80-83 | 0705-0449 |
| GL1500 88-00 | 0705-0463 ¹ |
| GL1500I 91-96 | 0705-0463 ¹ |
| GL1500S 90-91 | 0705-0463 ¹ |
| GL1500SE 90-00 | 0705-0463 ¹ |
| KAWASAKI | |
| EN500 Vulcan 90-96 | 0705-0418 |
| EX500 Ninja 87-09 | 0705-0418 |
| VN750 Vulcan 88-06 | 0705-0418 |
| Vulcan (VN800A) 95-05 | 0705-0422 |
| Vulcan 800 Classic (VN800B) 96-05 | 0705-0422 |
| Vulcan 800 Drifter (VN800C) 99-00 | 0705-0422 |
| Vulcan 800 Drifter (VN800E) 01-06 | 0705-0422 |
| KZ1000P 90-05 | 0705-0426 |
| ZG1000 Concours 86-06 | 0705-0426 |
| KZ1100D & L 82-83 | 0705-0426 |

| FITS MODEL | PART # |
|----------------------------------|-----------|
| KAWASAKI (CONT) | |
| ZN1100 LTD 84-85 | 0705-0426 |
| ZR1100 ZRX 99-00 | 0705-0422 |
| ZX1100E GPZ 95-97 | 0705-0422 |
| ZX1100F1 96 | 0705-0422 |
| ZRX1200R 01-05 | 0705-0422 |
| SUZUKI | |
| GS500 01-02 | 0705-0440 |
| GS500F 04-09 | 0705-0416 |
| VX800 90-93 | 0705-0443 |
| GSF1200 Bandit 01-05 | 0705-0412 |
| YAMAHA | |
| SR400 15-17 | 0705-0406 |
| XVS650 V-Star 98-16 | 0705-0406 |
| TDM850 92-93 | 0705-0406 |
| FZ1 01-05 | 0705-0406 |
| FZS 1000 S 01-05 | 0705-0406 |
| YZF1000 97 | 0705-0406 |
| YZF-R1 98-01 | 0705-0406 |
| XVS1100 V-Star 99-09 | 0705-0406 |
| XVS1300 Stryker 11-17 | 0705-0406 |
| XVS1300 V Star 07-17 | 0705-0406 |
| XVZ1300 Royal Star 96-13 | 0705-0406 |
| XV1600 Road Star 99 | 0705-0406 |
| XV1600 Road Star 00-03 | 0705-0406 |
| ¹ Diaphragm only kit. | |

BEARINGS

· Parts Unlimited has a broad assortment of popular top-quality bearings for many applications

· Electric motor quality



SIZE **SEALS** PART# **SINGLE BEARINGS** 20 mm x 37 mm x 9 mm Double 0215-0403 25 mm x 47 mm x 12 mm Double 0215-0402 25 mm x 42 mm x 9 mm Double 0215-0404



0215-0404

DIAGNOSTIC CABLES

TEXA

• Read and delete error messages

 Sold each DESCRIPTION PART# For MV Agusta models 12-23 2120-1239 For Sherco models 2120-1240 For Peugeot scooter models 2120-1241



| DESCRIPTION | PART # |
|----------------------|-----------|
| Texa bike main cable | 2120-1242 |
| For Beta | 2120-1243 |
| For TGB | 2120-1245 |





- K&N delivers a premium oil filter which is built with a synthetic media specifically designed to withstand the high concentrates of synthetic racing oils
- A large filter media provides high-flow rates and outstanding oil filtration to keep your motor running clean and smooth
- Uniform pleated synthetic filter media provides high capacity and outstanding filtration

FITS MODEL

- Synthetic Media allows for the higher-flow rates associated with synthetic and synthetic blended oils
- · Protected by a heavy-duty canister and baseplate, with a double-rolled seal
- Pre-lubed base gasket



GAS GAS (CONT) 700SM (first filter) 22 0712-0657 HONDA C125A Super Cub 22-23 0712-0653 Grom 125 22 0712-0653 Monkey ABS 22 0712-0653 MSX125 21-23 0712-0653 Z125MA 22 0712-0653 0712-0652 CRF250L Rally/ABS 17-20 CRF250L/ABS 17-20 0712-0652 CB300F/ABS 18 0712-0652 CB300R/ABS 19-22 0712-0652 CBR300R/ABS 18-22 0712-0652 CMX300 Rebel/ABS 17-23 0712-0652 CRF300L Rally/ABS 21-22 0712-0652 CRF300L/ABS 21-22 0712-0652 CTX700/N DCT ABS 14 0712-0653 NC700D Integra 12-14 0712-0653 NC700S 12-14 0712-0653 NC700S DCT 14 0712-0653 NC700X DCT ABS 12-14 0712-0653 NC750D Integra 14-20 0712-0653 NC750J NM4 Vultus 14-17 0712-0653 NC750S 14-20 0712-0653 NC750S ABS Special 17 0712-0653 NC750X 14-20 0712-0653 NC750X DCT 18-22 0712-0653 NSS750 Forza DCT 21-22 0712-0653 X-ADV 17-22 0712-0653 CRF1000L Africa Twin 16-19 0712-0653 CRF1000L Africa Twin ABS 16-19 0712-0653

PART #

0712-0652

0712-0653

K&N PART #

KN-631

KN-651



0712-0656

PART#

| 2-0000 | |
|--|-----------|
| FITS MODEL | PART # |
| HONDA (CONT) | |
| CRF1000L Africa Twin DCT 16-19 | 0712-0653 |
| CRF1000L2 Africa Twin Adventure Sports 18-19 | 0712-0653 |
| CRF1000L2 Africa Twin Adventure Sports DCT 18-19 | 0712-0653 |
| CMX1100 Rebel/DCT 21-22 | 0712-0653 |
| CRF1100L Africa Twin 20-22 | 0712-0653 |
| CRF1100L Africa Twin DCT 20-23 | 0712-0653 |
| CRF1100L4 Africa Twin Adventure Sports ES 20-22 | 0712-0653 |
| CRF1100L4 Africa Twin Adventure Sports ES DCT 20-22 | 0712-0653 |
| NT1100 21-22 | 0712-0653 |
| GL1800 Gold Wing 18-22 | 0712-0653 |
| GL1800 Gold Wing Auto DCT 18-23 | 0712-0653 |
| GL1800 Gold Wing Tour 18-23 | 0712-0653 |
| GL1800 Gold Wing Tour Airbag Auto DCT 18-23 | 0712-0653 |
| GL1800 Gold Wing Tour Auto DCT 18-23 | 0712-0653 |
| HUSQVARNA | |
| 701 Enduro (first filter) 16-22 | 0712-0657 |
| 701 Enduro LR (first filter) 20-21 | 0712-0657 |
| 701 Supermoto (first filter) 16-22 | 0712-0657 |
| Svartpilen 701 (first filter) 19-20 | 0712-0657 |
| Vitpilen 701 (first filter) 18-20 | 0712-0657 |
| KTM | |
| 690 Duke (first filter) 12-19 | 0712-0657 |
| 690 Duke R (first filter) 12-17 | 0712-0657 |
| 690 Enduro R (first filter) 12-22 | 0712-0657 |
| 690 Rally Factory Replica (first filter) 07-10 | 0712-0657 |
| 690 SMC R (first filter) 12-22 | 0712-0657 |
| | PART # |
| | 0712-0656 |
| | |

0712-0657

K&N PART #

KN-103

KN-117



4T ENGINE OIL

10W-50 FULL SYNTHETIC FOR STREET RACE

- Fully synthetic high-performance motor oil
- · Guarantees low oil consumption
- · Optimum effectiveness when used on its own
- Developed for air- and water-cooled 4-stroke engines exposed to normal-to-extreme operating conditions
- · Suitable for engines with or without a wet clutch

| DESCRIPTION | PART # |
|----------------|-----------|
| 1 liter bottle | 3601-0891 |



3601-0891

| DESCRIPTION | PART # |
|----------------|-----------|
| 4 liter bottle | 3601-0892 |



· Sprockets must be made of steel, but special coatings not required

- **520 HPE SERIES CHAIN**
- For medium and small displacement motorcycles
- Eliminates the need of re-lubrication every 300 miles
- Tetrahedral Amorphous Carbon (ta-C) coating on the bushings and rollers
- Combines high hardness with a low coefficient of friction
- Reduces energy dissipation and increases efficiency in the drive

| DESCRIPTION | PART # |
|-------------|-----------|
| 108 Links | 1224-0241 |
| 112 Links | 1224-0243 |

| DESCRIPTION | PART # |
|-------------|-----------|
| 114 Links | 1224-0244 |
| 118 Links | 1224-0246 |

Rivet master link

Tensile strength: 8.093 lb/36.0 kN

| PART # |
|-----------|
| 1224-0247 |
| |





TYRE PLUG KIT


- Easy-to-use eight-piece kit
- Includes T-handle tire reamer, T-handle tire plugger, five plug strings and rubber cement

DESCRIPTIONPART #Tyre plug kit0364-0054

CLYMER Motorcycle repair manual

- Whether it's simple maintenance or complete restoration, don't start work without Clymer, the leader in service manuals
- Save yourself time and frustration with these procedures and techniques used by the professionals
- Comprehensive manual contains exploded views, drawings, specifications and charts that illustrate each job
- Features shortcut repairs and high-performance modifications

| PART # | DESCRIPTION |
|-----------|---------------|
| 4201-0214 | For 06-11 FXD |







STREETFIGHTER CARBON HELMET

- A double shell construction made of carbon and aramid fiber, with epoxy resin for enhanced durability
- · Removable and washable interior, with a breathable neck protector for added comfort
- Visor with A+ Pinlock® and QRS for clear and secure vision while riding
- Dark internal visor with IH technology for added protection from sunlight and glare
- QRM buckle for easy and secure fastening of the helmet
- Micrometric adjustment for a perfect fit Lightweight design, with a small cap weight of 1.430kg and large cap weight of 1.490kg
- Bluetooth[™] Smart Ready
- Meets ECE 22.06 safety standards

| SIZE | PART # |
|------|------------|
| XS | 0101-16344 |
| S | 0101-16345 |

| SIZE | PART # |
|------|------------|
| M | 0101-16346 |
| L | 0101-16347 |



| SIZE | PART # |
|------|------------|
| XL | 0101-16348 |





HYPER HELMETS

- Double shell with an easy fit made of carbon and aramid fiber, with epoxy resin
- Removable and washable interior, with a breathable neck protector for added comfort
- Visor with A+ Pinlock® and QRS, available in clear and pins
- Buckle with double ring for securely fastening of the helmet
- Lightweight design, with a small cap weight 1.220kg and large cap weight of 1.290kg
- APS (Air Pump System)
- Bluetooth[™] Smart Ready
- Meets ECE 22.06 safety standards

| SIZE | (A) CARBON | (B) TK19 | (C) TK92 |
|------|------------|------------|------------|
| XS | 0101-16543 | 0101-16555 | 0101-16549 |
| S | 0101-16544 | 0101-16556 | - |
| M | 0101-16545 | 0101-16557 | - |

| SIZE | (A) CARBON | (B) TK19 | (C) TK92 |
|------|------------|------------|------------|
| L | 0101-16546 | 0101-16558 | - |
| XL | 0101-16547 | 0101-16559 | - |
| 2X | 0101-16548 | 0101-16560 | 0101-16554 |



- APS (Air Pump System)
- Bluetooth[™] Smart Ready
- Meets ECE 22.06 safety standards

| SIZE | (A) CARBON | (B) BM |
|------|------------|------------|
| XS | 0101-16513 | 0101-16519 |
| S | 0101-16514 | 0101-16520 |
| М | 0101-16515 | 0101-16521 |

| SIZE | (A) CARBON | (B) BM |
|------|------------|------------|
| L | 0101-16516 | 0101-16522 |
| XL | 0101-16517 | 0101-16523 |
| 2X | 0101-16518 | 0101-16524 |