



**VANCE
HINES**

HI-OUTPUT HOOLIGAN EXHAUST SYSTEM FOR HONDA GROM 17-20

- 304 stainless steel construction
- Full system
- Brushed finish
- CNC-machined billet end cap
- Laser-engraved logo badge
- PCX™ (Power Chamber Exhaust) technology
- Chambered high-flow catalyst cartridge

DESCRIPTION	PART #
Hi-Output Hooligan exhaust system	1810-3133



GLOSS BLACK SLIP-ON MUFFLERS FOR ROYAL ENFIELD 650 TWINS 19-24

- Improved horsepower and torque
- Tapered cone muffler body
- Durable all stainless steel construction
- "RACE" will be engraved on mufflers
- Sold in pairs



DESCRIPTION	PART #
Gloss black finish mufflers (pr.)	1811-4537



DRYFORCE™ UNIVERSAL WATERPROOF COOLER

- Insulated waterproof interior
- Semi-rigid bottom
- Custom 840d nylon TPU laminate with welded seams
- Adjustable shoulder strap doubles as an under seat tie down strap
- Four heavy-duty D rings
- Front and back pockets
- Adjustable loops for quick mounting
- YKK® zippers with T-handle pulls
- Reflective Giro logo
- Dimensions: 45,5 cm W x 33 cm H x 25,5 cm D (18" x 13" x 10")
- Capacity 39L; holds 32 12 oz. cans



DESCRIPTION	PART #
Universal waterproof cooler	3511-0028



ALUMINUM CLAMP

- Heat-treated aluminum construction
- Clean, single-bolt attachment
- Compatible with Giro phone holders, drink holders and camera mounts
- For 9,5 mm (3/8") round bars
- Comes in a chrome finish
- Sold each



COLOR	PART #
Aluminum clamp	0636-0196



DRYFORCE™ WATERPROOF DUFFEL BAG

- Collapsible
- Quick release shoulder strap doubles as tie down strap
- Adjustable loops for quick mounting
- Custom 840d nylon TPU laminate with welded seams
- Front and back pockets
- YKK® zippers and oversized handles
- Four heavy-duty nylon attachment points with a high strength hook and loop roll top closure
- Reflective Giro logo
- 40L volume with dimensions of 51 cm W x 40,5 cm H (48,5 cm extended) x 30,5 cm D (20" x 16" (19") x 12")



DESCRIPTION	PART #
Waterproof duffel bag	3515-0227



AIR FILTER ELEMENTS

- Unsurpassed in airflow, dirt stopping and overall performance
- Two-stage air filters come apart for maximum airflow and ultimate cleaning
- Most filters feature the Ultra Seal grease groove on the sealing surface
- Each fits in stock air box exactly like OEM filter
- Clean easily with grease-cutting dishwashing detergent; just clean, oil and reuse indefinitely



1011-4785

FITS MODEL	PART #
BETA	
125 RR 2T 125/200/250/300/350/390/430/480 24	1011-4785
YAMAHA	
YZ250F 24	1011-4783

FITS MODEL	PART #
YAMAHA (CONT)	
YZ250FX 24	1011-4783
WR450F 24	1011-4783
YZ450F 23-24	1011-4783
YZ450FX 24	1011-4783



3801-0382

3801-0383

3801-0384

THIN WALL SPARK PLUG SOCKETS

- Thin wall bi-hex sockets designed to access narrow spark plug holes
- Hardened chrome vanadium steel with built-in rubber inserts to hold plug steady
- Use with 9,5 mm (3/8") square and hex drives

DESCRIPTION	PART #	DESCRIPTION	PART #
14 mm	3801-0439	18 mm	3801-0383
16 mm	3801-0382	21 mm	3801-0384



ELECTRICAL MAINTENANCE TOOL SET

- Contains 171-piece heat-shrink tubing set, wire terminal tool and professional wire stripper

DESCRIPTION	PART #
Electrical maintenance tool set	3807-0506



3807-0503



3807-0504

TERMINAL REMOVAL TOOLS

- Easily remove terminals or wires without damage
- Works on conventional terminals as well as multi-OEM applications
- Includes rectangular blades for pack-con terminals, flat blade to open connectors and a fork for ALDL connectors
- Prongs depress the barbs on conventional terminals
- All metal construction ensures strength and rigidity on stubborn connectors

DESCRIPTION	PART #	DESCRIPTION	PART #
Black	3807-0503	Red	3807-0504



FLYWHEEL PULLER KIT


- Four-point pulling system for removing clutch bodies, flywheels and primary gear assemblies
- Includes various bolt lengths for multiple applications
- Working range: 30 mm-100 mm
- Included three-piece bolt sets: M6 x M1,0 x (L) 20 mm, M6 x M1,0 x (L) 45 mm, M8 x P1,25 x (L) 45 mm, M8 x P1,25 x (L) 90 mm and 3/8" x 16UNC x (L) 125 mm

DESCRIPTION	PART #
Flywheel puller kit	3801-0377



FLYWHEEL PULLER SETS

- Available for both internal and external thread magneto flywheels
- Internal set includes the following sizes: M19 x P1.0, M20 x P1.0, M22 x P1.0, M22 x P1.5, M24 x P1.0, M24 x P1.5, M26 x P1.0, M26 x P1.5, M27 x P1.0 (L), M27 x P1.25, M28 x P1.0, M28 x P1.5, M30 x P1.5 and M33 x P1.5
- External set includes the following sizes: M24 x P1.0, M24 x P1.5, M26 x P1.0, M28 x P1.0, M30 x P1.0, M30 x P1.25, M30 x P1.5, M32 x P1.5, M33 x P1.5, M35 x P1.0, M35 x P1.5, M38 x P1.5, M42 x P1.5 and M50 x P1.5



3801-0387

DESCRIPTION	PART #
For internal thread magneto flywheels	3801-0387



3801-0388

DESCRIPTION	PART #
For external thread magneto flywheels	3801-0388

OIL FILTER CUP WRENCH SET

- Socket-style designed grip lowers the possibility of crushing filters
- Allows easy removal of filters, even the hard-to-reach ones
- Can withstand torque up to 85 ft/lbs
- Uses 9,5 mm (3/8") square drive with 19 mm hex driver wrench
- Electro-black oxide finish protects from rust



DESCRIPTION	PART #
Oil filter cup wrench set	3801-0381

STEERING BEARING OUTER RACE REMOVER TOOL

- Easily removes outer race while avoiding tube damage
- Four contact points ensure even removal
- Fits steering head bearings between 35 mm and 55 mm outer race diameter
- Measures 300 mm L



DESCRIPTION	PART #
Steering bearing outer race remover tool	3805-0201

FAIRING REMOVAL PRY TOOL

- Slim design for delicate work in tight areas
- Great for safely removing fairings or extracting plastic fasteners
- Made of impact-resistant plastic that will not damage paint or metal



DESCRIPTION	PART #
Fairing removal pry tool	3850-0494

PISTON RING COMPRESSOR KIT

- Pliers' grip handle works both horizontally and vertically
- Ratcheting lock mechanism holds the handles in position for easy piston and ring installation
- Works with piston diameters 34,9 mm (1 3/8") - 111,13 mm (4 3/8")



DESCRIPTION	PART #
Piston ring compressor kit	3801-0374

STEERING HEAD BEARING INSTALLER KIT

- Specially designed quick-clamp mechanism gets work done efficiently
- Vital tool to correctly install steering head bearings
- Reduces the possibility of damage during the bearing installation process
- Heavy-duty center axle used with press rings ensures the bearing is installed straight and smoothly in one motion
- No press, drift or impact tools required
- Use with bearing diameter sizes 41 mm-55 mm



DESCRIPTION	PART #
Steering head bearing installer kit	3801-0386



STEERING STEM BEARING SEPARATOR AND PULLER KIT

- Used to remove the lower steering stem bearing
- Bearing separator features extra-thin jaws for entry between triple clamp and bearing
- Designed to fit multiple fork stem sizes

DESCRIPTION	PART #
Steering stem bearing separator and puller kit	3805-0203



UNIVERSAL THREE LEG OIL FILTER WRENCH

- Allows easy removal of oil filters, even in tight spaces
- Vinyl dipped legs minimize filter damage
- Works with 63,5 mm (2 1/2") - 98,4 mm (3 7/8") filters
- Use with 9,5 mm (3/8") square drive ratchet

DESCRIPTION	PART #
Universal three leg oil filter wrench	3801-0380

PORTABLE OIL DRAIN PAN

- Combination of multi-purpose drain pan and transportation container for oil change and part cleaning
- Suitable for oil, additives, coolant and other fluids
- Screw cap with rubber seal ensures safe transportation and leak-free operation
- Made of durable and impact-resistant plastic with three carry handles
- Holds 4L



DESCRIPTION	PART #
Oil pan	0712-0666

EXTRA LONG MAGNETIC HEX KEY SET

- Longer length keys for additional leverage and extended reach
- Ball end allows for improved access and up to 25 degrees of working angle
- Includes nine hex key sizes: 1,5 mm, 2 mm, 2,5 mm, 3 mm, 4 mm, 5 mm, 6 mm, 8 mm and 10 mm
- Chrome vanadium steel made with built-in magnet to hold fasteners in position



DESCRIPTION	PART #
Extra long magnetic hex key set	3812-0663

EXTRA LONG MAGNETIC TORX KEY SET

- Longer length keys for additional leverage and extended reach
- Base ends are designed for tamper-proof fasteners
- Includes nine Torx key sizes: T10, T15, T20, T25, T27, T30, T40, T45 and T50
- Chrome vanadium steel made with built-in magnet to hold fasteners in position



DESCRIPTION	PART #
Extra long magnetic torx key set	3812-0662

MAGNETIC TOOL HOLDER

- Can be used horizontally, vertically or even upside down
- 102 mm (4") round stainless steel with rubber coated magnets to protect the work surface
- Holds metal items such as nuts, bolts and washers
- Sold each



DESCRIPTION	PART #
Magnetic tool holder	3850-0640



FLEXIBLE MAGNETIC CLAW PICK UP TOOL

- Flexible shaft is great for retrieving in confined spaces
- Featured with spring loaded extendable retrieval claw function
- Pressing the button extends the spring loaded claw; button release closes claw and secures the object
- Magnet can hold up to 1 lb.
- Length 700 mm; maximum claw opening is 25 mm

DESCRIPTION

Flexible magnetic claw pick up tool

PART

3850-0641



PROFESSIONAL CHAIN REPAIRING MASTER KIT

- Comprehensive tool kit for drive chain replacement and repair
- Break, rivet and press drive chain master links
- Forged-hardened alloy steel body with three-position handle
- Includes knock and rivet spindles, press plates, punches and anvils
- Works with 415, 420, 428, 520, 525, 530, 532, 630 and 632 chains
- Instruction manual included

DESCRIPTION

Chain Repairing Master Kit

PART

3806-0089



DRIVE CHAIN TENSION PULLER

- Designed for drive chains found on motorcycles and ATVs
- Simplifies removing or installing chain connectors or master links

DESCRIPTION

Drive chain tension puller

PART

3806-0087



CAM CHAIN BREAKER AND RIVETING TOOL KIT

- Compact tool kit for quick and trouble-free cam chain replacement
- Provides the ability to break and rivet cam chain master links
- Forged hardened alloy steel body and components
- Fits most 2 x 3, 3 x 4 and 4 x 5 cam chains
- Includes body, handle, push pins and instruction manual

DESCRIPTION

Cam chain breaker and riveting tool kit

PART

3801-0376



CHAIN LINK PLIERS

- Designed for roller chains
- Specialized tips made for either removal or installation of master link clips

DESCRIPTION

Chain link pliers

PART

3806-0088



VACUUM AND FUEL HOSE REMOVAL PLIERS

- Use to easily remove 4 mm ($5/32$ ") - 12,7 mm ($1/2$ ") vacuum and fuel hoses during tube fittings

DESCRIPTION

Vacuum and fuel hose removal pliers

PART

3801-0438



8 PC. STUBBY FLEX HEAD RATCHET COMBINATION WRENCH SET

- Precision 72-tooth ratcheting gears need only a 5° swing arc to move fasteners in restricted spaces
- Provides access and easy engagement of hard-to-reach fasteners and reduces fastener rounding
- Made of alloy steel for better strength and longer tool life

DESCRIPTION	PART #
Wrench set	3812-0779



T-HANDLE TORX WRENCHES

- Sliding cross-bar is secured by the spring and ball detent; allows greater leverage with better accessibility
- All three ends with torx drive
- Made of heat-treated chrome vanadium steel for durability and precise fit into torx head fasteners

SIZE	PART #	SIZE	PART #
T25 x 180 mm	3850-0647	T40 x 210 mm	3850-0650
T27 x 180 mm	3850-0648	T45 x 210 mm	3850-0651
T30 x 180 mm	3850-0649		



PISTON RING EXPANDER PLIERS

- Tapered jaws hold and expand piston ring easily over piston block
- Ratcheting lock mechanism keeps handles in position for easy piston and ring installation

DESCRIPTION	PART #
Piston ring expander pliers	3801-0375



WINDOW SCALE DISPLAY TORQUE WRENCHES

- Torque range: 20-100Nm
- 72-teeth ratchet mechanism; Length 390mm
- Push and pull the locking button at the handle end to lock/unlock the torque setting
- Plus/minus 4% accuracy tolerance from the set scale value
- Supplied with calibration certificate and blow molded case

DRIVE SIZE	TORQUE RANGE	PART #
1/4"	5-25 Nm	3850-0644
3/8"	20-100 Nm	3850-0645
1/2"	40-200 Nm	3850-0646



4 IN 1 REVERSIBLE RATCHET WRENCHES

- Special ratchet ring design enables four different sizes on one wrench
- Precision 72-tooth ratcheting gears need only a 5° swing arc to move fasteners in restricted spaces
- Available in four double hex sizes covering the most popular metric fasteners
- Made of chrome vanadium steel for strength and durability

DESCRIPTION	PART #
8 x 10 mm/12 x 13 mm	3850-0642
12 x 14 mm/17 x 19 mm	3850-0643

DOUBLE EAR CLAMP PLIERS

- Suitable for side and top join applications
- Designed for simple and reliable crimping of one-ear and two-ear clamps
- Jaw opening: 0-23 mm (top) x 1 mm-19 mm (side)



DESCRIPTION	PART #
Double ear clamp pliers	3801-0373



UNIVERSAL BEARING RACE AND SEAL INSTALLER SET

- Robust aluminum jaws and steel striking shaft ensure durability
- Locking mechanism holds adjustable jaws in place for one-hand use
- Three-stepped jaws range from 22 mm-89 mm
- Three extension bars included for extensive applications

DESCRIPTION	PART #
Universal bearing race and seal installer set	3801-0385



O-RING AND SEAL TOOL SET

- Contains four-piece pick and hook set, two-piece seal pick set and four-piece O-ring and seal installer set

DESCRIPTION	PART #
O-ring and seal tool set	3850-0495

MECHANICAL BEARING PULLER SET

- Used to remove bearings, gears, sprockets, bushings and separate other engine or mechanical parts
- Includes 50,8 mm (2") and 76,2 mm (3") bearing splitter and forged yoke with 175 mm thrust bolt



DESCRIPTION	PART #
Mechanical bearing puller set	3801-0378

UNIVERSAL FORK SEAL DRIVER

- Specially designed to replace dust and oil seals
- Unique design with spring-loaded slides lock the fork tube securely
- Nylon construction will not damage the fork's surface
- Works with 30 mm-50 mm forks
- Replacement component and repair kits available



DESCRIPTION	PART #
Universal fork seal driver	3805-0196



3850-0492

REINFORCED PLASTIC SUPER SCRAPERS

- Designed for multi-functional scraping jobs
- Ideal for removing gaskets, badges, stripes and decals
- Reduces damage on the surface of soft metals and paintwork
- Durable ergonomic handle suitable for hammering where extra force is required



3850-0493

DESCRIPTION	PART #
15 mm	3850-0491
30 mm	3850-0492
50 mm	3850-0493

PROFESSIONAL WIRE STRIPPER

- Combination of wire stripper and pliers
- Spring-loaded self-opening handles
- Nose gives extra gripping strength
- For use with 10, 12, 14, 16, 18, 20 and 22 AWG wire



DESCRIPTION	PART #
Professional wire stripper	3807-0505



FRONT FORK CAP SOCKETS

- Removes octagonal front fork caps
- Use with 9,5 mm (3/8") square drive or 19 mm spanner

3805-0198

APPLICATION CHART

FITS MODEL	PART #	FITS MODEL	PART #
HONDA		SUZUKI	
CRF250R 10	3805-0198	RM125 75-08	3805-0198
CRF250R 00-20	3805-0200 ²	RM250 74-08	3805-0198
CRF250R 02-20	3805-0200 ²	RM125 75-08	3805-0200 ²
CRF250X 00-19	3805-0200 ²	RM250 74-08	3805-0200 ²
CRF450X 00-20	3805-0200 ²	RM-Z250 81-86,96-20	3805-0200 ²
CRF450R (49 mm) 03-20	3805-0199 ¹	RM-Z450 94-20	3805-0200 ²
CRF450R (50 mm) 02-20	3805-0200 ²	YAMAHA	
KAWASAKI		YZ125/250 74-20	3805-0199 ¹
KL250F Bayou 88-12	3805-0200 ²	YZ450F 03-20	3805-0199 ¹
SHOWA		¹ For KYB suspension with 49 mm octagonal fork cap. ² Replaces OEM #09941-53630.	
BPF w/ 43 mm fork tubes	3805-0197		



WIRE FINGER TOOL

- Holds cables, wires and fasteners during removal and replacement
- Stainless steel rope allows cables and lines to be pulled through confined spaces
- Net diameter: 20 mm
- Total cable length: 450 mm

DESCRIPTION	PART #
Wire finger tool	3850-0490




T-HANDLE SPEED RING SET

- Speed rings allow the T-handle shaft to rotate smoothly during removal and positioning of fasteners
- Increases the speed of T-handle use and reduces friction between metal shaft and operator's hand while rotating
- Four-piece set, 12,7 mm (1/2") ID and 80 mm in length



DESCRIPTION	PART #
T-handle speed ring set	3812-0661



FRONT FORK VISE

- Ideal for holding round or awkward shaped items including forks, shocks, pistons, etc.
- Bolt vice onto any work area using the pre-drilled mounting holes
- Unique V-shaped jaws are covered with thick rubber pads to ensure items are held firmly in place without damage
- Four-position pin allows wide range of opening up to 100 mm
- Constructed of hardened steel with an anodized finish

DESCRIPTION	PART #
Front fork vice	3805-0202



CRANKCASE SEPARATOR KIT

- Suitable for most 2- and 4-stroke vertically split engines
- Includes double-ended screw M8-M6, center pulling screw, quick-adjusting position nuts and three-leg puller frame

DESCRIPTION	PART #
Crankcase separator kit	3801-0367



BRAKE FLUID TESTER

- Quick and effective tester shows the condition of brake fluid with a colored LED response
- Green LED: brake fluid contains less than 1,5% moisture, indicating normal levels
- Yellow LED: brake fluid contains between 1,5% and 3,0% moisture, indicating user should stay alert
- Red LED: brake fluid contains more than 3,0% moisture, indicating brake fluid needs to be changed
- All LED flashing: change tester battery

DESCRIPTION	PART #
Brake fluid tester	3808-0020





STUD SETTER AND EXTRACTOR

- Eccentric rotation provides powerful grip for removing stubborn or rusted threads, or for setting new ones
- Fits 6 mm-19 mm studs



DESCRIPTION	PART #
Stud setter and extractor	3801-0379

MULTI-FUNCTION TIRE VALVE TOOL

- Essential for tire changes as well as tube and valve removal and installation
- Functions include: installing and removing valves, releasing tire pressure, installing valve cores and as a valve thread chaser



DESCRIPTION	PART #
Multi-function tire valve tool	3810-0095



TIRE BEAD TOOL

- Holds the tire bead down and makes room for tire levers during changing
- Dimensions: 290 mm x 150 mm x 50 mm

DESCRIPTION	PART #
Tire bead tool	3810-0097



TIRE VALVE EXTRACTOR BAR

- Steel bar with movable rubber sleeve offers maximum leverage during removal or installation of snap-in tire valves
- Adjustable rubber sleeve prevents damage to alloy wheel finish

DESCRIPTION	PART #
Tire valve extractor bar	3810-0093

TIRE BEAD HOLDING TOOL

- Pushes and holds the tire bead down when changing tires
- Hooks over spoke and inside rim to hold tire in place

DESCRIPTION	PART #
Tire bead holding tool	3810-0094



STUD REMOVER AND INSTALLER TOOLS

- Specially designed to remove and install studs without damaging the threads
- Suitable for most popular stud thread sizes

DESCRIPTION	PART #	DESCRIPTION	PART #
M6 x P1,0	3801-0369	M10 x P1,25	3801-0371
M8 x P1,25	3801-0370	M10 x P1,5	3801-0372



TIRE BEAD HOLDING CLAMP

- Designed to push and hold the bead to the center of the rim during installing and repairing off-road tires
- Plastic screw protects the rim of the wheel when using tire levers to remove tires



DESCRIPTION	PART #
Tire bead holding clamp	3810-0096

John Doe®

PIONEER MONO RIDING PANTS

- Riding pants styled like classic five-pocket slim-fit authentic denim
- Design is based on a special weaving process combining denim fabric with XTM Fiber®
- Have integrated hip protector pockets with Level 1 protection inserts
- Integrated height-adjustable knee protector pockets with Level 1 protection inserts
- Removable protection inserts; Level 2 upgrade available separately
- Water-repellent, breathable design with multistretch comfort
- YKK zippers
- Tested and Certified to EN 17092-2:2020, Class AAA

SIZE (WAIST/INSEAM) (CM)	SIZE (WAIST/INSEAM) (INCHES)	(A) DARK BLUE
82/81	31/32	2821-1635
86/82	31/34	2821-1636
84/81	32/32	2821-1637
90/86	32/34	2821-1638
92/81	33/32	2821-1639
92/86	33/34	2821-1640
95/81	34/32	2821-1641
95/86	34/34	2821-1642
100/81	36/32	2821-1643
100/86	36/34	2821-1644
105/81	38/32	2821-1645
105/86	38/34	2821-1646

SIZE (WAIST/INSEAM) (CM)	SIZE (WAIST/INSEAM) (INCHES)	(B) BLACK	(C) BLUE
79/81	30/32	2821-1611	2821-1623
88/81	31/32	2821-1612	2821-1624
90/81	32/32	2821-1613	2821-1625
90/86	32/34	2821-1614	2821-1626
92/81	33/32	2821-1615	2821-1627
92/86	33/34	2821-1616	2821-1628
95/81	34/32	2821-1617	2821-1629
95/86	34/34	2821-1618	2821-1630
100/81	36/32	2821-1619	2821-1631
100/86	36/34	2821-1620	2821-1632
105/81	38/32	2821-1621	2821-1633
105/86	38/34	2821-1622	2821-1634



DEFENDER MONO RIDING PANTS

- Classic cargo pants design, engineered for all-day riding comfort
- XTM® fiber, nylon and cotton single-layer construction for a lightweight yet extremely abrasion-resistant design
- Water-repellent and breathable
- Multi-stretch comfort
- Integrated hip protector pockets with Level 1 protectors
- Integrated height-adjustable knee protector pockets with Level 1 protectors
- Removable protection inserts; Level 2 upgrade available separately
- Cargo pockets with press stud and zipper closure
- YKK zippers
- Slim-fit design with slim leg from knee to ankle
- Tested and Certified to EN 17092-2:2020, Class AAA



A



Back view

B



SIZE (WAIST/INSEAM) (CM)	SIZE (WAIST/INSEAM) (INCHES)	(A) BLACK	(B) OLIVE
79/81	30/32	2821-1587	2821-1599
88/81	31/32	2821-1588	2821-1600
90/81	32/32	2821-1589	2821-1601
90/86	32/34	2821-1590	2821-1602
92/81	33/32	2821-1591	2821-1603
92/86	33/34	2821-1592	2821-1604

SIZE (WAIST/INSEAM) (CM)	SIZE (WAIST/INSEAM) (INCHES)	(A) BLACK	(B) OLIVE
95/81	34/32	2821-1593	2821-1605
95/86	34/34	2821-1594	2821-1606
100/81	36/32	2821-1595	2821-1607
100/86	36/34	2821-1596	2821-1608
105/81	38/32	2821-1597	2821-1609
105/86	38/34	2821-1598	2821-1610

WOMEN'S RUBY MONO RIDING PANTS

- Riding pants styled like classic five-pocket slim-fit authentic denim jeans
- Design is based on a special weaving process combining denim fabric with XTM Fiber®
- Slim fit, high-waist, slim leg profile
- Integrated hip protector pockets with Level 1 protectors
- Integrated height-adjustable knee protector pockets with Level 1 protection inserts
- Leve 2 insert upgrade available separately
- Water-repellent, breathable design with multistretch comfort
- YKK zippers
- Tested and Certified to EN 17092-3:2020, Class AA



C



Back view

D



SIZE (WAIST/INSEAM) (CM)	SIZE (WAIST/INSEAM) (INCHES)	(C) BLUE	(D) BLACK
79/81	30/32	2823-0445	2823-0451
88/81	31/32	2823-0446	2823-0452
90/81	32/32	2823-0447	2823-0453

SIZE (WAIST/INSEAM) (CM)	SIZE (WAIST/INSEAM) (INCHES)	(C) BLUE	(D) BLACK
92/81	33/32	2823-0448	2823-0454
95/81	34/32	2823-0449	2823-0455
100/81	36/32	2823-0450	2823-0456




2702-0317

XTM® SHOULDER, ELBOW OR KNEE PROTECTOR INSERTS

- Designed to give a high level of impact protection while providing maximum comfort
- Pad material is 100% thermoplastic polyurethane (TPU) construction
- Shock-absorbing viscoelastic properties
- Highly flexible with a pre-curved shape for comfort
- Lightweight air-ventilated design suitable for elbow, knee and shoulder protector pockets in riding jackets/pants
- Removable and washable
- Dimensions: 22 cm L x 13,5 cm W (8,5" L x 3,5 " W) (measured along the curved shape)
- Tested and Certified to EN 1621-2:2014, Level 1 or 2
- Sold in pairs


2704-0751



DESCRIPTION	PART #
Level 1 inserts	2704-0751
Level 2 inserts	2704-0752

XTM® BACK PROTECTOR INSERT

- Designed to give a high level of impact protection while providing maximum comfort
- Pad material is 100% thermoplastic polyurethane (TPU) construction
- Shock-absorbing viscoelastic properties
- Highly flexible with a pre-curved shape for comfort
- Lightweight design
- Removable and washable
- Air ventilated design
- Dimensions: 42 cm L x 18 cm W (16.5" L x 7" W)
- Tested and Certified to EN 1621-2:2014, Level 1 or 2



DESCRIPTION	PART #
Level 1 back protector	2702-0317
Level 2 back protector	2702-0318

XTM® HIP PROTECTOR INSERTS

- Designed to give a high level of impact protection while providing maximum comfort
- Pad material is 100% thermoplastic polyurethane (TPU) construction
- Shock-absorbing viscoelastic properties
- Highly flexible with a pre-curved shape for comfort
- Lightweight, ventilated design
- Will not bulge or pinch, even when used in slim-fit design apparel
- Removable and washable
- Tested and Certified to EN 1621-2:2014, Level 1 or 2
- Sold in pairs

2703-0157



DESCRIPTION	PART #
Level 1 hip protector inserts	2703-0157
Level 2 hip protector inserts	2703-0158



ANDES AIR DRYSTAR® JACKETS

- Engineered to deliver optimal protection, comfort, airflow and ventilation in warm riding conditions
- Adapts quickly and easily to tackle cooler temperatures and wet weather, making it a perfect dual-season jacket
- Tech-Air® 5 and Tech-Air® 3 ready
- Road oriented fit, with reduced length, a contoured bottom edge and pre-shaped arms for superior rider comfort and reduced fatigue
- Extensive 2D mesh on chest, inner arms and back for optimized ventilation in warm riding conditions
- 100% waterproof and breathable, detachable Drystar® membrane can be worn over or under the jacket to quickly and easily adapt to the weather conditions
- Includes ripstop reinforcements on the shoulders, elbows and forearms for effective abrasion resistance



Back view



- Nucleon Flex Plus Level 1 armor on the shoulders and elbows for effective impact abrasion
- The following standards apply to this product: EN17092-4: 2020 - Class A
- Available in men's sizes S-4X; see Alpinestars size guide on page 23 before ordering

SIZE	(A) BLACK	(B) DEEP BLUE/BLACK/ICE GRAY	(C) ICE GRAY/DARK GRAY/BLACK
S	2820-6577	2820-6584	2820-6591
M	2820-6578	2820-6585	2820-6592
L	2820-6579	2820-6586	2820-6656
XL	2820-6580	2820-6587	2820-6594

SIZE	(A) BLACK	(B) DEEP BLUE/BLACK/ICE GRAY	(C) ICE GRAY/DARK GRAY/BLACK
2X	2820-6653	2820-6658	2820-6595
3X	2820-6655	2820-6589	2820-6596
4X	2820-6583	2820-6590	2820-6657

ANDES AIR DRYSTAR® PANTS

- Engineered to deliver optimal protection, comfort, airflow and ventilation in warm riding conditions
- Adapts quickly and easily to tackle cooler temperatures and wet weather, making it a perfect dual-season pant
- Road oriented fit with pre-curved leg for superior rider comfort and reduced fatigue
- Constructed utilizing 2D mesh for optimized airflow and ventilation in warm riding conditions
- 100% waterproof and breathable, detachable Drystar® membrane can be worn over or under the pant to quickly and easily adapt to the weather conditions
- Stretch inserts at crotch and knee for enhanced fit and superior rider comfort
- Cargo pockets for enhanced utility and practicality
- Nucleon Flex Plus Level 1 armor on the knees for effective impact protection
- Pockets to accommodate hip armor, available as an optional accessory upgrade
- The following standards apply to this product: EN17092-4:2020 - Class A
- Available in men's sizes S-4X; see Alpinestars size guide on page 23 before ordering



Back view

SIZE	(D) BLACK	(E) ICE GRAY/DARK GRAY/BLACK
S	2855-0660	2855-0667
M	2855-0677	2855-0668
L	2855-0662	2855-0669
XL	2855-0663	2855-0670

SIZE	(D) BLACK	(E) ICE GRAY/DARK GRAY/BLACK
2X	2855-0664	2855-0671
3X	2855-0675	2855-0672
4X	2855-0666	2855-0673



DYNO LEATHER JACKET

- Modern interpretation of a heritage jacket
- Tech-Air® 3 ready
- Combines leather and a regular fit to create a jacket that looks great, on and off the bike, in any setting
- Equipped with a detachable thermal vest with 80 g insulation at the front adds to its performance and versatility
- Constructed from 1.0 mm - 1.2 mm bovine leather for the optimum blend of light weight, thinness, suppleness and abrasion resistance
- The leather is dip dyed, and the oils used during this process results in a more natural finish with superior overall softness and a softer feeling against the skin
- Nucleon Flex Plus Level 1 rated shoulder and elbow armor for superior impact protection
- Shoulder and elbow armor protectors are engineered with a low profile for a more tailored fit
- Low profile elbow protectors for a more stripped back and elegant aesthetic
- The following standards apply to this product: EN17092-4:2020 - Class A
- Available in men's sizes S-4X; see Alpinestars size guide on page 23 before ordering



Back view

SIZE	BLACK/RUBY RED
S	2810-4043
M	2810-4044
L	2810-4045
XL	2810-4108

SIZE	BLACK/RUBY RED
2X	2810-4109
3X	2810-4048
4X	2810-4049



STELLA DYNO LEATHER JACKET

- Optimized for a women's specific fit
- Modern interpretation of a heritage jacket
- Tech-Air® 3 ready
- Combines leather and a regular fit to create a jacket that looks great, on and off the bike, in any setting
- Equipped with a detachable thermal vest with 80 g insulation at the front adds to its performance and versatility
- Constructed from 1.0 mm - 1.2 mm bovine leather for the optimum blend of light weight, thinness, suppleness and abrasion resistance
- The leather is dip dyed, and the oils used during this process results in a more natural finish with superior overall softness and a softer feeling against the skin
- Nucleon Flex Plus Level 1 rated shoulder and elbow armor for superior impact protection
- Shoulder and elbow armor protectors are engineered with a low profile for a more tailored fit
- Low profile elbow protectors for a more stripped back and elegant aesthetic
- The following standards apply to this product: EN17092-4:2020 - Class A
- Available in women's sizes XS-2X; see Alpinestars size guide on page 23 before ordering



Back view

SIZE	BLACK/HAUTE RED
XS	2813-1054
S	2813-1055
M	2813-1056

SIZE	BLACK/HAUTE RED
L	2813-1057
XL	2813-1058
2X	2813-1059



A



B



Back view

STELLA ANDES AIR DRYSTAR JACKETS

- Anatomically optimized for a women's specific fit
- Engineered to deliver optimal protection, comfort, airflow and ventilation in warm riding conditions
- Adapts quickly and easily to tackle cooler temperatures and wet weather, making it a perfect dual-season jacket
- Tech-Air® 5 and Tech-Air® 3 ready
- Road oriented fit, with reduced length, a contoured bottom edge and pre-shaped arms for superior rider comfort and reduced fatigue
- Extensive 2D mesh on chest, inner arms and back for optimized ventilation in warm riding conditions
- 100% waterproof and breathable, detachable Drystar® membrane can be worn over or under the jacket to quickly and easily adapt to the weather conditions
- Includes ripstop reinforcements on the shoulders, elbows and forearms for effective abrasion resistance
- Nucleon Flex Plus Level 1 armor on the shoulders and elbows for effective impact abrasion
- The following standards apply to this product: EN17092-4: 2020 - Class A
- Available in women's sizes S-2X; see Alpinestars size guide on page 23 before ordering

SIZE	(A) BLACK	(B) ICE GRAY/DARK GRAY/BLACK
S	2822-1553	2822-1575
M	2822-1554	2822-1559
L	2822-1555	2822-1576

SIZE	(A) BLACK	(B) ICE GRAY/DARK GRAY/BLACK
XL	2822-1556	2822-1561
2X	2822-1557	2822-1562

STELLA ANDES AIR DRYSTAR® PANTS

- Anatomically optimized for a women's specific fit
- Engineered to deliver optimal protection, comfort, airflow and ventilation in warm riding conditions
- Adapts quickly and easily to tackle cooler temperatures and wet weather, making it a perfect dual-season pant
- Road oriented fit with pre-curved leg for superior rider comfort and reduced fatigue
- Constructed utilizing 2D mesh for optimized airflow and ventilation in warm riding conditions
- 100% waterproof and breathable, detachable Drystar® membrane can be worn over or under the pant to quickly and easily adapt to the weather conditions
- Stretch inserts at crotch and knee for enhanced fit and superior rider comfort
- Cargo pockets for enhanced utility and practicality
- Nucleon Flex Plus Level 1 armor on the knees for effective impact protection
- Pockets to accommodate hip armor, available as an optional accessory upgrade
- The following standards apply to this product: EN17092-4:2020 - Class A
- Available in women's sizes S-2X; see Alpinestars size guide on page 23 before ordering

SIZE	BLACK	SIZE	BLACK
S	2823-0403	XL	2823-0406
M	2823-0404	2X	2823-0409
L	2823-0405		



Back view



CELER v3 GLOVE

- Durable, short cuff, road riding glove primed for use with naked sportbikes, yet also appealing to touring and urban riders
- Goat leather main chassis construction for high levels of comfort, abrasion resistance and breathability
- Conductive suede material along the full length of the index finger and on the thumb tip for touchscreen operation of smartphones and GPS systems
- Strategically positioned rubber grips for optimal control and feel with the bike's controls
- Closed backhand gusset for full freedom of movement and superior adaptability
- Ergonomic stretch on the side of the hand offers flexibility to vastly improve hand movement
- Stretch on the center between the fingers for enhanced flexibility and highly adaptive fit
- Short cuff design with hook-and-loop grip closure and a puller tab for convenience
- Alpinestars race-proven sport hard PU knuckle protection system with an ultra-ergonomic shape for superior impact and abrasion resistance
- Leather palm construction incorporates padding reinforcements on the palm landing zone, side of the hand and fingers for additional coverage and excellent durability and comfort
- Alpinestars short finger bridge to prevent finger roll and separation during impacts
- The following standards apply to this product: EN13594:2015, Level 1 KP



SIZE	BLACK/BLACK	SIZE	BLACK/BLACK
S	3301-4766	XL	3301-4737
M	3301-4735	2X	3301-4738
L	3301-4767	3X	3301-4739

DYNO LEATHER GLOVE

- Durable, short cuff, road riding glove primed for use with custom and classic bike, yet also appealing to urban riders
- Goat leather main chassis construction for high levels of comfort, abrasion resistance and breathability
- Conductive material on the index finger and on the thumb tip for touchscreen operation of smartphones and GPS systems
- Strategically positioned perforations for optimal airflow and ventilation
- Leather accordion panel on fingers for enhanced flexibility and freedom of movement
- Integrated top wrist closure for ease of use
- Closed hard knuckle protection system with an ultra-ergonomic shape for superior impact abrasion resistance
- Leather palm construction incorporates padding reinforcements on the palm landing zone for additional coverage and excellent durability and comfort
- The following standards apply to this product: EN13594:2015, Level 1 KP



SIZE	BLACK/BLACK	SIZE	BLACK/BLACK	SIZE	BLACK/BLACK
S	3301-4740	L	3301-4775	2X	3301-4744
M	3301-4741	XL	3301-4743	3X	3301-4776

STATED SHOES

- Modern interpretation of a retro sneaker
- Combines the stylistic minimalist skate pump look with a thick vulcanized sole with a stripped back, edgy style that looks great in any urban riding environment
- Main upper constructed from Nubuck, canvas and split suede for the optimal blend of durability and comfort
- Split suede toebox for enhanced durability
- Classic lace closure at the front with a lateral zip for a secure, precise fit
- Ankle collar is constructed with soft knitted mesh for enhanced rider comfort
- Dual layer midsole support for optimal comfort and support
- Alpinestars vulcanized rubber urban sole with bandage sole for optimal grip and comfort whether on or off the bike
- OrthoLite® insole delivers long-term cushioning and high level of breathability and comfort
- Integrated dual-density ankle disks for impact protection with external multi-layer padding for additional coverage
- Alpinestars Trasversal Protection Frame (TPF) protects the foot while delivering the necessary support on the footrest without compromising the front foot flexion for superior walking comfort
- The following standards apply to this product: EN13634:2017
- Available in men's sizes 8.5-13.5; see Alpinestars size guide on page 20 before ordering



SIZE	BLACK	SIZE	BLACK
8.5	3405-3479	11.5	3405-3485
9	3405-3480	12	3405-3486
9.5	3405-3481	12.5	3405-3487
10	3405-3482	13	3405-3488
10.5	3405-3483	13.5	3405-3489
11	3405-3484		



META ROAD v2 SHOES

- Designed for all day comfort and occasional running on any type of ground or terrain
- Engineered to be supremely durable. light and highly breathable
- Lightweight and breathable mesh upper engineered for optimized airflow
- Seamless microfiber chassis construction for enhanced durability and structural integrity
- Lacing system includes a webbing eyelet tuning system running around the instep, creating a light chassis closure system for a precise and comfortable fit, while also delivering enhanced foot stability
- Easy to slip-on design with large toe box that allows the toes to spread when kneeling for superior levels of comfort
- Elevated cushioning performance
- EVA insert located in main midsole beneath the heel provides a long lasting softness for enhanced comfort
- High grip oil-resistant rubber sole for superior grip on dirty surfaces
- Removable Ortholite® inner sock provides high breathability, which reduces overheating while also delivering high durability
- Lightweight minimal construction with an elastic gusset at the tongue for a "glove" like fit
- Internal heel counter and toe box layered under the upper for structural integrity and support
- Engineered to stay cleaner longer
- Available in men's sizes 5-13; see Alpinestars size guide on page 20 before ordering

SIZE	(A) BLACK/WHITE	(B) RED/BLACK/WHITE
5	3405-3556	3405-3560
5.5	3405-3404	3405-3421
6	3405-3405	3405-3422
6.5	3405-3406	3405-3423
7	3405-3407	3405-3424
7.5	3405-3408	3405-3425
8	3405-3559	3405-3426
8.5	3405-3410	3405-3561
9	3405-3411	3405-3428
9.5	3405-3412	3405-3429
10	3405-3558	3405-3430
10.5	3405-3414	3405-3431
11	3405-3415	3405-3432
11.5	3405-3416	3405-3433
12	3405-3417	3405-3434
12.5	3405-3418	3405-3562
13	3405-3419	3405-3436

CR-1 SHOES

- Touring adventure shoe engineered for enhanced comfort on or off the bike
- The sole unit "Drop" (the off-set between heel and toe) is set at 9 mm to ensure a smooth heel-to-toe transition when walking
- Running shoe provides a snug fit coupled with ample inner shoe volume for excellent all-day foot comfort
- Compressed EVA durable comfort mid-sole with heel stabilizers and a heel cushioning pad for enhanced support and outstanding all-day underfoot comfort
- OrthoLite® insole delivers long-term cushioning and high level of breathability and comfort
- Alpinestars exclusive dual-density rubber soles feature high grip lugs and a tapered pattern direction for grip in all-weather conditions while still delivering feel with the footrest
- Forefoot flex grooves are engineered into the mid-sole for enhanced forefoot comfort (the grooves promote flexing in the forefoot area)
- Integrated medial and external disks for impact protection with multi-layer padding for additional coverage
- Alpinestars Transversal Protection Frame (TPF) protects the foot while delivering the necessary support on the footrest without compromising the front foot flexion for superior walking comfort
- The following standards apply to this product: EN13634:2017
- Available in men's sizes 6-13.5; see Alpinestars size guide on page 20 before ordering



SIZE	(A) BLACK/DARK GRAY	(B) BLACK/WHITE
6	3405-3447	3405-3462
7	3405-3448	3405-3463
8	3405-3449	3405-3464
8.5	3405-3450	3405-3465
9	3405-3451	3405-3466

SIZE	(A) BLACK/DARK GRAY	(B) BLACK/WHITE
9.5	3405-3552	3405-3467
10	3405-3453	3405-3468
10.5	3405-3553	3405-3469
11	3405-3455	3405-3470
11.5	3405-3555	3405-3551

SIZE	(A) BLACK/DARK GRAY	(B) BLACK/WHITE
12	3405-3457	3405-3472
12.5	3405-3458	3405-3473
13	3405-3459	3405-3474
13.5	3405-3460	3405-3475



SEKTOR SHOES

- Lightweight microfiber upper construction
- 3D dimensional ankle guards for improved fit and light weight
- Auto racing shoe-styled speed-lacing closure system
- Ankle hook-and-loop closure straps for a secure, flush fit
- Upper ankle streamlined polymer guard panels
- External TPR toe reinforcements for abrasion resistance
- Flex areas on heels and insteps for enhanced comfort when walking
- Lining is breathable 3D mesh with a microfiber suede anti-slip surface inside at the heels
- Internal toe boxes and heel counter guards positioned under the shoes' outer chassis
- Lightweight rubber soles with textured grip design and integrated support shanks for rigidity
- Replaceable anatomical EVA footbeds with stretch fabric top liners
- Metallic mesh airflow vents
- The following standards apply to this product: EN13634:2017
- Available in men's sizes 6-13; see Alpinestars size guide on page 20 before ordering



SIZE	BLACK/RED
6	3405-3563
7	3405-3564
8	3405-3565

SIZE	BLACK/RED
8.5	3405-3566
9	3405-3567
9.5	3405-3568

SIZE	BLACK/RED
10	3405-3569
10.5	3405-3570
11	3405-3571

SIZE	BLACK/RED
11.5	3405-3572
12	3405-3573
13	3405-3574



STELLA STATED PODIUM SHOES

- Anatomically engineered for an optimized women's fit
- Modern interpretation of a retro street sneaker
- Combines the stylistic minimalist skate pump look with a thick vulcanized sole with a stripped back, edgy style that looks great in any urban riding environment
- Midsole features an 8 mm platform along its entire length to offer greater elevation for shorter riders
- Main upper construction from Nubuck, canvas and split suede for the optimal blend of durability and comfort
- Split suede toebox for durability
- Classic lace closure at the front with a lateral zip for a secure, precise fit
- Ankle collar is constructed with soft knitted mesh for enhanced rider comfort
- Dual layer midsole support for optimal comfort and support
- Alpinestars vulcanized rubber urban sole with bandage sole for optimal grip and comfort whether on or off the bike
- OrthoLite® insole delivers long-term cushioning and high level of breathability and comfort
- Integrated dual-density ankle disks for impact protection with external multi-layer padding for additional coverage



- Alpinestars Transversal Protection Frame (TPF) protects the foot while delivering the necessary support on the footrest without compromising the front foot flexion for superior walking comfort
- The following standards apply to this product: EN13634:2017
- Available in women's sizes 5-9.5; see Alpinestars size guide below before ordering

SIZE	WHITE/COOL GRAY	SIZE	WHITE/COOL GRAY
5	3405-3437	7.5	3405-3442
5.5	3405-3438	8	3405-3443
6	3405-3439	8.5	3405-3444
6.5	3405-3440	9	3405-3445
7	3405-3536	9.5	3405-3537



STELLA SEKTOR RIDING SHOES

- Women-specific fit
- Upper is constructed from a microfiber which is superbly lightweight, durable and abrasion resistant
- 3D ankle protection for an improved fit and lighter weight
- Original speed lace system derived from auto racing shoes for a personalized fit and feel
- Ankle strap provides secure closure and fits flush within upper ankle polymer protection panel to ensure streamlined finish
- Flex areas on heel and instep for enhanced comfort while walking
- Advanced 3D mesh offers a highly breathable lining together with a microfiber suede anti-slip surface inside the heel
- Internal protective toe box and heel counter are positioned under the microfiber outer chassis
- Extremely lightweight, specifically compounded, rubber sole provides textured grip, excellent absorption and features an integrated support shank for an enhanced sole rigidity
- Replaceable anatomical EVA footbed with Lycra® lining on top
- Strategically-positioned metallic mesh vent for improved airflow
- The following standards apply to this product: EN13634:2017
- Available in women's sizes 5-9.5; see Alpinestars size guide below before ordering



SIZE	BLACK/CHAMPAGNE	SIZE	BLACK/CHAMPAGNE
5	3405-3393	7.5	3405-3398
5.5	3405-3542	8	3405-3399
6	3405-3395	8.5	3405-3400
6.5	3405-3543	9	3405-3401
7	3405-3397	9.5	3405-3402



EUROPEAN/U.S.A. BOOT SIZE EQUIVALENTS

- European to U.S.A. men's and women's boot size conversions
- Check before ordering European-size Alpinestars boots

ALPINESTARS/ EURO SIZE	U.S.A. BOOT SIZE MEN'S	WOMEN'S	ALPINESTARS/ EURO SIZE	U.S.A. BOOT SIZE MEN'S	WOMEN'S
36	= 3 1/2	5	44	= 9 1/2	11 1/2
37	= 4	6	45	= 10 1/2	-
38	= 5	7	46	= 11 1/2	-
39	= 6	8	47	= 12	-
40	= 6 1/2	8 1/2	48	= 12 1/2	-
41	= 7 1/2	9	49	= 13 1/2	-
42	= 8	10	50	= 14	-
43	= 9	11			



A



B

LIVER CSF SHORT-SLEEVE T-SHIRT

- 60% combed ring-spun cotton, 40% polyester
- Printed cut and sew fit tee
- Ageless logo front graphic with checkered flag strip
- Soft hand print
- Internal neck print and external labeling

SIZE	(A) BLACK	(B) RED
S	3030-23751	3030-23756
M	3030-23752	3030-23757
L	3030-23753	3030-23758

SIZE	(A) BLACK	(B) RED
XL	3030-23754	3030-23759
2X	3030-23755	3030-23760



C



D

GALLANT SS SHORT-SLEEVE T-SHIRT

- 100% cotton
- Short-sleeve pocket crew neck premium knit tee
- Heavy jersey fabric
- Boxy fit
- Classic tee style
- Front print and embroidery graphics
- Sleeve print graphic
- Internal patch labeling and external labeling

SIZE	(C) BLACK	(D) WHITE
S	3030-23781	3030-23786
M	3030-23782	3030-23787
L	3030-23783	3030-23788

SIZE	(C) BLACK	(D) WHITE
XL	3030-23784	3030-23789
2X	3030-23785	3030-23790



A



Back view



B

ALWAYS 2.0 HAT

- 98% cotton, 2% polyurethane
- Curved bill with structured crown
- Flex back
- Stretch twill main fabric
- Urethane sonic weld combo logo
- Internal and back labeling

SIZE	(A) BLACK/WHITE/RED	(B) RED/WHITE/BLACK
S/M	2501-4166	2501-4168

SIZE	(A) BLACK/WHITE/RED	(B) RED/WHITE/BLACK
L/XL	2501-4167	2501-4169

BLAZE 2.0 HAT

- 98% cotton, 2% polyurethane
- Comes in black and white
- Curved bill with structured crown
- Flex back
- Stretch twill main fabric
- Texture v 2.0 logo
- Internal and back labeling



SIZE	PART #
S/M	2501-4170

SIZE	PART #
L/XL	2501-4171



GARAGE JACKET

- Urban-style jacket inspired by the classic denim look
- Tech-Air® 3 ready
- Constructed from stretch cotton denim for an optimized fit
- Reinforced shoulders and elbows for abrasion resistance
- Casual design with a lightweight feel
- Chest and hand pockets for real-world practicality
- Nucleon Flex Plus Level 1 rated shoulder and elbow armor for superior impact protection
- Shoulder and elbow armor protectors are engineered with a low profile for a more tailored fit
- Low profile elbow protectors for a casual aesthetic
- The following standards apply to this product: EN17092-4:2020 - Class A
- Available in men's sizes S-4X; see Alpinestars size guide below before ordering



Back view

SIZE	SMOKE GRAY	SIZE	SMOKE GRAY	SIZE	SMOKE GRAY
S	2820-6639	XL	2820-6642	4X	2820-6645
M	2820-6640	2X	2820-6643		
L	2820-6641	3X	2820-6644		



ALPINESTARS SIZE CHARTS

- Use to determine U.S. size equivalents when ordering Alpinestars apparel

MEN'S APPAREL SIZE CHART

EURO SIZE	40	42	44	46	48	50	52	54	56	58	60	62	64	66	68
INT. SIZE	XXS		XS	S	M		L		XL	XXL	3XL		4XL	5XL	6XL
U.S. SIZE	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58
U.S. PANT SIZE	24	26	28	30	32	34	36	38	40	42	44	46	48	50	50

WOMEN'S APPAREL SIZE CHART

EURO SIZE	36	38	40	42	44	46	48	50	52	54	
INT. SIZE	XXS		XS	S	M		L		XL	XXL	3XL
U.S. SIZE	0	2	4	6	8	10	12	14	16	18	
U.S. PANT SIZE	22	24	26	28	30	32	34	36	38	40	



AMP3 BACKPACK

- External zippered outer pocket for safe and secure storage of essential items
- Full wide opening with dual slide zipper for ease of use
- Reinforced lower panel for enhanced durability
- Four adjustable outer compression straps reduce material volume as required
- Two elasticated external, semi-open pockets for storage of water bottles or other gear
- 3-D mesh back pad for enhanced rider comfort, with channels for airflow
- Adjustable shoulder straps allow riders to optimize the snugness of the pack against the chest
- Magnetic closure on chest for ease of use, even with gloved hands
- Adjustable waist strap for an optimized performance fit, with a carry handle positioned at the top for ease of use
- Carrying capacity of 17L
- Rain cover included



Back view

COLOR	PART #
Black	3517-0525

THOR**BLITZ XR BOOTS**

- Padded mesh interior improves breathability
- Injection molded positive lock buckles
- Injection molded medial abrasion plate with integrated shift protection
- Contoured gaiter for increased mobility and comfort
- Custom molded lugged outsole with a steel shank insert
- Tested and certified according to standard EN 13634:2017

SIZE	(A) WHITE/ BLACK	(B) RED/ CHARCOAL	(C) ACID/ BLACK
Europe 39 (USA 7)	3410-3100	3410-3109	3410-3118
Europe 41 (USA 8)	3410-3101	3410-3110	3410-3119
Europe 43 (USA 9)	3410-3102	3410-3111	3410-3120
Europe 44 (USA 10)	3410-3103	3410-3112	3410-3121
Europe 45 (USA 11)	3410-3104	3410-3113	3410-3122

SIZE	(A) WHITE/ BLACK	(B) RED/ CHARCOAL	(C) ACID/ BLACK
Europe 46 (USA 12)	3410-3105	3410-3114	3410-3123
Europe 47 (USA 13)	3410-3106	3410-3115	3410-3124
Europe 48 (USA 14)	3410-3107	3410-3116	3410-3125
Europe 49 (USA 15)	3410-3108	3410-3117	3410-3126

THOR**WOMEN'S BLITZ XR BOOTS**

- Padded mesh interior improves breathability
- Injection molded positive lock buckles
- Injection molded medial abrasion plate with integrated shift protection
- Contoured gaiter for increased mobility and comfort
- Custom molded lugged outsole with a steel shank insert
- Tested and certified according to standard EN 13634:2017

SIZE	(A) WHITE/BLACK	(B) BLACK/GRAY
Europe 35-36 (USA 5)	3410-3136	3410-3142
Europe 36-37 (USA 6)	3410-3137	3410-3143
Europe 37-38 (USA 7)	3410-3138	3410-3144
Europe 38-39 (USA 8)	3410-3139	3410-3145
Europe 39-40 (USA 9)	3410-3140	3410-3146
Europe 40-41 (USA 10)	3410-3141	3410-3147

**YOUTH BLITZ XR BOOTS**

- Adjusted boot height and smaller sizing tailored to younger riders
- Padded mesh interior improves breathability
- Injection molded positive lock buckles
- Injection molded medial abrasion plate with integrated shift protection
- Contoured gaiter for increased mobility and comfort
- Custom molded lugged outsole with a steel shank insert
- Tested and certified according to standard EN 13634:2017

SIZE	(C) RED/CHARCOAL	(D) ACID/BLACK
Europe 32 (USA 1)	3411-0752	3411-0759
Europe 33 (USA 2)	3411-0753	3411-0760
Europe 34 (USA 3)	3411-0754	3411-0761
Europe 36 (USA 4)	3411-0755	3411-0762
Europe 37 (USA 5)	3411-0756	3411-0763
Europe 38 (USA 6)	3411-0757	3411-0764
Europe 39 (USA 7)	3411-0758	3411-0765



SENTRY STEALTH GUARD

- Stretch mesh construction for comfortable fit and optimal breathability
- Pocketed chest, back, shoulder and elbow impact pads included
- All impact pads are removable for cleaning
- Full-length zipper for easy entry
- Lyrca collar and flat-stitched seams minimize irritation
- Garment tested and certified according to EU Standard EN 17092-6:2020
- Elbow and shoulder protectors tested and certified according to EU Standard EN 1621-1:2012 Level 2
- Chest protector tested and certified according to European Standard EN 1621-3:2018, Level 1
- Back protector tested and certified according to European Standard EN 1621-2:2014, Level 1



Back view

SIZE	PART #	SIZE	PART #	SIZE	PART #
S/M	2701-1341	L/XL	2701-1342	2X/3X	2701-1346



HELMET BAG

- Microfleece-lined helmet bag
- Double-stitched, reinforced handle
- Ventilation holes promote airflow and decrease odor
- 1200-D ballistic polyester shell
- Dimensions: 40,5 cm L x 25,5 cm W x 30,5 cm H (16" x 10" x 12")

DESCRIPTION	PART #
Helmet bag	3514-0047

THOR**STRAW HAT**

- Beach-style straw hat with drawstring cord
- One size fits most

DESCRIPTION

Straw hat

PART #

2501-4002

CHECKERS BEANIE

- Loose-knit acrylic beanie with woven label
- One size fits most

COLOR

Black

PART #

2501-3991

**LANYARD**

- Unobtrusive lanyard
- Features sublimated nylon leash and metal fastening hook at one end to hold keys or an all-access pass

DESCRIPTION

Black/gray

PART #

9501-0284