# **Product News**



### **50TH ANNIVERSARY ROAD RAGE III EXHAUST SYSTEM**

- 2-into-1 equal-length headers
- Stepped 13/4" to 17/8" headpipes
- Utilizes an advanced inner collector for maximum performance
- . Stainless steel construction
- · Partial stainless steel heat shields
- . Hand TIG welding
- 18 mm 02 bungs with 12 mm adapters
- Megaphone muffler
- Limited edition 50th anniversary badging on muffler

PART # DESCRIPTION

**1800-2431** For 18-19 FXBB, FXLR, FXFB, FLSL



### ROAD RAGE III HIGH-OUTPUT EXHAUST 2-INTO-1 SYSTEM

- 2-into-1 equal-length headers that are stepped 1<sup>3</sup>/<sub>4</sub>" to 1<sup>7</sup>/<sub>8</sub>" to gain horsepower through the powerband
- · Utilizes an advanced inner collector for maximum performance
- · Stainless steel 304 construction
- Hand TIG welded
- 18 mm 0<sub>2</sub> ports with 12 mm adapters and plugs
- Better ground clearance and fitment
- Brushed billet end cap included
- · Partial heat shield included
- Removable baffle

PART #

DESCRIPTION

1800-2413

For 04-19 XL1200 w/ mid controls





#### **SLASH CUT PRO-STREET SYSTEMS**

- Feature 16-gauge steel construction throughout
- 13/4" headpipes step to 2", then flow into 21/2" muffler bodies for increased flow and improved performance
- Designed to increase low-end torque and produce a deep, throaty exhaust note
- Includes heat shields, mounting brackets, hardware and O2 ports and plugs

NOTE: Baffles for turn-out systems are welded in place.



- Mufflers are designed to fit under stock heat shields on the CVO M8 baggers
- Feature 16-gauge steel construction throughout
- Specially designed three-stepped baffle that is acoustically tuned to deliver a unique deep and throaty exhaust sound while providing maximum performance
- Include new-style billet end caps with internal machined flutes
- · Black with black end caps
- Sold in pairs

PART #	DESCRIPTION
1801-1408	For 17-19 FLHTKSE/ FLHXSE/FLTRSE

#### **MEMPHIS SHADES**

Style that works. Memphis Shades windshields and fairings are the clear choice for riders who demand the best in fit, finish and quality. No matter if you ride a big-inch cruiser or a stylish street custom, Memphis Shades has the perfect windshield, fairing or accessory for your bike and riding style.



- Stylish coverage with clean lines and smooth curves
- 48,5 cm (19") wide
- · Class A gloss black finish outside
- Model-specific mounting kits feature Memphis Shades exclusive Trigger-Lock mounting system and are sold separately

#### **WHAT TO ORDER**

- 1. Road Warrior Fairing
- 2. Trigger-lock mounting kit
- 3. Windshield for Road Warrior (see the 2019 Parts Europe FatBook)



2320-0250

FITS MODEL ROAD WARRIOR FAIRING TRIGGER-LOCK MOUNT KITS POLISHED TRIGGER-LOCK MOUNT KITS BLACK
For 18-19 FXFB 2330-0214 2320-0250 2320-0251

2330-0214





#### 900-WATT AMP/6-SPEAKER KIT

- Complete 900-watt amp/6-speaker kit for 15-19 Road Glide Ultra
- . Designed to work with factory charging system, no upgrade required
- Includes fairing speakers, rear speakers, 6,5" speakers with adaptors for the fairing lower glove boxes
- Fairing speaker grilles include black and chrome trim
- Speaker adaptors for fairing lower glove boxes give simple access to factory coolant tank
- Main portion of lower speaker adaptor is gloss black to match factory inner fairing
- Includes Wild Boar Audio 600.4 amp and 300.2 amp with special mounting plates
- $\bullet$  All amps fit inside fairing, are bolt-in and 100% plug-n-play
- Amplifiers feature R.E.M.I.T. technology for excellent FM reception from a Class D amp
- Kit comes complete with all wiring and hardware to complete the installation

**NOTE:** A radio reflash may be required for best performance. **NOTE:** Not for use on CVO models.

 PART #
 DESCRIPTION

 4405-0544
 For 15-19 FLTRU





#### FRONT/REAR SPEAKER KIT WITH 600-WATT AMP



- Direct replacement system for CVO<sup>™</sup> model Ultras with factory Stage 1 Audio
- Includes 600-watt amp with front and rear speakers
- Includes plug-n-play wire harness that adapts to CVO<sup>™</sup> Specific Wire Harness
- · Amplifier easily installs in same location as factory amp (inside fairing)
- . No upgrades required to factory charging system
- Features R.E.M.I.T. circuitry for excellent FM reception from a Class D amp
- . No adjustments on amp makes installation very simple
- Includes WBAURH Ultra Rear Harness (PART #2120-0900), which allows radio fader to control front/rear levels
- $\bullet \ \ \text{System is expandable to easily add additional amplifier for fairing lowers or saddlebag \ lids$

NOTE: A radio software reflash is required.

 PART #
 DESCRIPTION

 4405-0545
 For 14-19 FLHTKSE



#### 7" FAIRING LOWER WOOFER KIT WITH 225 AMP



- Complete kit includes REV 225-watt amp, 7" 2-ohm woofers, fairing lower adaptors, grills and all required plug-n-play wiring
- $\bullet$  Radio runs existing speakers and supplied amp runs lower speakers
- Compatible on 06-13 CVO Ultras specific wire harness
- Use with PART #4405-0535 to create a 6-speaker/6-channel kit (this
  option requires PART #4405-0234 to mount second amp)

PART #	DESCRIPTION	
4405-0542	For 05-13 FLHTCU/FLHTCUL/FLTRU	





#### PREDATOR 2-UP SEAT

- · Solar-reflective leather in the seating area and automotive-grade vinyl on the sides; patented process reduces surface temperature by as much as 14 °C (25 °F) for a cooler seat, higher durability and longer life over conventional leather or vinyl
- · Lower profile with molded polyurethane foam interior for maximum comfort
- 5 mm (3/16") ABS thermoformed seat base for a perfect fit
- · Rubber bumpers and fully carpeted bottom to protect paint
- · Fits with all Drag and most H-D sissy bars
- · Available in double diamond, black stitch style
- · Includes all mounting hardware

NOTE: 97-07 FLHR/FLHX seats will also fit 97-07 FLT/FLHT/FLTR models when used with lower dash extension PART #2202-0070.



PART #


FOR 97-07 FLHR, 06-07 FLHX MODELS (77,5 CM L X 28 CM W FRONT; 19 CM W REAR (301/2" X 11"; 71/2"))

0801-1154 Double diamond, black





- Features solar-reflective leather in the seating area and automotive-grade vinyl on the sides; patented process reduces surface temperature by as much as 14° C (25 °F) for a cooler seat, higher durability and longer life over conventional leather or vinyl
- · Flexible urethane foam interior for maximum comfort
- 5 mm (3/16") ABS thermoformed seat base with carpeted bottom and rubber bumpers to protect paint
- · EZ Mount system requires no tools for taking seat on and off
- Seat geometry places rider 51 mm (2") further back and up to 25 mm (1") lower (depending on model) than stock seat
- · Lower position creates better rider position with improved styling
- · Seat covers the two seat fender studs for a low, clean look
- Can be used with Solo rear seats PART #s 0801-1053 and 0801-1054 (sold separately; see the 2019 Parts Europe FatBook)
- · Includes mounting hardware







#### **MAVERICK SEATS**

0802-1165


- · Comfortable seat that retains a custom look
- Special contours give good support while allowing unrestricted movement
- 38 cm (15") wide rider area; nearly 30,5 cm (12") wide of passenger comfort
- · Molded one-piece foam foundation covered with premiumgrade black vinyl on a 16-gauge, powder-coated steel base plate
- · Seat bottom carpeted to protect the fender

PART #	DESCRIPTION
FOR 18-19 FXBB MODELS	
0802-1164	Stitch seat
0802-1165	Smooth seat



#### **SEAT MOUNTING KNOBS**

- Quick and easy way to remove a seat, no tools required
- Replaces the standard <sup>1</sup>/<sub>4</sub>"-28 seat bolt for FXR and early models
- Sold each



0820-0117

0820-0118



PART #	DESCRIPTION	
FOR 18-19 FLDE/FLHC	S/FLHC/FLSL/FXBB	
1501-0635	Chrome	
1501-0636	Matte black	



#### **RACING VALVE SPRING KITS**

- 0,650" or 0,675" max lift kits are designed for maximum performance
- Features interference-wound, double-chrome silicone springs and H.T. steel base washers
- · Available in a complete set for one engine
- Includes springs, H.T. steel keepers and H.T. steel spring retainers
- PART #0926-3167 specifications: 0,650" max valve lift, 1,860" installed height, 185 lb seat pressure, 440 lb open pressure
- PART #0926-3168 specifications: 0,675" max valve lift, 1,860" installed height, 185 lb seat pressure, 450 lb open pressure

	PAKI #	DESCRIPTION
ı	FOR 99-04 TWIN CAM, 84-99 EVO	LUTION BIG TWIN, 86-03 XL
	0926-3167	0,650" lift
	0926-3168	0,675" lift



- Stylized cutouts on top and sides offer multiple secure points for bungee cords or luggage straps
- Durable stamped steel construction offered
- · Includes all hardware and mounting brackets for easy bolt-on installation
- . Styled to match the complete Kuryakyn Dillinger collection
- Recommended max load is 4,5 kg (10 lb)
- In satin black or silver textured finishes

PARI#	DESCRIPTION	
FOR 04-19 XL MODELS (	EXCEPT ROADSTER)	
1510-0468	Silver	
1510-0469	Satin black	



#### **PREMIUM VALVE SEALS**

- Solid Viton™ seals utilize choker spring and lower tension spring to maintain optimal seal under high heat/stress conditions
- For use with stock intake and exhaust valve guides
- · Sold in packages of four

PART #	DESCRIPTION
0926-3204	For 99-04 Twin Cam, 84-99 Evolution Big Twin, 86-03 XL
0926-3205	For 48-83 Big Twin



#### **ALL BALLS RACING**

Supply parts and accessories that will keep your V-Twin motorcycle on the road. Their line of fuel pumps for American V-Twin motorcycles has everything you need for a complete plug-and-play installation to restore peak performance to your fuel pump in an economical package.





#### **FUEL PUMP MODULE REBUILD KITS**

- · Come ready for plug-and-play installation
- · Economical solution for restoring lost performance or non-performing fuel pump
- Include all necessary components to rebuild the OEM EFI fuel pump module
- Include necessary pump, filter, hose(s), clamp(s) and wiring harness as necessary per model

PART #	DESCRIPTION
1009-0079	For 08-19 FLHT/FLHR/FLHX/FLTRX/FLTRU
1009-0080	For 00-03 FLHT/FLHR/FLTR, 01-03 Softail, 02-03 V-Rod (short pump/2,60")
1009-0082	For 04-07 FLHT/FLHR/FLTR, 04-07 Softail (long pump/3,00")
1009-0077	For 95-99 FLHT/FLHR/FLTR
1009-0078	For 08-17 Softail, 04-17 Dyna Glide, 04-17 V-Rod
1009-0081	For 07-19 XL, 15-19 XG models



• Matches Assault series air cleaners

0940-1848

PART #	DESCRIPTION	
FOR 01-17 TWIN CAM W/O	CAM POSITION SENSOR	
0940-1849	Chrome	
0940-1850	Gloss black	
0940-1848	Raw machined	

#### **///////ANDREWS**

#### **CAMS FOR TWIN CAM**

Andrews Products grinds its cams with the help of a computer with cam design capabilities. This superior technology gives the utmost in both performance and reliability. Only the best alloy steel billets and heat-treating processes are utilized. Furthermore, the power in Harley's Twin Cam engine can be made even more convincing when superior Andrews computer-designed high-performance cams are installed.

NOTE: Chain Driven Cams: 00-06 model cams use a splined cam drive sprocket. These cams will fit in the 1999 Twin Cam motor, but the splined cam drive sprocket 0EM #25716-99 or DS-199175 must be used.

NOTE: Installer must check coil bind, valve-to-valve clearance and valve-to-piston clearance.

#### **TW48 SERIES GRIND CAMS**

- · Broad tip cams for baggers with stock motors; max torque at low and mid rpm ranges
- · Use stock springs

PART #	DESCRIPTION
FOR ALL 99-06 TV	NIN CAM (EXCEPT 06 DYNA GLIDE)
0925-1274	TW48 chain drive cam kit



#### **57 SERIES GRIND CAMS**

- Bolt-in broad tip cams; 96", 103" Limited and 110" CVO engines
- Cams work best at rpm range of 2200-5600

PART #	DESCRIPTION	
FOR ALL 99-06 TW	VIN CAM (EXCEPT 06 DYNA GLIDE)	
0925-1275	57H chain drive cam kit	

GRIND	OPEN	CLOSE	DURATION @ 0,053"	<b>DURATION @ 0,020"</b>	VALVE LIFT	LIFT TDC
TW48 SERIES						
Intake	13°	29°	222°	257°	0,548"	0,153"
Exhaust	43°	15°	238°	273°	0,548"	0,163"
57 SERIES						
Intake	18°	38°	236°	270°	0,560"	0,184"
Exhaust	46°	14°	240°	274°	0,560"	0,153"




#### MANUAL OIL BYPASS VALVE

- Acts as a manual thermostat, allowing you to bypass the oil cooling system for cold-weather riding or for faster warm-ups on cool days
- Durable, anodized billet aluminum construction
- . Knurled grip knob
- . Works with all oil coolers
- . Compact in-line installation
- Service kit contains replacement O-rings, snap-ring retaining clip for manual bypass knob and spare decal

NOTE: If oil hoses between the oil cooler and the oil source are too short, the oil cooler bypass valve may not fit in the oil lines.

Jagg bypass valves require at least 3" of straight hose.

PART #	DESCRIPTION
0713-0215	Manual oil bypass valve
0713-0218	Service kit





### OIL FILTER ADAPTERS WITH THERMOSTAT SERVICE KITS

- Optional anti-rotation device for PART #0713-0031 bolts to face of offset oil filter adapter to lock in place during future oil filter removals; available separately
- Service kit for PART #0713-0031 includes new thermostat element assembly, AFM gasket and large 0-ring

PART #	DESCRIPTION	
FOR 99-17 TWIN	I CAM	
0712-0557	Anti-rotation device for PART #0713-0031	
0713-0216	Thermostat service kit for PART #0713-0031	
FOR 04-19 XL		
0713-0217	Service kit for PART #0713-0145	



• Service kit for PART #0713-0069

PART #	DESCRIPTION
0713-0219	Service kit





0713-0215

#### **HYPERFLOW LIFETIME OIL FILTER SERVICE KIT**

 Service kit for Hyperflow lifetime oil filter kit PART #0712-0555 that fits all H-D models w/ front-mount spin-on oil filters (<sup>3</sup>/<sub>4</sub>"-16 thread)

PART #	DESCRIPTION
0712-0556	Service kit for PART #0712-0555 (For all H-D models w/ front-mount spin-on oil filters (3/4"-16 thread))





#### **INNER PRIMARY BEARING SEAL**

- Replacement seal
- For use with Inner Primary Bearing Upgrade Kit (PART #1120-0242)
- Sold each

PART #	DESCRIPTION
1120-0414	Inner primary bearing seal






#### **M8 BALANCER BEARING REMOVAL TOOL**

 Easily remove the balancer bearings in both Touring and Softail models without damage to crankcase

PART #	DESCRIPTION
3801-0355	For 17-19 Softail/Touring models



#### LEGEND WWW.LEGENDSUSPENSIONS.COM



#### LEGEND REVO-ARC REMOTE RESERVOIR FL COIL SUSPENSION

- Available in Black Type III hard-coat anodize
- Legend's Touring specific spring rates produce superior ride quality and performance
- REVO coils provide improved plush ride quality, control and resistance to bottoming-out
- REVO's extended coil length has larger "sweet spot" without increasing overall shock length
- Allows minimal pre-load adjustment by hand when changing between riders' weights or loads
- · Adjusts by hand, no tools needed
- Available in 33 cm (13") and 35,5 cm (14"), standard or heavy-duty applications
- Easy installation and alignment, provided by spherical bearings on both top and bottom
- 35 mm monotube construction
- Deflective disc valve stacks
- Balanced/matched piston and base-valve design specific for these motorcycle applications
- Low friction sealing system and PTFE based sliding bearings for improved performance and feel
- · Seven external knob adjustments allow fine-tuning of rebound
- Seven external knob adjustments allow fine-tuning of compression
- Provides optimum rebound and compression performance for any given rider weight, personal ride quality preference or personal riding style
- Nitrogen gas bladder design allows ultra-fast response and stiction-free movement
- Light to heavy riders can fine-tune ride preference
- Aggressive to casual riding styles can tune to desired quality or personal preference
- · Lifetime warranty

NOTE: Heavy-duty applications are recommended for 500 lb.+ rider and passenger total weight.

HEAVY-DUTY	
PART #	LENGTH
FOR 99-08 FLHT/FLTR/FLHR/FLHX	
1310-1879	33 cm (13")
1310-1881	35,5 cm (14")
FOR 09-13 FLHT/FLTR/FLHR/FLHX	
1310-1883	33 cm (13")
1310-1885	35,5 cm (14")
FOR 14-19 FLHT/FLTR/FLHR/FLHX	
1310-1887	33 cm (13")
1310-1889	35,5 cm (14")



#### LEGEND REVO-ARC PIGGYBACK DYNA COIL SUSPENSION

- Available in Black Type III hard-coat anodize
- REVO coils provide improved plush ride quality, control and resistance to bottoming-out
- REVO's extended coil length has larger "sweet spot" without increasing overall shock length
- Allows minimal pre-load adjustment by hand when changing between riders' weights or loads
- · Adjusts by hand, no tools needed
- . Available in 33 cm (13") and 35,5 cm (14"), standard or heavy-duty applications
- Easy installation and alignment, provided by spherical bearings on both top and bottom
- 35 mm monotube construction
- . Deflective disc valve stacks
- Balanced/matched piston and base-valve design specific for these motorcycle applications
- Low friction sealing system and PTFE based sliding bearings for improved performance and feel
- Seven external knob adjustments allow fine-tuning of rebound
- · Seven external knob adjustments allow fine-tuning of compression
- Provides optimum rebound and compression performance for any given rider weight, personal ride quality preference or personal riding style
- Nitrogen gas bladder design allows ultra-fast response and stiction-free movement
- Light to heavy riders can fine-tune ride preference
- Aggressive to casual riding styles can tune to desired quality or personal preference
- Lifetime warranty

1310-1892

NOTE: Heavy-duty applications are recommended for 250 lb.+ rider and passenger total weight. Also consider heavy-duty if the majority of your riding is 2-up, stunt riding or aggressive riding style.

of your riding is 2-up, stunt riding or aggressive riding style.		
STANDARD		
PART #	LENGTH	
FOR 99-17 DYNA MODELS		
1310-1890	33 cm (13")	

35,5 cm (14")

HEAVY-DUTY	
PART #	LENGTH
FOR 99-17 DYNA MODELS	
1310-1891	33 cm (13")
1310-1893	35,5 cm (14")



#### LEGEND WWW.I EGENDS I SPENSIONS COM






#### LEGEND REVO-ARC PIGGYBACK FXR COIL SUSPENSION

- Available in Black Type III hard-coat anodize
- REVO coils provide improved plush ride quality, control and resistance to bottoming-out
- REVO's extended coil length has larger "sweet spot" without increasing overall shock length
- Allows minimal pre-load adjustment by hand when changing between riders' weights or loads
- · Adjusts by hand, no tools needed
- Available in 33 cm (13") and 35,5 cm (14"), standard or heavy-duty applications
- Easy installation and alignment, provided by spherical bearings on both top and bottom
- 35 mm monotube construction
- · Deflective disc valve stacks
- Balanced/matched piston and base-valve design specific for these motorcycle applications
- Low friction sealing system and PTFE based sliding bearings for improved performance and feel
- · Seven external knob adjustments allow fine-tuning of rebound
- · Seven external knob adjustments allow fine-tuning of compression
- Provides optimum rebound and compression performance for any given rider weight, personal ride quality preference or personal riding style
- Nitrogen gas bladder design allows ultra-fast response and stiction-free movement
- · Light to heavy riders can fine-tune ride preference
- Aggressive to casual riding styles can tune to desired quality or personal preference
- Lifetime warranty


NOTE: Heavy-duty applications are recommended for 250 lb.+ rider and passenger total weight. Also consider heavy-duty if the majority of your riding is 2-up, stunt riding or aggressive riding style.



HEAVY-DUTY	
PART #	LENGTH
FOR 84-00 FXR MODELS	
1310-1899	33 cm (13")
1310-1901	35,5 cm (14")

#### LEGEND REVO-ARC PIGGYBACK XL COIL SUSPENSION

- Available in Black Type III hard-coat anodize
- REVO coils provide improved plush ride quality, control and resistance to bottoming-out
- REVO's extended coil length has larger "sweet spot" without increasing overall shock length



- · Adjusts by hand, no tools needed
- Available in 33 cm (13") and 35,5 cm (14"), standard or heavy-duty applications
- Easy installation and alignment, provided by spherical bearings on both top and bottom
- 35 mm monotube construction
- . Deflective disc valve stacks
- Balanced/matched piston and base-valve design specific for these motorcycle applications
- Low friction sealing system and PTFE based sliding bearings for improved performance and feel
- · Seven external knob adjustments allow fine-tuning of rebound
- Seven external knob adjustments allow fine-tuning of compression
- Provides optimum rebound and compression performance for any given rider weight, personal ride quality preference or personal riding style
- Nitrogen gas bladder design allows ultra-fast response and stiction-free movement
- Light to heavy riders can fine-tune ride preference
- Aggressive to casual riding styles can tune to desired quality or personal preference
- · Lifetime warranty

NOTE: Heavy-duty applications are recommended for 250 lb.+ rider and passenger total weight. Also consider heavy-duty if the majority of your riding is 2-up, stunt riding or aggressive riding style.

STANDARD		
PART #	LENGTH	•
FOR 04-19 XL MODELS	(EXCEPT 883L)	
1310-1894	33 cm (13")	
1310-1896	35,5 cm (14")	

HEAVY-DUTY		
PART #	LENGTH	
FOR 04-19 XL MODELS (EXCEPT 883L)		
1310-1895	33 cm (13")	
1310-1897	35,5 cm (14")	





2211-0184

#### **HD-05 MULTI-FUNCTION TACHOMETER/SPEEDOMETERS**

- · High-quality plug-n-play design
- · Eight-color changing display
- · Features tachometer, speedometer, odometer, engine temperature and fuel level
- · Six indicator lights; rpm, fuel, engine, battery, cruise control, ABS and anti-theft
- Measures 45/8" diameter


NOTE: Fits models that use 5" stock mounting cup.

PART #	DESCRIPTION
2211-0185	For 14-19 FLHR, 11-17 Softail, 12-17 Dyna models (except FXDL)
2211-0184	For 04-13 Road Kings, 04-10 Softail, 04-11 Dyna models



DADT # LENGTH

I AILI #	LLNUIII
FOR 97-13 FLT/FLHT/FLHR/FLTR, 4	41 MM
0404-0372	20,875"
0404-0373	22,875"; repl. OEM #45890-97
0404-0374	24.875"







#### **HEADLIGHT MOUNT** IVERSION FOR M-EIGHT FXFB

- · Converts the stock rectangular headlight to a conventional 14,5 cm (53/4") bottom mount headlight
- Use with any bottom mount 14,5 cm (53/4") headlight and headlight mount block PART #DS-285005 (sold separately; see the 2019 Parts Europe FatBook)
- 6061 aluminum construction, available in chrome or gloss black finish
- . Mounts with existing hardware

PART #	DESCRIPTION	
FOR 18-19 FXFB		
2001-1872	Chrome	
2001-1873	Gloss black	





#### **OEM-STYLE REPLACEMENT AIR FILTER ELEMENT**

- High-quality paper filter medium
- Meets or exceeds OEM specifications
- For use with OEM stock air filter housings

APPLICATIONS	
PART #	DESCRIPTION
1011-4226	For 18-19 FLDE/FLHC/FLSL/FLFB/FXLR/FXBB/ FXBR/FXFB (107"); repl. 0EM #29400248



#### **SOLENOID REPAIR KIT**

· Includes plunger, spring, contacts, gaskets and all necessary components

PART #	DESCRIPTION
2110-0981	For 06 Dyna, 07-17 Big Twins; repl. 0EM #31604-06



#### REPLACEMENT **FLOORBOARD INSERTS**

- · High-quality rubber construction
- Direct replacements for the OEM pads
- · Sold in pairs

· Sold in pairs

PARI#	DESCRIPTION
1621-0857	For 18-19 FLHC/FLSL models: repl. 0EM #50500629



#### **RIVCO**

What sets Rivco apart? They are an independent

manufacturer of parts and accessories in the U.S.A. without using third-party builders or resellers. The company offers more than 350 unique parts and accessories for motorcycles all designed at their Burlington, Wisconsin factory. Every part is designed, manufactured, polished, and undergoes final assembly and inspection in-house before being shipped to dealers worldwide.





#### **HIGHWAY PEGS WITH MOUNTING ARMS**

- Fit 11/4" diameter highway bars
- · Available in ribbed, tapered ribbed, slotted and custom styles
- . Matte black powder-coated finish
- · Include tools required for installation
- · Sold in pairs

NOTE: See the 2019 Parts Europe FatBook for an explanation of footpeg mount styles.

PART #	DESCRIPTION
5" MOUNTING ARMS	
1624-0360	W/ ribbed pegs
1624-0362	W/ tapered ribbed pegs
1624-0363	W/ slotted pegs
1624-0366	W/ custom pegs
21/2" MOUNTING ARMS	
1624-0361	W/ ribbed pegs
1624-0365	W/ custom pegs



#### **CUSTOM ACCENT PEGS**

- · Matte black pegs with anti-vibration rubber inlays
- Folding stainless steel clevis mounts with 3/8" stainless steel bolts
- · Sold in pairs

NOTE: See the 2019 Parts Europe FatBook for an explanation of footpeg mount styles.

PART #	DESCRIPTION
1624-0364	Black custom accent pegs



#### **MINI BOARDS**

- Economical alternative to factory pegs, boards and highway pegs
- · Rubber on one side, matte black with rubber inlays on the other
- Folding stainless steel clevis mounts with 3/8" stainless steel bolts
- Measure 4" x 4"
- · Sold in pairs

PART #	DESCRIPTION
1621-0921	Matte black mini boards



#### **QUICK-DETACH RECEIVER KIT**

- · Strong steel construction
- · Chrome-plated finish
- Quick-detach design allows for easy removal of quick-detach rack (PART #3930-0015; sold separately) when not in use

PART #	DESCRIPTION
3930-0017	For 14-19 Indian Bagger/Touring models



- . 6000K daylight white (not yellow) light beam with no blue tint
- · Built-in ballast with active heat-management fan
- · Offers a super-bright 6000 lumen output
- . Uses half the power of factory Halogen bulb while producing twice the light
- · Easy do-it-yourself plug-and-play installation
- 20,000 hour bulb life

PART #	DESCRIPTION
2060-0653	H4-style LED replacement bulb







#### MACHETE™ EXTENDED BAG LED LIGHTS

- · Function and style in one stealthy package
- · Smoked, shatterproof, polycarbonate lens with built-in optics
- . Low-profile housing maintains plenty of ground clearance while cornering
- Red run, turn, and brake LED lights
- Plug-n-Play installation with no drilling
- · Waterproof housing
- · Sold in pairs

PART #	DESCRIPTION
2040-2382	For 15-19 FLHXSE, 18-19 FLHRXS, 18-19 FLHXS, 18-19 FLTRXS, 18-19 FLTRXSE models



DESCRIPTION	PART #
DESCRIE FION	I AIII #

FOR 14-19 FLHXSE, 18	-19 FLTRXSE AND 14 FLHRSE CVO MODELS
Red	2040-2380
Smoke	2040-2381

2060-0654

## **TAILLIGHT BULBS**

- . Six ultra-bright LED chips for maximum illumination
- · Low heat, won't melt lens
- · Low voltage draw

· Sold in pairs

- · High shock and vibration resistance
- · Sold individually

PART #	DESCRIPTION
2060-0654	W/ 1157/BAY15D base
2060-0655 <sup>1</sup>	W/ 3157/W2,5x16DQ base

<sup>&</sup>lt;sup>1</sup> Load equalizer may be required.



#### **FENDER BLADES™**

- · Low-profile light housings sit right below the fenders to blend seamlessly into the back of the bike for a stealthy look
- · Feature super-bright run, brake and sequential turn signals to be sure you are seen day or night
- · Smoked low-profile lens
- · Plug-n-Play installation with no drilling
- · Waterproof housing
- Sold in pairs

PART #	DESCRIPTION
2040-2383	For 09-19 FLHTCUTG, 10-11 FLHXXX models



#### **ProBEAM® REAR FENDER TIP LIGHTS**

- Kit includes three LED light pipes illuminated for run function and 12 full-contrast brake LEDs
- Convert stock running fender tip lights to modern LED run/brake lights
- · Sealed unit is complete with connector for plug-andplay installation behind stock taillight

NOTE: Only for U.S. domestic models.

2060-0655

PART #	DESCRIPTION	
FOR 09-19 FLHTCU/FLHTK/FLHTKL/FLTRU MODELS		
2040-2351	Gloss black finish, red lens	
2040-2352	Chrome, finish, red lens	
2040-2353	Gloss black finish, smoke lens	
2040-2354	Chrome finish, smoke lens	

