# THE DRAG SPECIALTIES JUNE 2020 Product News





### **TRASK PERFORMANCE**

The mission and vision of Trask Performance is simple: produce reliable, highquality products made in the U.S.A. that make big horsepower! Trask is one of the top tuning shops in the country and a leader in performance products for American V-Twin motorcycles. Innovative chain drive conversion kits, highperformance exhaust and custom engine covers are just a few of the amazing products Trask has available to help you create the custom bike of your dreams.







#### **ASSAULT DERBY COVERS**

- Billet machined 6061-T6 aluminum construction
- · Acrylic see-through window
- Matches the Trask Assault series air cleaners and cam covers

PART #	DESCRIPTION
FOR 16-20 DRESSERS, 14-15 FLHTCUL/FLHTKL	
1107-0637	Gloss black
1107-0638	Chrome
1107-0639	Raw
FOR 99-18 BIG TWIN (EXCEPT 18 FLSB, 16-18 DRESSER, 14-15 FLHTCUL/FLHTKL)	
1107-0640	Gloss black
1107-0641	Chrome
1107-0642	Raw



#### **FORCEFLOW CYLINDER HEAD COOLERS**

- Smooth, streamlined design that will keep your Softail running cooler; consistently reduces operating temperatures up to 38 °C (100 °F)
- High-tech, waterproof cooling fan pushes air around cylinders and cylinder heads
- Cooling fan can be controlled manually or can be regulated by a thermostat that monitors head temperature and activates the fan when engine temperature rises
- Built-in quality OEM-type replacement horn included
- Easy plug-and-play installation with no drilling
- Includes Forceflow assembly with high-powered fan, horn, thermostat, coil relocation kit with plug wires, hardware and detailed instructions

PART #	DESCRIPTION
FOR 18-20 SOFTAIL MODELS	
1901-0804	Black
1901-0805	Chrome



### **CLYMER**

#### MOTORCYCLE REPAIR MANUALS

- Whether it's simple maintenance or complete restoration, don't start work without Clymer, the leader in service manuals
- Save yourself time and frustration with these procedures and techniques used by the professionals
- Comprehensive manuals contain exploded views, drawings, specifications and charts that illustrate each job
- Feature shortcut repairs and highperformance modifications

PART #	DESCRIPTION
4201-0352	For 14-17 XL models

1

# Product News





### **BA DETACHABLE**

### **WRAP-AROUND RACKS**

- · Designed for use with OEM seats or some aftermarket seats
- Measure approximately 33 cm (13") from front to back and 48,5 cm W (19")
- Aftermarket models are 43 cm W (17")
- Include all mounting hardware
- Available in chrome or black

PART #	DESCRIPTION
FOR 06-17 DYNA MODELS W/ OEM SEATS	
1510-0658	Chrome
1510-0659	Black
FOR 06-17 DYNA MODELS W/ SADDLEMEN SEATS (WILI	. NOT FIT FXDWG/FXDF MODELS)
1510-0662	Chrome
1510-0663	Black
FOR 04-20 XL MODELS	
1510-0660	Chrome
1510-0661	Black



DECISCIEDI		LAULINILIII	JLA
• Sold in packs of five	e		

2 position
3 position
4 position

PART #	DESCRIPTION
INTERFACE SEALS (CONT)	
2120-1012	6 position
2120-1007	8 position
2120-1008	12 position



- 10-user selectable flash/strobe patterns
- Over-current/thermal/short circuit/reverse wiring protection
- 84W, 12V system

2

- · Sealed weathertight case
- Flashes rear taillights
- Plug-and-play installation

PART #	
2050-0402	







### THE DRAG SPECIALTIES Product News



#### DESIGNER SERIES DOT ABS-SPECIFIC FRONT BRAKE LINE KITS

- · Manufactured with an enhanced construction designed to be compatible with Harley-Davidson® ABS requirements for stock and alternate length brake lines
- · Mid-line brake lines work in conjunction with the Designer Series upper brake lines to complete the connection from the ABS controller up to the master cylinder (both the ABS Mid-Line brake line and the Upper Designer brake line are required; see the 2020 Parts Europe FatBook for the upper brake lines)
- · Lower brake lines are manufactured specifically for dual disc 18-20 Softail FXFB, FXFBS, 20 FXLRS and 16-20 XL1200CX Roadster models with ABS
- Lower brake lines must be used with an upper brake line that is sold separately; see the 2020 Parts Europe FatBook for the Upper brake lines
- · -3AN connections make for easy installations
- All fittings are highly polished and chrome or black chrome plated

#### NOTES: Magnum Shielding brake lines are designed to follow the same routing path as OEM lines.

If replacing the stock lower brake line assembly on 2018+ dual disc Softails, an adapter is **NOT** needed. Using -3AN fittings, the upper line connects directly to the Magnum lower assembly.

Non-stock applications require taking a measurement angle tofor upper brake line length and banjo ensure correct fitment (see How to Order)

Harley-Davidson motorcycles equipped with ABS (anti-lock brake system) require ABS specific upper and lower brake line kits. Failure to do so may result in compromised antilock braking ability. Magnum Shielding upper brake line kits manufactured specifically for these applications are identified with the letters "ABS" printed directly on the brake hose.

FITS MODEL	STERLING CHROMITE II #	BLACK PEARL #
TRIKE (MID-LINES) For 19-20 FLHTCUTG	1741-5859	1741-5860
(dual disc)	1741-0000	1741-5000
(uuai uisc)		
FITS MODEL	STERLING CHROMITE II #	BLACK PEARL #
	STERLING CHROMITE II #	BLACK PEARL #
FITS MODEL	STERLING CHROMITE II # 1741-5857	BLACK PEARL #

- . The Industry's highest quality braid in two color choices to complement your bike: Sterling Chromite<sup>®</sup> II or Black Pearl
- · Braid color and weave match all Magnum control cables and brake lines
- · Crystal clear outer jacket offers exceptional protection against scuffing paint or chrome and will never discolor
- Brake lines are constructed with PTFE inner tubing, DuPont<sup>™</sup> Kevlar<sup>®</sup> aramid fiber, premium Signature Magnum braids and an outer PVC jacket to provide the ultimate in high performance by greatly reducing line expansion DuPont<sup>™</sup> and Kevlar<sup>®</sup> are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

#### **IMPORTANT - HOW TO ORDER:**

- Stock fitments: The stock fitment chart determines the upper, lower and mid-line kits needed for your application. Lower and mid lines are model specific. Stock upper line length and banjo angle is listed for each application to help when choosing alternative length upper lines.
- Alternative fitments: Due to handlebar changes, fitment options are accommodated with the UPPER line only. See the alternative length chart for available lengths and banjo angles. 2018+ Softail Dual Disc Upper Lines. The upper line connects directly to the Magnum Designer dual disc lower brake line. Measure from the stock lower line manifold to the master cylinder. This will be your line length
- Upper line length for Trike models is measured using the 49" mid-line as a reference to determine additional line length needed to complete the routing from the ABS controller to the master cylinder. That measurement will be your upper line length. (see diagrams below).

FITS MODEL	STERLING CHROMITE II #	<b>BLACK PEARL #</b>
TRIKE (MID-LINES) (CONT)		
For 19-20 FLRT	1741-5859	1741-5860
(dual disc)		
FITS MODEL	STERLING CHROMITE II #	BLACK PEARL #
SPORTSTER/XL (LOWER LINES)		
For 16-20 XL1200CX	1741-5857	1741-5858

## Product News



STAINLESS W/ CHROME FITTINGS							
FITS MODEL	OEM #	STOCK LENGTH	STOCK	+10 CM (4")	+15 CM (6")	+20,5 CM (8")	+25,5 CM (10")
SOFTAIL ABS DUAL	DISC (COMPLETE	KITS)					
For 18-20 FXFB/S	-	39,5 cm (15 <sup>1</sup> / <sub>2</sub> "), 56 cm (22")	1741-5866	1741-5867	1741-5868	1741-5869	1741-5870
For 20 FXLRS	-	39,5 cm (15 <sup>1</sup> / <sub>2</sub> "), 56 cm (22")	1741-5866	1741-5867	1741-5868	1741-5869	1741-5870
SOFTAIL ABS (UPPE	ER BRAKE LINES W	// Adapter)					
For 18-20 FXFB/S	41800631	56 cm (22")	1741-5876	1741-5877	1741-5878	1741-5879	1741-5880
For 20 FXLRS	41800631	56 cm (22")	1741-5876	1741-5877	1741-5878	1741-5879	1741-5880

BLACK W/ BLACK FITTINGS							
OEM #	STOCK LENGTH	STOCK	+10 CM (4")	+15 CM (6")	+20,5 CM (8")	+25,5 CM (10")	
SOFTAIL ABS DUAL DISC (COMPLETE KITS)							
-	39,5 cm (15 <sup>1</sup> / <sub>2</sub> "), 56 cm (22")	1741-5861	1741-5862	1741-5863	1741-5864	1741-5865	
-	39,5 cm (15 <sup>1</sup> / <sub>2</sub> "), 56 cm (22")	1741-5861	1741-5862	1741-5863	1741-5864	1741-5865	
SOFTAIL ABS (UPPER BRAKE LINES W/ ADAPTER)							
41800631	56 cm (22")	1741-5871	1741-5872	1741-5873	1741-5874	1741-5875	
41800631	56 cm (22")	1741-5871	1741-5872	1741-5873	1741-5874	1741-5875	
	OEM # DISC (COMPLETE KIT - - R BRAKE LINES W/ A 41800631	OEM #         STOCK LENGTH           DISC (COMPLETE KITS)         39,5 cm (15 <sup>1</sup> / <sub>2</sub> "), 56 cm (22")           -         39,5 cm (15 <sup>1</sup> / <sub>2</sub> "), 56 cm (22")           R BRAKE LINES W/ ADAPTER)         41800631	OEM #         STOCK LENGTH         STOCK           DISC (COMPLETE KITS)         39,5 cm (15 <sup>1</sup> / <sub>2</sub> "), 56 cm (22")         1741-5861           -         39,5 cm (15 <sup>1</sup> / <sub>2</sub> "), 56 cm (22")         1741-5861           R BRAKE LINES W/ ADAPTER)         41800631         56 cm (22")         1741-5871	OEM #         STOCK LENGTH         STOCK         +10 CM (4")           DISC (COMPLETE KITS)         -         39,5 cm (15 <sup>1</sup> / <sub>2</sub> "), 56 cm (22")         1741-5861         1741-5862           -         39,5 cm (15 <sup>1</sup> / <sub>2</sub> "), 56 cm (22")         1741-5861         1741-5862           R BRAKE LINES W/ ADAPTER)         -         1741-5871         1741-5872	OEM #         STOCK LENGTH         STOCK         +10 CM (4")         +15 CM (6")           DISC (COMPLETE KITS)         -         39,5 cm (15 <sup>1</sup> / <sub>2</sub> "), 56 cm (22")         1741-5861         1741-5862         1741-5863           -         39,5 cm (15 <sup>1</sup> / <sub>2</sub> "), 56 cm (22")         1741-5861         1741-5862         1741-5863           R BRAKE LINES W/ ADAPTER)         -         1741-5871         1741-5872         1741-5873	OEM #         STOCK LENGTH         STOCK         +10 CM (4")         +15 CM (6")         +20,5 CM (8")           DISC (COMPLETE KITS)         -         39,5 cm (15 <sup>1</sup> / <sub>2</sub> "), 56 cm (22")         1741-5861         1741-5862         1741-5863         1741-5864           -         39,5 cm (15 <sup>1</sup> / <sub>2</sub> "), 56 cm (22")         1741-5861         1741-5862         1741-5863         1741-5864           R BRAKE LINES W/ ADAPTER)         -         1741-5871         1741-5872         1741-5873         1741-5874	

#### **JUNE 2020**

# THE DRAG SPECIALTIES Product News



### **ARLEN NESS**

Three generations of this family lend their expertise to custom bike-building parts and accessories. Ness is not only one of the most recognizable names in custom but has a well-earned reputation for providing innovative, high-quality products for passionate motorcycle enthusiasts that is unmatched within the industry. The latest design footpegs, floorboards and points covers continue to showcase the amazing design and engineering talent that has kept Arlen Ness products in the custom scene spotlight.



#### MX DRIVER AND PASSENGER FLOORBOARDS

- Lightweight, cut-through design with integrated rubber inserts for excellent foot traction
- CNC-machined from billet aluminum with machined cuts on both the top and side of the floorboard for added style at every angle
- Rubber inserts offer foot traction and protect the finish of the aluminum floorboard (inserts are replaceable)
- Extended length for added foot room and comfort
- Passenger boards available (sold separately)
- Driver Floorboards: 18" L x 5,75" W x 1" T
- Passenger floorboards: 7" L x 4" W x 1" T
- · Sold in pairs
- Matching MX footpegs are available separately
   NOTE: Models w/ passenger footpegs will require th use of OEM accessory floorboard mounts.

1621-0994



1621-0997

t the finish aceable)	PART #			DESCRIPTION
mfort	FOR 80-20 FLT/FLHT/F	LHR/FLHX/FLTR/FLTRX/FLTRU/	/FLTRK , 09-13 H-D FL TF	RIKE,
	86-17 FLST AND 12-1	6 FLD (DRIVER)		
	1621-0994			Orange anodized
	1621-0995			Titanium anodized
ely	FOR 86-20 FLT/FLHT/ 86-17 FLST AND 12-1	FLHR/FLHX/FLTR/FLTRX/FLTRU/ 6 FLD (PASSENGER)	/FLTRK ,	
require the	1621-0997			Orange anodized
ounts.	1621-0996			Titanium anodized
9		1620-2156	1620-211	57
/ith high-				
ding scenarios	PART #			DESCRIPTION
raved logo	MALE MOUNT FOOTPE	GS		
ngth	1620-2155			Orange anodized
	1620-2156			Titanium anodized
- 1-	SHIFT PEGS			
ich ior an	1620-2157			Orange anodized
	1620-2158			Titanium anodized
-1913	0940-1914	0940-1917		0940-1924
	0940-1914		0940-1921	
DES	CRIPTION	PART #		DESCRIPTION
		FOR 99-17 TWIN CAM		
Black anodized		0940-1919		Black anodized
Blue anodized		0940-1920		Blue anodized
Gold anodized		0940-1921		Gold anodized
Orange anodized		0940-1922		Orange anodized
	-			<u> </u>

#### KNURLED FOOTPEGS AND SHIFT PEGS

- Knurled rubber design features clean style with hightraction rubber for excellent foot grip in all riding scenarios
- CNC-machined billet end cap with laser-engraved logo
- Forged inner structure offers maximum strength
- Footpegs are 1" longer than stock for enhanced comfort and foot room
- Footpegs sold in pairs and shift pegs sold each
- NOTE: See the 2020 Parts Europe FatBook for an explanation of footpeg mount styles.



0940-1913



Sold each

10-GAUGE POINTS COVERS • Machined from 6061-T6 billet aluminum

PART #	DESCRIPTION
FOR 17-20 M-EIGHT	
0940-1913	Black anodized
0940-1914	Blue anodized
0940-1915	Gold anodized
0940-1916	Orange anodized
0940-1917	Red anodized
0940-1918	Titanium anodized

0940-1923

0940-1924

**Red anodized** 

**Titanium anodized**