



1810-2809



1810-2808

TRUE DUAL PERFORMANCE EXHAUST SYSTEMS

- 1³/₄" equal length headers for Chieftain; 1³/₄" stepped to 1⁷/₈" for Challenger
- 4" straight can mufflers with removable perforated baffles
- Slant-cut billet aluminum end caps
- Include full heat shields
- 18 mm O₂ bungs with 12 mm O₂ adapters included

PART

FOR 20 INDIAN CHALLENGER

1810-2809

1810-2808

DESCRIPTION

Black w/ black end caps

Chrome w/ polished end caps



1810-2779

ROAD RAGE 2-INTO-1 EXHAUST

- 4" muffler with removable baffle
- Includes full heat shields that cover header pipes
- 4" slash-cut end cap
- Show chrome or black ceramic finish available

PART

DESCRIPTION

FOR 20 INDIAN CHALLENGER MODELS

1810-2778 Chrome

1810-2779 Black

4" PERFORMANCE SLIP-ON MUFFLERS

- 4" slip-on mufflers mount to stock headpipes and fit under hard bags
- Give your bike a unique style, performance and sound
- Come with a 4" slash-cut polished end cap
- Constructed from 16-gauge stainless steel with a black finish
- Necessary hardware included
- Sold in pairs



1811-3973

PART

DESCRIPTION

1811-3973

For 14-21 Indian Chieftain w/ hard bags, 14-21 Roadmaster, 20-21 Challenger

OPTIONAL QUIET BAFFLE FOR SHORT ROAD RAGE III STAINLESS 2-INTO-1 SYSTEMS

- Reduces noise level from standard baffle that is included with exhaust systems

PART

DESCRIPTION

1860-1998

For Road Rage III 2-into-1 short exhaust systems: PART #s 1800-2201, 1800-2172, 1800-2192



OPTIONAL QUIET BAFFLE FOR ROAD RAGE III 2-INTO-1 EXHAUST SYSTEM

- Reduces noise level from standard baffle included with exhaust systems

PART

DESCRIPTION

1860-1997

For Road Rage III 2-into-1 exhaust systems: 1800-2243, 1800-1955, 1861-1174 1800-2104 and 1800-2103



VANCE HINES

EC APPROVED MONSTER ROUND SLIP-ON MUFFLERS



- EC approved slip-on mufflers by 97/24/EC when used on stock 96, 103 or 110 cubic inch engines
- Feature full-coverage 4" heat shields and chrome-plated CNC-machined billet end caps with Vance & Hines badging
- Designed with two-stage sound inserts
- Fit saddlebags with extended skirts
- Include mounting hardware and instructions
- Sold in pairs



PART

DESCRIPTION

FOR 09-16 FLHT/FLTR/FLHR/FLHX AND H-D FL TRIKES

1801-0681

Chrome



400-WATT AMP/SPEAKER KIT

- Features a plug-and-play 400-watt, 2-channel amplifier with Road Glide-specific mounting
- Two Wild Boar Audio 16,5 cm (6,5") Road Glide specific front speakers
- Features R.E.M.I.T. technology for excellent FM reception from a Class D amp
- Black grille trim rings and chrome grille trim rings are included
- System is easy to expand to add a second or third amp later on
- Kit includes plug-and-play wire harnesses and instructions

NOTE: A Techno Research/OEM dealer radio reflash is required.

NOTE: Not for CVO models.



PART

DESCRIPTION

4405-0718

For 15-20 FLTRX/FLTRU/FLTRK



400-WATT AMP/SPEAKER KIT

- Features a plug-and-play, 400-watt, 2-channel amplifier
- Wild Boar Audio 16,5 cm (6,5") 4-ohm front speakers
- Features R.E.M.I.T. circuitry for excellent FM reception from a Class D amp
- System is easy to expand to add a second or third amp later on
- Includes very high-quality plug-and-play wire harnesses and everything needed to complete the installation

NOTE: A Techno Research/OEM dealer radio reflash is required.

NOTE: Not for CVO models.



PART

DESCRIPTION

4405-0717

For 14-20 FLHTCU/FLHTK/FLHXS/FLHX/FLHTCUTG models



RAM TOUGH-CHARGE™ WATERPROOF WIRELESS CHARGING HOLDERS

- Powdercoated, marine-grade aluminum construction with stainless steel components and high-strength composite
- Designed with spring-loaded X-Grip® technology; features an 'X' design that expands and contracts to secure nearly any phone while taking advantage of Qi wireless phone charging
- Four arms feature rubber-coated caps that hold devices firmly in place
- Includes a 25,4 mm (1") B-size rubber ball with a diamond base, perfect for attaching any B-size RAM double-socket arms
- Connected Type-A male pigtail connector features an in-line switch that allows you to turn off the wireless charging module when not in use
- Compatible with handheld devices that will fit the following dimensions: minimum width of 60 mm (2,375") and maximum width of 82,5 mm (3,25"), maximum depth of 22 mm (0,875")
- PART #s 0636-0173 and 0636-0174 include charging holder without mounting
- PART #s 0636-0175 and 0636-0176 include a double-socket arm and mount; see chart below for specific mounts included
- Safety device tether included that is recommended for outdoor applications



0636-0173



0636-0174



0636-0176

PART #	DESCRIPTION
0636-0173	Wireless charging holder
0636-0174	Wireless charging holder w/ hardwire charger
0636-0175	Wireless charging holder w/ U-bolt handlebar mount and hardwire charger
0636-0176	Wireless charging holder w/ RAM Twist-Lock™ suction cup

RAM QUICK-GRIP™ WATERPROOF WIRELESS CHARGING HOLDERS

- Powdercoated, marine-grade aluminum construction with stainless steel components and high-strength composite
- Universal, water-resistant wireless charging cradle features spring-loaded, RAM Quick-Grip™ design and 10W maximum output
- Includes a 25,4 mm (1") B-size rubber ball with a diamond base, perfect for attaching any B-size RAM double-socket arms
- Connected Type-A male pigtail connector features an in-line switch that allows you to turn off the wireless charging module when not in use
- Compatible with handheld devices that will fit the following dimensions: minimum height of 14,3 cm (5,625"), maximum height of 16,8 cm (6,625"), maximum width of 8 cm (3,125") and maximum depth of 1,7 cm (0,7")
- PART #s 0636-0169 and 0636-0170 include charging holder without mounting
- PART #s 0636-0171 and 0636-0172 include a double-socket arm and mount; see chart below for specific mounts included
- Safety device tether included that is recommended for outdoor applications



0636-0169



0636-0171



0636-0172

PART #	DESCRIPTION
0636-0169	Wireless charging holder
0636-0170	Wireless charging holder w/ hardwire charger
0636-0171	Wireless charging holder w/ U-bolt handlebar mount and hardwire charger
0636-0172	Wireless charging holder w/ RAM Twist-Lock™ suction cup



PREDATOR III SEATS

- Automotive-grade vinyl cover
- Features a 15 cm (6") tall driver support
- Molded polyurethane foam for maximum comfort and styling
- 5 mm ($\frac{3}{16}$ ") ABS thermoformed seat base for a perfect fit, with a carpeted bottom and rubber bumpers to protect paint
- Includes all mounting hardware

0810-2262



0810-2263



0810-2264



PART

DESCRIPTION

FOR 14-21 CHIEF/CHIEFTAIN, CHIEFTAIN VINTAGE/CLASSIC/LIMITED, 16-21 DARK HORSE, 17-21 SPRINGFIELD, 15-21 ROADMASTER 81 CM L OVERALL (17 CM L X 32 CM W FRONT) (28 CM L X 18,5 CM W REAR) (32" L OVERALL (16 $\frac{3}{4}$ " L X 12 $\frac{1}{2}$ " W FRONT) (11" L X 7 $\frac{1}{4}$ " W REAR))

0810-2262

Double diamond, black thread

0810-2263

Double diamond, silver thread

0810-2264

Double diamond, red thread

TAPERED BACKREST PADS FOR ROUND SISSY BARS

- All pads feature high-grade black vinyl coverings with double-stitching
- Black powdercoated backing plate
- Measures 12 cm W (bottom) x 14,5 cm H (3 $\frac{1}{2}$ " W (top) x 4 $\frac{3}{4}$ " W (bottom) x 5 $\frac{3}{4}$ " H)
- Includes all mounting hardware

0822-0449



0822-0450



0822-0451



PART

DESCRIPTION

0822-0449

Double diamond, black stitch

0822-0450

Double diamond, silver stitch

0822-0451

Double diamond, red stitch

BACKREST PADS FOR SQUARE OR ROUND SISSY BARS

- Fits 14 mm x 51 mm ($\frac{9}{16}$ " x 2") thick Drag Specialties sissy bars and most Harley-Davidson sissy bars with a 10 cm (4") wide ID
- Pad features automotive-grade vinyl on sides and in contact area
- Each pad comes with two black powdercoated 12-gauge brackets and four $\frac{1}{4}$ " x 20 screws
- Includes all mounting hardware

NOTE: Pad will not fit sissy bars with welded inserts.

0822-0440



0822-0444



0822-0448



PART

DESCRIPTION

TALL PADS

25,5 CM H X 14 CM W X 51 MM THICK (10" H X 5 $\frac{1}{2}$ " W X 2" THICK)

0822-0440 Double diamond, black stitch

0822-0441 Double diamond, silver stitch

0822-0442 Double diamond, red stitch

SHORT PADS

18 CM H X 14 CM W X 51 MM THICK (7" H X 5 $\frac{1}{2}$ " W X 2" THICK)

0822-0443 Double diamond, black stitch

0822-0444 Double diamond, silver stitch

0822-0445 Double diamond, red stitch

PART

DESCRIPTION

OVAL PADS

19 CM H X 26,5 CM W X 57 MM THICK (7 $\frac{1}{2}$ " H X 10 $\frac{1}{2}$ " W X 2 $\frac{1}{4}$ " THICK)

0822-0446 Double diamond, black stitch

0822-0447 Double diamond, silver stitch

0822-0448 Double diamond, red stitch



0510-0548



GLOSS BLACK EASY FIND KICKSTAND EXTENSIONS

- Make hard-to-reach kickstands easier to operate
- Includes mounting hardware

NOTE: Drilling required.



0510-0550



SHIFTER SHAFT BUSHING

- Replace worn or damaged bushings
- High-quality replacement components
- Sold in pairs

PART #	DESCRIPTION
0510-0549	For 07-17 FLST
0510-0548	For 86-03 XL
0510-0550	For 04-20 XL

PART #	DESCRIPTION
1602-1226	For 01-11 FLT/FLHT/FLHR/FLHX; repl. OEM #42642-00



DRAG SPECIALTIES PREMIUM HEAVY-DUTY INNER TUBES

- Tubes feature a full 2 mm thickness compared to a standard tube 1,2 mm thickness
- More durable with better puncture resistance
- Butyl/rubber construction
- Available in popular 16", 19" and 21" sizes



PART #	SIZE	VALVE STEM
0350-0631	130/90 - 16	CMV
0350-0630	130/90 - 16	SMV
0350-0629	150/80 - 16	CMV
0350-0628	150/80 - 16	SMV

PART #	SIZE	VALVE STEM
0350-0627	5.00/5.10 - 16	CMV
0350-0625	5.00/5.10 - 16	SMV
0350-0626	3.25/3.50 - 19	CMV
0350-0624	2.75/3.00 - 21	CMV



0805-0145



TAILWHIP SEATS

- Takes the Kickflip one step further
- If it's more comfort for the passenger or just another platform to let your adventurous side explore, the whipped-up tail will give you what you are looking for
- Molded Marathon Foam
- BikerTec custom cover
- Highly detailed powdercoated steel carpeted base



0805-0146



0805-0147

PART #	DESCRIPTION
FOR 82-94, 99-00 FXR	
0805-0145	Basket weave seat
0805-0146	Double diamond seat
0805-0147	Pleated seat

CYCLE VISIONS



Founded in 1996, Cycle Visions is a premier manufacturer of V-Twin custom parts and accessories. Their attitude-style sissy bars are a fresh new take on a classic look. The Squaretube line of sissy bars is made from square steel bar with a chrome or black powdercoat finish. They fit all side plate styles except Plug-N-Play for a clean, quick installation.



1501-0705



1501-0696



SQUARETUBE-STYLE SISSY BAR STICKS

- Made from 14,3 mm ($\frac{9}{16}$ " square steel bar
- Available in two sizes: approximately 45,5 cm or 76 cm tall (18" or 30")
- Available with chrome or black powdercoated finish
- Side plates must be purchased separately

NOTE: For show use only, not designed for passenger support.

NOTE: Fits all side plates except for Plug-N-Play.

21 CM TO 22 CM (8,25" TO 8,75") SIDE PLATE OUTSIDE DIMENSIONS (WIDE)

PART #	DESCRIPTION	BAR WIDTH
CHROME		
1501-0700	45,5 cm (18")	22 cm ($8\frac{3}{4}$ ")
1501-0702	76 cm (30")	22 cm ($8\frac{3}{4}$ ")
BLACK POWDERCOAT		
1501-0701	45,5 cm (18")	22 cm ($8\frac{3}{4}$ ")
1501-0703	76 cm (30")	22 cm ($8\frac{3}{4}$ ")

17,5 CM TO 19,5 CM (6,88" TO 7,625") SIDE PLATE OUTSIDE DIMENSIONS (NARROW)

PART #	DESCRIPTION	BAR WIDTH
CHROME		
1501-0696	45,5 cm (18")	17 cm ($6\frac{11}{16}$ ")
1501-0698	76 cm (30")	17 cm ($6\frac{11}{16}$ ")
BLACK POWDERCOAT		
1501-0697	45,5 cm (18")	17 cm ($6\frac{11}{16}$ ")
1501-0699	76 cm (30")	17 cm ($6\frac{11}{16}$ ")

28 CM (11") SIDE PLATE OUTSIDE DIMENSIONS

PART #	DESCRIPTION
FOR 06-10 FXST, 07-17 FLSTF	
CHROME	
1501-0704	45,5 cm (18")
1501-0706	76 cm (30")

PART #	DESCRIPTION
FOR 06-10 FXST, 07-17 FLSTF (CONT)	
BLACK POWDERCOAT	
1501-0705	45,5 cm (18")
1501-0707	76 cm (30")

1501-0692



1501-0695



DETACHABLE BACKREST KITS

- A detachable backrest offers the best of both worlds for your passenger
- The convenience of a comfortable back support for your passenger, with the ability to quickly remove
- Each is bike-specific and arrives with mounting hardware, round bar, and pad
- Does NOT require the relocation of turn signals
- Pad measures 15 cm W x 12,5 H x 51 mm D (6" x 5" x 2")
- Available in chrome or black

PART #

DESCRIPTION

FOR 15-20 INDIAN SCOUT MODELS

1501-0692	Two-up seat, chrome
1501-0693	Two-up seat, black
1501-0694	Solo seat w/ pillion pad, chrome
1501-0695	Solo seat w/ pillion pad, black

1510-0832



1510-0833



QUICK-RELEASE BACKREST/LUGGAGE RACKS

- Boasts proprietary latch system that is rugged and secure, as well as simple to use
- 37 cm (14 1/2") tall
- Black vinyl pad measures 21,5 cm H x 17 cm W x 38 mm thick (8 1/2" x 6 3/4" x 1 1/2")
- Available in chrome, matte black or gloss black
- Requires use of OEM docking hardware to mount
- Included 23 cm x 28 cm (9" x 11") luggage rack provides an easily removable storage solution

PART #

DESCRIPTION

FOR 18-20 FLDE/FLHCS/FLHC/FLSL/FXBB

1510-0832	Chrome
1510-0833	Gloss black
1510-0834	Matte black



WILDASS
MOTORCYCLE AIR CUSHION

SADDLE AIR SEAT CUSHIONS

- Eliminate painful pressure points and promote blood circulation by utilizing adjustable interconnected air cells which conform to the rider's shape regardless of weight or seating position
- Reduce shock and vibration to reduce lower back pain; improve air circulation under the rider to disperse heat and perspiration
- Add shock absorption to provide greater overall seat comfort
- Saddle (34 cm W x 29 cm L x 51 mm H (13,5" x 11,5" x 2")) is a universal fit for smaller cruisers, sport touring, larger adventure bikes and wider pillion seats; this scaled-down version of the Smart features the same wide front-to-back cutout to reduce contact all the way up the center of the cushion along with the tapered back and tailbone cutout
- Three cushioning options: Classic, Air Gel and Lite
- Classic cushions are made with medical-grade neoprene rubber for the ultimate in comfort, elasticity and natural "butt feel" in a motorcycle seat cushion
- Air Gel features three layers of polyurethane with gel pads inserted inside each individual air cell to provide additional cushioning, shock absorption and vibration dampening; can also be used without air when the rider wishes to feel 100% "close to the bike" yet needs some additional cushioning
- Lite is made of economical, lightweight polyurethane and reduces painful pressure points, promotes blood circulation, reduces heat and moisture buildup and lowers shock and vibration better than any other low-cost comfort product

0821-3340



0821-3341



0821-3342



PART #

DESCRIPTION

0821-3340	Classic
0821-3341	Air Gel
0821-3342	Lite



LOW-PROFILE BAGZ™

- Sleek 11 mm ($7/16$ "") low-profile design
- Mount to the top edge on OEM saddlebags
- Utilize super-bright LEDs behind a smoke lens
- Include run/brake/turn functionality
- In-line disconnect for quick removal of saddlebags
- Come pre-taped and include a plug-and-play wiring adapter for easy installation
- Units are completely sealed
- Sold in pairs



2040-2686



PART #	DESCRIPTION
2040-2686	For 14-20 FLHX/FLHXS/FLTRX/FLTRXS/FLTRU/FLTRK/FLHTCU/FLHTCUL/FLHTK/FLHTKL/FLHRS models

PART #	DESCRIPTION
2040-2687	For 14-20 FLHR/FLHXSE, 18-20 FLTRXSE, 19-20 FLHT, 14-18 FLHTP, 14 FLHRSE, 15FLTRUSE, 14-15 FLHTKL models



2040-2697



2040-2698

LOW-PROFILE FENDER LIGHTS FOR TRIGLIDE®

- 65 dual-intensity red LEDs per unit behind a red or smoke lens
- Mount to the bottom of the rear fenders with tape
- Extended wire for plug-and-play installation behind the OEM rear taillights
- Sold in pairs

PART #	DESCRIPTION
FOR 09-20 FLHTCUTG/FLHTCUTGSE, AND 10-11 FLHXXX MODELS	
2040-2697	Red lens
2040-2698	Smoke lens



2020-1935



2020-1936



2020-1937



2020-1938

PROBEAM® BULLET RINGZ REAR TURN SIGNAL INSERTS

- Contain 20 red LEDs per turn signal
- Available with red or smoke lens, with chrome or gloss black bezels
- Completely sealed units
- Metal tabs attach ProBeam® Bullet Ringz™ to OEM turn signal housings for secure installation
- Plug-and-play technology
- Sold in pairs

PART #	DESCRIPTION
FOR ALL US HD MODELS W/ 1156 SINGLE CONTACT BASES (REPLACE OEM #68572-64B, AND 68973-00)	
2020-1935	Gloss black, red lens
2020-1936	Gloss black, smoke lens
2020-1937	Chrome, red lens
2020-1938	Chrome, smoke lens



2330-0257

2330-0255

2330-0253

CustomAccess

SATURN HEADLIGHT

- Direct replacement for OEM headlight with black background
- Measures 14,6 (5,75") in diameter

PART #	DESCRIPTION
2001-2368	Fits 15 Indian Scout models

CustomAccess

FAIRINGS

- Made of high-impact plastic and finished in glossy black, smoke or dark smoke
- Delivered with instructions and optional video on YouTube for easy installation

PART #	DESCRIPTION
FOR FXLRS 18	
2330-0257	Dark Night, smoke
2330-0256	Dark Night, dark smoke
FOR 06 FXDB/I MODELS	
2330-0255	Anarchy, black

- Protects the control panel from debris
- Hardware and mounting bracket included
- Available in a variety of styles and colors

PART #	DESCRIPTION
FOR 18 XL1200XS MODELS	
2330-0252	Anarchy, black
2330-0254	Dark Night, smoke
2330-0253	Dark Night, dark smoke



0602-1162



0602-1159



0602-1155

SLYFOX
AMERICAN MADE MOTORCYCLE PARTS

RISER KITS

- Made with 6061-T6 aluminum
- 25,4 mm (1") diameter clamping area
- 89 mm (3 1/2") center-to-center riser spacing

PULLBACK RISERS (38 MM (1.5") PULLBACK)	
PART #	DESCRIPTION
RAW	
0602-1162	15 cm (6") tall
0602-1164	20,5 cm (8") tall
0602-1166	25,5 cm (10") tall
BLACK	
0602-1163	15 cm (6") tall
0602-1165	20,5 cm (8") tall
0602-1167	25,5 cm (10") tall

- Top clamp and hardware included
- Straight or pullback options
- Available with a raw or black finish

STRAIGHT RISERS	
PART #	DESCRIPTION
RAW	
0602-1156	15 cm (6")
0602-1158	20,5 cm (8")
0602-1160	25,5 cm (10")
BLACK	
0602-1157	15 cm (6")
0602-1159	20,5 cm (8")
0602-1161	25,5 cm (10")

SLYFOX
AMERICAN MADE MOTORCYCLE PARTS

RISER ADAPTERS

- Made from 6061-T6 aluminum
- Allows mounting of tall risers or T-Bars while maintaining the stock gauge module location
- Replaces the existing riser and clamp, mounts with existing hardware
- 89 mm (3,5") center-to-center riser spacing 1/2" riser mounting holes
- Available in a raw or black finish

NOTE: Gauge mounting cover must be modified to allow riser/T-Bar mounting.

NOTE: Will require relocation of ignition switch or ignition delete with CVO flash.

PART #	DESCRIPTION
FOR 15-20 FLTRX/FLTRU/FLTRK	
0602-1154	Black
0602-1155	Raw


FAT BAGGERS
 EZ INSTALL HANDLEBARS



38 MM (1½") EZ INSTALL FLAT TOP HANDLEBAR KIT

- Revolutionary interlocking bolt-together two-piece handlebar design that takes up half the shelf space, is economical to ship and even faster to install
- New adjustable 38 mm (1½") collar next to the handlebar controls for a custom-finished look
- CNC mandrel-bent from 38 mm (1½") diameter x 2,5 mm (0,095") wall heavy tube
- EZ Install - no more need to fight internal wiring; with our handlebars you can install wiring in minutes
- Available with pointed top handlebars
- Pointed top bars feature billet machined top with a large internal machined radius that allows for EZ pulling of wiring (non-welded top corner)
- Install kit includes everything to install the handlebars in half the time of other kits due to our design that only extends the existing clutch cable/clutch line and brake lines; no need to waste time and money replacing the existing cables and lines
- Black bars come with wire extensions and smooth black braided lines/vinyl cable extensions as required; chrome bars come with wire extensions and braided stainless lines/cable extensions as required (**see note**)
- Designed to work with ABS and non-ABS models
- Knurled and notched for TBW applications

NOTE: Kits only include the necessary components needed to install handlebars based on the model, and the height of the handlebar. Certain models and heights of handlebar kits will include brake line extension, clutch line/cable extension and wiring harness. Some of the shorter handlebar kits will only have a wiring harness or only a clutch line/cable extension.

NOTE: Accept OEM heated grips.

CHROME	GLOSS BLACK	END RISE	WIDTH	CENTER WIDTH	PULLBACK
FOR 15-20 FLTRX/S, 16-20 FLTRU (HYDRAULIC CLUTCH) (32 MM (1¼") CLAMPING AREA)					
0601-5496	0601-5498	35,5 cm (14")	89 cm (35")	39,5 cm (10¼")	20,5 cm (8")
0601-5497	0601-5499	40,5 cm (16")	89 cm (35")	39,5 cm (10¼")	20,5 cm (8")



38 MM (1 1/2") EZ INSTALL POINTED TOP HANDLEBARS

- Revolutionary interlocking bolt-together two-piece handlebar design that takes up half the shelf space, is economical to ship and even faster to install
- CNC mandrel-bent from 38 mm (1 1/2") diameter x 2,5 mm (0,095") wall heavy tube
- EZ Install - no more need to fight internal wiring; with our handlebars you can install wiring in minutes
- Feature a billet machined top with a large internal machined radius that allows for EZ pulling of wiring (non-welded top corner)
- Bars with "squared" lower bends also have additional slots to ease wire routing
- Bars are knurled and notched for TBW applications
- Available in chrome or gloss black powdercoat finish

NOTE: Accept OEM heated grips.

CHROME PART #	GLOSS BLACK PART #	END RISE	WIDTH	CENTER WIDTH	PULLBACK
FOR 18-20 FLHRXS (HYDRAULIC CLUTCH, 32 MM (1 1/4") CLAMPING AREA)					
0601-5450	0601-5453	30,5 cm (12")	89 cm (35")	28,5 cm (10 1/4")	20,5 cm (8")
0601-5451	0601-5454	35,5 cm (14")	89 cm (35")	28,5 cm (10 1/4")	20,5 cm (8")
0601-5452	0601-5455	40,5 cm (16")	89 cm (35")	28,5 cm (10 1/4")	20,5 cm (8")



REPLACEMENT FORK TUBES

- Direct OEM replacement tube

PART #	VENDOR #	DESCRIPTION	DIAMETER (MM)	LENGTH (MM)
FOR 08-10 XR1200				
0404-0561	100-0050780DX	Left	43	612
0404-0562	100-0050780SX	Right	43	605



0406-0111



FORK DUST CAPS

- Made from billet aluminum
- Available in chrome and black finishes
- Sold in pairs



0406-0112

PART #	DESCRIPTION
FOR STOCK OR PERFORMANCE MACHINE CALIPERS	
FOR 18-20 SOFTAIL, 06-17 FXD/FXDWG W/ 49 MM FORKS	
0406-0111	Black
0406-0112	Chrome



0910-6177

SUPER-DUTY BIG BORE M-EIGHT PISTON KITS

- Updates stock 107" motor to 124" when using 4,250" big bore cylinders
- Valve pockets are designed to accept up to +4 mm oversized intake and exhaust valves
- Type 3 hard-anodized crown offers corrosion resistance for alcohol-added fuels
- Type 3 hard-anodized top ring groove eliminates micro-welding of ring to the groove and gives a hard-flat surface for ring to rotate on
- OE-style round wire locks are easily installed
- Heavy-duty wrist pins with true 0,9270" diameter to fit rods correctly
- Line2Line AST skirt coating starts out with a near-zero wall clearance and through the break-in period hones the cylinders to produce the correct oil wedge, keeping the piston square to the cylinder for best ring seal and quiet operation
- Kit includes 11.4:1 CR pistons, rings, pins and locks

NOTE: Requires the separate purchase of 4,250" bore cylinders PART #0931-0823.

PART #	DESCRIPTION
FOR 17-20 107" M-EIGHT	
0910-6177	4,250" kit
0910-6178	+0,005" kit



CLUTCH BASKET

- Constructed from billet aluminum and hard anodized to deliver enhanced clutch modulation
- Extreme durability resists notching and extends clutch life
- Exclusive replaceable cushions protect your transmission from damage even in the most extreme conditions
- Tightly controlled tolerances ensure smooth operation, less drag and reduced clutch noise
- Think of a clutch basket as the backbone of your entire clutch system
- Precision CNC-machining combined with innovative world-class engineering allows Rekluse clutch baskets to safeguard your vital internal components, keeping you on the on the road for the long haul

PART #	DESCRIPTION
1132-1478	For 17-20 M-Eight and 17 FLSTFBS/FLSS



CAM CHAIN TENSIONER

- Precision machined from 6061 billet aluminum
- Larger diameter piston and tighter tolerance fit for more consistent pressure
- Thicker pad for longer wear between service
- Direct chain oiling

PART #	DESCRIPTION
0950-0962	For 17-20 M-Eight



HYDRAULIC CLUTCH SLAVE CYLINDER

- Direct bolt-on OEM replacement
- Compatible with OEM and aftermarket clutches, including the Rekluse RadiusX and TorqDrive
- Billet CNC precision-machined piston and housing
- Reduces clutch lever pull strength for less hand fatigue
- Expanded friction zone for increased control and smoother takeoffs
- Precise design for lighter lever pull without compromising clutch control or shifting
- Durable hard anodized finish for enhanced sealing and maximum durability

PART #	DESCRIPTION
1132-1477	For 14-16 FLHT/FLHR/FLHX/FLTRX/FLTRU/HD FL Trike, 16 FLSS/FLSTFBS and all 13-16 CVO models w/ hydraulic clutch



0703-0847



0703-0849



0703-0848



0703-0850



0703-0855



0703-0851



0703-0852



0703-0853



0703-0856



0703-0857



0703-0858




VENTED GAS CAPS

- CNC-machined from billet aluminum with right-handed threads
- Exclusive ratchet design provides proper torque and design alignment
- Sold each

PART #	DESCRIPTION
FOR L96-20 BIG TWIN, L96-20 XL W/ SCREW-IN TYPE VENTED GAS CAP	
0703-0847	10-Gauge, black anodized
0703-0849	10-Gauge, black anodized w/ machined accents
0703-0848	10-Gauge, chrome
0703-0850	10-Gauge, blue anodized
0703-0851	10-Gauge, gold anodized
0703-0852	10-Gauge, orange anodized

PART #	DESCRIPTION
FOR L96-20 BIG TWIN, L96-20 XL W/ SCREW-IN TYPE VENTED GAS CAP (CONT)	
0703-0853	10-Gauge, red anodized
0703-0854	10-Gauge, titanium anodized
0703-0855	Bar, black anodized
0703-0856	Bar, chrome
0703-0857	12-point, black anodized
0703-0858	12-point, chrome



KURYAKYN

ALUMINUM LOAD EQUALIZERS

- Perfect for any custom application when replacing OEM incandescent turn signals with low-draw LED turn signals
- 100W – 6 Ohm rating
- Black anodized aluminum housings for durability and heat dissipation
- Includes heat shrink butt connectors
- In most instances, this kit will allow all four turn signals to be replaced with LED lights
- Sold in pairs

PART #	DESCRIPTION
2050-0433	For universal 12V applications



KURYAKYN

RIOT-X MINI FLOORBOARDS

- Made from quality aluminum with textured satin black and machined (top) finish
- Three adapter mounting locations with full angle adjustability offer tailored comfort
- Include removable/optional padded EPDM rubber inserts to dampen vibration and provide a cushioned feel (can be used with or without inserts)
- Machined top surface with aggressive serrated tooth design offers outstanding grip and extra "bite"
- Measure 5 1/2" L x 3 3/4" W
- Do not come with mounts; require Kuryakyn splined mounts, see page ??? of the 2021 Parts Europe Fatbook
- For installation on OEM H-D footpeg mounts
- Sold in pairs

PART #	DESCRIPTION
1621-1030	Riot-X mini floorboards

PRO ONE PERFORMANCE

Pro One started in 1989 with approximately 90 numbers and an 8-page catalog. Today they are one of the largest suppliers of billet aluminum motorcycle accessories in the world. They continue to design and create some of the most innovative and best-quality products for motorcycles on the market today. Their latest Pro Peg series footpegs are a sleek, modern design that looks great and provides a comfortable, solid grip and adjustability.



BMX V1 BILLET FOOTPEGS

- Sleek and modern design with comfort and performance
- Thin, tapered design for additional ground clearance
- CNC-machined from 6061-T6 billet aluminum
- Male-mount configuration with $\frac{3}{8}$ " mounting holes
- Include traditional BMX-style traction pins that provide fantastic grip and adjustability
- 360-degree adjustable clevis with locking set screws
- Measure $3\frac{3}{4}$ " W x $3\frac{3}{4}$ " L (not including clevis)
- Sold in pairs

NOTE: Mounting hardware is not included.



1620-2281



1620-2282



1620-2283



1620-2284

PART #	DESCRIPTION
1620-2281	Chrome
1620-2282	Black
1620-2283	Red
1620-2284	Gold (Titanium nitride-coated)



MOTO V1 BILLET FOOTPEGS

- Sleek and modern design with comfort and performance
- Thin, tapered design for additional ground clearance
- CNC-machined from 6061-T6 billet aluminum
- Male-mount configuration with $\frac{3}{8}$ " mounting holes
- 360-degree adjustable clevis with locking set screws
- Measure $2\frac{1}{4}$ " W x $3\frac{1}{2}$ " L (not including clevis)
- Sold in pairs

NOTE: Mounting hardware is not included.



1620-2277



1620-2279



1620-2278



1620-2280

PART #	DESCRIPTION
1620-2277	Chrome
1620-2278	Black
1620-2279	Red
1620-2280	Gold (Titanium nitride-coated)



TSC SHORTY SHIFTER PEGS

- 6061 aluminum construction
- Laser-etched
- Includes hardware
- Measures 1,125" L x 1" diameter
- Fits all Harley-Davidson® models with $\frac{5}{16}$ "-24 thread
- Includes quality ARP® 12-point heat-treated special 300 alloy stainless steel bolt with polished finish
- Sold each



1603-0374



1603-0375

PART #	DESCRIPTION	PART #	DESCRIPTION
1603-0374	Polished	1603-0375	Black anodized