



1310-1827



PREMIUM RIDE-HEIGHT ADJUSTABLE SHOCKS

- Nitrogen-charged steel monotube damper bodies with hard chrome-plated shafts
- Dual-rate progressive wound springs for a smooth, comfortable ride
- Adjustable spring preload
- Ride-height adjustable, +/- 1/2" from size listed
- Chrome shocks feature chrome springs and damper bodies with clear anodized end caps/eyelets
- Black shocks feature black springs and damper bodies with black end caps/eyelets
- Available in standard or heavy-duty applications (loads over 300 lb.)
- Mount with existing hardware

NOTE: Before purchasing or attempting to install shocks that are different than the OEM length, confirm that your wheel travel can be altered without causing clearance issues such as swingarm/axle to exhaust contact, as well as chain/belt guard or tire contact.

NOTE: Lowering the motorcycle will reduce ground and cornering clearance.

NOTE: Shocks shorter than OEM length have reduced travel; this may affect the ride quality and handling of the motorcycle.

NOTE: Not for use with rear lowering kits.

NOTE: OEM upper shock mount covers will not fit with these shocks.



1310-1842



DESCRIPTION	279 MM (11")	305 MM (12")	330 MM (13")
STANDARD			
FOR 86-03 XL			
Chrome	1310-1827 ¹	-	-
Black	-	1310-1830 ¹	1310-1832 ¹

DESCRIPTION	279 MM (11")	305 MM (12")	330 MM (13")
HEAVY-DUTY			
FOR 86-03 XL			
Chrome	-	1310-1839 ¹	-
Black	-	-	1310-1842 ¹

¹ Includes spacers.



1310-1835



1310-1834

REPLACEMENT SHOCK ABSORBERS

- Nitrogen-charged steel monotube damper bodies with hard chrome-plated shafts
- Progressively wound springs for a smooth, comfortable ride
- Adjustable spring preload
- Mount with existing hardware
- Available in several lengths to suit most riding styles
- Sold in pairs

NOTE: Lowering the motorcycle will reduce ground and cornering clearance.

NOTE: Before purchasing or attempting to install shocks that are different than the OEM length, confirm that your wheel travel can be altered without causing clearance issues such as swingarm/axle to exhaust contact, as well as chain/belt guard or tire contact.

NOTE: Shocks shorter than OEM length have reduced travel; this may affect the ride quality and handling of the motorcycle.

DESCRIPTION	292 MM (11,5")	318 MM (12,5")	330 MM (13")
FOR 86-03 XL			
Chrome	1310-1833	1310-1835	-
Black	1310-1834	1310-1836	1310-1838

DRAG SPECIALTIES PREMIUM HEAVY-DUTY INNER TUBES

- Tubes feature a full 2 mm thickness compared to a standard tube 1,2 mm thickness
- More durable with better puncture resistance
- Butyl/rubber construction
- Available in popular 16", 19" and 21" sizes



0350-0631



PART #	SIZE	VALVE STEM	PART #	SIZE	VALVE STEM
0350-0631	130/90 - 16	CMV	0350-0627	5.00/5.10 - 16	CMV
0350-0630	130/90 - 16	SMV	0350-0625	5.00/5.10 - 16	SMV
0350-0629	150/80 - 16	CMV	0350-0626	3.25/3.50 - 19	CMV
0350-0628	150/80 - 16	SMV	0350-0624	2.75/3.00 - 21	CMV

DRAG SPECIALTIES INNER TUBES

- High-quality, standard thickness butyl rubber inner tubes
- Custom sizes for extra-wide wheel applications
- For Valve Stem Types see chart on page ???
- Sold each
- Do not use on rim types CP or MT H2



DS181220

PART #	RIM SIZE	FITS TIRE SIZE	VALVE STEM TYPE	PART #	RIM SIZE	FITS TIRE SIZE	VALVE STEM TYPE
DS181228	15"	5.00-5.10", 130/90	SRV	DS181223	18"	4.00-4.50", 110, 120, MR	CMV
DS181226	16"	5.00-5.10", 130/90	SRV	DS181220	18"	180/55	CMV
DS181227	16"	5.00-5.10", 130/90	SMV	DS181234	18"	240/40	CMV
DS181232	16"	5.00-5.10", 130/90	CMV	DS181229	19"	2.75-3.00"; 80/90, MH	CMV
0350-0173	16"	130/90	SRV	0350-0090	19"	3.25", 90/90, MJ	CRV (0,73" stem diameter)
0350-0174	16"	130/90	SMV	0350-0123	19"	3.25", 90/90, MJ	CRV (0,45" stem diameter)
0350-0175	16"	130/90	CMV	DS181230	19"	3.25-3.50", 90/90, 100/90, MJ, MM	CMV (0,45" stem diameter)
0350-0115	16"	6.00", 150/80, MV	SMV	DS181224	21"	2.75-3.00", 80/90, MH	CMV
0350-0116	16"	6.00", 150/80, MV	CMV	DS181225	21"	3.25-3.50", 90/90, 100/90, MJ, MM	CMV
0350-0117	16"	180/65	CMV	DS181231	21"	4.00-4.10", 110/90, 120/70, MN, MP	CMV
DS181221	16"	200/60	CMV				
0350-0064	17"	200/55	CMV				
0350-0437	17"	160/60	CMV				
0350-0178	17"	160/70	SMV				
DS181222	18"	3.50-4.00", 100/90, 110/90, MM, MN/MP	CMV				



REAR DRIVE BELT

- Carbon fiber-reinforced Goodyear engineered Falcon SPC™ belts offer up to 33% more tensile strength than conventional aramid reinforced belts
- High-temperature rubber compound offers excellent flex and long service life
- Fabric-reinforced belt tooth surfaces improve wear resistance
- Durable material construction is designed to withstand belt-penetrating debris without breaking

NOTE: No warranty claims are made or implied.

PART #	DESCRIPTION
1 1/2" BELTS	
1204-0037	126-tooth belt for 80-86 FX, 82-84 FLH (domestic); repl. OEM #40003-79
1204-0041	128-tooth belt for 93 FLST (domestic), FXST 91-93 FXD/FXDWG (international); repl. OEM #40012-90
1204-0043	130-tooth belt for 95-99 FLST (domestic), FXST 94 FLST/FXST 94-95 FXD/FXDWG (Swiss); repl. OEM #40017-94
1204-0046	132-tooth belt for 86-92, 94 FLST (domestic), FXST 89-93 FLT/FXR (international); repl. OEM #40023-86
1204-0050	133-tooth belt for 99 FXD/FXDWG (domestic); repl. OEM #40015-90
1204-0054	135-tooth belt for custom applications
1204-0058	136-tooth belt for 85-96 FLT/FLHT, 85-94 FXR (domestic); repl. OEM #40001-85
1204-0062	139-tooth belt for 99-03 FLT/FLHT/FLHR/FLTR (domestic); repl. OEM #40024-97
1 1/8" BELTS	
1204-0038	126-tooth belt for custom applications
1204-0042	128-tooth belt for 91-03 XL, 94-02 Buell (except Blast) (domestic/international); repl. OEM #40022-91
1204-0044	130-tooth belt for 07-17 FXD/FXDWG (Japan/Brazil); repl. OEM #40048-07
1204-0047	132-tooth belt for 06 FXD/FXDWG (international); repl. OEM #40594-06
1204-0051	133-tooth belt for 00-06 FXD/FXDWG (domestic); repl. OEM #40015-00
1204-0055	135-tooth belt for 00-06 FLST, 00-05 FXST (domestic/international); repl. OEM #40307-00
1204-0059	136-tooth belt for 04-06 XL 883 (domestic/international); repl. OEM #40570-04
1204-0063	139-tooth belt for 04-06 FLHT/FLHR/FLTR (domestic/international); repl. OEM #40024-04
1204-0085	137-tooth belt for 04-06 XL1200C (domestic); repl. OEM #40571-04B

PART #	DESCRIPTION
1" BELTS	
1204-0045	130-tooth belt for custom applications
1204-0112	131-tooth belt for 07-17 FXD/FXDWG (domestic); repl. OEM #40046-07
1204-0048	132-tooth belt for custom applications
1204-0052	133-tooth belt for 07-11 FLST/C/N, FLSTSC/FXSTD, FXCW/C/FXS (domestic/international); repl. OEM #40058-07
1204-0056	135-tooth belt for custom applications
1204-0060	136-tooth belt for 07-10 XL 883 (domestic/international); repl. OEM #40371-07
1204-0060	136-tooth belt for 07 FLHT/FLHR/FLHX/FLTR (Japan); repl. OEM #40056-07
1204-0061	137-tooth belt for 07-08 FLHT/R/X, FLTR (domestic); repl. OEM #40024-07
1204-0061	137-tooth belt for 11-20 XL883, 07-20 XL 1200 and XR1200 (domestic/international); repl. OEM #40591-07
1204-0064	139-tooth belt for custom applications
20 MM BELTS	
1204-0049	132-tooth belt for 07-17 FLST/FXST/FXCW (Japan); repl. OEM #40074-07
1204-0053	133-tooth belt for 07-11 FLSTF/FLSTSB, FXST/B/C (domestic/international); repl. OEM #40073-07
1204-0057	135-tooth belt for 06 FXST (domestic/international); repl. OEM 40655-06
24 MM BELTS	
1204-0092	133-tooth belt for 12-17 Softail (except FXSB/SE); repl. OEM #40000001
1204-0234	134-tooth belt for 18-20 Softail; repl. OEM #40000018
1204-0113	140-tooth belt for 09-20 FLHT/FLHX/FLTRX/FLTRU/FLTRK/FLHR; repl. OEM #40024-09A



COMPETITION SERIES CLUTCH STEEL PLATE KITS

- Made from corrosion-free steel

FITS MODEL	CLUTCH STEEL PLATES
DRESSER MODELS	
For 17-20 M-Eight Dresser models	1131-3682
SOFTAIL MODELS	
For 18-20 M-Eight Softail models	1131-3682



1131-3682