Product News







CHAIN DRIVE CAMCHEST KITS FOR M-EIGHT

0925-1354

- All parts in each kit are matched to ensure superior quality, fit, finish and performance
- Oil pump and cam plate are precision-machined from billet aluminum with a blue anodized finish
- · Passage plugs are removable for servicing
- Independent scavenge sections for the flywheel cavity and cam chest
- Debris screens in both scavenge pickups
- Increased oil flow capacity on both the feed and scavenge sides
- Pressure relief valve is adjustable with the unit installed in the engine
- S&S Quickee Pushrods with chrome or gloss black pushrod tubes
- S&S premium tappets

CHAIN DRIVE KITS FOR 17-21 TWIN-COOLED™ M-EIGHT	
PART #	DESCRIPTION
CHROME PUSHROD TUBES	
0925-1354	W/ 475 cam
GLOSS BLACK PUSHROD TUBES	
0925-1358	W/ 475 cam

0925-1358

- Billet aluminum tappet cuffs have a hard-anodized black coating and are stronger than stock to eliminate distortion
- Improves tappet stability in high-lift situations
- 465 Torque Cam kit is the ideal choice for Touring bike applications
- 475 kits are bolt-in cams that can produce up to 100 horsepower
- All kits include necessary gaskets, bearings and hardware required for a complete installation
- See the Parts Europe 2021 FatBook for additional camchest kits for M-Eight

CHAIN DRIVE KITS FOR 17-21 OIL-COOLED M-EIGHT	
PART #	DESCRIPTION
CHROME PUSHROD TUBES	
0925-1355	W/ 465 cam
0925-1356	W/ 475 cam
GLOSS BLACK PUSHROD TUBES	
0925-1360	W/ 475 cam







FAIRING LOWER ROKKER® XXR 17 CM (6,75") SPEAKER KIT

- Maximum 300W input
- One-piece lightweight driver cone
- Same size components as stock speakers
- Easy installation requiring no modifications; plug-and-play design

PART #	DESCRIPTION
4405-0684	For 14-21 FLHT/FLHX w/ water cooled lower-mounted coolant reservior







- 2-ohm, 200 watt maximum output
- Plug-n-play installation
- High-density neodymium magnet structure
- · Waterproof driver cone
- Paintable, high-impact speaker housings
- Sold in pairs







4405-0823

PART #	DESCRIPTION
FAIRING SPEAKERS	
4405-0826	For 14-21 FLHXFLHTCU/FLHTCUL/FLHXSE/FLHTCUSE/FLHTK/FLHTKL/FLHTCUTG
4405-0822	For 98-13 FLHX/FLHXSE/FLHTCU/FLHTCUL/FLHTCUSE/FLHTK/FLHTKL/FLTCU
4405-0827	For 15-21 FLTRX/FLTRXS/FLHTCU/FLHTCUL/FLHTCUSE/FLHTK/FLHTKL/FLTCU
4405-0823	For 98-13 FLTRX/FLTRXS/FLHTCU/FLHTCUL/FLHTCUSE/FLHTK/FLHTKLFLHTCU
FAIRING LOWER SPEAKERS	
4405-0825	For 14-21 FLHTCU/FLHTCUL/FLHTCUSE/FLHTK/FLHTKL/FLTCU/FLHTCUTG w/ vented lowers
4405-0824	For 06-13 FLHTCU/FLHTCUSE/FLHTK/FLHTKL/FLTCU w/ vented lowers
REAR SPEAKERS	
4405-0828	For 14-21 FLHTCU/FLHTCUL/FLHTCUSE/FLHTK/FLHTKL/FLTCU/FLHTCUTG



16,5 CM (6,5") ROKKER XRP SPEAKERS (CONT)

PART #	DESCRIPTION
FAIRING LOWER SPEAKERS	
4405-0825	For 14-21 FLHTCU/FLHTCUL/FLHTCUSE/FLHTK/FLHTKL/FLTCU/FLHTCUTG w/ vented lowers
4405-0824	For 06-13 FLHTCU/FLHTCUL/FLHTCUSE/FLHTK/FLHTKL/FLTCU w/ vented lowers
REAR SPEAKERS	
4405-0828	For 14-21 FLHTCU/FLHTCUL/FLHTCUSE/FLHTK/FLHTKL/FLTCU/FLHTCUTG



KLOCK WERKS

The patented Flare[™] windshield continues to be the industry standard for style and effective wind management for your V-Twin motorcycle. Popular for Baggers, Klock Werks is working hard to offer fitments of the Flare[™] windshield for many additional V-Twin bikes including the increasingly popular early FXRP models.





FLARE™ BILLBOARD DARK SMOKE WINDSHIELDS

- Modeled after the original Flare[™] windshield for Baggers; now almost every rider can get all of the same performance and style with bolt-on ease
- Patented Klock Werks "hips" on each side create downforce for added stability and the "flip" at the top kicks air up and over the rider for a smoother, less turbulent ride
- Wind tunnel tested and designed to create the same downforce as the original Flare™ windshield
- Computer simulations and real-world testing have resulted in multiple windshield heights to ensure a windshield size that will work for almost any rider
- Windshield heights listed are measured from the top of the headlight opening to the top of the windshield
- Pre-drilled for easy mounting using stock windshield mounting kits
- For the following applications "Detachable" refers to the old-style H-D grommet/hinge style mechanism

NOTE: All measurements given are approximate.

The Klock Werks Flare™ Mindshields are protected under United States Patents: D632235S, D586274S, D586275S, D633017S, D626046S, D633018S and also under International Patents: 324093, 324094, 325192.



PART #	DESCRIPTION
FOR 94-21 FLHR AN KING-SIZE WINDSHI	D 12-16 FLD WITH OEM ACCESSORY DETACHABLE ELD
2310-0708	42 cm tall x 67,5 cm wide (161/2" x 261/2")
2310-0709	49,5 cm tall x 67,5 cm wide (19 ¹ / ₂ " x 26 ¹ / ₂ ")

PART #	DESCRIPTION
	TC MODELS W/ OEM WINDSHIELD, 90-17 FLSTF/FLSTFB,
05-17 FLSTN \	NITH OEM ACCESSORY DETACHABLE KING-SIZE WINDSHIELD
2310-0710	43 cm tall x 70 cm wide (17" x 26 ³ / ₈ ")
2310-0711	51 cm tall x 70 cm wide (20" x 26 ³ / ₈ ")

PART #	DESCRIPTION
FOR 18-21 FLHC/FLHCS/FLDE	
2310-0712	51 cm tall x 70 cm wide (20" x 26 ³ / ₈ ")
2310-0713	43 cm tall x 70 cm wide (17" x 26 ³ / ₈ ")

23 CM (9") FLARE WINDSHIELD

- All of the great features of the original Flare[™] windshield now available in versions for the increasingly popular early FXRP models
- Available in black

PART #	DESCRIPTION
2310-0714	For 83-93 FXRP sport models





PART #	DESCRIPTION

FOR 14-21 FLHT/FLTRU/FLTRK MODELS W/ KING TOUR-PAK	
0801-1362	For Road Sofa CF seats
0801-1363	For Dominator seats
0801-1364	For Road Sofa LS seats

PART #	DESCRIPTION
FOR 14-21 FLHT/FLTRU/FLTRK MODELS W/ KING TOUR-PAK (CONT)	
0801-1365	For Road Sofa PT seats
0801-1366	For RP Slim seats
0801-1367	For Step-Up LS seats



0807-0223

PART #	DESCRIPTION
0807-0220	Pillion; 28,5 cm L x 21,5 cm W (11,2" x 8,5")
0807-0221	Small cruiser; 36,5 cm L x 34,5 cm W (14,4" x 13,4")
0807-0222	Medium cruiser: 37 cm L x 35 5 cm W (14 6" x 14")

PART #	DESCRIPTION
0807-0223	Large cruiser; 38 cm L x 33 cm W (15" x 13")
0807-0224	Sport; 30,5 cm L x 30 cm W (12" x 11,7")

0807-0224

pad to the seat





- Combines the low weight of a saddlebag with the high form stability of a case
- Constructed from weather- and UV-resistant 600D polyester
- Reinforced sides and a back panel help bags keep their shape
- Can be easily and quickly mounted on to the original attachment points along the fender strut
- Features MOLLE attachment system
- . Integrated anti-theft protection on the inside of the bag
- Convenient carrying handle
- · Includes waterproof inner bag
- Fits on right side

PART #	DESCRIPTION
3501-1869	LH1 side bag





SLH SIDE CARRIER

- · Bike-specific design
- Can be quickly and easily mounted on the original attachment points on the fender strut
- Quick-lock system allows Legend Gear side bags to be attached and removed in moments
- For use on the left side of the motorcycle
- Includes mounting hardware

PART # DESCRIPTION
FOR 17-21 FLSL/FXBB, 20-21 FXST

1510-0990 SLH side carrier



1504-0107



DETACHABLE SISSY BAR SIDE PLATES

- · Steel construction
- Will accept any round or square 28 cm (11") wide Drag Specialties sissy bars; see page 354-355 of the 2021 Parts Europe FatBook
- Work with standard H-D detachable docking hardware
- · Available in chrome or black powdercoat

NOTE: Docking hardware not included.


PART #	DESCRIPTION
FOR 09-21 FLHT/FLHR/FLHX/FLTR W/	DETACHABLE DOCKING HARDWARE

1504-0106	Chrome
1504-0107	Black powdercoat



OIL FILTER ADAPTER

- . Installs between the oil filter landing and the oil filter for easy oil supply access for installing an oil cooler (not included)
- · Machined from anodized billet aluminum
- · Flows oil through oil cooler full-time, with no oil bypass
- · Sweeping internal flow passages produce optimal flow characteristics
- · ProLine swivel fittings for easy oil plumbing
- . HyperFlow technology balances performance and flow
- . NPT port and plug for optional installation of sending unit or switch








VISCOSITY REGULATED FLOW ACTUATOR KIT

- Replaces thermostatic actuator element in offset oil filter adapter PART #0713-0031 with new Viscosity Regulated Flow (VRF) actuator
- After filtration, the oil may either travel to the oil cooler or bypass the oil cooler, according to the built-in Viscosity Regulated Flow (VRF) plug function - cold, viscous oil will bypass the oil cooler, speeding warmup to standard operating temperature; as the engine reaches operating temperature and oil reaches optimal viscosity range, the VRF plug will keep the adapter's bypass hole closed, sending hot, filtered oil to oil cooler, and delivering cool, clean oil to engine
- Includes viscosity regulated flow plug, spring, button head with 0-ring and gaskets

PART #	DESCRIPTION	
0713-0254	For 95-17 Big Twin models (except 14-17 Dressers)	







//////ANDREWS



520 CAM FOR 17-21 M-EIGHT

- Greater flow efficiency shortens timing durations while boosting performance
- More torque and power for modified engines
- Wide powerband range of 1600-5500 rpm
- Requires Hi-lift springs (sold separately)

PART #	DESCRIPTION
0925-1365	520

GRIND	OPEN	CLOSE	DURATION @ 0,050"	VALVE LIFT	LIFT TDC	LOBE CENTERLINE
520						
Intake	8°	40°	228°	0,520"	0,115"	106°
Exhaust	64°	4°	248°	0,520"	0,094"	120°





VO2 BLADE AIR INTAKES

- Sharp, clean lines give any V-Twin the edge in both show and go by utilizing the K&N Xstream high-flow air filter
- CNC-machined billet cover
- High-capacity washable air filter element
- Include backing plate, venturi and breather assemblies
- Available in black finish
- See page 574 of the 2021 Parts Europe FatBook for the complete line of Vance & Hines VO2 Blade Air Intakes



PART #	DESCRIPTION
1010-2789	For 17-21 FLHT/FLHR/FLHX/FLTRX/FLTRX/H-D FL Trikes
1010-2790	For 08-16 FLHT/FLHR/FLHX/FLTR/H-D FL Trikes, 16-17 FXDLS, 16-17 Softails, 14-15 FLSTNSE, 13-14 FXSBSE, 11-12 FLSTSE
1010-2791	For 18-21 Softails
1010-2792	For 99-17 Twin Cam w/ Delphi EFI, 99-06 Twin Cam w/ CV Carb (except 08-17 FLHT/FLHR/FLHX/FLTR/H-D FL Trikes, 16-17 FXDLS, 16-17 Softails, 14-15 FLSTNSE, 13-14 FXSBSE, 11-12 FLSTSE)
1010-2793	For 91-21 XL (except 21 Sportster S/RH1250S)

CLEAR TEAR SERIES AIR CLEANER KITS

- The Clear Tear air cleaner series brings the timeless teardrop shape to a new level
- · Smooth flowing cage design is forged and CNC-machined
- Specially formed radius shaped polycarbonate top is coated for long-term durability
- Radius polycarbonate window can be installed in both the front or back facing direction allowing the rider to choose their preferred look
- · Hidden breather backing plate technology
- Breather design is 0-ringed at the heads, passes through the backing plate and exits inside the mouth of the throttle body through proprietary shooter tubes
- M-Eight applications feature an integrated oil-catch to ensure no oil reaches the air filter and restricts air flow
- · Performance air filter is made from black pre-oiled cotton and is washable

PART #	DESCRIPTION
FOR 17-21 FLHT/FLH	R/FLHX/FLTRX/FLTRU/H-D FL TRIKE, 18-21 SOFTAILS
1010-2638	Orange anodized
1010-2642	Titanium anodized
	R/FLHX/FLTR/H-D FL TRIKE, 16-17 SOFTAILS, 4 FXSBSE, 11-12 FLSTSE, 16-17 FXDLS
1010-2639	Orange anodized
1010-2643	Titanium anodized

METHOD CLEAR SERIES AIR CLEANER KITS

- Forged billet aluminum air cleaner featuring a polycarbonate window to view the internal working of air intake system
- Forged billet aluminum backing plate with internal hidden breather backing plate technology eliminating the need for external hoses or hardware for a virtually closed loop system
- Polycarbonate window is coated with proprietary films that prevents oil adhesion, yellowing, or marring from engine oil or UV exposure to maintain window clarity for a clear view of engine's internals

1010-2634

- · Radius air inlet provides unobstructed airflow into engine
- High-performance filter is constructed from black pre-oiled cotton for optimum flow and filtration
- Filter is washable and reusable
- Includes backing plate, forged filter housing, clear polycarbonate top, filter, gaskets and necessary hardware
- · Orange anodized finish

PART #	DESCRIPTION
	For 17-21 FLHT/FLHR/FLHX/FLTRX/
1010-2634	FLTRU/H-D FL Trike, 18-21 Softails
	For 08-16 FLHT/FLHR/FLHX/FLTR/H-D FL Trike,
1010-2635	16-17 Softails, 14-15 FLSTNSE, 13-14 FXSBSE,
	11-12 FLSTSE, 16-17 FXDLS
	Fof 01-17 Twin Cam Delphi EFI models and 99-06 Twin
1010-2636	Cam CV carb models (except 08-16 FLHT/FLHR/FLHX/
1010-2030	FLTR/H-D FL Trike, 16-17 Softails, 14-15 FLSTNSE,
	13-14 FXSBSE, 11-12 FLSTSE, 16-17 FXDLS)
1010-2637 ¹	For 91-21 XL (except 21 Sportster S/RH1250S)

Will fit 88-90 models also; breather system is not applicable for these model years.





1010-2642

PART # DESCRIPTION

FOR 01-17 TWIN CAM DELPHI EFI MODELS AND 99-06 TWIN CAM CV CARB MODELS (EXCEPT 08-16 FLHT/FLHR/FLHX/FLTR/H-D FL TRIKE, 16-17 SOFTAILS, 14-15 FLSTNSE, 13-14 FXSBSE, 11-12 FLSTSE, 16-17 FXDLS

1010-2640	Orange anodized	
1010-2644	Titanium anodized	
FOR 91-21 XL	(EXCEPT 21 SPORTSTER S/RH1250S)	
1010-26411	Orange anodized	
1010-2645 ¹	Titanium anodized	

¹ Will fit 88-90 models also; breather system is not applicable for these model years.

EXHAUST AND HEAT SHIELD EXTENSION KIT FOR DOWN-N-OUT SADDLEBAGS

 Everything you need to extend factory or aftermarket exhaust to the proper length for use with Down-N-Out Saddlebags and rear fenders/fender extensions

 Each kit includes head pipe extensions, chrome heat shield extensions, exhaust clamps and muffler hanger brackets



1621-0998

PART #	DESCRIPTION
1861-1600	For 09-16 FLT/FLHT/FLHX/FLHR/FLTR

MX FOOTPEGS

- CNC-machined from billet aluminum
- Lightweight, cut-through design with integrated rubber inserts for excellent foot traction
- Each peg features CNC-machined cuts on the top and side of the peg body for style that can be seen at every angle
- Rubber inserts offer foot traction and protect the finish of the peg (inserts are replaceable)
- Footpegs require splined footpeg mounts to install (sold separately; see page 1691 of the 2021 Parts Europe FatBook)
- . Footpegs are sold in pairs
- Matching floorboard and passenger boards are available (sold separately)

NOTE: See page 1676 of the Parts Europe FatBook for an explanation of footpeg mount styles.



PART #	DESCRIPTION
1621-0998	Titanium anodized
1621-0999	Orange anodized







HYDRAULIC CLUTCH ACTUATOR COVER

- CNC-machined from billet aluminum
- · Direct bolt-on replacement for the stock cover
- · Available in dimpled style with black finish

PART #	DESCRIPTION
1105-0255	For 17-21 FLHT/FLHR/FLHX/FLTRX models







1107-0668



POINTS COVER

- CNC-machined from billet aluminum







SCALLOP DERBY COVERS

- Direct replacement for stock derby covers on OEM primaries
- Machined Performance Machine logo
- · Hardware and gasket included
- Available in Chrome, Black Ops[™] or Contrast Cut[™]



1107-0669

PART #	DESCRIPTION
FOR 18 FLSB, 19-21 SOFTAIL MODELS	
1107-0667	Contrast Cut™
1107-0668	Chrome
1107-0669	Black Ops™



FOUR-PISTON DIRECT BOLT-ON FRONT CALIPERS

- Precision machined from billet aluminum
- . Compatible with ABS and non-ABS systems
- Designed for 11,8"/300 mm rotors
- Available in Black Ops[™] finish

PART #	DESCRIPTION
FOR 08-21 FLHT/FLHR/FLHX/FLT 14-21 XL (EXCEPT 21 SPORTSTE AND 08-17 VRSCD/VRSCAW (12	
1701-0697	Right caliper
1701-0698	Left caliper



CONTOUR FOOTPEGS

- Designed to match Performance Machine Contour grips
- · Rubber-wrapped design
- · Available in black anodized or chrome finish
- · Sold in pairs





1620-2232

1620-2235

PART #	DESCRIPTION
M-EIGHT SOFTAIL/ELW DRIVER FOOTPEGS	
1620-2232	Chrome
1620-2233	Black

PART #	DESCRIPTION
M-EIGHT SOFTAIL/ELW PASSENGER FOOTPEGS	
1620-2234	Chrome
1620-2235	Black







NAMZ

NAMZ has the parts and technical know-how to ensure everything stays connected. A leader in the V-Twin marketplace, NAMZ products are designed for simple installation (plug-and-play for most applications), quality fit/finish and years of trouble-free service. Adding lights? Accessories?

NAMZ accessories can help you quickly install electrical accessories and spend

more time enjoying the ride.



TOUR PAK® WIRING INSTALLATION KITS • Everything needed to connect the wiring on your OEM

- or aftermarket Tour Pack to your motorcycle
- Plug-n-play installation
- · Quick-disconnect feature

PART #	DESCRIPTION
2120-1122	For 14-21 FLHX/FLTRX models
2120-1123	For 99-13 FLHT/FLTR models (except 10-13 FLHX/FLTRX and 09-13 CVO models) when retrofitting 14-21 style Tour Pak

2120-1122

PART #	DESCRIPTION
2120-1124	For 10-13 FLHX/FLTRX models (except FLHXSE FLTRSE) when retrofitting 14-21 style Tour Pak
2120-1125	For 10-13 FLHXSE FLTRSE models only when retrofitting 14-21 style Tour Pak




- · Add additional running, brake and turn signal lights to the rear of your motorcycle
- Plug-n-play (unless noted)
- Includes all the wiring and heat shrink required



2120-1119

PART #	DESCRIPTION
2120-1119	For 10-13 FLHX/FLTRX models
2120-1120	For 99-13 XL, 99-10 FLST, 99-11FXD/FXDWG, 99-13 FLHT/FLHR/FLTR (except 10-13 FLHX AND FLTRX)
2120-1121	For 99-21 HD models (universal hard-wire installation)





2120-1121











PASSING LAMP CONTROL HARNESS

- · Allows the use of passing lamps while the high beam is on
- Plug-n-play installation


PART #	DESCRIPTION
2120-1118	For 98-13 FLHT/FLHX, 09-13 FLHTCUTG/FLHXXX models



HARNESS TURN SIGNAL TAP

- Front turn signal tap
- For adding additional front turn signals
- Plug-n-play

PART #	DESCRIPTION
2120-1116	For 96-13 FLHR/FLHT
2120-1114	For 14-17 FXDB/ FLST, 14-21 FLTR/FLHX/ FLHT and 17-21 FLHRXS
2120-1115	For 06-08 FLHX/FLTR
2120-1117	For 14- 21 FLHR (except 17-21 FLHRXS)



INDIAN Y-POWER ADAPTOR HARNESS

• Plug-n-play installation

PART #	DESCRIPTION
2120-1113	For all 14-17 Indian models



SPEEDOMETER EXTENSION HARNESS

- Used when installing taller bars
- Measures 38 cm (15")

PART #	DESCRIPTION
2120-1063	For 14-21 FLHR, 11-17 FXST, FLST 12-16 FXD, FXDWG (speedometer only), 14-21 XL

FOAM LOOMS

- OEM replacement rear fender loom with adhesive tape
- Measure 45,5 cm (18") long
- Easy to install
- Sold in pairs

PART #	DESCRIPTION
2120-1095	Rear fender foam loom

IGNITION WIRING HARNESSES

- Match OEM H-D specs
- Simple, plug-and-play installation

PART #	DESCRIPTION
2120-1065	For Twin Cam models w/ 04-06 OEM style or Screaming Eagle style ignition modules





PROBEAST™ DUAL TONE AIR HORNS

- · Direct replacement to stock horn
- . Attention grabbing 104.9dB rating (at 2 meters)
- . Built with heavy-duty metal bracket and ABS cover for lasting durability
- Internals are 100% self-contained
- \bullet Cover dimensions: 15 cm L x 14,5 cm W (5 7 /8" L x 5 3 /4" W)
- Plug-and-play harness

PART # **DESCRIPTION**

FOR 84-21 FLHT/FLHR/FLTR/FLHTCUTG/FLRT/XL1200C/XL1200T, 84-17 SOFTAILS (EXCEPT BREAKOUT®, BLACKLINE, ROCKER AND ROCKER C), AND 91-17 DYNA MODELS (EXCEPT 14-17 LOW RIDER/LOW RIDER S)

2107-0310	Black	
2107-0311	Chrome	





PROGLOW™ COLOR-**CHANGING LED ACCENT LIGHT STRIPS**



- · Watertight
- · Pre-taped for mounting
- · Plug-and-play technology
- Sold each

2040-2753

DESCRIPTION PART # 2040-2752 6 LEDs (57 mm (2,25") mounting surface) PART # DESCRIPTION 2040-2753 15 LEDs (30,5 cm (12") mounting surface)



- Fits flat motorcycle brake calipers with 5/8" wheel clearance; universal 12VDC systems
- Oval disk to provide 360° coverage
- · Pre-taped for mounting to inside of front wheel brake caliper
- Watertight
- · Plug-and-play technology
- · Sold each

NOTE: Requires ProGLOW™ Bluetooth® controller (PART #2050-0440), sold separately.

PART #	DESCRIPTION
2040-2755	Gloss black
2040-2756	Chrome

SEQUENTIAL TURN SIGNAL CONTROL **MODULE**

- · Allows for up to five separate turn signal segments per side to flash sequentially instead of flashing all at the same time
- 91 cm (36") wire leads
- . Built-in quick connectors
- 9-16VDC operating range
- Reverse battery protection
- 0,25A per output

PART #	DESCRIPTION
2050-0426	Sequential turn signal control module






DUAL COLORED PLASMA RODS™ WIRING ADAPTERS


. Allows Custom Dynamics Dual Color Plasma Rods (PART #s 2040-2702, 2040-2703, 2040-2704, 2040-2705; sold separately) to be used as run/brake/turn operation

- Install into main wire harness for easy wire hook up
- · One unit needed per bike
- · Plug-and-play technology













2040-2845





DUAL COLOR LED SADDLEBAG LATCH LIGHTZ

- 81 dual-color LEDs per unit
- · Red running/brake lights with amber turn signals
- · Chip-on-board LED technology
- · Available in red or smoke lens
- · Plug-and-play technology

PART #	DESCRIPTION
FOR 14-21 FLHX/FLHXS/FLTRX/FLTR FLHTK/FLHTK/FLHRS, AND 16 FLTRS	
0040 0045	Dod

2040-2845 Red 2040-2846 Smoke

DESCRIPTION PART #

FOR 14-21 FLHR/FLHXSE, 19-21 FLHT, 18-21 FLTRXSE, 15 FLTRUSE, 14-18 FLHTP, AND 14 FLHRSE 2040-2847 Red 2040-2848



TRACER LED TAILLIGHTS

- . Eliminates the need for OEM taillight base. allowing for an extremely low-profile look
- · Available in red or smoke polycarbonate lenses with or without license plate illumination window
- Direct plug-and-play replacement for most stock fender-mounted "eraser-style" taillights on 1999-later H-D models
- "Racetrack-style" fully diffused LED technology provides zero shadowing for crisp, uniform output
- Styled to match the complete Tracer line of LED accessories for H-D





DESCRIPTION



Smoke

FOR MOST 99-21 H-D MODELS EQUIPPED WITH AN OEM SQUAREBACK-STYLE TAILLIGHT

WITH TUP LICENSE PLATE ILLUMINATION WINDO	VV
2010-1448	Red lens
2010-1449	Smoke lens
WITHOUT LICENSE PLATE ILLUMINATION WINDO	W
2010-1450	Red lens
2010-1451	Smoke lens













18 CM (7") PREMIUM REFLECTOR-STYLE LED HEADLAMPS

- Direct replacement for most 18 cm (7") headlights
- Die-cast aluminum housing offering rugged durability and state-of-the-art LEDs

2001-1788

- 14-21 Dresser style includes wire harness
- 84-13 Dresser style includes mounting ring
- · Headlamp only is also available
- ECE approved

PART #	DESCRIPTION
FOR 14-21 DRESSER (EXCEPT FLHR)	
2001-1789	Black
2001-1790	Chrome
FOR 84-13 DRESSER	
2001-1787	Black
2001-1788	Chrome

2001-1792

PART #	DESCRIPTION	
LIGHT ONLY		
2001-1792	Black	
2001-1542	Chrome	



PREMIUM 18 CM (7") REFLECTOR LED HEADLAMP

- Direct replacement for 18 cm (7") headlights
- Easy plug-in installation with H4-style connector
- Superior visibility, safety and durability
- 1400 lumen output (high beam), 706 lumen output (low beam)
- ECE approved

NOTE: 14-21 Dressers will require wire harness adapter PART #2120-0647 or PART #2120-0655 (sold separately).

NOTE: 84-13 Dressers will require mount kit PART #2001-1106 (sold separately).

PART #	DESCRIPTION	
2001-1542	18 cm (7") reflector LED headlamp	









14,5 CM (5,75") REFLECTOR LED HEADLAMPS

- Direct replacement for 14,5 cm (5,75") headlights
- H4 plug-in connector
- Superior visibility, safety and durability
- 1400 lumen output (high beam) 706 lumen output (low beam)
- ECE approved

PART #	DESCRIPTION	
2001-1538	Chrome	
2001-1791	Black	







2001-1791





PREMIUM 11,5 CM (4,5") LED REFLECTOR PASSING LAMPS

- Direct replacement for 11,5 cm (4,5") passing lamps
- · Superior visibility, safety and durability
- · Sold in pairs
- ECE approved

PART #	DESCRIPTION
2001-1543	Chrome
2001-1793	Black







2001-1793



TAC-10 LIGHT CANNONS

- Powerful headlight system with Vision X Lighting technology feature shines with the power of 2104 lumens
- 10-watt high-intensity LED lights with 15° beam pattern and built-in white halo rings
- Long-distance IRIS reflectors
- Lights connect to the high beam circuit, or can be wired directly to key on power
- Kit includes two headlamps, brackets, hardware and plug-n-play wiring harness

U.S. Design Patent No. D736,430

PART #	DESCRIPTION
2001-2439	For 14-21 FLHX/FLHXS, 19-21 FLHT models





0610-2205

Anthem, contrast



0610-2206



0610-2207



0610-2208

ADJUSTABLE LEVER SETS

- Adjustable levers for V-Twins
- · Easily adjust lever to bar reach for individual riders (limited inward adjustment)
- CNC-machined from high-quality aluminum
- See page 1197 of the 2021 Parts Europe FatBook for the complete line of PSR Adjustable Levers and Sets
- Sold in pairs

0610-2207



0610-2209

LEVER SET	DESCRIPTION
FOR 21 FLH/FLHT/FLHR/FLHRXS/FL FLHXS/FLHXSE/FLHTCUTG/FLHTCU	TRK/FLTRX/FLTRXS/FLTRXSE/FLRT/FLHX/ TGSE/FLHTK/FLHTKSE MODELS
0610-2205	Anthem, chrome
0610-2206	Anthem, black

LEVER SET DESCRIPTION FOR 21 FLH/FLHT/FLHR/FLHRXS/FLTRK/FLTRX/FLTRXS/FLTRXSE/FLRT/FLHX/ FLHXS/FLHXSE/FLHTCUTG/FLHTCUTGSE/FLHTK/FLHTKSE MODELS (CONT) 0610-2208 Journey, chrome 0610-2209 Journey, black



0610-2210



0610-2211

DESCRIPTION

ANTHEM SHORTY LEVER SETS

- 38 mm (1,5") shorter in length than standard Anthem levers
- · Adjustable levers for V-Twins
- · Easily adjusts for individual rider's preference (limited inward adjustment)
- CNC-machined from high-quality aluminum
- . See page 1198 of the 2021 Parts Europe FatBook for the complete line of PSR Anthem Shorty Lever Sets
- · Sold in pairs



FOR 21 FLH/FLHT/FLHR/FLHRXS/FLTRK/FLTRX/FLTRXS/FLTRXSE/FLRT/FLHX/FLHXS/ FLHXSE/FLHTCUTG/FLHTCUTGSE/FLHTK/FLHTKSE MODELS

0610-2210	Chrome
0610-2211	Black








- · Revolutionary interlocking bolt-together two-piece handlebar design that takes up half the shelf space, is economical to ship and even faster to install
- CNC mandrel-bent from 32 mm (11/4") diameter x 3 mm (0,120") wall heavy tube
- EZ Install no more need to fight internal wiring; with our handlebars you can install wiring in minutes
- . Bars are knurled and notched for TBW applications
- · Available in chrome or gloss black powdercoat finish

NOTE: Accept 0EM heated grips.

U.S. Patent No. 10,946,926.



ncn1	664	
UOU	-331	

CHROME	GLOSS BLACK	END RISE	WIDTH	CENTER WIDTH	PULLBACK
FOR 15-21 FLTRX/S, 16-2	21 FLTRU/FLTRK (32 MI	M (1 ¹ / ₄ ") CLAMPING AREA	A, ACCEPTS STOCK CLAMPS)	
0601-5520	0601-5524	25,5 cm (10")	89 cm (35")	28,5 cm (10,25")	20,5 cm (8")
0601-5521	0601-5525	30,5 cm (12")	89 cm (35")	28,5 cm (10,25")	20,5 cm (8")
0601-5522	0601-5526	35,5 cm (14")	89 cm (35")	28,5 cm (10,25")	20,5 cm (8")
-	0601-5527	40,5 cm (16")	89 cm (35")	89 cm (35")	20,5 cm (8")
FOR 94-21 FLHR, 98-13 I	FLTR, 15-21 FLRT, 86-17	7 FXST/FLST AND 91-17 D	YNA (EXCEPT SPRINGERS)	(25,4 MM (1") CLAMPING AREA)	
0601-5512	0601-5516	25,5 cm (10")	89 cm (35")	28,5 cm (10,25")	20,5 cm (8")
0601-5513	0601-5517	30,5 cm (12")	89 cm (35")	28,5 cm (10,25")	20,5 cm (8")
0601-5514	0601-5518	35,5 cm (14")	89 cm (35")	28,5 cm (10,25")	20,5 cm (8")
0601-5515	0601-5519	40,5 cm (16")	89 cm (35")	28,5 cm (10,25")	20,5 cm (8")











0630-2800

RUBBER GRIPS

- The true old-school "soda bottle" look
- Made from Kraton® rubber for a great feel and a vintage appearance
- · Will not dry, harden or crack
- · Colorfast designs won't stain your hands or gloves
- Fit 25,4 mm (1") handlebars
- Include throttle sleeves for cable or Throttle-By-Wire applications
- For the complete line of Avon rubber grips, see page 1211 of the 2021 Parts Europe FatBook
- · Sold in pairs










PART #	DESCRIPTION
i Λili π	DESCRIPTION

FOR 08-21 FLHT/FLHR/FLTR/FLHX, H-D FL TRIKE, 16-21 SOFTAILS, 20-21 LIVEWIRE, 16-17 FXDLS, 13-15 FXSBSE, 14-15 FLSTNSE, 11-12 FLSTSE		
0630-2797	Black	
0630-2798	Red	
0630-2799	White	
0630-2800	Sparkle blue	
0630-2801	Sparkle red	
0630-2802	Tan	
0630-2803	Waffle	
0630-2804	Jack Hammer	

DESCRIPTION PART #

0630-2796	Jack Hammer
0630-2795	Waffle
FUR 02-17 DIG TWIN AND 02-21 AL WUL	JELƏ (GADLE)



STANDARD HANDLEBAR CABLE KITS

- Kit includes the correct length braided cables and brake/clutch lines to complete a handlebar swap
- . Does not include any extended wiring
- · All cables and lines are stainless steel no matter the finish
- Available in three finishes: stainless steel with clear shielding and chrome fittings, black vinyl with chrome fittings or midnight black with dark smoke-tinted shielding and pure black fittings
- Midnight lines appear graphite or carbon in appearance for an ultra custom look

NOTE: Kits are based on using 51 mm (2") risers with Ape Hanger handlebars.

BLACK VINYL/STAINLESS BRAIDED KITS	
FITS MODEL	STANDARD KITS
FOR 18-21 FXLRS/FXFB/FXFBS W/ ABS	
For use w/ mini Ape Hangers	0662-0781
For use w/ 30.5 cm-35.5 cm (12"-14") Ape Hangers	0662-0784

MIDNIGHT BRAIDED KITS	
FITS MODEL	STANDARD KITS
FOR 18-21 FXLRS/FXFB/FXFBS W/ ABS	
For use w/ mini Ape Hangers	0662-0782

STAINLESS BRAIDED KITS	
FITS MODEL	STANDARD KITS
FOR 18-21 FXLRS/FXFB/FXFBS W/ ABS	
For use w/ 30,5 cm-35,5 cm (12"-14") Ape Hangers	0662-0783

0662-0783

















SLIP-INN LICENSE PLATE MOUNTS

- The new SLIP-INN opening allows easy mounting of the license plates without screws or glue
- Bright LED tag lighting in slim, high-quality aluminum housing in black anodized finish

PART #	DESCRIPTION
2030-2069	For Spanish license plates
2030-2070	For French license plates
2030-2071	For United Kingdom license plates
2030-2072	For Italian license plates

PART #	DESCRIPTION
2030-2073	For Dutch license plates
2030-2074	For Swedish license plates
2030-2075	For Belgian license plates



AXLE MOUNT LICENSE PLATE BRACKET KIT

Fits any 1" axle; just install the black powdercoated bracket off your axle, then attach the aluminum license plate backing plate, either vertically or horizontally, with the supplied hardware

NOTE: Be sure to check your local laws regarding license plate orientation and location.

PART #	DESCRIPTION
2030-1956	Fits 1" axle





