PART #

1801-1492

# Product No



**DESCRIPTION** 

For 2021 Pan America



## **ADVENTURE HI-OUTPUT 450 SLIP-ON MUFFLER**

- Designed specifically for the Revolution Max 1250 motor, the Vance & Hines Adventure Hi-Output 450 delivers a strong increase in horsepower and torque versus the bike's stock Revolution Max exhaust system while reducing overall weight of exhaust by approximately 6 lb
- · Cutting-edge baffle design delivers bold rumble while meeting J2825 decibel levels
- 41/2" dia. slip-on delivers over 5 hp and 5' lb torque
- · CNC-machined billet end cap; 304 stainless steel finish
- Compatible with Harley-Davidson® factory saddlebags and centerstand
- · All necessary instructions and hardware included

## **QUIET BAFFLES FOR TORQUER 450 SLIP-ON MUFFLERS**

- Designed to work with the 17-21 Touring or 99-16 Twin Cam models
- Baffles reduce sound by approximately 2-3 decibels compared to standard baffles; offer a deeper rumble
- PART #1861-1603 has two different sized baffles in kit: works with  $2^{5}/_{8}$ " (right) and  $1^{3}/_{4}$ " (left) slip-on inlets for the M-Eight designed Touring slip-ons

1861-1603	Opt. quiet baffle (p							
FOR 17-21 FLHT/FLHX/FLHR/FLTRX/FLTRU/FLTRK								
PART #	DESCRIPTION							
Mounting hardware and installation instructions included								



PART #	DESCRIPTION
FOR 99-16 FLT/FLHT/FLHX/FLHR/FLTR	
1861-1602	Opt. quiet baffle (ea.)

#### 4" ELIMINATOR 400 QUIET BAFFLE KIT

- Designed to work with the 17-21 Touring models
- · Baffles reduce sound by approximately 2-3 decibels compared to standard baffles and offer a deeper rumble
- Two different sized baffles; works with 25/8" (right) and 13/4" (left) slip-on inlets for the M-Eight designed Touring slip-ons
- Mounting hardware and installation instructions included
- · Sold in pairs



PART #	DESCRIPTION
1861-1604	For 17-21 FLHT/FLHTK/FLHX/FLTRX/FLTRU/FLHR/FLTRK models







- Full-range class D amplifier with a 2 ohm load
- Two channels at 100 watts each for a total of 200 watts
- · Plug-n-play wiring harness
- PART #s 4405-0855 and 4405-0856 are manually adjustable during installation

PART #	FITS MODEL
4405-0855 <sup>1</sup>	For 15-21 FLTRX/FLTRXS/FLTRU/FLTRK models
4405-0851	For 98-13 FLHTCU/FLTR/FLTRX/FLTRU models



- Amplifier measures 16,5 cm L x 12 cm W x 44 mm T ( $6^{1}/_{2}$ " x  $4^{3}/_{4}$ " x  $1^{3}/_{4}$ ")
- Includes 6,58" weatherproof speaker w/ high density neodymium magnet structure

PART #	FITS MODEL
4405-0856 <sup>1</sup>	For 14-21 FLHX/FLHXS/FLHT/FLHTCU/FLHTCUTG models
4405-0852	For 98-13 FLHX/FLHT/FLHTCU/FLHTCUTG models

<sup>&</sup>lt;sup>1</sup> Requires special radio flashing.







**ROKKER® 200W AMPLIFIER KITS** 

- Full-range class D amplifier with a 2 ohm load
- Two channels at 100 watts each for a total of 200 watts
- · Plug-n-play wiring harness
- PART #s 4405-0853 and 4405-0854 are manually adjustable during installation
- Measures 16,5 CM L x 12 cm W x 44 mm T (6<sup>1</sup>/<sub>2</sub>" x 4<sup>3</sup>/<sub>4</sub>" x 1<sup>3</sup>/<sub>4</sub>")

PART #	FITS MODEL
4405-0853 <sup>1</sup>	For 14-21 FLHX/FLHXS/FLHT/FLHTCU/FLHTCUTG models
4405-0849	For 98-13 FLHX/FLHT/FLHTCU/FLHTCUTG models



PART #	FITS MODEL
4405-0854 <sup>1</sup>	For 15-21 FLTRX/FLTRXS/FLTRU/FLTRK models
4405-0850	For 98-13 FLTR/FLTRX/FLTRU models

<sup>&</sup>lt;sup>1</sup> Requires special radio flashing.



# DYNOJET



#### **POWER VISION**

- . The quickest, most powerful flash tuner on the market
- The sophisticated, yet easy-to-use, 3,5" full-color touchscreen display mounts to handlebars with integrated AMPS 4-hole threaded inserts; also mounts to most aftermarket accessory mounts that feature AMPS 4-mounting options
- The display's interface cable plugs directly to the bike's diagnostic connector (sold separately)
- NO COMPUTER REQUIRED; simply select the tune and follow the on-screen prompts to flash the bike; tunes can also be edited directly from the Power Vision
- Utilizes WinPV (Windows PC-based tuning application)
- . Stores up to six different tunes that can be flashed to the bike
- Downloads and stores the stock calibration in case OEM restoration is needed; stock calibration can also be saved as an editable copy and used as a starting point
- Dynojet preconfigured tunes are preloaded on the unit; Power Vision will identify the bike's information and automatically sort hundreds of applicable, dyno-proven tunes

- Custom tunes can be loaded by a tuning shop or received via email and loaded onto the device
- Displays all J1850 H-D vehicle data, wide-band air fuel ratio and various calculated channels (including MPG instant and trip MPG)
- AutoTune Basic and Pro calculate and store fuel trims to optimize fuel curve
- · Checks and clears diagnostic codes
- · Features adaptive trims and idle offset (with bike running)
- · Black series features a flat black outer case
- See Dynojet website http://www.dynojet.com/powervisiontune-license-programs.aspx for information about purchasing additional Power Vision tune licenses

MANUFACTURER'S NOTE: All Power Vision returns and/or adjustments must be made directly with Dynojet Research. The Power Vision may be used on any bike to read and clean trouble codes.

PART #	DESCRIPTION	PART #	DESCRIPTION	
1020-3472	For 21 M-Eight models	1020-3473	Interface cable for 21 M-Eight models	



## 

#### **CARBON FIBER LICENSE PLATE MOUNT**

- Eliminates the bulky rear "floating" turn signal, mudflap and license plate assembly for significant weight savings and a clean, race-inspired appearance
- Lightweight, strong and incredibly durable carbon fiber construction
- · Accepts any aftermarket turn signals that mount via M8 stud
- Accepts stock turn signals if properly drilled (template provided)
- If using/mounting Kuryakyn by Kellermann Atto, micro S or Rhombus S turn signals, separate purchase of Kuryakyn M8 x 20mm adapters is required
- Add the Kuryakyn by Kellermann KL1 License Plate Light, PART #2030-1958, to complete the look (sold separately)



PART #	DESCRIPTION
2030-2068	For 19-20 FTR, FTR S and FTR Rally models




## **MAGNUM SHIELDING**

Quality matters! Magnum Shielding is recognized worldwide as the premier manufacturer of braided brake lines and control cables. Their line of high-efficiency XR clutch cables are now available for Indian model applications! Choose from three different finishes to complement the style of your bike and get smooth, low-effort and improved, consistent feel from your bike's clutch on your next ride.







## **XR HIGH EFFICIENCY CLUTCH CABLES**

- Magnum XR clutch cables offer a great fit and excellent quality at an economical price
- . Fitments for Scout, Chief and Challenger models
- · Available in stock and plus lengths
- Three color choices; clear-coated stainless with chrome fittings or OE style black vinyl with either chrome or black chrome-plated fittings
- · Fittings are polished and chrome or black chrome-plated

- Braided Stainless Steel Cables are coated with a non-yellowing, crystal-clear PVC outer jacket for exceptional protection against scuffing paint or chrome
- Low-effort, high-efficiency cable design for 0E type fitment, construction and endurance
- All clutch cables are factory lubricated for smooth, consistent, long lasting operation

STAINLESS STEEL/CHROME								
FITS MODEL	OEM #	STOCK LENGTH	STOCK	+51 MM (+2")	+102 MM (+4")	+152 MM (+6")	+203 MM (+8")	+254 MM (+10")
For 14-20 Chief, Chieftain, Springfield, Roadmaster	7082130	170,5 cm (67 <sup>1</sup> / <sub>8</sub> ")	1132-1523	1132-1524	1132-1525	1132-1526	1132-1527	-
For 20-21 Challenger	7082637	147 cm (57 <sup>7</sup> / <sub>8</sub> ")	1132-1534	1132-1535	1132-1536	1132-1537	1132-1538	-
For 15-21 Scout, Scout Sixty, Scout Bobber Twenty	7082099, 7082203	170 cm (66 <sup>7</sup> / <sub>8</sub> ")	1132-1529	1132-1530	1132-1531	1132-1532	1132-1533	-
For 18-21 Scout Bobber	7082318	165 cm (64 <sup>7</sup> / <sub>8</sub> ")	1132-1528	1132-1529	1132-1530	1132-1531	1132-1532	1132-1533

BLACK/CHROME								
FITS MODEL	OEM #	STOCK LENGTH	STOCK	+51 MM (+2")	+102 MM (+4")	+152 MM (+6")	+203 MM (+8")	+254 MM (+10")
For 14-20 Chief, Chieftain, Springfield, Roadmaster	7082130	170,5 cm (67 <sup>1</sup> / <sub>8</sub> ")	1132-1539	1132-1540	1132-1541	1132-1542	1132-1543	-
For 20-21 Challenger	7082637	147 cm (57 <sup>7</sup> / <sub>8</sub> ")	1132-1550	1132-1551	1132-1552	1132-1553	1132-1554	-
For 15-21 Scout, Scout Sixty, Scout Bobber Twenty	7082099, 7082203	170 cm (66 <sup>7</sup> / <sub>8</sub> ")	1132-1545	1132-1546	1132-1547	1132-1548	1132-1549	-
For 18-21 Scout Bobber	7082318	165 cm (64 <sup>7</sup> / <sub>8</sub> ")	1132-1544	1132-1545	1132-1546	1132-1547	1132-1548	1132-1549

BLACK/BLACK								
FITS MODEL	OEM #	STOCK LENGTH	STOCK	+51 MM (+2")	+102 MM (+4")	+152 MM (+6")	+203 MM (+8")	+254 MM (+10")
For 14-20 Chief, Chieftain,								
Springfield, Roadmaster	7082130	170,5 cm (67 <sup>1</sup> / <sub>8</sub> ")	1132-1555	1132-1556	1132-1557	1132-1558	1132-1559	-
For 20-21 Challenger	7082637	147 cm (57 <sup>7</sup> / <sub>8</sub> ")	1132-1566	1132-1567	1132-1568	1132-1569	1132-1570	-
For 15-21 Scout, Scout Sixty, Scout Bobber Twenty	7082099, 7082203	170 cm (66 <sup>7</sup> / <sub>8</sub> ")	1132-1561	1132-1562	1132-1563	1132-1564	1132-1565	-
For 18-21 Scout Bobber	7082318	165 cm (64 <sup>7</sup> / <sub>8</sub> ")	1132-1560	1132-1561	1132-1562	1132-1563	1132-1564	1132-1565





#### **EZ INSTALL CLUTCH CABLE EXTENSIONS**

- No more need to replace the clutch cable on your motorcycle when installing taller handlebars
- Kit installs in minutes without the need to remove the exhaust system or drain the transmission oil
- . Kits do not replace the existing lines; it extends them

PART # DESCRIPTION


FOR 21 FLHT/FLHTK/FLHXS/FLHXS/FLHXSE/FLHTKSE/FLTRK/FLTRXSE/FLHR/FLHRS
AND FLHTCUTG/SE (CABLE CLUTCH MODELS)

0652-2398 10 cm (4") cable clutch extension kit

0652-2399 15 cm (6") cable clutch extension kit

0652-2400 20,5 cm (8") cable clutch extension kit





## 38 MM ( $1^{1}/_{2}$ ") EZ INSTALL FLAT TOP HANDLEBAR KITS

- Revolutionary interlocking, bolt-together, two-piece handlebar design that takes up half the shelf space, is economical to ship and even faster to install
- New adjustable 38 mm (11/2") collar next to the handlebar controls for a custom-finished look
- CNC mandrel-bent from 38 mm (11/2") diameter x 2,5 mm (0,095") wall heavy tube
- . EZ Install no more need to fight internal wiring; with our handlebars you can install wiring in minutes
- · Bars feature billet machined top with a large internal machined radius that allows for EZ pulling of wiring (non-welded top corner)
- Install kit includes everything to install the handlebars in half the time of other kits due to our design that only extends the existing clutch cable/clutch line and brake lines; no need to waste time and money replacing the existing cables and lines
- . Black bars come with wire extensions and smooth black braided lines/ vinyl cable extensions as required; chrome bars come with wire extensions and braided stainless lines/cable extensions as required (see note)
- · Gloss black powdercoat finish
- . Designed to work with ABS and non-ABS models
- . Knurled and notched for TBW applications

NOTE: Kits include only the necessary components needed to install handlebars, based on the model and the height of the handlebar. Certain models and heights of handlebar kits will include brake line extension, clutch line/cable extension and wiring harness. Some of the shorter handlebar kits have only a wiring harness or only a clutch line/cable extension.

NOTE: Some 25,5 cm (10") and 30,5 cm (12") kits are not available for certain models, as these models require only a handlebar change and reuse the existing brake and clutch lines.

NOTE: Accept 0EM heated grips.

CHROME	GLOSS BLACK	END RISE	WIDTH	CENTER WIDTH	PULLBACK			
FOR 18-20 FLHRXS (HYDRAULIC CLUTCH) (32 MM (1 <sup>1</sup> / <sub>4</sub> ") CLAMPING AREA)								
0601-5500	0601-5502	35,5 cm (14")	89 cm (35")	26 cm (10,25")	20,5 cm (8")			
0601-5501	0601-5503	40,5 cm (16")	89 cm (35")	26 cm (10,25")	20,5 cm (8")			


## 32 MM $(1^{1}/_{4}")$ EZ INSTALL **FLAT TOP HANDLEBARS**

- · Revolutionary interlocking, bolt-together, two-piece handlebar design that takes up half the shelf space, is economical to ship and even faster to install
- CNC mandrel-bent from 32 mm (1<sup>1</sup>/<sub>4</sub>") diameter x 3 mm (0,120") wall heavy tube
- · EZ Install no more need to fight internal wiring; with our handlebars you can install wiring in minutes
- . Bars are knurled and notched for TBW applications
- · Chrome finish

NOTE: Accept 0EM heated grips. NOTE: U.S. Patent No. 10,946,926.




CHROME	END RISE	WIDTH	CENTER WIDTH	PULLBACK
FOR 18-21 FLHRXS, 18	-21 FXBR/S, 18-21 FXFB/S, FLSB, 07-17 I	FLSTF, 08-17 FXDF, 10-17 FXDWG, 13	-17 FXSB/SE (32 MM ( $1^{1}/_{4}$ ") CLAMPING	AREA)
0601-5528	25,5 cm (10")	89 cm (35")	89 cm (35")	20,5 cm (8")
0601-5529	30,5 cm (12")	89 cm (35")	89 cm (35")	20,5 cm (8")
0601-5530	35,5 cm (14")	89 cm (35")	89 cm (35")	20,5 cm (8")
0601-5531	40,5 cm (16")	89 cm (35")	89 cm (35")	20,5 cm (8")









1710-4200

#### 1710-4197

### **PRO-LITE MD STANDARD BRAKE ROTORS**

- Complete bolt-on and go rotor assemblies
- Made with forged aluminum center hubs, high-friction billet steel rotor rings and sturdy riveted construction
- X-Series rotors offer a universal design for left- or right-side applications; all X-Series feature SD-System™ square-sided buttons that allow the rotor to expand inwards and outwards unrestrained for perfect rotor functionality at any speed or load and increased durability
- Excellent choice when upgrading or replacing OEM brake rotors
- Sold each

### **BRAKE ROTOR APPLICATION CHART**

DESCRIPTION	PART #		
FRONT			
16-21 Chief Dark Horse (Nissin Calipers)	1710-4199		
14-21 Chief Vintage (Nissin Calipers)	1710-4199		
14-21 Chieftain (Cast Wheel/Nissin Calipers)	1710-4199		
14-21 Chieftain Dark Horse/Limited/Elite (Cast Wheel/Nissin Calipers)	1710-4199		
15-21 Roadmaster/Dark Horse/Limited (Cast Wheel/Nissin Calipers)	1710-4199		
16-21 Springfield	1710-4199		
19-21 Springfield Elite	1710-4199		
17-21 Scout	1710-4197 <sup>1</sup>		
18-21 Scout Bobber	1710-4197 <sup>1</sup>		
15-16 Scout (Cast Wheel/Toso Calipers)	1710-4197 <sup>1</sup>		
17-21 Scout Sixty	1710-4197 <sup>1</sup>		
16 Scout Sixty (Cast Wheel/Toso Calipers)	1710-4197 <sup>1</sup>		
REAR			
FTR 1200/S/Race Rep/Raily 19-21	1710-4200		
16-21 Chief Dark Horse (Nissin Calipers)	1710-4198		
14-21 Chief Vintage (Nissin Calipers)	1710-4198		
14-21 Chieftain (Cast Wheel/Nissin Calipers)	1710-4198		
14-21 Chieftain Dark Horse/Limited/Elite (Cast Wheel/Nissin Calipers)	1710-4198		
15-21 Roadmaster/Dark Horse/Limited (Cast Wheel/Nissin Calipers)	1710-4198		
16-21 Springfield	1710-4198		
19-21 Springfield Elite	1710-4198		
17-21 Scout	1710-4197 <sup>1</sup>		
18-21 Scout Bobber	1710-4197 <sup>1</sup>		
15-16 Scout (Cast Wheel/Toso Calipers)			
17-21 Scout Sixty			
16 Scout Sixty (Cast Wheel/Toso Calipers)			

<sup>&</sup>lt;sup>1</sup> X-Series rotor.

