



## 400-WATT AMP/SPEAKER KIT

- Features a plug-and-play, 400-watt, 2-channel amplifier
- Wild Boar Audio 16,5 cm (6,5") 4-ohm front speakers
- Features R.E.M.I.T. circuitry for excellent FM reception from a Class D amp
- System is easy to expand to add a second or third amp later on
- Includes very high-quality plug-and-play wire harnesses and everything needed to complete the installation

**NOTE:** A Techno Research/OEM dealer radio reflash is required.

**NOTE:** Not for CVO models.



PART #	DESCRIPTION
4405-0717	For 14-21 FLHTCU/FLHTK/FLHXS/FLHX/FLHTCUTG/FLTRX/FLTRU/FLTRK models



## 400-WATT AMP/SPEAKER KIT


- Features a plug-and-play 400-watt, 2-channel amplifier with Road Glide-specific mounting
- Two Wild Boar Audio 16,5 cm (6,5") Road Glide specific front speakers
- Features R.E.M.I.T. technology for excellent FM reception from a Class D amp
- Black grille trim rings and chrome grille trim rings are included
- System is easy to expand to add a second or third amp later on
- Kit includes plug-and-play wire harnesses and instructions

**NOTE:** Not for CVO models.

**NOTE:** A Techno Research/OEM dealer radio reflash is required.



PART #	DESCRIPTION
4405-0718	For 15-21 FLTRX/FLTRU/FLTRK



## RACE SERIES® CAMCHEST KITS FOR TWIN CAM

- Feuling® complete camchest kits include all necessary components from top to bottom of the camchest conveniently packaged under one part
- Complete Camchest Kits include: Feuling® High Volume Oil pump, High Flow Camplate, Reaper® series camshafts, Race Series full-travel or short-travel hydraulic roller lifters, quick-install adjustable pushrods or one-piece pushrods, Timken® bearings, gaskets, O-rings, exhaust gaskets, ARP® fasteners, washers, moly paste, Loctite® and hardware
- 25-35 °F cooler engine temperatures
- 15-30 °F cooler oil temperatures
- 15-30 more pounds of oil pressure
- Quieter and smoother engine operation
- Eliminate wet sumping, blowby and oily air cleaners
- Chain Drive Conversion Kits include conversion camshafts for 99-06 Twin Cam engines that updates your old mechanical style cams and tensioners to the new hydraulic tensioner system
- Chain Drive Conversion Kits also includes sprockets, hydraulic tensioners, chains and spacers needed for installation
- For Twin Cam Reaper® cam description and specs see pages 662-663 of the 2021 Parts Europe Drag Specialties FatBook

**NOTE:** Installation of gear drive cams will require separate purchase of S&S or Andrews 4-gear drive kit; see the 2021 Parts Europe Drag Specialties FatBook.

### CHAIN DRIVE

#### PART # DESCRIPTION

##### FOR ALL 07-17 TWIN CAM AND 06 DYNA GLIDE

<b>0925-1405</b>	594 camchest kit (includes one-piece pushrods and full-travel hydraulic lifters)
<b>0925-1406</b>	594 camchest kit (includes quick-install adjustable pushrods, pushrod tube kit and short-travel hydraulic lifters)

### GEAR DRIVE

#### PART # DESCRIPTION

##### FOR ALL 07-17 TWIN CAM AND 06 DYNA GLIDE

<b>0925-1409</b>	594 camchest kit (includes one-piece pushrods and full-travel hydraulic lifters)
<b>0925-1410</b>	594 camchest kit (includes quick-install adjustable pushrods, pushrod tube kit and short-travel hydraulic lifters)

##### FOR 99-06 TWIN CAM (EXCEPT 06 DYNA GLIDE)

<b>0925-1407</b>	594 camchest kit (includes one-piece pushrods and full-travel hydraulic lifters)
<b>0925-1408</b>	594 camchest kit (includes quick-install adjustable pushrods, pushrod tube kit and short-travel hydraulic lifters)

### CHAIN DRIVE CONVERSION

#### PART # DESCRIPTION

##### FOR 99-06 TWIN CAM (EXCEPT 06 DYNA GLIDE)

<b>0925-1395<sup>1</sup></b>	574 camchest kit (includes one-piece pushrods and full-travel hydraulic lifters)
<b>0925-1396<sup>1</sup></b>	574 camchest kit (includes quick-install adjustable pushrods, pushrod tube kit and short-travel hydraulic lifters)
<b>0925-1400<sup>1</sup></b>	594 camchest kit (includes one-piece pushrods and full-travel hydraulic lifters)
<b>0925-1401<sup>1</sup></b>	594 camchest kit (includes quick-install adjustable pushrods, pushrod tube kit and short-travel hydraulic lifters)

#### PART # DESCRIPTION

##### FOR 99-06 TWIN CAM (EXCEPT 06 DYNA GLIDE) (CONT)

<b>0925-1397<sup>1</sup></b>	630 camchest kit (includes one-piece pushrods and full-travel hydraulic lifters)
<b>0925-1398<sup>1</sup></b>	630 camchest kit (includes quick-install adjustable pushrods, pushrod tube kit and short-travel hydraulic lifters)

<sup>1</sup> Conversion camshafts for 99-06 Twin Cam engines utilize the 99-06 inner cam journals with the 07-16 outer cam journals allowing the use of the 07-16 camplates, oil pump, hydraulic chain tensioners and chain drive system (includes sprockets, hydraulic tensioners, chains and spacers needed for installation).



## REVO-A ADJUSTABLE M-EIGHT SOFTAIL COIL SUSPENSION

- All new Revo-A coil design for the M-Eight Softail
- Revo-A coil provides improved plush ride quality, control and resistance to bottoming out
- Provides optimum rebound performance that can be fine-tuned for any given rider weight, personal ride preference or personal riding style
- Adjustable preload for rider set up, also allows for minimal pre-load adjustment when changing between rider's weights and loads
- Seven external knob adjustments allow fine-tuning of rebound utilizing needle valve technology to adapt to your riding style
- Low friction sleeve bearings both top and bottom for ease of installation; this also allows the shock to float in its mount and avoid shock bind
- Hard anodized, machined billet aluminum 46 mm mono tube utilizes a lightweight high flow piston design for improved fluid flow resulting in unmatched handling and bike control
- Hard chromed shaft is 14% larger for increased strength
- High-quality chrome-silicon spring for consistent spring rate for the life of the motorcycle
- Internal floating nitrogen piston ensures consistent damping performance
- Deflective disc valving self-adjusts to frequency and ensures controlled performance
- Legend's durable and low friction sealing system and sliding bearings provide improved performance and feel
- Available in Black Type III hard coat anodize
- Easy installation and adjustment replacing the stock shock and mounts with original OEM hardware
- Sold as Mono Shock (one shock only)
- Preload wrench included
- Designed for optimum performance with the Legend Axeo front suspension

**NOTE:** Heavy-duty applications are recommended for 158 kg+ (350 lb+) rider and passenger total weight. Also consider heavy-duty if the majority of your riding is two up with a passenger and/or gear.



1310-2250

PART #	DESCRIPTION
FOR 18-21 SOFTAIL MODELS	
1310-2249	Standard
1310-2250	Heavy-duty



1602-1417



1602-1414



1602-1412



## SHIFT LEVERS

- Made of billet 6061 aluminum
- ARP® hardware included
- Can be paired with any TSC shifter tips (sold separately)

PART #	DESCRIPTION
FOR 18-21 SOFTAIL MODELS W/ MID CONTROLS	
1602-1414	Black
1602-1415	Chrome
FOR 84-21 TOURING, 09-21 TRIKES AND 86-17 SOFTAIL MODELS (HEEL/TOE)	
1602-1416	Black
1602-1417	Chrome

PART #	DESCRIPTION
FOR 84-21 TOURING, 09-21 TRIKES AND 86-17 SOFTAIL MODELS (HEEL/TOE) (CONT)	
1602-1418	Black, 1" shorter
1602-1419	Chrome, 1" shorter
FOR 91-17 DYNA MODELS W/ MID CONTROLS	
1602-1412	Black
1602-1413	Chrome



## JOKER MACHINE

Joker Machine has a background making parts for the aerospace industry, which means the highest level of engineering skill when designing parts for your bike. Each part also has built-in true powersports passion that ensures beautiful, functional parts and accessories that look great and are built to last.



### RECTANGLE FORK-MOUNT LED TURN SIGNALS

- CNC-machined from solid blocks of 6061-T6 billet aluminum
- Pitch bolt mounting design for a clean look
- Can be mounted either inward or outward from the fork tubes
- Available with a black anodized or chrome-plated finish
- Super-bright amber LED lights
- 63,5 mm W x 13 mm T (1 1/2" x 1/2"); lights are set a 25° angle for standard HD forks
- 63,5 mm W (2 1/2") from center of fork tube to the end of the light
- Sold in pairs

**NOTE:** If being used as turn signals and marker lights, the use of a LED Intensifier Converter is required. Depending on the year/make/model of your bike a load equalizer, LED turn signal flasher or diode kit may be required. If you are unsure of what is needed, please contact Joker Machine for assistance.



2020-1997



2020-1998

PART #	DESCRIPTION
<b>FOR 39 MM FORKS</b>	
<a href="#">2020-1997</a>	Black anodized, smoked lenses
<a href="#">2020-1998</a>	Chrome, smoked lenses
<b>FOR 41 MM FORKS</b>	
<a href="#">2020-1999</a>	Black anodized, smoked lenses
<a href="#">2020-2000</a>	Chrome, smoked lenses
<b>FOR 49 MM FORKS</b>	
<a href="#">2020-2001</a>	Black anodized, smoked lenses
<a href="#">2020-2002</a>	Chrome, smoked lenses



2020-2003



2020-2005

### RECTANGLE LED TURN SIGNALS

- Mount to any 5/16" or 8 mm hole
- Super-bright amber or red LED lights with smoked lenses measure 38 mm W x 13 mm T (1 1/2" x 1/2")
- CNC-machined 6061-T6 billet aluminum bodies
- Available in hard black anodized or chrome-plated finishes
- Wires feed out of the center of the mounting bolts
- Turn signal dimensions: 51 mm L x 25 mm W x 21,6 mm H (2" x 1" x 0,85")
- Sold in pairs

PART #	DESCRIPTION
<a href="#">2020-2003</a>	Black w/ amber LEDs
<a href="#">2020-2004</a>	Black w/ red LEDs
<a href="#">2020-2005</a>	Chrome w/ amber LEDs
<a href="#">2020-2006</a>	Chrome w/ red LEDs



# Joker MACHINE

## POINTS COVERS

- Available in a variety of designs
- Chrome-plated or anodized billet aluminum finish
- Include mounting screws

PART #	DESCRIPTION
<b>FOR 17-21 M-EIGHT</b>	
<b>0940-2017</b>	Finned, black anodized
<b>0940-2018</b>	Finned, black anodized/silver
<b>0940-2019</b>	Finned, chrome
<b>0940-2020</b>	Smooth, black anodized
<b>0940-2021</b>	Smooth, chrome
<b>0940-2022</b>	Milled, black
<b>0940-2023</b>	Milled, chrome



0940-2018



0940-2021



0940-2022



## DYNAMIC LED FENDER LIGHTS

- Add forward facing white running lights with full contrast amber turn signal
- Units have 48 dual-color LEDs and mount with double-sided tape
- Plug-and-play technology



2040-2853

PART #	DESCRIPTION
<b>2040-2853</b>	For 14-21 FLHTCUTG models
<b>2040-2854</b>	For 09-13 FLHTCUTG and 10-13 FLHXXX models



## PRECISION CAST "ATLANTIC" 3D REAR WHEELS


- "Cast" one-piece design wheels at a fraction of the cost of billet or forged wheels
- Includes bearings and valve stems installed by Coastal Moto
- Rear wheel accepts stock cush-drive, pulley and brake rotor
- Available for ABS and non-ABS models
- ABS style features intelligent ABS bearings that are "linked-brake ready"; no ABS system reprogramming required
- Available in solid black

PART #	DESCRIPTION
<b>0202-2177</b>	18" x 5,5" for 09-19 FLHT/FLHR/FLHX/FLTRX w/o ABS



0202-2177

PART #	DESCRIPTION
<b>0202-2178</b>	18" x 5,5" for 09-21 FLHT/FLHR/FLHX/FLTRX/FLTRU/FLTRK, w/ ABS



## XR STAINLESS DOT HANDLEBAR INSTALLATION KITS

- Magnum XR DOT Handlebar Installation Kits offer a great fit and excellent quality at an economical price
- XR DOT Handlebar Installation Kits are available for popular ABS Harley-Davidson® motorcycles with 30,5 cm (12") to 43 cm (17") ape hanger style handlebars
- Select kits for 2018-2021 Softail and 2021 Touring models are also available with Quick Connect upper clutch cables that reuse the existing lower clutch section
- Three color combinations to complement your bike: clear-coated stainless steel with chrome fittings, black-coated with chrome fittings or black-coated with black fittings
- All cables are a low-effort, high-efficiency design that meets or exceeds all OE specifications for fitment, construction, endurance

- Magnum XR DOT brake lines use an enhanced construction of heavy gauge stainless steel embedded in tough abrasion-resistant nylon outer jacket for superior durability
- The coating on cables and brake lines offers exceptional protection for paint or chrome
- Kits that include manifolds use an all-brazed construction to ensure optimal OE fitment and appearance
- Manifolds use AN-3 connections for an easy installation
- Kits include Throttle-By-Wire extensions, clutch cable, XR DOT brake lines, copper crush washers, hardware, fully terminated turn signal and switch wiring extensions

**Note:** Kits are based on using ape hanger style handlebars and 51 mm (2") risers (except Touring models).

DESCRIPTION	STAINLESS W/ CHROME FITTINGS 30,5 CM - 35,5 CM (12"-14")	STAINLESS W/ CHROME FITTINGS 38 CM - 43 CM (15"-17")	BLACK W/ CHROME FITTINGS 30,5 CM - 35,5 CM (12"-14")	BLACK W/ CHROME FITTINGS 38 CM - 43 CM (15"-17")	BLACK W/ BLACK FITTINGS 30,5 CM - 35,5 CM (12"-14")	BLACK W/ BLACK FITTINGS 38 CM - 43 CM (15"-17")
<b>TOURING W/ ABS</b>						
For 21 FLHT/FLHTK/FLHX/ FLHXS (w/ Quick Connect Upper Clutch cable; uses existing lower brake line)	0662-1064	0662-1065	0662-1062	0662-1063	0662-1060	0662-1061
For 21 FLHRXS	0662-1006	0662-1007	-	-	0662-0994	0662-0995
For 21 FLHRXS (uses existing lower brake line)	0662-1008	0662-1009	-	-	0662-0996	0662-0997
For 21 FLHRXS (w/ Quick Connect Upper Clutch cable; uses existing lower brake line)	-	-	-	-	0662-1045	0662-1046
For 21 FLHR	0662-1002	0662-1003	-	-	0662-0990	0662-0991
For 21 FLHR (uses existing lower brake line)	0662-1004	0662-1005	-	-	0662-0992	0662-0993
For 21 FLHR (w/ Quick Connect Upper Clutch cable; uses existing lower brake line)	0662-1041	0662-1042	-	-	0662-1043	0662-1044
For 21 FLTRX/FLTRXS/FLTRK	0662-0998	0662-0999	-	-	0662-0986	0662-0987
For 21 FLTRX/FLTRX/FLTRK (uses existing lower brake line)	0662-1000	0662-1001	-	-	0662-0988	0662-0989
For 21 FLTRX/FLTRXS/FLTRK (w/ Quick Connect Upper Clutch cable; uses existing lower brake line)	0662-1047	0662-1048	-	-	0662-1049	0662-1050



## XR STAINLESS DOT HANDLEBAR INSTALLATION KITS (CONT)

DESCRIPTION	STAINLESS W/ CHROME FITTINGS 30,5 CM - 35,5 CM (12"-14")	STAINLESS W/ CHROME FITTINGS 38 CM - 43 CM (15"-17")	BLACK W/ CHROME FITTINGS 30,5 CM - 35,5 CM (12"-14")	BLACK W/ CHROME FITTINGS 38 CM - 43 CM (15"-17")	BLACK W/ BLACK FITTINGS 30,5 CM - 35,5 CM (12"-14")	BLACK W/ BLACK FITTINGS 38 CM - 43 CM (15"-17")
SOFTAIL W/ ABS						
For 18-21 FXBB/S, FXST, FLHC/S, FLST, FLSB (w/ Quick Connect Upper Clutch cable; uses existing lower brake line; includes an adapter)	0662-1072	0662-1073	-	-	0662-1074	0662-1075



### 32 MM (1 1/4") CHUBBY® HANDLEBARS

- Handlebars are 25% thicker than stock
- All bars are precision-machined (not swage formed) at control mounts, providing perfect fit, form and unsurpassed look
- Designed with fluid bends at precise angles for maximum comfort and control
- Pre-drilled for internal wiring
- 25,4 mm (1") in diameter in clamping area (unless noted)
- Polished welds and diamond knurled
- Work with hydraulic clutch, stock and most custom controls, stock risers and top clamps
- Available in show-chrome finish or Blackout series featuring a satin black finish to match OEM black switch housings
- All handlebars work with Throttle-By-Wire as well as cable applicationsNOTE: All bars work with H-D® heated grips

**NOTE:** Not for use with stock riser/clamp/gauge mount on 2004 and newer XL 883C and XL1200C; also 18-21 Street Bob and Softail Standard required gauge relocation bracket for T-bars.

**NOTE:** Not for FLHT/FLHX models.



0601-5665



0601-5666

CHROME PART #	BLACKOUT PART #	DESCRIPTION	END RISE	WIDTH	CENTER WIDTH	PULLBACK
0601-5665	0601-5666	35,5 cm (14") Springer Ape Hanger bars	35,5 cm (14")	93 cm (36,5")	28 cm (11")	25,5 cm (10")



0602-1250



0602-1251



0602-1252

### CHUBBY® BILLET 10 CM (4") SPRINGER RISER KITS

- Precision-machined from billet aluminum in either brilliant show-chrome finish or Blackout series featuring a satin black finish
- Work with any standard 25,4 mm (1") handlebar and Wild 1 Chubby Bars
- Includes two risers

#### PART #

FOR FXSTS, FLSTS, FLSTSB W/ 25,4 (1") HANDLEBARS

0602-1250

0602-1251

0602-1252

#### DESCRIPTION

Chrome

Blackout

Gloss black




## CYLINDER HEAD/BASE GASKET KIT FOR M-EIGHT

- Kit includes two 0,030" Micropore head gaskets, two 0,014" Micropore base gaskets, tapered exhaust gaskets and four cylinder dowel pins

**PART #**
**0934-7174**
**DESCRIPTION**

For 17-21 M-Eight w/ 4 1/4" bore



## REPLACEMENT PISTON RINGS FOR M-EIGHT

- Complete set of piston rings for two pistons

**PART #**
**0912-0923**
**DESCRIPTION**

For 17-21 M-Eight 124"/128" big bore kits (4 1/4" bore)



1050-0417



1050-0418



## INTAKE MANIFOLD FLANGE KITS

- Die-cast zinc construction with a chrome finish
- Seals and hardware included
- Sold in pairs

**PART #**

FOR 06-17 TWIN CAM MODELS; REPL. OEM #S 26993-06, 26995-86B

**1050-0417**
**DESCRIPTION**

W/ Nitrile rubber seals

**1050-0418**

W/ Viton® seals



## GLOSS BLACK CLUTCH MASTER CYLINDER COVER KIT

- Includes gasket and mounting screws

**PART #**
**0612-0473**
**DESCRIPTION**

For 17-20 FLHT/FLHR/FLHX/FLTRX/FLTRU/FLTRK and 19-20 FLHTCUTG/FLRT models; repl. OEM #36700130



## FRONT BRAKE MASTER CYLINDER COVERS

- Includes rubber cover gasket
- Groove style
- Available in black

**PART #**
**0611-0188**
**DESCRIPTION**

For 05-07 Touring models, 06-17 Softail models, 06-17 Dyna models and 14-17 H-D FL Trike models

**0611-0189**

For 15-21 Softail



0611-0188



0611-0189





## STEERING STEM BEARING KITS AND BEARINGS

- PART #22-1032 neck post bearing and race complete replacement kit (includes two bearings, two races and two dust seals)
- PART #0410-0294 neck post bearing and race complete replacement kit (includes bearings, races and upgraded rubber dust seals)
- Neck post bearing/race set and neck post bearing also available individually

PART #	DESCRIPTION
<b>FOR 14-21 FLHT/FLTRX/FLTRU/FLTRK/FLHR/FLHX</b>	
<b>0410-0294</b>	Neck post bearing and race kit; repl. OEM #4570009
<b>FOR 80-13 FLT/FLHT/FLTR/FLHR; 84-17 FXST/FLST; 91-17 DYNA GLIDE; 82-94 FXR; 60-85 FL/FX/FXWG; 82-21 XL (EXCEPT 21 SPORTSTER S/RH1250S); AND 02-17 V-ROD</b>	
<b>22-1032</b>	Neck post bearing and race kit; repl. OEM #s 48300-60, 48315-60
<b>0410-0090</b>	Bearing and race set
<b>0410-0091</b>	Neck post bearing only (ea.); repl. OEM #48300-60
<b>0410-0225</b>	Outer race/cup only; repl. OEM #48315-60



## FORK SEAL AND DUST WIPER KITS

- Seal profile is engineered to create equal pressure in each seal lip; equalized seal pressure creates less drag and longer seal life
- Patented MAX-LIFE has a coefficient of friction up to three times less than the OEM seal material
- Triple-lip seal design
- Directional ribs allow seal to be installed easily
- Kits include fork seals and dust wipers

PART #	DESCRIPTION
<b>0407-0343</b>	For 99-13 FLT/FLHT/FLHR/FLHX/FLTR/HD FL Trike, 12-16 FLD, 00-17 FXS/FXST/FLS/FLST, 99-05 FXDWG, 03 Buell XB9S/XB9R, 00-02 Buell X1, 99-01 Buell Thunderbolt (41 mm forks)
<b>0407-0345</b>	For 17 FXSE, 08-10 XR1200/1200X, 11-17 VRSCF, 06-07 VRSCR, 04-09 Buell XB9S/XB9R, 05-09 Buell XB 12S/12R/12X (43 mm inverted forks)
<b>0407-0675</b>	For 13-16 FXSB/SE, 08-11 FXCW/C, 06-17 FXD/FXDWG, 16-21 XL1200X/XS, 02-11 V-Rod (49 mm)



PART #	DESCRIPTION
<b>0407-0677</b>	For 84-13 FXS/FXST, 93-05 FXDWG, 84-86 FXWG (41 mm)
<b>0407-0674</b>	For 91-05 FXD, L87-00 FXR, L87-21 XL (except XL1200X/XS (39 mm)
<b>0407-0673</b>	For 83-85 FXEF/SB, 84-E87 FXR, 83-E87 XL (35 mm)
<b>0407-0676</b>	For 15-20 XG500/750 (except 750A)
<b>0407-0346</b>	For 09 Buell 1125CR, 08-09 1125R
<b>0407-0344</b>	For 97-02 Buell M1 Cyclone

## FORK SEAL AND DUST SEAL KITS

- Patent-pending seal design and special elastomer has  $\frac{1}{3}$  of the stiction and up to four times the life of an OEM seal
- Dual-lip design balances the drag forces across both sealing lips, resulting in less lip distortion, which extends seal life and reduces seal operating temperature
- Sold in pairs or 10-pk. as noted

PART #	DESCRIPTION
<b>FOR 14-21 FLHT/FLHR/FLHX/FLTRX/FLTRU/FLTRK, FL TRIKE, 18-21 SOFTAILS, 08-11 FXCW, 06-17 FXD/FXDWG, 16-21 XL1200X/XS, 02-11 VRSC W/ 49 MM FORKS</b>	
<b>0407-0192</b>	Fork seals (pr.); repl. OEM #46514-01
<b>0407-0669</b>	Fork seals (10-pk); repl. OEM #46514-01
<b>0407-0670</b>	Dust seals (10-pk.); repl. OEM #46512-01
<b>FOR 84-13 FLT/FLHT/FLHX/FLHR/FLTR AND H-D FL TRIKE MODELS, 84-17 FXS/FXST/FLS/FLST MODELS, 12-16 FLD, 93-05 FXDWG MODELS AND 84-86 FXWG W/ 41 MM SHOWA FORKS</b>	
<b>0407-0058</b>	Fork oil seals (pr.); repl. OEM #45875-84
<b>0407-0668</b>	Fork oil seals (10-pk) ; repl. OEM #45875-84



PART #	DESCRIPTION
<b>0407-0672</b>	Dust seals (10-pk)
<b>FOR 91-05 FXD, L84-99 FXR MODELS AND L87-21 XL MODELS W/ 39 MM SHOWA FORKS</b>	
<b>0407-0057</b>	Fork oil seals (pr.); repl. OEM #45378-87
<b>0407-0667</b>	Fork oil seals (10-pk) ; repl. OEM #45378-87
<b>0407-0671</b>	Fork wiper seals (10-pk) ; repl. OEM #45401-87



0502-0194

## SWINGARM BEARING AND RACE

- Bearing and race for various H-D models
- Sold as a set

PART #	DESCRIPTION
<b>0502-0194</b>	Right bearing and race for 86-99 XL; also fits left swingarm bearing and race for 91-05 Dyna Glide, 82-85 XL; repl. OEM #47082-81
<b>0215-0205</b>	Bearing w/ race for 58-86 FL/FX/FXWG (set); repl. OEM #s 9033 and 9052

PART #	DESCRIPTION
<b>0502-0196</b>	Bearing and race for L74-81 XL, 77-78 XLCR; will also fit earlier models that have been updated w/ bearing kit #47550-74 (ea.); repl. OEM #47521-74

## SWINGARM BEARING KITS

- Individual bearing kits that include required bearings for models listed

PART #	DESCRIPTION
<b>1302-0367</b>	For 02-21 FLT/FLHT/FLHR/FLHX/FLTR/FLTRU/FLTRK models; repl. OEM #9208
<b>1302-0091</b>	For 00-17 Softail models; repl. OEM #s 9209, 9270A, 11282



1302-0367

PART #	DESCRIPTION
<b>1302-0084</b>	For 84-99 FXST/FLST; repl. OEM #s 9076, 11158
<b>1302-0001</b>	For 58-86 FX/FXWG/FLH (except Softail, FXR, FLT)

## WHEEL BEARINGS

- Direct replacement of OEM components
- Fits front or rear applications

PART #	DESCRIPTION
<b>0215-0205</b>	Wheel bearing w/ race for 82-99 FLT/FLHT/FLHR/FLTR, 84-99 FXST/FLST, 91-98 FXD/FXDWG; 73-99 FX, FL; 82-94 FXR, FXRS, FXRT; 73-99 XL, 3/4" ID (ea.); repl. OEM #9052
<b>0215-0206</b>	Wheel bearing for 67-72 FL, 71-72 FX rear wheels; repl. OEM #43577-67



0215-0205

PART #	DESCRIPTION
<b>0215-0204</b>	Wheel bearing for 54-72 K and XL front wheels and 63-78 XL rear wheels; repl. OEM #9009



## WHEEL BEARINGS AND KITS

- 00-20 kits are premium EMQ quality featuring rubber seals that keep water out and improve grease retention
- 86-99 kits have tapered bearings and seals
- PART #0215-0962 includes one OEM #9276A bearing and one OEM #9252 bearing with ABS encoder; PART #0215-0963 includes three OEM #9276A bearings and one OEM #9252 bearing with encoder; PART #0215-0964 includes one OEM #9252 bearing with OEM encoder
- Sold in kits containing bearings/seals for one wheel, unless noted

**NOTE:** Follow OEM-prescribed procedures for installing and checking wheel bearing end play.



0215-0962



0215-0638

PART #	DESCRIPTION	REPL. OEM #	SIZE
<b>FRONT APPLICATIONS</b>			
<b>0215-0962</b>	For 08-21 FLHT/FLHX/FLHR/FLTR/FLTRX/FLTRU/FLTRK (w/ ABS)	9276A/B/9252A	25 mm ID
<b>0215-0225</b>	For 08-19 FLHT/FLHX/FLHR/FLTR (w/o ABS)	9276	25 mm ID
<b>25-1394</b>	For 00-07 FLT/FLHT/FLHR/FLHX/FLTR	9247	1" ID
<b>A25-1002</b>	For 82-99 FLT/FLHT/FLHR/FLHS/FLTR, 73-84 FLH	9052	3/4" ID
<b>0215-0962</b>	For 18-21 Softail, 11-17 FXS/FLS/FLST/FXCW models (w/ ABS)	9276A/B/9252A	25 mm ID
<b>0215-0225</b>	For 07-21 Softail models (w/o ABS) (except FLSTSB)	9276	25 mm ID
<b>A25-1368</b>	For 00-06 FXST/FLST, 00-07 FLSTS/C	9267	3/4" ID
<b>A25-1002</b>	For 84-99 FLST/FXST, 80-86 FXWG, 93-98 FXDWG	9052	3/4" ID
<b>0215-0962</b>	For 12-17 FXD/FXDWG/FLD models (w/ ABS)	9276A/B/9252A	25 mm ID
<b>0215-0225</b>	For 08-17 FXD/FXDWG models (w/o ABS)	9276	25 mm ID
<b>A25-1368</b>	For 00-03 FXD, 00-05 FXDWG	9267	3/4" ID
<b>25-1394</b>	For 04-07 FXD/FXDL, 06-07 FXDWG	9247	1" ID
<b>A25-1001</b>	For 91-99 FXD, 73-84 FX, 82-94 FXR	9052	3/4" ID
<b>A25-1002</b>	For 99 FXDWG	9052	3/4" ID
<b>0215-0962</b>	For 08-17 V-Rod (w/ ABS)	9276A/9252	25 mm ID
<b>0215-0225</b>	For 08-17 V-Rod (w/o ABS)	9276	25 mm ID
<b>25-1394<sup>1</sup></b>	For 02-07 VRSC	9247	1" ID
<b>0215-0962</b>	For 15-21 XL models (w/ ABS)	9276A/B/9252A	25 mm ID
<b>0215-0225</b>	For 08-21 XL (w/o ABS)	9276	25 mm ID
<b>A25-1368</b>	For 00-07 XL	9267	3/4" ID
<b>A25-1001</b>	For 73-99 XL	9052	3/4" ID
<b>0215-0640</b>	For 03-06 Firebolt XB9R	E0004.02A8A	-
<b>0215-0640</b>	For 03-09 Lightning XB9S	E0004.02A8A	-
<b>0215-0640</b>	For 08-09 1125CR/R	E0004.02A8A	-
<b>0215-0640</b>	For 05-08 Firebolt XB12R	E0004.02A8A	-
<b>0215-0640</b>	For 05-09 Lightning XB12S	E0004.02A8A	-
<b>0215-0640</b>	For 06-09 Ulysses XB12X	E0004.02A8A	-
<b>REAR APPLICATIONS</b>			
<b>0215-0963</b>	For 09-21 FLHT/FLHX/FLHR/FLTR/FLTRX/FLTRU/FLTRK (w/ ABS) (4-pc.)	9276A/B/9252A	25 mm ID
<b>0215-0288</b>	For 09-19 FLHT/FLHX/FLHR/FLTR (w/o ABS); (4-pc.)	9276	25 mm ID

PART #	DESCRIPTION	REPL. OEM #	SIZE
<b>REAR APPLICATIONS (CONT)</b>			
<b>0215-0225</b>	For 08 FLHT/FLHX/FLHR/FLTR (w/o ABS); (pr.)	9276	25 mm ID
<b>A25-1368</b>	For 00-01 FLHT/FLHR/FLTR	9267	3/4" ID
<b>A25-1002</b>	For 82-99 FLT/FLHT/FLHR/FLHS/FLTR, 73-84 FLH	9052	3/4" ID
<b>0215-0962</b>	For 18-21 Softail, 11-17 FXS/FLS/FLST/FXCW models, 12-17 FXD/FXDWG/FLD models (w/ ABS)	9276A/B/9252A	25 mm ID
<b>0215-0225</b>	For 08-21 Softail, 08-17 FXD/FXDWG models (w/o ABS)	9276	25 mm ID
<b>A25-1002</b>	For 84-99 FXST/FLST, 80-86 FXWG, 93-98 FXDWG	9052	3/4" ID
<b>A25-1368</b>	For 00-05 FXD/FXDWG, 00-07 FXST and FLST	9267	3/4" ID
<b>A25-1002</b>	For 91-99 FXD/FXDWG, 73-84 FX, 82-94 FXR	9052	3/4" ID
<b>25-1394<sup>1</sup></b>	For 02-07 FLT/FLHT/FLHR/FLHX/FLTR, 06-07 FXD, 06-07 FXDWG, 02-07 VRSC	9247	1" ID
<b>0215-0962</b>	For 08-17 V-Rod (w/ ABS)	9276A/B/9252A	25 mm ID
<b>0215-0225</b>	For 08-17 V-Rod (w/o ABS)	9276	25 mm ID
<b>0215-0962</b>	For 15-21 XL models (w/ ABS)	9276A/B/9252A	25 mm ID
<b>0215-0225</b>	For 08-21 XL w/o ABS	9276	25 mm ID
<b>25-1394</b>	For 05-07 XL	9247	1" ID
<b>A25-1368</b>	For 00-04 XL	9267	3/4" ID
<b>A25-1002</b>	For 79-99 XL	9502	3/4" ID
<b>A25-1370</b>	For 58-78 XL	9008	17mm ID
<b>0215-0639</b>	For 00-09 Blast	E6204	-
<b>0215-0638</b>	For 03-06 Firebolt XB9R	E0005.02A8A	-
<b>0215-0638</b>	For 03-09 Lightning XB9S	E0005.02A8A	-
<b>0215-0638</b>	For 08-09 1125CR/R	E0005.02A8A	-
<b>0215-0638</b>	For 05-08 Firebolt XB12R	E0005.02A8A	-
<b>0215-0638</b>	For 05-09 Lightning XB12S	E0005.02A8A	-
<b>0215-0638</b>	For Ulysses XB12X 06-09	E0005.02A8A	-
<b>WHEEL BEARING W/ ABS ENCODER (EA.)</b>			
<b>0215-0964</b>	All models w/ ABS	9252	25 mm ID

<sup>1</sup> Not for VRSC models with 240 mm rear tire.

### FOR CUSTOM APPLICATIONS (EA.)

PART #	DESCRIPTION	SIZE
<b>0215-0946</b>	For 3/4" custom applications	3/4" ID x 1.85" OD x 0.55" W

PART #	DESCRIPTION	SIZE
<b>0215-0947</b>	For 1" custom applications	1" ID x 2.04" OD x 0.59" W



## FORGED BILLET Y-SPOKE RIMS

- All rims are CNC-machined from radial forged 6061-T6 aluminum for maximum road durability and strength-to-weight ratio
- Features a rolled rim lip for the custom look and detailed CNC machine work from the center of the hub to the edge of the rim
- Rims can be used on both front and/or rear applications when correct hub kit is installed (sold separately)
- Rims accept Arlen Ness hub kits (sold separately), which allow full wheels to be assembled in minutes with basic tools

**NOTE:** Arlen Ness hub kits must be purchased separately to install. Please see the 2021 Parts Europe FatBook or the Parts Europe Indian catalog for required hub kits.



0210-0378



0210-0375

DESCRIPTION	CHROME	RED
<b>FRONT RIMS</b>		
19" x 3,25"	0210-0378	-
21" x 3,50"	0210-0372	-
<b>REAR RIMS</b>		
18" x 5,50"	0210-0371	0210-0375

## INVERTED SERIES 10-GAUGE AIR CLEANER KITS

- CNC-machined from forged billet aluminum
- Forged billet air filter covers feature exposed design and a CNC inverted top that acts as a velocity stack to help pull in more airflow
- Forged billet aluminum backing plate features Big Sucker™ hidden breather technology and a radius air inlet for smooth airflow
- Hidden breathers are O-ringed at the heads and exits at throttle body/carb to create a virtually closed-loop system
- No external hoses or hardware needed
- Black stainless steel jacketed inverted filters feature an inverted pleated top and 360° of pleated sides to pull in filtered air from every angle
- Performance filters features a black synthetic filter element wrapped in a stainless steel jacket
- Filter is water-resistant, eliminating the need for a rain sock



1010-2646



1010-2650

PART #	DESCRIPTION
<b>FOR 17-21 FLHT/FLHR/FLHX/FLTR/H-D TRIKE, 18-21 SOFTTAILS MODELS</b>	
1010-2646	Black anodized
1010-2650	Titanium anodized
<b>FOR 08-16 FLHT/FLHR/FLHX/FLTR/H-D TRIKE, 16-17 SOFTTAILS, 14-15 FLSTNSE, 13-14 FXSBSE, 11-12 FLSTSE, 16-17 FXDLS MODELS</b>	
1010-2647	Black anodized
1010-2651	Titanium anodized

PART #	DESCRIPTION
<b>FOR 01-17 TWIN CAM DELPHI EFI MODELS, 99-06 TWIN CAM CV CARB MODELS (EXCEPT 08-16 FLHT/FLHR/FLHX/FLTR/H-D TRIKE, 16-17 SOFTTAILS, 14-15 FLSTNSE, 13-14 FXSBSE, 11-12 FLSTSE, 16-17 FXDLS MODELS)</b>	
1010-2648	Black anodized
1010-2652	Titanium anodized
<b>FOR 91-21 XL (EXCEPT 21 SPORTSTER S/RH1250S)</b>	
1010-2649 <sup>1</sup>	Black anodized
1010-2653 <sup>1</sup>	Titanium anodized

<sup>1</sup> Will fit 88-90 models also, breather system is not applicable for these model years.