

ONE-PIECE DELUXE TOURING SEATS WITH REMOVABLE BACKREST

- Super comfortable touring design provides rider and passenger with uncompromising comfort
- Allows driver to sit back 44,5 mm (1,75") further than stock
- One-piece seat with unique custom stitch pattern on high-quality expanded vinyl
- Rear seat provides support across its full width and keeps the passenger firmly in the comfort zone
- Fully adjustable, easily removable driver backrest
- Front width: 48 cm (19"), rear width: 35,5 cm (14")

NOTE: This seat will not work with Mustang or HD frame-mounted backrest kits.



PART #	DESCRIPTION
FOR 08-21 FLHR/FLHX/FLTR/FLHT, 09-21 FLHTCUTG, 10-11 FLHXXX	
0801-1374	Black w/ American beauty red stitching
0801-1375	Black w/ Gunmetal gray stitching
0801-1376	Black w/ sky blue stitching

PART #	DESCRIPTION
REMOVABLE DRIVER BACKRESTS	
0822-0492	Black w/ American beauty red stitching
0822-0493	Black w/ Gunmetal gray stitching
0822-0494	Black w/ sky blue stitching

SQUAREBACK ONE-PIECE SEATS

- Positions riders similar to stock with enhanced lower back support
- Cover features split-panel, Tuck-and-Roll stitching with contrasting perforated and smooth vinyl, and integrated brass grommet accents
- Flat tail section allows for comfortable two-up riding or a level foundation for luggage
- Front width: 25 cm (10"); rear width: 16,5 cm (6,5")



PART #	DESCRIPTION
FOR 08-21 FLHT/FLHR/FLHX/FLTRX/FLTRU MODELS	
0801-1372	Black w/ American beauty red stitching

PART #	DESCRIPTION
FOR 08-21 FLHT/FLHR/FLHX/FLTRX/FLTRU MODELS (CONT)	
0801-1373	Black w/ gunmetal gray stitching

WIDE TRIPPER™ SOLO AND PASSENGER SEATS WITH REMOVABLE DRIVER BACKREST

- High-quality expanded vinyl cover
- Detailed diamond-stitch pattern
- Steel baseplate construction
- Backrest is fully adjustable, easily removed and built directly into the seat
- Includes chrome hardware and mini fender bib
- Driver seat width: 35,5 cm (14")
- Passenger seat width: 29 cm (11,5")

NOTE: Will not fit with stock passenger seat or handrail.



PART #	DESCRIPTION
FOR 08-21 FLHT/FLTR/FLHX/FLHR MODELS	
0801-1377	Driver seat w/ backrest; double diamond, black w/ American beauty red stitching
0801-1378	Passenger seat; double diamond, black w/ American beauty red stitching

PART #	DESCRIPTION
FOR 08-21 FLHT/FLTR/FLHX/FLHR MODELS (CONT)	
0801-1379	Driver seat w/ backrest; double diamond, black w/ Gunmetal gray stitching
0801-1380	Passenger seat; double diamond, black w/ Gunmetal gray stitching



LOWER SPEAKER ADAPTERS FOR AIR-COOLED BIKES

- 16,5 cm (6,5") lower speaker adapters



PART

4405-0857

DESCRIPTION

For 14-21 Touring models w/ HD or aftermarket air-cooled lower fairings added



FAIRING VENT SCREEN

- Accents the vent system on the Indian Challenger
- Easy to install
- Adds a custom touch to the front of your fairing
- Screen catches or stops larger bugs and other road debris from entering through your fairing vent
- Sold in pairs

PART

2330-0237

DESCRIPTION

For 20-21 Challenger



UNIVERSAL iO PHONE MOUNT

- Secure devices within any vehicle with a flat mounting surface (stick on or bolt on options)
- Universal kit is perfect not only for UTVs but also boats, tractors, semis, hot rods and more
- Attach razor-thin iOadapt™ stainless steel adapter to your device and connect to the powerful iOcore™ magnetic carrier
- No special case needed; device is held in place by the strong iOcore magnet, and can be adjusted to preferred angle
- Included in box: one Hemisphere mount, adhesive patch, two iOadapt steel disks and one magnetic black iOcore
- Adhesive requires 72 hours for proper cure time
- Purchase additional iOadapt discs to use multiple devices on same mount

NOTE: Not for use with phones that have inductive charging.

NOTE: Not for use with Samsung Galaxy S4 phones.



PART

0636-0192

DESCRIPTION

Universal phone mount

HOGTUNES

Audio Solutions For The Great American Cruiser

13 CM (5,25") FRONT AND REAR SPEAKER

- Gen 4, 13 cm (5,25") 6-ohm speaker fits front and rear locations
- Perfect replacement speaker when using radio's built-in power on 98 bikes
- Vented magnet properly controls heat for added reliability
- Sound is tailored to cut through exhaust and wind noise
- Install using factory grilles or use Hogtunes front speaker metal mesh grilles (PART #4405-0379)
- Compatible with popular plug-and-play aftermarket radios
- Sold in pairs



PART

4405-0763

DESCRIPTION

For 99-05 models w/ factory radios only



DYNOJET

POWER COMMANDER V

- Fuel control for each individual cylinder in a smaller enclosure
- "Warm-up" fuel adjustment (unit reads engine temp and allows fuel/timing adjustments based on the reading)
- Includes ignition adjustment feature; allows full ignition timing control of each cylinder
- Easy to install
- USB powered from computer; 9 volt adapter is no longer needed
- Two-position map-switching function built in
- Can add any Single Pole Single Throw (SPST) switch and toggle between two different fuel maps
- Gear/speed input allows for map adjustment based on gear
- Analog input allows user to install any 0-5 volt sensor
- Build an adjustment table based on analog input such as boost or temperature
- Power Commander V is capable of allowing each cylinder to be mapped individually and for each gear with the gear position input connected
- Enhanced "accel pump" utility

PART #	DESCRIPTION
1020-3481	For 22 Chief w/ crank sensor



JET AIR CLEANERS

- Low-profile and lightweight air cleaner is CNC-machined from billet aluminum
- Innovative and versatile design allows unit to be mounted in the vertical or horizontal position
- Compact design for improved knee clearance
- Features PM's proven internal crankcase venting system
- Features a high-flow reusable air filter
- Contrast Cut™ finish starts with a polished air cleaner that has been black anodized, then recut to open the design
- Black Ops™ finish features gloss black on top of a contrasting textured black finish for outstanding durability and looks

PART #	DESCRIPTION
FOR 17-21 FLHT/FLHR/FLHX/FLTRX/FLTRU/FLTRK, 18-21 SOFTTAILS W/ 107"/114" MOTOR	
1010-2670	Contrast Cut™
1010-2671	Chrome



1010-2673



1010-2674



MAX HP AIR CLEANERS

- CNC-machined aluminum backing plate
- Internal rubber breather tubes to eliminate oil leakage
- Internal power cone design for smooth, laminar airflow
- Innovative conical design for improved knee clearance
- Contrast Cut™ finish starts with a polished air cleaner that has been black anodized, then recut to open the design
- Black Ops™ finish features gloss black on top of a contrasting textured black finish for outstanding durability and looks
- All mounting hardware and gaskets included



1010-2675

PART #	DESCRIPTION
FOR 17-21 FLHT/FLHR/FLHX/FLTRX/FLTRU/FLTRK, 18-21 SOFTTAILS W/ 107"/114" MOTOR	
1010-2673	Contrast Cut™
1010-2674	Chrome
1010-2675	Black Ops™



1010-2670



1010-2671



1010-2672

PART #	DESCRIPTION
FOR 17-21 FLHT/FLHR/FLHX/FLTRX/FLTRU/FLTRK, 18-21 SOFTTAILS W/ 107"/114" MOTOR (CONT)	
1010-2672	Black Ops™

S&S CYCLE

A history of proven performance, driven by a passion for speed. S&S continues to be the industry leader for quality high-performance parts for your American V-Twin. Their new Tuned Induction Air Cleaners feature carefully engineered and laser-cut tubes merged to a single collector and dual high-flow air filters to create a stylish package that maximizes the performance of your M-Eight's intake system.



1010-2880



TUNED INDUCTION AIR CLEANERS

- Uses two laser-cut and highly engineered tubes merged into a single collector, fed by a pair of high-flow air filters directly in the airstream
- Bolt-on performance: more than twice the filter area compared to the stock intake system
- Boosts horsepower and torque across the rpm range using air column inertia and carefully timed gas dynamic pressure waves
- Smooth intake tract using carefully selected and tuned lengths to aid performance
- High-flow, washable and reusable cotton media air filter elements

NOTE: Will not fit Touring models with fairing lower glove boxes or Twin-Cooled models.



1010-2882

PART #	DESCRIPTION
FOR 17-21 M-EIGHT	
1010-2885	Stainless steel
1010-2880	Chrome
1010-2881	Gloss black

PART #	DESCRIPTION
FOR 08-16 FLHT/FLHR/FLHX/FLTR/H-D FL TRIKE, 16-17 FXDLS AND 16-17 SOFTTAILS	
1010-2882	Stainless steel
1010-2883	Chrome
1010-2884	Gloss black



REPLACEMENT AIR FILTER ELEMENT

- For Dog Dish air cleaner assemblies
- Allows for high airflow and protection from dust and dirt

PART #	DESCRIPTION
1011-4572	For Dog Dish air cleaner assemblies





SUPER-DUTY BIG BORE M-EIGHT PISTON KITS

- Updates stock 107", 114" or 117" motor to 124" or 128" when using 4,250" big bore cylinders
- Valve pockets are designed to accept up to +4 mm oversized intake and exhaust valves
- Type 3 hard-anodized crown offers corrosion resistance for alcohol-added fuels
- Type 3 hard-anodized top ring groove eliminates micro-welding of ring to the groove and gives a hard-flat surface for ring to rotate on
- OE-style round wire locks are easily installed
- Heavy-duty wrist pins with true 0,9270" diameter to fit rods correctly
- Line2Line AST skirt coating starts out with a near-zero wall clearance and through the break-in period hones the cylinders to produce the correct oil wedge, keeping the piston square to the cylinder for best ring seal and quiet operation
- Kit includes pistons, rings, pins and locks

NOTE: Requires the separate purchase of 4,250" bore cylinders PART #0931-0823.

PART #	DESCRIPTION
128" BIG BORE KIT FOR 17-21 114"/117" M-EIGHT (COMPRESSION RATIO: 11.7:1)	
0910-6405	4,250" kit
0910-6406	+0,005 kit
124" BIG BORE KIT FOR 17-21 107" M-EIGHT (COMPRESSION RATIO: 11.8:1)	
0910-6403	4,250" kit
0910-6404	+0,005 kit




GASKET, SEAL AND O-RING DISPLAY FOR MILWAUKEE-EIGHT® MOTORS

- Complete four-color display features gaskets, seals and O-rings for Milwaukee-Eight® motors
- Displays are made from a 20 mil-thick flexible vinyl and come with all necessary hooks, clamshells and a complete listing of all gaskets, seals and O-rings necessary
- Mounts easily on any 1/8" or 1/4" pegboard
- Display is designed so that three 48" W X 32" H displays will fit on a single sheet of 4' x 8' pegboard
- Gaskets, seals and O-rings are not Included; a list is furnished to allow you to stock the products that you desire
- Made in the U.S.A.

NOTE: GASKETS ARE NOT INCLUDED. TO STOCK YOUR BOARD FOR INITIAL SETUP AT TIME OF ORDER, THE FOLLOWING GASKETS ARE SUGGESTED.

OEM #	DESCRIPTION	JAMES GASKET PART #	COMETIC PART #
11132A	O-ring, push rod cover, middle	0935-0115	0935-0170
11145A	O-ring, push rod cover, lower	0934-0116	0935-0150
11289A	O-ring oil return/crank pos. sensor	DS-173206	0935-0153
11293	O-ring, p-rod cover, upper/oil pump inner	DS-173210	0935-0148
11000134	Oil seal, sprocket shaft	0935-0934	0935-0998
11900010	O-ring, plug/check valve	0935-0988	0935-0997
11900090	O-ring coolant manifold	0935-0986	0935-0990
16500332	Cylinder base gasket	0934-5964	0934-6319
18100044	Valve seal	0935-0979	0935-0991
25700362	Gasket, lifter cover	0934-5965	0935-5933
25700370	Gasket, cam cover	0934-5968	0934-5934
27300082	Throttle body seal	-	0935-1181



REPLACEMENT CLUTCH GASKET

- High-quality product for long-term reliability
- Manufactured from premium fuel-resistant materials that will not creep, crack or become brittle
- Replaces OEM# 25701080
- Sold in 5-pack

PART #	DESCRIPTION
0934-6535	For 18-21 M-Eight Softail models



PART #	DESCRIPTION
FOR 17-21 MILWAUKEE-EIGHT® MOTORS	
0934-6923	Gasket, seal and O-ring display

OEM #	DESCRIPTION	JAMES GASKET PART #	COMETIC PART #
29000149	Air cleaner gasket	0935-6313	0934-1337
11900092	O-ring, oil return tube	0935-0987	0935-1000
11900103	O-ring, oil pump outer	0935-0989	0935-0999
11900116	O-ring, breather assembly	0935-0985	0935-0975
11900172	O-ring, oil pressure switch	-	-
16500599	Gasket, head 117, 4,075" bore	-	0934-5921
16500305	Gasket head 114, 4,016" bore	-	0934-5918
16500326	Gasket head, 107, 3,937" bore	0934-5963	0934-5916
25700372B	Gasket, rocker box cover	0934-5966	0934-5942
25700425	Gasket, rocker box, lower	0935-0978	0934-5950
25700433	Gasket, piston jet	0934-5967	0934-5935
62400205	Seal, oil pump	-	0935-1181
27300087	Intake manifold seal	0935-0980	0935-0992




RACE SERIES® OIL SYSTEM PACKS FOR M-EIGHT

- Includes Feuling's® High Flow billet camplate made from 7075 aluminum which is 50% harder and stronger than the factory or Feuling OE+ camplates
- Increases oil flow and volume by enlarging the oil pump reservoirs and critical oil passages including matching the oil port holes throughout the camplate to the port holes in the engine case which increases engine oil flow to the lifters, piston cooling jets, crankshaft and rod bearings
- Feuling oil pumps are bench tested, the relief valve is seated and sealed to a minimum of 30 psi with full pop off at 55-60 psi
- Increased oil volume from the larger gears and properly sized passages along with the pressure relief valve seat and seal from these oil pumps is essential for proper oiling system function
- Feuling® oil pump and camplate combination eliminates common pressure and scavenge issues associated with the factory oiling systems
- Feuling M-Eight oil pumps have the groove machined on the back cover to accept the factory crank bearing seal
- Quieter and smoother engine operation
- Increase oil pressure, scavenge volume and engine oil flow
- 42% more scavenge volume with port sizing, matched passages and holes to the engine case
- 68% more oil volume to the crankshaft and connecting rod bearing
- 15-25 °F cooler engine temperatures
- 15-30 °F cooler oil temperatures
- 10-30 more psi of oil pressure
- M-Eight Twin-Cooled™ motor oil pump specs: 30% more pressure gear volume over stock and 53% more scavenge gear volume over stock
- M-Eight Oil-Cooled motor pump specs: 27% more pressure and scavenge gear volume over stock
- Reduces wet sumping, blowby and oily air cleaners
- Test results show 2 HP gain and 2 ft/lbs of torque gain to the rear wheel on M-Eight
- Includes a Race Series® oil pump, Race Series® short-travel hydraulic roller lifters, High Flow camplate and cam installation kit, cam bearing, cam/crank bolts and washers, engine and fastener assembly lube
- Billet 7075 aluminum oil pump which is 50% harder and stronger than the factory pump holding tighter tolerances under temperature
- Race Series® oil pumps feature increased scavenge side kidney port volume over HP+ oil pumps
- Race Series® short-travel hydraulic lifters have 0,115" of total travel and will increase rpm by decreasing valve float and valve-train harmonics while maintaining a quiet engine
- The travel reduction reduces the amount of oil that is required to fill the inside of the lifter which reduces oil aeration inside the lifter on steep, fast action high lift camshaft lobes


NOTE: Optional Feuling X ARP bolt kit available for the High Flow camplate PART #0932-0192 and HP+ or RS oil pump combo. See PART #2401-0993, optional ARP oil pump bolts do not use washers.

NOTE: Feuling test results show as much as 50% reduction of engine sump oil level.

NOTE: M-Eight engines must check clearance on front exhaust lifter to camshaft flange fit.



0932-0293



0932-0294

PART

0932-0293^{1,2}0932-0294^{1,2}

DESCRIPTION

For 17-21 M-Eight oil-cooled motors w/ gear or chain drive

For 17-21 M-Eight Twin-Cooled™ motors w/ gear or chain drive

¹ Block-off plate PART #0932-0036 required when using gear drive cams.

² Use with short-travel pushrods PART #0928-0114 on stock base circle camshafts with Feuling short-travel lifters (includes Feuling grinds 405, 465, 472, 508, 521 and 592).



RACE SERIES® OIL SYSTEM PACKS FOR TWIN CAM

- Quieter and smoother engine operation
- Increase oil pressure, scavenge volume and engine oil flow
- 15-35 °F cooler engine temperatures
- 15-30 °F cooler oil temperatures
- 15-30 more psi of oil pressure
- Eliminate wet sumping, blowby and oily air cleaners
- Test results show 3 horsepower gain and 4 ft./lb. of torque gain to the rear wheel
- Includes Race Series oil pump, Race Series short-travel hydraulic roller lifters, high flow camplate and cam installation kit
- Billet 7075 aluminum oil pump is 50% harder and stronger than the factory pump; holds tighter tolerances under temperature
- Race Series short-travel hydraulic lifters have 0,115" of total travel and will increase rpm by decreasing valve float and valve-train harmonics while maintaining a quiet engine
- The travel reduction reduces the amount of oil that is required to fill the inside of the lifter which reduces oil aeration inside the lifter on steep, fast action high lift camshaft lobes

NOTE: Optional Feuling x ARP oil pump/camplate bolt kit available PART #2401-0993.

PART #	DESCRIPTION
0932-0291 ^{1, 2}	For 07-17 Twin Cam and 06 Dyna w/ gear or chain drive
0932-0289 ²	For 99-06 Twin Cam (except 06 Dyna) w/ gear driven cams
0932-0290 ²	For 99-06 Twin Cam (except 06 Dyna) w/ chain driven cams
0932-0292 ^{2, 3}	For 99-06 Twin Cam (except 06 Dyna) w/ chain drive conversion camplates upgrade to 07-17 Hydraulic tensioners


¹ Gear Drive cam systems require block-off plate kit PART #0932-0036.

² Use with short-travel pushrods PART #0928-0116 on stock base circle camshafts (Feuling 525, 543 and 574 grinds) and PART #0928-0117 on small base circle camshafts (Feuling 594 and 630 grinds).

³ Conversion camplates use 99-06 style camshafts; oil system pack requires separate purchase of hydraulic chain drive tensioners, chains, sprockets and spacers.



0932-0291



0932-0290



0926-3347

RACING VALVE SPRING KITS

- Kits are designed for maximum performance
- Features interference-wound, double-chrome silicone springs and H.T. steel base washers
- Available in a complete set for one engine
- Includes springs, H.T. steel keepers, H.T. steel or titanium spring retainers and red Viton® valve seals
- Made in the U.S.A.

PART #	DESCRIPTION
FOR 05-17 88"/96"/103" TWIN CAM, 04-21 XL (EXCEPT 21 SPORTSTER S/ RH1250S), 09-12 XR1200, 03-10 BUELL XB9/XB12	
0926-3347	0,650" lift (seat pressure 185 lb) (steel spring retainers)
0926-3349	0,650" lift (seat pressure 185 lb) (titanium spring retainers)
0926-3348	0,675" lift (seat pressure 185 lb) (steel spring retainers)
0926-3350	0,675" lift (seat pressure 185 lb) (titanium spring retainers)



EZ CLUTCH ADJUSTER UPGRADE KIT

- Converts the factory upper clutch cable adjuster to a screw-type style and adds reinforcement to the cable
- Works as an upgrade or a repair part for the factory clutch cable adjuster
- For use with stock clutch cable or Fat Baggers EZ Clutch Cable Extensions
- Threaded split adjuster dimensions: 1/2"-20 threaded

PART #	DESCRIPTION
0660-0013	For 21 FLHT, FLHTK, FLHX, FLHXS, FLHXSE, FLHTKSE, FLHTCUTG, FLHTCUTGSE, FLTRK, FLTRXS, FLTRX, FLTRXSE, FLHR, FLHRXS w/ cable clutch and 18-21 Softail





CUSTOM DYNAMICS

All your lighting needs solved! Custom Dynamics is the leader in LEDs and lighting accessories for American motorcycles. The new line of 5,75" LED Halo headlamps feature projection-style high- and low-beam with advanced optical D lenses for a smooth, bright light pattern and superior field of vision.



INTEGRATED LED TAILLIGHTS W/ TURN SIGNALS

- Include run, brake, turn functions
- 40 dual-intensity run/brake LEDs
- 20 red turn signal LEDs per side
- Plug-and-play installation

PART #	DESCRIPTION
FOR 18-21 FLFB/FLFBS (DOES NOT FIT CANADA OR INTERNATIONAL MODELS)	
2010-1465	Red
2010-1466	Smoke



DUAL-COLOR LED SADDLEBAG LATCH LIGHTS W/ HOUSINGS

- Dual-color LEDs
- Red running and brake lights
- Full-contrast amber turn signals
- Complete saddlebag latch
- Simple installation
- Plug-and-play



PART #	DESCRIPTION
FOR 16-21 FLHTKSE, 14-21 FLHX/FLHXS/FLTRX/FLTRXS/FLTRU/FLTRK/FLHTCU/FLHTCUL/FLHTK/FLHTKL/FLHRS, AND 16 FLTRUSE MODELS (DOES NOT FIT CANADA OR INTERNATIONAL MODELS)	
2040-2867	Red/black
2040-2868	Red/chrome
2040-2869	Smoke/black
2040-2870	Smoke/chrome
FOR 19-21 FLHT, 18-21 FLTRXSE, 14-21 FLHR/FLHXSE, 15 FLTRUSE, 14-15 FLHTKSE AND 14 FLHRSE MODELS	
2040-2871	Red/black
2040-2872	Red/chrome
2040-2873	Smoke/black
2040-2874	Smoke/chrome

LED SADDLEBAG LATCH LIGHTS W/ HOUSINGS

- Dual-intensity red or smoke lens
- Complete saddlebag latch
- Chrome or black housing
- Simple installation
- Plug-and-play installation



PART #	DESCRIPTION
FOR 19-21 FLHT, 14-21 FLHX/FLHXS/FLHXSE/FLTRX/FLTRXS/FLTRU/FLTRK/FLTRXSE/FLHTCU/FLHTCUL/GLHTK/FLHTKL/FLHTKSE/FLHR/FLHRS AND 14 FLHRSE MODELS	
2040-2863	Red/black
2040-2864	Red/chrome

PART #	DESCRIPTION
FOR 19-21 FLHT, 14-21 FLHX/FLHXS/FLHXSE/FLTRX/FLTRXS/FLTRU/FLTRK/FLTRXSE/FLHTCU/FLHTCUL/GLHTK/FLHTKL/FLHTKSE/FLHR/FLHRS AND 14 FLHRSE MODELS (CONT)	
2040-2865	Smoke/black
2040-2866	Smoke/chrome

OPTIMATE™ 1 VOLTOMATIC BRONZE SERIES

4-STEP 6V/12V 600mA BATTERY CHARGER/MAINTAINER

- The best fully automatic battery maintainer
- Maintains any type of 6V/12V lead-acid battery without overcharging or undercharging
- Ideal for vehicles that are in storage or seldom/seasonally used
- Delivers 600mA constant current at 12V
- For indoor use (lowest temperature -20°C/-4°F)
- Automatic shutdown if battery disconnects or short circuits



PART #	DESCRIPTION
3807-0609	Optimate 1 VoltMatic Bronze series

OPTIMATE™ 6 SILVER SERIES

- OptiMate 6 silver series with 6 amps charging power is the ideal all-in-one tool to care for all 12V batteries
- Will diagnose, recover, charge, test and maintain your batteries automatically
- The Ampmatic microprocessor actively adjusts charge current to match battery characteristics to achieve a complete charge in the shortest possible time
- Features a short circuit/dead cell check that detects internal damage in a battery and prevents unnecessary charging of a battery that cannot be recovered
- Weatherproof, sealed enclosure
- Recommended for STD (with removable filler caps), sealed AGM (absorbed glass mat) and sealed gel 12V lead-acid batteries from 8Ah to 120Ah
- Will safely maintain the battery at 100%, never overcharging, thanks to its unique 30-minute charge/30-minute rest cycle during every hour of long-term maintenance charge
- Includes permanent ringlet connector with weatherproof cap and a set of battery clips
- Fully automatic operation that includes all safety features, such as reverse polarity protection and no-spark connection
- CE conformity
- EU plug



PART #	DESCRIPTION
3807-0608	OptiMate 6 Silver series

OPTIMATE™ 5/16" BATTERY LEAD

- Permanent battery lead with integrated battery status/charge system monitor for 12V lead-acid batteries
- Monitor charge or confirm if the charging system is working correctly
- 5/16"/M8 ringlets
- Two automatic modes: battery charge level monitor and charging system test
- SAE charge port with weatherproof sealing cap
- 15A fuse



PART #	DESCRIPTION
3807-0613	12V battery connector w/ opposite SAE ends and integrated state-of-charge monitor; 15 cm (6") L

tecMATE

OPTIMATE™ LITHIUM 4S

- The fastest professional battery charger for LiFePO₄/LFP batteries
- Charging amps: 6A (Ampmatic)
- Adjusts current to match battery size and condition
- Can be used in temperatures as low as -20 °C (-4 °F)
- Advanced Lithium save mode will save a battery from as low as 0,5V
- Push button activated BMS wake-up mode safely wakes battery out of sleep mode or low discharge
- Smart interactive maintenance prevents discharge from connected circuitry
- Global input (100V-240V 50Hz-60Hz), high-efficiency, fully sealed



PART #	DESCRIPTION
3807-0589	OptiMate Lithium 4S

SAE CHARGER CABLE

- For all tecMate chargers except OptiMate™ Pro 4-S and OptiMate Pro 8
- Sold each



PART #	DESCRIPTION
3807-0611	Weatherproof panel-mount SAE socket, 120 cm L (47") cable; (020)

1/4" EYELET SAE BATTERY CONNECTION LEADS

- Premium quick-connect permanent battery lead with weather-protected connection system and cable
- 1/4"/M6 ringlets
- 51 cm (20") L
- Industry standard 2-pin, heavy-duty SAE connector
- 15A fuse
- Cable max rating: 5 amps
- Cable remains flexible at below freezing temperatures; rated for -40 °C/-40 °F



PART #	DESCRIPTION
3807-0612	20-pk. jar



DENSO

U-GROOVE SPARK PLUGS

- Hot U standard plugs

PLUG PART #	DENSO PART #	THREAD	REACH
2103-0547	W16FPR-U	14 mm	12,7 mm (¹ / ₂ "
2103-0548	W22EPR-U	14 mm	19 mm (³ / ₄ "



DENSO

NICKEL MULTI-GROUND SPARK PLUG

- 100% pre-fired to assure the highest quality
- Machine rolled threads prevent seizing or cross threading during installation/removal
- Five-rib insulator prevents flashover
- Copper-glass seal bonds center electrode insulator for a gas-tight seal

PLUG PART #	DENSO PART #	THREAD	REACH
2103-0549	U24ETR	10 mm	19 mm (³ / ₄ "



IGNITION
PARTS

SPARK PLUGS

- Superior construction for serious power
- Versatile plugs with wide operating heat ranges prevent fouling from running too cool and pre-ignition from running too hot
- Features include high alumina ceramics for improved heat dissipation and electrical insulation, deep-seated copper core for a wider heat range and a nickel alloy tip for longer life
- Sold each

PART #	PLUG #
2103-0534	LMAR9J-9E
2103-0535	CMR6H
2103-0536	BPMR7A
2103-0537	BCP7ET
2103-0538	BR7HS-10
2103-0539	B4-LM
2103-0540	CM-6



2103-0542

PART #	PLUG #
2103-0541	BR2-LM
2103-0542	BR8HS-10
2103-0543	BR5HS
2103-0544	BR6FS
2103-0545	BR9ECS
2103-0546	BPM7A
2103-0550	GR8DI-12



IRIDIUM SPARK PLUGS

- The ultimate in spark plug technology and performance
- Iridium electrode is smaller than a standard electrode; requires less voltage
- Hotter spark and extended spark plug service life compared to conventional plugs
- Has the distinctive black ceramic with red lettering and gold-colored corrosion-protected coating on the metal shell
- Exceed OEM specifications for plug service life
- Sold in pairs in convenient blister pack



2103-0231

PART #	DESCRIPTION	NGK REFERENCE	HD REFERENCE
2103-0359	For 17-21 M-Eight, 15-20 XG500/750/750A	CR9EIX	RG6HCC
2103-0231	For 99-17 Twin Cam, 86-21 XL (except 21 Sportster S/RH1250S) models	DCPR7EIX	6R12

PERFORMANCE SPARK PLUGS

- Conventional-style spark plugs, available in OEM heat ranges
- Plugs have a unique look with a black ceramic body and bold red logo/script
- Insulator is made of 95% pure alumina, features strong resistance to heat shock and superior insulation
- Multi-rib design of the insulator eliminates flashover
- Nickel-plated housing prevents oxidation and corrosion
- Multi-layer gaskets and heat crimping process ensure a leak-free, gas-tight seal
- Copper core electrode prevents oxidation and corrosion, has good electrical and heat conductivity and creates long spark plug service life
- Sold in pairs in blister pack



2103-0196

PART #	DESCRIPTION	NGK REFERENCE #	REFERENCE #
2103-0358	For 17-21 M-Eight, 15-20 XG500/750/750A	CR9EB	RG6HCC
2103-0199	For 84-99 Evolution Big Twin	BRP5ES-11	5R6A
2103-0196	For 99-17 Twin Cam, 86-21 XL (except 21 Sportster S/RH1250S)	DCPR7E	6R12
2103-0198	For 84-99 Evolution Big Twin	BRP4ES-11	(hotter)
2103-0203	For 84-99 Evolution Big Twin	BRP7ES-11	(colder)
2103-0199	For 75-84 Shovelhead	-	5R6A
2103-0198	For 75-84 Shovelhead (Hot)	-	-
2103-0203	For 75-84 Shovelhead (Cold)	-	-
2103-0207	For 66-74 Shovelhead	R5670-5	3-4
2103-0207	For 48-65 Panhead	R5670-05	3-4

PART #	DESCRIPTION	NGK REFERENCE #	REFERENCE #
2103-0205	For 79-85 XL	BPR6HS	4R5 (0,030" gap)
2103-0204	For 79-85 XL	B6L	4R5 (0,040" gap)
2103-0206	For 57-78 XL	-	5
2103-0197	For 02-17 V-Rod	DCPR8E	10R12A

PART #	DESCRIPTION	NGK REFERENCE #	REFERENCE #
2103-0358	For 17-21 M-Eight, 15-20 XG500/750/750A	CR9EB	RG6HCC
2103-0196	For 99-17 Twin Cam, 86-21 XL (except 21 Sportster S/RH1250S)	DCPR7E	6R12
2103-0197	For 02-17 V-Rod	DCPR8E	10R12A

SPARK PLUG WIRES

- Replacement spark plug wires for 6 volt coils
- Sold as a set



PART #	DESCRIPTION
2104-0220	Repl. spark plug wires (set)



8,8 MM SPARK PLUG WIRE SETS

- Constructed with silicone throughout the jacket, insulation and core (copper core also available) to deliver high-temperature resistance
- Rated at SAE Class E J2031 with a continuous operating temperature of 232 °C (450 °F)



2104-0227



2104-0185



2104-0149

PART # DESCRIPTION

TRIPLE SILICONE	
2104-0227	For 09-16 FLHT/FLHR/FLHX/FLTR and FL Trike models
2104-0145	For 99-08 FLT/FLHT/FLHR/FLHX/FLTR models
2104-0144	For 97-98 FLT/FLHT/FLHR/FLTR models
2104-0141	For L85-96 FLT/FLHT/FLHR models
2104-0148	For 00-17 FXST/FLST/FLS, 17 FXSB, 13-14 FXSBSE models
2104-0140	For 80-84 fx/fl, 84-99 FXST/FLST models, 91-98 FXD/FXDWG models
2104-0146	For 99-17 FXD/FXDWG. FLD models
2104-0142	For 82-94, 99-00 FXR models
2104-0186	For 07-21 XL models (except 21 Sportster S/RH 1250S)
2104-0185	For 04-06 XL models
2104-0143	For 86-03 XL models

PART # DESCRIPTION

TRIPLE SILICONE (CONT)	
2104-0147	For 98-03 XL 1200S
2104-0297	For 15-20 XG500/750/750A
2104-0139	Universal w/ 180° and 90° boots (except Twin Cam)
2104-0149	Universal dual plug w/ two 101,5 cm (40") wires and ends (except Twin Cam)
2104-0247	Universal 101,5 cm (40") black wire; Twin Cam w/ 180° and 90° boots; black
COPPER CORE	
2104-0138	For 65-E78 Big Twin
2104-0137	For 71-E78 XL
2104-0136	For 58-69 XL w/ a magneto

CHARGING SYSTEM KITS

- Kits include OEM-style rotor, three-phase stator and regulator
- All components meet or exceed OEM specifications



2112-1516



2112-1519

PART # DESCRIPTION

FOR 17-21 FLHT/FLHX/FLHR/FLTRX/FLTRU/FLTRK, 17-21 FLHTCUTG/FLRT MODELS (48 AMP)	
2112-1516	W/ black regulator
2112-1517	W/ chrome regulator

PART # DESCRIPTION

FOR 18-21 FLHC/FLDE/FLSL/FLFB/FLSB/FXST/FXBR/FXBB/FXFB/FXLR/FXDR MODELS (40 AMP)	
2112-1518	W/ black regulator
2112-1519	W/ chrome regulator



2330-0260



2330-0261

LOWER BATWING FAIRING SKIRTS

- Enhances the fairing/triple tree area under the headlight
- Simple bolt-on installation
- Mounts with existing hardware

PART

FOR 14-21 FLHT/FLHX	
2330-0260	
2330-0261	

DESCRIPTION

ABS plastic w/ chrome finish; repl. OEM #57000017
ABS plastic w/ gloss black finish; repl. OEM #57100227



0601-4309



0601-4287



0601-4318



0601-1251



0601-1252



0601-4293



0601-4297





0601-4299

38 MM (1½") "BIG" BUFFALO BARS

- Handlebars for the "biggest fattest" look
- Feature a full 38 mm (1½") diameter in the clamping area (except T-Bars)
- Custom bends for the ultimate in comfort
- Slotted and notched for Throttle-By-Wire applications
- Designed for use with 96 and newer style controls and master cylinders
- Special risers required for all bars (except T-Bars) include upper clamps and feature hidden clamp bolts; see page 1186
- Optional gauge mounts are available separately for T-Bars; see DASHES & GAUGES section of the 2022 Parts Europe/Drag Europe FatBook

NOTE: Accept heated grips and hydraulic clutch.



CHROME	GLOSS BLACK	FLAT BLACK	DESCRIPTION	END RISE	WIDTH	CENTER WIDTH	PULLBACK
0601-4306	0601-4307	-	15 cm (6") T-Bar	12,5 cm (5")	79 cm (31")	21,5 cm (8,5")	15 cm (6")
0601-4309	0601-4310	-	20,5 cm (8") T-Bar	20,5 cm (8")	79 cm (31")	21,5 cm (8,5")	16,5 cm (6,5")
0601-4312	0601-4313	-	25,5 cm (10") T-Bar	25,5 cm (10")	79 cm (31")	21,5 cm (8,5")	20,5 cm (8")
0601-4286	0601-4287	-	20,5 cm (8") Radius T-Bar	20,5 cm (8")	79 cm (31")	21,5 cm (8,5")	18 cm (7")
0601-4315	0601-4316	0601-4317	25,5 cm (10") Chopper T-Bar	25,5 cm (10")	80 cm (31,5")	25,5 cm (10")	11,5 cm (4,5")
0601-4318	0601-4319	0601-4320	30,5 cm (12") Chopper T-Bar	30,5 cm (12")	80 cm (31,5")	25,5 cm (10")	11,5 cm (4,5")
0601-4321	0601-4322	0601-4323	35,5 cm (14") Chopper T-Bar	35,5 cm (14")	80 cm (31,5")	25,5 cm (10")	11,5 cm (4,5")
0601-4301	0601-4302	-	33 cm (13") Ape Hanger	33 cm (13")	104 cm (41")	25,5 cm (10")	25 cm (9,75")
0601-1251	0601-1252	-	40,5 cm (16") Ape Hanger	40,5 cm (16")	104 cm (41")	25,5 cm (10")	25,5 cm (10")
0601-4303	0601-4304	-	45,5 cm (18") Ape Hanger	45,5 cm (18")	104 cm (41")	25,5 cm (10")	25 cm (9,75")
0601-4293	0601-4294	-	Beach Bar	7,6 cm (3")	99 cm (39")	21,5 cm (8,5")	37,5 cm (14,75")
0601-4296	0601-4297	-	Bikini Bar	7,6 cm (3")	91 cm (36")	21,5 cm (8,5")	37,5 cm (14,75")
0601-4299	0601-4300	-	Drag Bar	-	79 cm (31")	21,5 cm (8,5")	15 cm (6")




32 MM (1 1/4") BUFFALO BARS

- The ultimate 32 mm (1 1/4") diameter handlebar, designed for maximum comfort
- 25,4 mm (1") diameter in clamping area (except T-Bars)
- Slotted and notched for Throttle-By-Wire applications unless noted
- Standard bars have 89 mm (3 1/2") on-center knurling to prevent movement (except T-Bars)
- Springer-style bars have 12 cm (4 3/4") center diamond knurling for a smooth finished look; work with the OEM Springer risers and handlebar clamps
- Optional 32 mm (1 1/4") thick Buffalo risers are also available to complete the look
- Optional handlebar clamps cover all of the center area that is sized down to 25,4 mm (1")
- Optional gauge mounts for T-Bars sold separately; see DASHES & GAUGES section of the 2022 Parts Europe/Drag Europe FatBook
- See page 1181 of the 2022 Parts Europe/Drag Europe FatBook for handlebar clamps and risers

NOTE: Not for models with electronic throttle control unless noted.

NOTE: Not for use with stock risers and handlebar/gauge mount on 883C/1200C models.

NOTE: Compatible with hydraulic clutch controls.



CHROME	GLOSS BLACK	FLAT BLACK	DESCRIPTION	END RISE	WIDTH	CENTER WIDTH	PULLBACK
0601-4291	0601-3974	-	25,5 cm (10") Zero T-Bar	25,5 cm (10")	63,5 cm (25")	23 cm (9")	0 cm (0")
0601-4292	0601-3975	-	30,5 cm (14") Zero T-Bar	30,5 cm (14")	63,5 cm (25")	23 cm (9")	0 cm (0")
0601-4271 ¹	0601-4272 ¹	0601-4273 ¹	15 cm (6") T-Bar (curved risers)	21,5 cm (8,5")	76 cm (30")	23 cm (9")	19,5 cm (7,75")
0601-4274 ¹	0601-4275 ¹	0601-4276 ¹	20,5 cm (8") T-Bar (curved risers)	25 cm (9,75")	76 cm (30")	23 cm (9")	21 cm (8,25")
0601-4277 ¹	0601-4278 ¹	0601-4279 ¹	25,5 cm (10") T-Bar (curved risers)	30,5 cm (12")	76 cm (30")	23 cm (9")	21,5 cm (8,5")
0601-1014 ³	0601-2263	0601-3504 ³	20,5 cm (8") T-Bar (straight risers)	32 cm (12,5")	79 cm (31")	21,5 cm (8,5")	15 cm (5,875")
0601-1015 ³	0601-2264 ³	0601-3505 ³	25,5 cm (10") T-Bar (straight risers)	37 cm (14,5")	79 cm (31")	21,5 cm (8,5")	15 cm (5,875")
0601-2748 ^{2,3}	0601-2749	0601-3509 ^{2,3}	30,5 cm (12") T-Bar (straight risers)	30,5 cm (12")	73,5 cm (29")	23 cm (9")	12,5 cm (5")
0601-2750 ^{2,3}	0601-2751	0601-3510 ^{2,3}	35,5 cm (14") T-Bar (straight risers)	35,5 cm (14")	73,5 cm (29")	23 cm (9")	12,5 cm (5")
0601-2752 ^{2,3}	0601-2753 ^{2,3}	-	40,5 cm (16") T-Bar (straight risers)	40,5 cm (16")	73,5 cm (29")	23 cm (9")	12,5 cm (5")
DS-300335 ¹	-	-	Drag Bar for Springer	-	79 cm (31")	21,5 cm (8,5")	15 cm (6")
0601-4233 ¹	0601-4234 ¹	0601-4235 ¹	Drag Bar	-	79 cm (31")	21,5 cm (8,5")	15 cm (6")
0601-4242 ¹	0601-4243 ¹	-	Classic Style	5,1 cm (2")	93 cm (36,5")	26,5 cm (10,5")	21,5 cm (8,5")
DS-300336 ¹	-	-	Classic Style	5,1 cm (2")	93 cm (36,5")	26,5 cm (10,5")	21,5 cm (8,5")
0601-2738 ²	-	-	Bagger Style Ape Hanger	25,5 cm (10")	89 cm (35,125")	25,5 cm (10")	20,5 cm (8")
0601-4245 ¹	0601-4246 ¹	-	Bagger Style	11,5 cm (4,5")	88 cm (34,5")	26,5 cm (10,5")	32 cm (12,5")
DS-300337 ¹	-	-	Bagger Style	11,5 cm (4,5")	88 cm (34,5")	26,5 cm (10,5")	32 cm (12,5")
0601-4247 ¹	0601-4248 ¹	-	Bagger Style for Road King/Road Glide	14 cm (5,5")	83 cm (32,5")	26,5 cm (10,5")	40,5 cm (16")
0601-4239	0601-4240	-	Bagger II Style for Road King/Road Glide	10,5 cm (4,125")	86 cm (34")	26,5 cm (10,5")	33 cm (13")
-	0601-4255 ²	-	Bagger Style Ape Hanger	25,5 cm (10")	89 cm (35,125")	25,5 cm (10")	20,5 cm (8")
0601-4257 ¹	0601-4258 ¹	-	21,5 cm (8,5") Ape Hanger	21,5 cm (8,5")	95 cm (37,5")	29 cm (11,5")	25,5 cm (10")
DS-300341 ¹	-	-	24 cm (9,5") Ape Hanger for Springer	24 cm (9,5")	91 cm (36")	30,5 cm (12")	25,5 cm (10")
DS300345 ¹	-	-	32 cm (12,5") Ape Hanger for Springer	32 cm (12,5")	98 cm (38,5")	30,5 cm (12")	30,5 cm (12")
0601-1008 ^{4,5}	-	-	40,5 cm (16") Ape Hanger for Springer	40,5 cm (16")	103 cm (40,5")	28 cm (11")	26,5 cm (10,5")
0601-1009	-	-	48,5 cm (19,5") Ape Hanger for Springer	40,5 cm (19,5")	103 cm (40,5")	28 cm (11")	26,5 cm (10,5")
0601-1006 ^{4,5}	-	-	Beach bars for Springer	76 mm (3")	100 cm (39,5")	26,5 cm (10,5")	43 cm (16,875")
0601-4250	0601-4251	-	Road King Style	14,5 cm (5,75")	88 cm (34,5")	24 cm (9,5")	28 cm (11")
0601-0304	-	-	Road King Style	14,5 cm (5,75")	88 cm (34,5")	24 cm (9,5")	28 cm (11")
0601-4236	0601-4237	0601-4238	Stick Style	-	76 cm (30")	-	-
0601-4288	0601-4289	-	Inverted Riser Drag Bar	25,5 cm (10")	79 cm (31")	21,5 cm (8,5")	33 cm (13")

¹ Not for use with hydraulic clutch. ² Accept H-D OEM heated grips. ³ Notched for Throttle-By-Wire. ⁴ Not for models with electronic throttle control. ⁵ Will not accept heated grips.



0601-2737



0601-2747



0601-1244




0601-3506



0601-3508

32 MM (1 1/4") BUFFALO TOURING HANDLEBARS

- Diamond-knurled and slotted for 25,4 mm (1") internal wiring
- Accept stock controls and handlebar clamp
- Accept OEM H-D heated grips
- Designed specifically for electronic throttle control applications



CHROME	GLOSS BLACK	FLAT BLACK	DESCRIPTION	END RISE	WIDTH	CENTER WIDTH	PULLBACK
FOR 96-98 FLHR/ FLTR							
0601-2739	0601-1240	-	25,5 cm (10") Ape Hangers	25,5 cm (10")	99 cm (39")	29 cm (11,5")	25,5 cm (10")
0601-2734	0601-2740	-	32 cm (12,5") Ape Hanger	32 cm (12,5")	91 cm (36")	26,5 cm (10,5")	30,5 cm (12")
0601-2736	0601-2745	-	33 cm (13") Ape Hanger	33 cm (13")	97 cm (38")	32 cm (12,5")	19 cm (7,5")
0601-2735	0601-1242	-	35,5 cm (14") Ape Hanger	35,5 cm (14")	99 cm (39")	25,5 cm (10")	28 cm (11")
0601-2737	0601-2741	-	40,5 cm (16") Ape Hanger	40,5 cm (16")	100 cm (39,5")	29 cm (11,5")	25,5 cm (10")
0601-2742	0601-2747	-	43 cm (17") Ape Hanger	43 cm (17")	97 cm (38")	32 cm (12,5")	19 cm (7,5")
0601-2743	0601-1244	-	45,5 cm (18") Ape Hanger	45,5 cm (18")	102 cm (40")	30,5 cm (12")	20,5 cm (8")
FOR 08-21 FLHR, 08-13 FLTR (EXCEPT FLHRXS)							
-	-	0601-3506	32 cm (12,5") Ape Hanger	32 cm (12,5")	91 cm (36")	26,5 cm (10,5")	30,5 cm (12")
0601-2736	-	0601-3499	35,5 cm (14") Ape Hanger	35,5 cm (14")	99 cm (39")	25,5 cm (10")	28 cm (11")
-	-	0601-3507	40,5 cm (16") Ape Hanger	40,5 cm (16")	100 cm (39,5")	29 cm (11,5")	25,5 cm (10")
0601-2737	0601-1244	-	45,5 cm (18") Ape Hanger	45,5 cm (18")	102 cm (40")	30,5 cm (12")	20,5 cm (8")
0601-2742	0601-1247	-	51 cm (20") Ape Hanger	51 cm (20")	94 cm (37")	30,5 cm (12")	20,5 cm (8")
-	0601-4253	-	Beach bar	76 mm (3")	90 cm (35,5")	24 cm (9,5")	38 cm (15")
FOR 08-21 FLHT/FLHX AND H-D FL TRIKE							
0601-2744	-	0601-3508	33 cm (13") Ape Hanger	33 cm (13")	97 cm (38")	32 cm (12,5")	19 cm (7,5")
0601-2746	0601-2747	0601-4265	43 cm (17") Ape Hanger	43 cm (17")	97 cm (38")	32 cm (12,5")	19 cm (7,5")





32 MM (1 1/4") TOURING HANDLEBARS

- Designed specifically as a direct bolt-on upgrade for 15-20 Road Glide models
- Bars include black control clamps to replace the "oversize" OEM clamps
- Do not need to remove the stock pin in the OEM mount clamps; bars still have more than 35° of adjustment
- Available in dimpled applications
- Work with stock controls
- Slotted for internal wiring
- Accept H-D OEM heated grips




CHROME	GLOSS BLACK	FLAT BLACK	END RISE	WIDTH	CENTER WIDTH	PULLBACK
FOR 15-20 FLTRX/FLTRU/FLTRK						
0601-3854	0601-3855	0601-4261	25,5 cm (10")	89 cm (35")	17,75 cm (7")	17,75 cm (7")
0601-3856	0601-3857	0601-4262	30,5 cm (12")	89 cm (35")	17,75 cm (7")	17,75 cm (7")
0601-3858	0601-3859	0601-4263	35,5 cm (14")	89 cm (35")	17,75 cm (7")	17,75 cm (7")
0601-3860	0601-3861	-	40,5 cm (16")	89 cm (35")	17,75 cm (7")	17,75 cm (7")
0601-3862	0601-3863	-	45,75 cm (18")	89 cm (35")	17,75 cm (7")	17,75 cm (7")



25,4 MM (1") TOURING HANDLEBARS

- Notched for electronic throttle control
- Seamless steel tubing
- Slotted for internal wiring
- Available in smooth unknurled style unless noted


CHROME	GLOSS BLACK	FLAT BLACK	DESCRIPTION	END RISE	WIDTH	CENTER WIDTH	PULLBACK
FOR 08-20 FLHR, 08-13 FLTR							
0601-1213	0601-1214	-	25,5 cm (10") Ape Hanger	25,5 cm (10")	77 cm (30,5")	21,5 cm (8,5")	28 cm (11")
0601-1216	0601-1217	0601-3490	30,5 cm (12") Ape Hanger	30,5 cm (12")	79 cm (31")	26 cm (10,25")	30,5 cm (12")
0601-1220	0601-1221	-	35,5 cm (14") Ape Hanger	38 cm (15")	81 cm (32")	25,5 cm (10")	28 cm (11")
0601-1222	0601-1223	-	40,5 cm (16") Ape Hanger	40,5 cm (16")	81 cm (32")	20,5 cm (8")	15 cm (6")
0601-1224	0601-1225	0601-4214	45,5 cm (18") Ape Hanger	45,5 cm (18")	81 cm (32")	20,5 cm (8")	15 cm (6")
0601-1228	0601-1229	-	Beach bar	11,5 cm (4,5")	91 cm (36")	19,5 cm (7,75")	36 cm (14,25")
FOR 08-20 FLHT/FLHX AND H-D FL TRIKE (KNURLED)							
0601-5039	0601-5040	-	25,5 cm (10") Ape Hanger	25,5 cm (10")	97 cm (38")	33 cm (13")	19 cm (7,5")
0601-5041	0601-5042	-	30,5 cm (12") Ape Hanger	30,5 cm (12")	97 cm (38")	33 cm (13")	19 cm (7,5")
0601-5043	0601-5044	-	35,5 cm (14") Ape Hanger	38 cm (15")	97 cm (38")	33 cm (13")	19 cm (7,5")
0601-5045	0601-5046	-	40,5 cm (16") Ape Hanger	40,5 cm (16")	97 cm (38")	33 cm (13")	19 cm (7,5")
0601-5047	0601-5048	-	45,5 cm (18") Ape Hanger	45,5 cm (18")	97 cm (38")	33 cm (13")	19 cm (7,5")




25,4 MM (1") HANDLEBARS

- Steel tubing
- Wide variety of bends so you get that just-right fit and feel
- Slotted and notched for Throttle-By-Wire applications (unless noted)

NOTE: Accept H-D OEM heated grips.



T-Bar





Conventional

CHROME	GLOSS BLACK	FLAT BLACK	DESCRIPTION	END RISE	WIDTH	CENTER WIDTH	PULLBACK
0601-4176	0601-4177	0601-4178	Bagger	16,5 cm (6,5")	82,5 cm (32,5")	24 cm (9,5")	26,5 cm (10,5")
0601-0565 ¹	-	-	Bagger	16,5 cm (6,5")	82,5 cm (32,5")	24 cm (9,5")	26,5 cm (10,5")
0601-4179	0601-4180	-	Bagger/Road King	16,5 cm (6,5")	73,5 cm (29")	25,5 cm (10")	26,1 cm (10,3")
-	-	0601-4206	25,5 cm (10") Ape Hanger	22 cm (8,75")	77,5 cm (30,5")	23 cm (9")	16 cm (6")
0601-4207	0601-4208	0601-4209	32 cm (12,5") Ape Hanger	29 cm (11,5")	79 cm (31")	25,5 cm (10")	14 cm (5,5")
-	-	0601-4211	35,5 cm (14") Ape Hanger	34,5 cm (13,5")	79 cm (31")	23 cm (9")	15 cm (6")
-	-	0601-4212	40,5 cm (16") Ape Hanger	38 cm (15")	80 cm (31,5")	21,5 cm (8,5")	20,5 cm (8")
0601-0028	-	-	45,5 cm (18") Ape Hanger	45,5 cm (18")	81 cm (32")	20,5 cm (8")	15 cm (6")
0601-4191	0601-4192	0601-4193	25,5 cm (10") Ape Hanger for Narrow Glide	23,5 cm (9,25")	69 cm (27,25")	14 cm (5,5")	20,5 cm (8")
0601-1230	0601-1231	-	25,5 cm (10") Ape Hanger for Narrow Glide	23,5 cm (9,25")	69 cm (27,25")	14 cm (5,5")	20,5 cm (8")
0601-4194	0601-4195	0601-4196	30,5 cm (12") Ape Hanger for Narrow Glide	23 cm (9")	72,5 cm (28,5")	15 cm (6")	14 cm (5,5")
-	0601-1233	-	30,5 cm (12") Ape Hanger for Narrow Glide	23 cm (9")	72,5 cm (28,5")	15 cm (6")	14 cm (5,5")
0601-4197	0601-4198	0601-4199	35,5 cm (14") Ape Hanger for Narrow Glide	34,5 cm (13,5")	72,5 cm (28,5")	21,5 cm (8,5")	12,5 cm (5")
0601-1234	0601-1235 ²	-	35,5 cm (14") Ape Hanger for Narrow Glide	34,5 cm (13,5")	72,5 cm (28,5")	21,5 cm (8,5")	12,5 cm (5")
0601-4200	0601-4201	0601-4202	40,5 cm (16") Ape Hanger for Narrow Glide	38 cm (15")	73 cm (28,75")	15 cm (6")	16 cm (6,25")
-	0601-1236	-	40,5 cm (16") Ape Hanger for Narrow Glide	40,5 cm (16")	76 cm (30")	14 cm (5,5")	15 cm (6")
0601-4203	0601-4204	0601-4205	45,5 cm (18") Ape Hanger for Narrow Glide	43 cm (17")	75 cm (29,5")	14 cm (5,5")	21,5 cm (8,5")
0601-4163	0601-4164	0601-4165	Dragster wide	-	74,5 cm (29,25")	22 cm (8,75")	15 cm (6")
0601-0570	-	-	Dragster wide	-	74,5 cm (29,25")	22 cm (8,75")	15 cm (6")
0601-4166	0601-4167	0601-4168	Dragster X-wide	-	76 cm (30")	25,5 cm (10")	14 cm (5,5")
0601-4182	0601-4183	0601-4184	Buckhorn medium	21 cm (8,25")	84,45 cm (33,25")	23 cm (9")	18 cm (7")
0601-4185	0601-4186	0601-4187	Buckhorn low	16 cm (6,25")	76 cm (30")	23 cm (9")	15,5 cm (6,5")
0601-4188	0601-4189	-	Buckhorn high	30,5 cm (12")	82,55 cm (32,25")	22 cm (8,75")	21,5 cm (8,5")
0601-4172	0601-4173	0601-4174	Flat track	12,5 cm (5")	75 cm (29,5")	18,5 cm (7,25")	20,5 cm (8")
0601-0575	-	-	Flat track	12,5 cm (5")	75 cm (29,5")	18,5 cm (7,25")	20,5 cm (8")
0601-4169	0601-4170	0601-4171	Superbar	64 mm (2,5")	73,5 cm (29")	14 cm (5,5")	70 mm (2,75")
0601-0576	-	-	Superbar	64 mm (2,5")	73,5 cm (29")	14 cm (5,5")	70 mm (2,75")
-	-	0601-4175	Beach bar	11,5 cm (4,5")	89 cm (35")	21,5 cm (8,5")	29 cm (11,5")
0601-4215	0601-4216	-	15 cm (6") Straight T-Bar	15 cm (6")	60 cm (23,5")	21,5 cm (8,5")	0 cm (0")
0601-4218	0601-4219	-	20,5 cm (8") Straight T-Bar	12,5 cm (5")	60 cm (23,5")	21,5 cm (8,5")	29 cm (11,5")
0601-4221	0601-4222	-	25,5 cm (10") Straight T-Bar	25,5 cm (10")	60 cm (23,5")	21,5 cm (8,5")	0 cm (0")
0601-4224	0601-4225	-	15 cm (6") Curved T-Bar	20,5 cm (8")	79 cm (31")	21,5 cm (8,5")	0 cm (0")
0601-4227	0601-4228	-	20,5 cm (8") Curved T-Bar	12,5 cm (5")	79 cm (31")	21,5 cm (8,5")	29 cm (11,5")
0601-4230	0601-4231	-	25,5 cm (10") Curved T-Bar	15 cm (6")	79 cm (31")	21,5 cm (8,5")	32 cm (12,5")
0601-4160	0601-4161	0601-4162	Stick style	-	75 cm (29,5")	-	-

¹ Not for ETC models. ² Not for Throttle-By-Wire applications.

TODD'S CYCLE

Founded by custom bike builder and master fabricator Todd Silicato, now located in Hawaii. Todd blends old-school craftsmanship with modern, state-of-the-art engineering and fabrication technologies to create unique and stylish parts and accessories for American motorcycles.



1 1/2" STRIP HANDLEBARS

- Available in chrome or gloss black
- Feature 1 1/2" clamping area
- Integrated mount design replaces the stock risers and clamps
- Polished welds
- Slotted for internal wiring
- Notched for Throttle-By-Wire

NOTE: Accept H-D OEM heated grips.

CHROME PART #	GLOSS BLACK PART #	END RISE	WIDTH	CENTER WIDTH	PULLBACK
FOR 15-21 FLTRX/FLTRU/FLTRK					
0601-5728	0601-5729	25,5 cm (10")	81 cm (32")	23 cm (9")	12,5 cm (5")
0601-5730	0601-5731	30,5 cm (12")	81 cm (32")	23 cm (9")	12,5 cm (5")
0601-5732	0601-5733	35,5 cm (14")	85,5 cm (33,5")	23 cm (9")	12,5 cm (5")
0601-5734	0601-5735	43 cm (17")	89 cm (35")	23 cm (9")	12,5 cm (5")

KURYAKYN

ADJUSTABLE DROP MIRROR MOUNTS

- Black anodized billet construction
- Delivers 180° of adjustability for stock batwing fairing-mounted mirrors
- Relocates factory fairing-mounted mirrors up, down or even further out

PART

0640-1523

0640-1524



DESCRIPTION

For 14-21 FLHX models

For 06-13 FLHX models






25,4 MM (1") HANDLEBARS

- Available in Bagger or Ape Hanger styles
- Feature a high-luster chrome or gloss black finish
- Manufactured with quality construction, including laser-cut, burr-free holes and slots for internal or external wiring
- All handlebars have 89 mm (3 1/2") on-center knurling and are notched for Throttle-By-Wire applications
- All handlebars are CNC bent for an accurate fit and incorporate comfortable, but aggressive looking wrist angles
- Bagger bars are designed for correct clearance on Batwing models

NOTE: Fits 25,4 mm (1") risers. Models originally equipped with handlebars having a center section diameter larger than 25,4 mm (1") will require changing the risers to a 25,4 mm (1") ID version.



CHROME PART #	GLOSS BLACK PART #	DESCRIPTION	END RISE	WIDTH	CENTER WIDTH	PULLBACK
FOR 84-21 FLHT/FLHTC/FLHTCU/FLHTK/FLHX AND FL TRIKE (EXCEPT FLRT)						
0601-5668	0601-5670	35,5 cm (16") Bagger style	40,5 cm (16")	88 cm (34 3/4")	30,5 cm (12")	26 cm (10 3/8")
FOR 73-21 MODELS (EXCEPT FLHT/FLHTC/FLHTU/FLHTK/FLHX/FL TRIKE AND SPRINGER MODELS)						
0601-5667	0601-5669	35,5 cm (16") Ape Hanger style	40,5 cm (16")	88,5 cm (34 9/10")	20,5 cm (8")	16,5 cm (6 9/16")

Accutronix

precision crafted billet products

41 MM TRIPLE TREE

- CNC-machined billet aluminum
- Stem threads into underside of top triple tree for cleaner look
- Available in a 7° smooth design with a Night Series finish

NOTE: Raked triple trees change the handling characteristics of the motorcycle. Steering geometry must be calculated to determine which degree of rake is most suited for your application. Trees with more than 3° of rake should not be used in stock frame applications.

PART #	DESCRIPTION
2401-1523	For 00-10 FXST, FXWG and custom applications



0611-0196

Accutronix

precision crafted billet products



0611-0197

MILLED MASTER CYLINDER COVERS

- Machined from 6061 T-6 aluminum

PART #	DESCRIPTION
FOR 96-08 BIG TWIN (EXCEPT 08 DRESSERS) AND 96-03 XL MODELS; OEM REPL. # 45004-96	
0611-0196	Anodized black
0611-0197	Chrome

Accutronix


precision crafted billet products

CUSTOM GRIPS

- Dual-cable design
- Knurled, diamond chrome
- Sold in pairs

PART #	DESCRIPTION
0630-2810	For 08-21 FLHT/FLHR/FLTR/FLHX/H-D FL Trike, 16-21 Softails, 20 ELW, 16-17 FXDLS, 14-15 FLSTNSE, 13-15 FXSBSE, 11-12 FLSTSE (except models w/ air-assisted forks)





0210-0396



0210-0395

FORGED BILLET DRIFT RIMS

- All rims are CNC-machined from radial forged 6061-T6 aluminum for maximum road durability and strength-to-weight ratio
- Features a rolled rim lip for the custom look and detailed CNC machine work from the center of the hub to the edge of the rim
- Rims can be used on both front and/or rear applications when correct hub kit is installed (sold separately)
- Rims accept Arlen Ness hub kits (sold separately), which allow full wheels to be assembled in minutes with basic tools

NOTE: Arlen Ness hub kits must be purchased separately to install. Please see the 2021 Parts Europe FatBook or the Parts Europe Indian catalog for required hub kits.

DESCRIPTION	CHROME	BLACK
FRONT RIMS		
21" x 3,50"	0210-0396	0210-0395
REAR RIMS		
18" x 5,50"	0210-0394	0210-0393



ONE-PIECE ALUMINUM WHEELS

- Forged wheels place the highest material strength in the same direction as the operating load, creating a light and strong wheel
- Features the contour rim lip for a graceful arc from rim to lip
- Made in the U.S.A.

NOTE: Models with TPMS will require PART #0360-0056 (sold separately)

NOTE: Front wheels listed as fitting 14-21 Dresser models will require the use of PM front brake rotors (3,25" bolt circle).

NOTE: 14-21 FLHT/FLHR/FLHX 21" front wheels include fender relocation brackets for use with stock front fenders.

DESCRIPTION	SIERRA
FRONT WHEELS	
21" x 3,5" for 14-21 FLHT/FLHR/FLHX/FLTRX/FLTRU/FLTRK w/ ABS (dual disc)	0201-2383
21" x 3,5" for 14-19 FLHT/FLHR/FLHX/FLTRX w/o ABS (dual disc)	0201-2382
REAR WHEELS	
18" x 5,5" for 09-21 FLHT/FLHR/FLHX/FLTRX/FLTRU/FLTRK w/ ABS	0202-2176
18" x 5,5" for 09-19 FLHT/FLHR/FLHX/FLTRX w/o ABS	0202-2175



1621-1038



1621-1039

METHOD DRIVER FLOORBOARDS

- CNC-machined billet floorboard bodies
- Vibration isolating footrests offer enhanced foot traction through Airtrax style rubber tops that feature a proprietary internal structure engineered specifically to absorb vibration associated with V-twin engines
- Extended length for added comfort and more foot room
- Dimensions: 18" L x 5,75" W x 1" Thick
- Sold in pairs
- AirTrax style shift pegs and footpegs are available separately for matching passenger footrests and control arm pegs

PART #	DESCRIPTION
FOR 99-21 FLT/FLHT/FLHR/FLHX/FLTR/FLTRX/FLTRU/FLTRK , 09-13 H-D FL TRIKE, 00-17 FLST AND 12-16 FLD	
1621-1038	Black anodized
1621-1039	Chrome
FOR 18-21 FLDE/FLFB/FLFBS/FLHC/FLHCS/FLSL	
1621-1040	Black anodized
1621-1041	Chrome



0214-1991

0214-1992



REAR AXLE ADJUSTER KIT

- 25 mm stainless steel axle
- Improves handling and lifespan of belts, chains and tires
- Removable rear stand spools
- Kit includes rear axle, sliders, adjuster mounts, safety e-clips, axle nut and upper and lower shock mount bolts and spacers
- Available in black and gold finishes

PART #	DESCRIPTION
FOR 09-21 DRESSER/TOURING MODELS	
0214-1991	Black
0214-1992	Gold



STEERING HEAD RACE PULLER II

- Designed to quickly and precisely remove outer bearing race from the steering head without the use of a hammer and punch
- Puller design ensures bearing is pulled perfectly straight to eliminate possible damage to frame
- Works on all tapered bearing races from 47 mm to 55 mm OD
- Precision-machined anodized aluminum cup will not damage seal surface
- Brass bearing washers for easy use and long life
- Hardened steel jaws engage securely on inner bearing lip



PART #	DESCRIPTION
3805-0222	Steering Head Race Puller II



CUTIX® UNIVERSAL KNIFE

- Innovative and variably extendable stabilization bar: versatile, precise, and faster cutting
- Exert targeted pressure on the back of the blade without risk of injury, no unintentional bending or breaking of the blade
- Robust, durable magnesium housing: as light as plastic, strong as die-cast aluminum
- Fixed blade due to high-quality blade locking: Secure fit when cutting, pushing and scraping
- Handy: 165 mm long, weight approx. 111 g
- Original equipment with high quality snap-off blades with two spare blades in the handle drawer which can be changed without any tools
- Suitable for standard 18 mm blade types: smooth, curved and with hooks
- Fits comfortably in the hand due to its slim shape and numerous grip zones: firm and non-slip grip, comfortable hold
- Flat, ergonomic; slides separately for blade and stabilization bar, no accidental activation of the slides
- Reliable blade holder: secure hold of the blade thanks to hardened steel pin
- When the rear end of the handle is closed, the blade slider and blade cannot slip out
- Tether attachment point for tool protection with KNIPEX Tethered Tools System

PART #	DESCRIPTION
3850-0571	Cutix® Universal Knife



PUNK POWDER

- Biodegradable
- Reduced carbon footprint with 94% less packaging
- 100% plastic free, water free and environmentally friendly ingredients, including plant-based raw materials
- Supplied in a compostable sachet and printed with vegetable inks
- Re-fill your old bottle and help reduce plastic waste
- Dissolves easily in any type of water
- Safe to use all over the bike
- Alkaline based and free from alcohol, CFCs (EDTA), solvents or acids



3704-0388

PART #	DESCRIPTION
3704-0393	4-pk. Punk Powder w/ reusable bottle
3704-0388	4-pk. Punk Powder only



SQUARE DRIVE ADAPTER SET

- With ball lock for secure connection
- Made of chrome vanadium steel, suitable for high loads
- Square head socket drive with an external square head drive
- Knurling at the bottom end for good grip when operated manually
- 6-piece set includes 1/4" square drive to 3/8" socket insert, 1/4" square drive to 1/2" socket insert, 3/8" square drive to 1/4" socket insert, 3/8" square drive to 1/2" socket insert, 1/2" square drive to 3/8" socket insert and a twist lock textile belt

PART #	DESCRIPTION
3812-0698	Square drive adapter set



TWINGRIP SLIP JOINT PLIERS

- Unique combination: Front grip and side grip function, box joint, push button adjustment
- Very slim pliers let you work even in confined installation spaces with a narrow turning zone for fast results
- High-grip front jaw with robust teeth and high gear ratio at the tip of the mouth
- Large front and side gripping capacity for diameters and widths across flats 4-22 mm
- Reliable front gripping of flat workpieces due to the three-point system
- Gripping, tightening and loosening screws with worn heads and threads
- Five-way adjustable slip joint with push button adjustment for precise adjustment of gripping capacity
- Pinch stop reduces the risk of crushed fingers
- Durable and resilient due to the robust box joint
- Forged from high-grade chrome vanadium electric steel, oil-hardened, teeth additionally induction-hardened to approx. 61 HRC

PART #	DESCRIPTION
3850-0570	TwinGrip Slip Joint Pliers (200 mm L)



EBIKE WATERLESS WASH

- Non-sticky
- Powder-free
- No need for water
- No residual dust or streaks
- Cleans and polishes in one application



PART #	DESCRIPTION
3704-0387	5 L