THE DRAG SPECIALTIES
Product Ne

MAY 2022





1801-1493



4¹/₂" MK45 CUTLASS PERFORMANCE MUFFLERS

- Feature a bold 4,5" OD diameter with new
- gloss black Cutlass end cap design

 Stainless steel baffles with RaceTEX packing
- Produce a deep bass rumble throughout the rev range
- Removable dB reducer
- Sold in pairs

NOTE: Not for Trike applications.

PART # DESCRIPTION

FOR 17-21 FLHT/FL	HTK/FLTRK/FLTRU/FLHR/FLHX MODELS
1801-1494	Chrome w/ gloss black Cutlass end caps
1801-1493	Guardian black w/ gloss black Cutlass end caps

PART #	DESCRIPTION	
FOR 99-16 FLHT/FLTR/FLHR/FLHX MODELS		
1801-1496 Chrome w/ gloss black Cutlass end caps		
1801-1495	Guardian black w/ gloss black Cutlass end caps	

		ব	Ī	3
	Ð			

1



PART #

1800-2541

UPSWEEP 2-INTO-1 EXHAUST SYSTEM

- · High-grade 304 stainless steel, TIG-welded with works finish
- · Oversized merge collector with megaphone muffler
- · Race-inspired heat shields
- Fits forward and mid controls
- · Mounting hardware, installation instructions and adapter for mid control models included
- · Matte black finish
- NOTE: Not for use with saddlebags.



DESCRIPTION For 18-22 FLDE/FXBB/FXFB/FXLR/FLSL/FXST models



TORQUER 450 SLIP-ON MUFFLERS

- Cutting-edge design that enhances the M-Eight or Twin Cam engine with a rich, bold roar and improved performance
- Massive 41/2" diameter muffler bodies
- · CNC-machined billet end caps
- Work with stock headers or Vance & Hines Power Duals
- Vance & Hines quiet baffles are designed to work with the 17-21 Touring or 99-16 Twin Cam models; mounting hardware and installation instructions included
- Baffles reduce sound by approximately 2-3 decibels compared to standard baffles; offer a deeper rumble
- PART #1861-1603 has two different sized baffles in kit: works with 2⁵/₈" (right) and 13/4" (left) slip-on inlets for the M8 designed Touring slip-ons
- · Slip-on mufflers sold in pairs
- NOTE: Qualified manufacturer declared replacement for 17-21 FLHT/FLHX/ FLHR/FLTRX/FLTRU/FLTRK and 06-16 FLHT/FLHX/FLHR/FLTR.

1801-1458

PART #

1801-1485

1801-1457

1801-1458

1801-1459

DESCRIPTION FOR 17-21 FLHT/FLHX/FLHR/FLTRX/FLTRU/FLTRK Machine-Cut Black FOR 99-16 FLT/FLHT/FLHX/FLHR/FLTR Chrome

Black

THE DRAG SPECIALTIES Product News





FUELPAK FP3

- The Fuelpak FP3 has revolutionized fuel management for all new Harley-Davidson models using the HDLAN system
- Connecting wirelessly by Bluetooth[®] to any iPhone[®] or Android Smartphone, Fuelpak FP3 uses Flash technology to recalibrate engine parameters and mapping for exhaust systems and other performance upgrades downloaded from the expansive library of calibrations developed by Vance & Hines
- · Also standard for the Fuelpak FP3 is an AutoTune feature, making use of all factory sensors to add another layer of precision tuning for specific requirements, whether tuning for unique components or different grades of fuel
- With the Fuelpak FP3 module plugged in, Live Sensor Data can be viewed through the smartphone to display speed, rpm, cylinder head temperature, voltage, gear selection and other vital information
- · Features smartphone app user interface
- Displays live sensor data; PART #1020-2538 excludes fuel economy, average fuel economy, gear and odometer





PART #	DESCRIPTION
1020-2203 ¹	For all 14-20 FLHT/FLHX/FLHR/FLTRX/H-D FL Trike, 18-20 Softails (except CVO models), 11-17 FXS/FLS/FLST, 12-17 FXD/FXDWG (except CVO models), 14-21 XL (except 21 Sportster S/RH1250S), 15-20 XG models
1020-2538	For all 07-13 FLHT/FLHX/FLHR/FLTRX/H-D FL Trike, (except 07-08 CVO models) 07-10 FXST/FLST, 07-11 FLD/FXD/FXDWG, 08-11 FXCW/C, 07-13 XL/XR models

¹ EN 6100-6-1, EN 6100-6-1.



NOTE: Requires the use of a highperformance air filter.









PART # DESCRIPTION **ORIGINAL FUELPAK** For 02-07 FLHT/FLHR/FLHX/FLTR models 1020-0361 For 08-11 FXCW/C, 08-11 FLSTSB, 09 FXSTSSE 1020-2000 For 01-06 FXST, 01-11 FLST (except 07-11 FLSTF, 1020-0360 08-11 FLSTSB) 1020-2000 For 04-11 Dyna, 02-11 V-Rod and 09-12 XR1200 models

- full mapping sessions
- · Plug-and-play installation adds wideband tuning
- Includes two 18mm wideband Bosch 0₂ sensors and control module
- · Can be used on multiple bikes with a Fuelpak FP3 installed
- · Full mapping sessions complete in as little as fifteen minutes
- Exclusive dealer cloud server account for uploading each dyno session and building private library of FP3 maps

PART #	DESCRIPTION
3807-0474	For use with FP3 PART #1020-2203 only



2113-0736

2113-0734





CUSTOM BATTERY CABLE KITS 2113-0672

- · Build custom-length cables for an exact fit
- Each kit contains the following: 7,6 m (25') cable (1), ¹/₄" terminals (20), ³/₈" terminals (8), ⁵/₁₆" terminals (12), black heat shrink (40) and red heat shrink (12)
- Using 30,5 cm (12") cables as an example, this 7,6 m (25') custom cable kit will make 27 cables (a 30,5 cm (12") cable uses 28 cm (11") of cable and two terminal ends), for a substantial savings over precut lengths
- NOTE: See of the Parts Europe Tire & Service catalog for Drag Specialties crimping tool.

PART #	DESCRIPTION
UNIVERSAL CABLE KITS	
2113-0671	Clear kit
2113-0672	Black kit
REPLACEMENT COMPONENTS	
2113-0673	Clear cable, 7,6 m (25')
2113-0674	Black cable, 7,6 m (25')
2113-0675	Terminals, ¹ / ₄ " eyelet, 25-pk.
2113-0676	Terminals, ⁵ / ₁₆ " eyelet, 25-pk.
2113-0677	Terminals, ³ / ₈ " eyelet, 25-pk
2113-0678	Black heat shrink tube, 25-pk.
2113-0679	Red heat shrink tube, 25-pk.



2113-0667

BATTERY CABLE KITS

2113-0669

- 4-gauge cable manufactured with pure electrolytic-grade, 36-gauge tinned copper strands for maximum current transfer and superior flexibility
- Increase starter performance by supplying maximum battery current to the starter motor
- · Contain all battery cables to replace OEM cables

PART #	DESCRIPTION
2113-0661	For 93-98 FLT/FLHT; cable lengths 203 mm, 33 cm and 33 cm (8", 13", 13")
2113-0662	For 89-99 FXST/FLST; cable lengths 254 mm and 30,5 cm (10", 12")
2113-0664	For 91-93 FXD; cable lengths 203 mm, 203 mm and 38 cm (8", 8", 15")
2113-0667	For 84-88 FXST/FLST; cable lengths 203 mm, 38 cm and 43 cm (8", 15", 17")
2113-0668	For 82-88 FXR; cable lengths 30,5 cm, 40,5 cm and 40,5 cm (12", 16", 16")
2113-0669	For 65-84 FLH/FL; cable lengths 299 mm, 40,5 cm and 40,5 cm (9", 16", 16")
2113-0670	For 89-92 FLHT/FLT; cable lengths 84 cm and 84 cm (33", 33")

2113-0661

BATTERY CABLE KITS

- Black 4-gauge cable manufactured with pure electrolytic-grade, 36-gauge tinned copper strands for maximum current transfer and superior flexibility
- All cables feature 1/4" and 5/16" terminals
- Increases starter performance by supplying maximum battery current to the starter motor
- · Contains all battery cables to replace OEM cables
- NOTE: Cables do not have auxiliary wires.

PART #	DESCRIPTION
2113-0736	For 09-13 FLHT/FLHR/FLHX/FLTR; cable lengths 16 cm (6 ¹ / ₄ ") w/ 32,5 cm (12 ³ / ₄ ") auxiliary wire and 47,5 cm (18 ⁵ / ₈ ") w/ 23,5 cm (9 ¹ / ₄ "); repl. 0EM #s 70267-09, 90377-09
2113-0661	For 99-08 FLHT/FLHR/FLHX/FLTR; cable lengths 20,5 cm (8"), 33 cm (13") and 33 cm (13")
2113-0734	For 09-17 Softail; cable lengths 14 cm ($5^{1}/_{2}$ ") and 27,5 cm ($10^{3}/_{4}$ "); repl. 0EM #s 70060-08A, 70082-08A
2113-0662	For 00-08 Softail; cable lengths 25,5 cm (10") and 30,5 cm (12")
2113-0663	For 04-05 Dyna Glide; cable lengths 23 cm (9"), 35,5 cm (14") and 38 cm (15")
2113-0664	For 99-03 Dyna Glide; cable lengths 20,5 cm (8"), 20,5 cm (8") and 38 cm (15")
2113-0735	For 10-13 XL; cable lengths 33 cm (13") and 32 cm (12 ⁵ / ₈ "); repl. OEM #s 70295-10, 70296-04A
2113-0665	For 04-09 XL; cable lengths 33 cm (13") and 38 cm (15")
2113-0666	For 86-03 XL; cable lengths 28 cm (11") and 40,5 cm (16")





BATTERY CABLES

- Increases starter performance by supplying maximum battery current to the starter motor
- 4-gauge cable manufactured with pure electrolytic-grade, 36-gauge tinned copper strands for maximum current transfer and flexibility
- Specially rated 125 °C (257 °F), oil- and grease-resistant, ultraflexible black jacket guarantees excellent performance
- All cables manufactured with $^{1}\!/_{4}"$ terminal and $^{5}\!/_{16}"$ terminal Sold each
- NOTE: Cables do not have auxiliary wires.

LENGTH	PART #	LENGTH
178 mm (7")	2113-0655	35,5 cm (14")
203 mm (8")	2113-0656	38 cm (15")
229 mm (9")	2113-0657	40,5 cm (16")
254 mm (10")	2113-0658	46 cm (18")
279 mm (11")	2113-0659	51 cm (20")
30,5 cm (12")	2113-0660	56 cm (22")
33 cm (13")		
	178 mm (7") 203 mm (8") 229 mm (9") 254 mm (10") 279 mm (11") 30,5 cm (12")	178 mm (7") 2113-0655 203 mm (8") 2113-0656 229 mm (9") 2113-0657 254 mm (10") 2113-0658 279 mm (11") 2113-0659 30,5 cm (12") 2113-0660



5



VINTAGE AIR CLEANER

- Designed for a timeless look
- Promenently placed headbolt
- Chome finish

PART	#

1010-2240	For 14-21 Chieftain
ALL	
SY MARKARA	

DESCRIPTION

1010-0829







1010-1327

1010-1325

MAX HP AIR CLEANERS

- CNC-machined aluminum backing plate
- Internal rubber breather tubes to eliminate oil leakage
- Internal power cone design for smooth, laminar airflow
- Innovative conical design for improved knee clearance
- Contrast Cut[™] finish starts with a polished air cleaner that has been black anodized, then recut to open the design
- Black Ops[™] finish features gloss black on top of a contrasting textured black finish for outstanding durability and looks

 All mounting hardware and gaskets included 	
PART #	DESCRIPTION
FOR 91-20 XL W/ CV CARB/DELPHI EFI	
1010-1325	Contrast Cut™
1010-1327	Black Ops [™]

o de ante de la companya de la compa

1010-1587



1010-1591

JET AIR CLEANERS

- · Low-profile and lightweight air cleaner is CNC-machined from billet aluminum
- Innovative and versatile design allows unit to be
- mounted in the vertical or horizontal position
- Compact design for improved knee clearance
- Features PM's proven internal crankcase venting system
- Features a high-flow reusable air filter
- Contrast Cut[™] finish; starts with a polished air cleaner that has been black anodized, then recut to open the design

PART #	DESCRIPTION
1010-1587	For 01-17 Twin Can w/ Delphi EFI, 99-06 Twin Cam w/ CV carb (except 08-17 Touring, 16-17 FXDLS, 16-17 Softails, 14-15 FLSTNSE, 13-14 FXSBSE and 11-12 FLSTSE)
1010-1591	For 91-20 XL w/ CV carb/ Delphi EFI

SUPER GAS AIR CLEANERS

1010-0828

- Versatile design accepts interchangeable faceplates that are designed to match Performance Machine wheels
- Air cleaners include a K&N filter behind a stainless steel wire mesh screen to allow high-volume airflow, resulting in increased horsepower
- Air cleaners and universal faceplates are sold separately and available in chrome or black

PART #	DESCRIPTION
FOR 08-16 FLHT/FLHR/FLHX/FLTR/ H-D 16-17 SOFTAILS, 14-15 FLSTNSE, 13-14	
1010-0828	Black
1010-0829	Chrome





2106-0557

2106-0558

MECHANICAL CLUTCH ASSEMBLIES

- Designed to match Performance Machine Radial Brake master cylinder assemblies (sold separately)
- CNC-machined from billet aluminum
- Lever reach adjustable over 0,5"
- 25,4 mm (1") clamping diameter
- Compatible with OEM switch housings and CANBus wiring
- Available in Black $\mathsf{Ops}^{{}^{\mathrm{\scriptscriptstyle M}}}$ or Gold $\mathsf{Ops}^{{}^{\mathrm{\scriptscriptstyle M}}}$ finish
- Brake light and clutch safety actuators and switch kit sold separately

PART #	DESCRIPTION
MECHANICAL CLUTCH	ASSEMBLIES
0610-2194	Cable assembly, Black Ops
0610-2195	Cable assembly, Gold Ops
ACCESSORIES	
2106-0555	CANBus Brake light switch actuator
2106-0556	Hydraulic clutch safety actuator
2106-0557	Cable clutch safety actuator
2106-0558	Cable clutch safety switch kit

THE DRAG SPECIALTIES Product News

MAY 2022



ARLEN NESS

Ness is one of the most recognizable names in custom motorcycle parts and accessories. They have a well-earned reputation for providing innovative, high-guality products that is unmatched within the industry. The new line of Method Bagger products gives your bagger racetrackinspired looks. Machined from billet aluminum, these trick parts will really set your bike apart from the crowd.



METHOD +2" DROP TRIPLE TREE KIT

- Complete triple tree kit CNC-machined from billet aluminum featuring a drop design
- Drop tree design adds extra height to the front end (+2") while keeping proper geometry for optimum handling
- Method design allows you to add aftermarket risers or T-bar handlebars to Road Glide models
- · Features a direct bolt-on design that does not require you to relocate your factory ignition switch assembly or remove factory fork lock when installing custom risers
- Integrated ignition switch cover design allows you to decide whether to keep factory ignition location or relocate it for a full custom look (Method Ignition Switch Cover PART #2106-0554; sold separately)
- · Each kit includes top tree, lower tree, stem and billet fork nut covers
- · Black anodized finish

PART #

0408-0413

DESCRIPTION

For 15-22 FLTRX/FLTRU/FLTRK





- Method top tree design allows you to add aftermarket risers or T-bar handlebars to 15-22 Road Glide models
- · CNC-machined from 6061 billet aluminum for optimized strength and reduced weight
- · Features a direct bolt-on design that does not require you to relocate your factory ignition switch assembly or remove factory fork lock when installing custom risers
- · Integrated ignition switch cover design allows you to decide whether to keep factory ignition location or relocate it for a full custom look (Method Ignition Switch Cover PART #2106-0554; sold separately)
- · Each top tree kit includes top tree, fork nut cover and mounting hardware
- · Black anodized finish

PART #

0408-0394

DESCRIPTION

DESCRIPTION

For 15-21 FLTRX/FLTRU/FLTRK

METHOD TRIPLE TREE KIT

- Complete triple tree kit CNC-machined from billet aluminum for optimized strength and reduced weight
- · Method design allows you to add aftermarket risers or T-bar handlebars to Road Glide models
- · Features a direct bolt-on design that does not require you to relocate your factory ignition switch assembly or remove factory fork lock when installing custom risers
- · Integrated ignition switch cover design allows you to decide whether to keep factory ignition location or relocate it for a full custom look (Method Ignition Switch Cover PART #2106-0554; sold separately)
- · Each kit includes top tree, lower tree, stem and billet fork nut covers
- · Black anodized finish

PART

8

0408-0412





+49 (0) 6501 96 95 -2000 • partseurope.eu



METHOD PERFORMANCE BAGGER FORK GUARDS

- Lightweight Performance Bagger fork guards inspired from the racetrack
- · Replaces factory fork boots while still protecting inner fork tubes and seals
- Universal design works with factory and aftermarket front ends (direct bolt-on installation)
- CNC-machined from 6061 billet aluminum
- Black anodized finish
- Includes a set of fork dust seals
- Sold in pairs

PART #

DESCRIPTION

0403-0163



REAR SUSPENSION LIFT KIT

- 1" CNC-machined billet lift blocks with black anodized finish
- that raise the rear of FLT Touring/Bagger models
- Each block installs between the top of the rear shock and shock mounting location on the frame

For 14-22 FLHT/FLHR/FLHX/ FLTRX/ FLTRU/FLTRK and H-D FL Trike models

- · Provides 1" of lift and maintains factory suspension geometry for a smooth ride
- Includes two billet extension blocks and necessary mounting hardware
- · Will work with factory and/or aftermarket suspension

NOTE: Will not work with a passenger backrest. Will work with Tour Packs.

PART #	DESCRIPTION
1304-1059	For 02-22 FLHX/FLHT/FLHR/FLTR models

FORGED BILLET PROCROSS ALL BLACK RIMS

- CNC-machined from radial forged 6061-T6 aluminum for maximum road durability and strength-to-weight ratio
- Features a rolled rim lip for the custom look and detailed CNC machine work from the center of the hub to the edge of the rim
- Rims can be used on both front and/or rear applications when correct hub kit is installed
- Rims accept Arlen Ness hub kits (sold separately), which allow full wheels to be assembled in minutes with basic tools
- NOTE: Arlen Ness hub kits must be purchased separately to install. Please see the 2022 Parts Europe FatBook or the Parts Europe Indian catalog for required hub kits.





0210-0407	0210-0406
PART #	DESCRIPTION
FRONT RIM	
0210-0407	21" x 3,50"
REAR RIM	
0210-0406	18" x 5,50"

THE DRAG SPECIALTIES Product News



ENGINE GUARDS

- Provides additional protection against rocks and contact with the ground
- · High-quality aluminum alloy construction
- · Secure fit doesn't affect ground clearance
- · Easy installation on frame mounting points
- · Also protects header and exhaust parts
- · Cutouts allow access to oil drain screws

PART

	UVEUN
FOR 21-22 PAN AMERICA	
0506-1829	Black
0506-1830	Silver

BRAKE CYLINDER GUARD

- Prevents contact between boot and brake cylinder
- · Provides additional protection · Constructed from high-strength aluminum

PART #

FOR 21-22 PAN AMERICA 1731-0755



BAR RISERS

- · Change the seating position to enhance rider comfort
- Constructed from high-strength aluminum alloy
- Do not require extending the original cables · Sold in pairs

PART

FOR 21-22 PAN AMERICA

0602-1363	30 mm
0602-1364	50 mm

PRO TANK RING

- · Allows mounting of PRO tank bag
- · Convenient quick-lock mechanism allows the tank bag to be mounted or removed in seconds
- · Bike-specific design provides complete stability and optimal fit
- · Magnetic guide aid for easy attachment
- Simple installation
- · Constructed from fiberglass-reinforced polyamide
- · Mounting hardware included

DESCRIPTION Brake cylinder guard



RISER HEIGHT

3502-0531



DESCRIPTION

FOR 21-22 PAN AMERICA 3502-0532





FITS MODEL

Headlight guard



HEADLIGHT **GUARD**

· Offers protection for factory headlights

• Simple installation with included mounting hardware

FOR 21-22 PAN AMERICA

PART #

2001-2501

· Protects the original brake fluid reservoir

- Prevents the unintentional removal of the lid
- Available in black

PART

₩*sw-motec*н°

FOR 21-22 PAN AMERICA

1731-0756



DESCRIPTION

Brake reservoir guard



ION TANK RING

- Allows mounting of ION tank bags
- · Convenient quick-lock mechanism allows the tank bag to be mounted or removed in seconds
- · Bike-specific design provides complete stability and optimal fit
- · Simple installation
- · Constructed from fiberglass-reinforced polyamide
- · Mounting hardware included

FANI#

FOR 21-22 PAN AMERICA



DESCRIPTION



0506-1830

COLOR

₩ SW-МОТЕСН°



CRASH BAR

- Offer reliable protection for important components
- Model-specific design fits seamlessly with the lines of the bike and provide optimal cornering clearance
- · No modifications needed for mounting
- · Black powdercoated finish
- Match the look and feel of the motorcycle

Product News

- 27 mm diameter
- Sold in pairs
- · Include mounting hardware and instructions

PART #	DESCRIPTION
FOR PAN AMERICA 21-22	
0505-2275	Crash bar

HEEL GUARD

- Protects the rider's boots from hot exhaust or swingarm movement
- Made of brushed aluminum
 Includes
- mounting hardwareFor left side

PART

FOR 21-22 PAN AMERICA
1731-0757



DESCRIPTION



SIDESTAND FOOT EXTENSION

- Large contact surface enhances bike stability, even on uneven or soft ground
- Mounts on original sidestand
- CNC-milled anodized aluminum alloy
- Mounting instructions included

PART

11

FOR 21-22 PAN AMERICA	
0510-0618	

FITS MODEL

Sidestand foot extension



GEAR LEVER

- Modern, two-piece design and constructed with CNC-milled aluminum
- Spring mechanism enables lever to be folded down and protects it in case of a crash
- Can be adjusted 1 cm, 2 cm or 3 cm beyond the original position
- Scratch resistant
- PART #

DESCRIPTION

FOR 21-22 PAN AMERICA	
1602-1420	

C	lever
uear	iever

EVO FOOTREST KITS

- Enhance stability, comfort and traction in any conditions
- 36 adjustment options
- Include model-specific mounting hinge
- Rounded profile edges offer excellent grip
- Removable rubber insert increases surface area
- and provides extra support and comfort

Sold in pairs

PARI #	DESCRIPTION
FOR 21-22 PAN AMERICA	
1620-2364	Evo footrest kit
1620-2365	Evo passenger footrest kit

FOODIDTION



FRONT AXLE SLIDER SET

- Offers additional protection for the motorcycle axles, swingarms and drive shaft in case of an accident
- · Constructed from abrasion-resistant nylon
- · Comes with two sliders, mounting hardware and instructions

PART #	DESCRIPTION
FOR 21-22 PAN AMERICA	
0505-2300	Front axle slider set