Product News





1800-2672

Stainless steel

Black



FOR 18-23 FXST, FXBB/FXBBS, FXLR, FXLRS, FXFB/FXFBS AND FLSL

1800-2667

1800-2671

FOR 18-23 FXST, FXBB/FXBBS, FXLR, FXLRS, FXFB/FXFBS AND FLSL (CONT)

Chrome



THE RIPPER SHORT ROAD RAGE 2-INTO-1 EXHAUST SYSTEM

- Design with a louder, more aggressive tone than the Shorty Road Rage M8 Softail exhaust systems
- Stepped 13/4" to 17/8" headpipes
- · Fully welded one-piece design
- · Utilizes an advanced inner collector for maximum performance
- Baffle measures 10" x 2,25"
- Mild steel construction and full heat shields with black finish system; stainless system has partial heat shields
- · Hand MIG welding
- \bullet 18 mm 0_2 bungs with 12 mm adapters

is initial of pariety in the initial and provide			
PART #	DESCRIPTION	PART #	DESCRIPTION
FOR 18-21 FLSB AND 22-23 FXLRST		FOR 18-21 FLSB AND 22-23 FXLRST (CONT)	
1800-2665	Stainless steel	1800-2666	Black



1800-2666

B4 2-INTO-1 EXHAUST SYSTEM

- Features equal-length headers
- Stepped 13/4" to 17/8" headpipes with heat shields
- Utilizes an advanced inner collector for maximum performance
- Recommended for engines with up to 120 hp
- Black finish with black round muffler

PART # DESCRIPTION

1800-2627 For 17-23 FLHT/FLHTK/FLHX/FLTRX/FLTRU/FLTRK







- Inspired by the King Of The Baggers racing effort
- · Full stainless steel construction
- Computer-aided stepped header design to maximize power output
- · Precision bends allow for class-leading ground clearance
- · Full-length heat shields on front and rear header pipes

PAKI #	DESCRIPTION
FOR 17-23 FLHT/FLHTK/FLHR/FLHX/FLTRU/FLTRX/FLTRK	
1800-2686	Brushed stainless steel
1800-2688	Guardian Black
PART #	DESCRIPTION
FOR 19-23 INDIAN CHALLENGER	
1810-3174 ¹	Brushed stainless steel



- Sound reducer dB insert included
- Oxygen sensor ports allow use of wide band or stock O2 sensors

FOR 18-24 FXBB/FXBBS/FXLR/FXLRS/FXFB/FXFBS/FLSL/FLHC	
1800-2684	Brushed stainless steel
1800-2685	Guardian Black
PART #	DESCRIPTION
FOR 19-23 INDIAN CHALLENGER (CONT)	
1810-3176 ¹	Guardian Black

1800-2685

¹ Include saddlebag supports.



PART #	DESCRIPTION
1800-2692	For 18-24 Softail models (except FXFB, FXBR, FXST)

SUPERSTREET 2-INTO-1 EXHAUST SYSTEM

- Classic 2-into-1 styling
- Headers and muffler are fully heat shielded for a blue-proof design
- · Stainless steel header construction
- Brushed stainless steel finish with gloss black end cap
- Available without S&S engineered high-flow catalysts
- Oxygen sensor ports allow the use of wide band or stock O₂ sensors
- Models with mid controls require brake pedal kit PART #1861-1493 (sold separately)





LAVA CHROME MINI TEARDROP STEALTH AIR CLEANER KIT

- 85% of original size for perfect proportions; all laid over the easy-to-install Stealth Air Cleaner system
- Lava Chrome finish features the mirror finish of traditional chromium, then gives
 it a smoky radiance for a unique dark look that retains the reflective qualities
- Built-in stinger cone directs air smoothly into the bore of the carburetor or EFI throttle body, reduces turbulence and increases flow
- · Machined openings around the rim add style and provide additional airflow
- · Kit includes cover, backing plate, filter and hardware



PART #	DESCRIPTION	
1010-3176	For 17-23 M-Eight models	



LAVA CHROME STEALTH AIR CLEANER KITS FOR M-EIGHT ENGINES

- · Stealth intake provides 38 percent increase in flow
- High-strength synthetic polymer backplate is designed to reduce heat transfer to intake air

PART #	DESCRIPTION	
FOR 23-24 FLHXSE/FLT	RXSE, 24 FLHX/FLTRX	
1010-3200	Kit w/ Lava Chrome Stealth air cleaner	cover
1010-3201	Kit w/o air cleaner cover	



- Cooler, denser air allows for more efficient cylinder fill and better performance
- Easy installation
- Washable filter element

PART #	DESCRIPTION
FOR 17-24 M-	EIGHT MODELS (EXCEPT 23-24 FLHXSE/FLTRXSE, 24 FLHX/FLTRX)
1010-3175	Kit w/ Lava Chrome Stealth air cleaner cover

BILLET ALUMINUM FUEL RAILS

- Direct replacement for the OEM plastic fuel rail
- · 6061 billet aluminum construction with an anodized black finish
- Eliminates worry about cracks and leaks from the plastic OEM fuel rail
- · Increased fuel flow
- Increased fuel capacity dampens fuel pulses for smoother running

PART #	DESCRIPTION	
1022-0295	For 17-24 Touring models	





PART #	DESCRIPTION
1022-0296	For 18-24 Softail models



CAM CHEST KITS WITHOUT CAMS FOR TWIN CAM

- The proven performance of a S&S cam chest kit without the cams; allowing you freedom of choice in cam profiles
- Oil pump and cam plate are precision-machined from billet aluminum
- Independent scavenge sections for the flywheel cavity and cam chest
- Debris screens in both scavenge pickups
- · Passage plugs are removable for servicing
- Magnet in cam chest side to help stop debris from entering the oil pump
- Approximately 44% flow increase on the supply side and 58% increase on the scavenge

PART #	DESCRIPTION

GEAR DRIVE KITS FOR 07-17 TWIN CAM AND 06 DYNA		
0925-1578	W/ black pushrod tubes	
0925-1579	W/ chrome pushrod tubes	
CHAIN DRIVE KITS FOR 07-17 TWIN CAM AND 06 DYNA		
0925-1582	W/ black pushrod tubes	
0925-1583	W/ chrome pushrod tubes	

- Pressure relief valve is adjustable with the unit installed
- Chain drive kits include S&S High Performance cam chain tensioner
- Quickee Pushrods
- S&S Precision tappets
- Hand-assembled to exacting tolerances
- Reduced valvetrain noise from startup to shutdown
- Close tolerances for low leak-down rates
- Fast pump-up and superior high rpm performance

PART # DESCRIPTION

GEAR DRIVE KITS FOR FOR 99-06 TWIN CAM (EXCEPT 06 DYNA)			
0925-1576 W/ black pushrod tubes			
0925-1577 W/ chrome pushrod tubes			
CHAN DRIVE KITS FOR FOR 99-06 TWIN CAM (EXCEPT 06 DYNA)			
0925-1580	W/ black pushrod tubes		
0925-1581 W/ chrome pushrod tube			

0925-1571





- The proven performance of an S&S cam chest kit without the cams; allowing you freedom of choice in cam profiles
- Kit oil pump and cam plate are precision machined from billet aluminum
- · Passage plugs are removable for servicing
- Independent scavenge sections for flywheel cavity and cam chest
- Debris screens in both scavenge pickups
- · Pressure relief valve is adjustable with the unit installed in the motor
- Provides 44% oil flow increase on the supply side and 58% flow increase on scavenge

PART #	DESCRIPTION		
GEAR DRIVE KITS FOR OIL-COOLED 17-23 M-EIGHT			
0925-1568	W/ gloss black pushrod tubes		
0925-1569	W/ chrome pushrod tubes		
GEAR DRIVE KITS FOR TWIN-COOLED 17-23 M-EIGHT			
0925-1570	W/ gloss black pushrod tubes		
925-1571 W/ chrome pushrod tubes			



- Quickee Pushrods
- S&S Precision Tappets that are hand-assembled to exacting tolerances
- Provide reduced valvetrain noise from startup to shutdown
- Close tolerances for low leakdown rates
- Fast pump-up and superior high rpm performance
- Include hard black anodized billet aluminum tappet cuffs that eliminate distortion
- Improve tappet stability in high lift and high rpm situations

PART #	DESCRIPTION		
CHAIN DRIVE KITS FOR OIL-COOLED 17-23 M-EIGHT			
0925-1572	W/ gloss black pushrod tubes		
0925-1573	W/ chrome pushrod tubes		
CHAIN DRIVE KITS FOR TWIN-COOLED 17-23 M-EIGHT			
0925-1574	W/ gloss black pushrod tubes		
0925-1575	W/ chrome pushrod tubes		





MK136 ENGINE FOR M-EIGHT TOURING

- · Complete crate engine, fully assembled
- High-flow cylinder heads with premium valves, valve seats, guides, springs and seals
- Intake and exhaust valves are +1 mm oversized and 0,030" longer than stock for improved valve train geometery
- 0,605" lift valve springs
- High-strength alloy used in the cylinder head casting for improved strength at high temperatures
- . Enlarged cooling passages around the exhaust seats
- S&S exclusive design breather boxes
- Forged pistons
- S&S Performance oil pump and cam support plate
- Premium valve tappets and tappet cuffs
- · Billet aluminum engine and valve covers
- Sprocket shaft spacer included

- Champion brand spark plugs included
- Retains stock engine height
- Cam cover badge included
- Black powdercoat finish matches the factory finish
- Crankcase features dual-spray piston cooling jets
- Precision-machined oil scraper
- Enlarged oil sump
- · Contoured oil pan floor allows oil to easily drain back to the sump
- · Race use only

PART #	DESCRIPTION	
0901-0264	For 17-23 Oil-cooled M-Eight Touring models	





COMPENSATOR RAMP

- . Direct replacement for the OEM compensator ramp
- CNC-machined from 9000 series steel to handle upgraded horsepower and torque
- Heat-treated and powdercoated black for superior strength and corrosion resistance

PAKI #	DESCRIPTION	
1120-0459	For 17-24 M-Eight models	



SADDLEBAG MOUNTS FOR 2-INTO-1 EXHAUST

- Required when running a 2-into-1 exhaust
- Kit includes saddlebag brackets and all necessary mounts/hardware for installation

PART #	DESCRIPTION	
1861-1732	For 19-23 Challenger models	



MID-MOUNT BRAKE PEDAL

- Provides clearance for S&S performance exhaust systems when using mid-mount 0EM foot controls
- 6061-T6 billet aluminum construction with a anodized black finish
- Works with OEM Fat Bob header pipes when doing mid-control conversions
- · CAD-designed and stress-tested to improve brake control and feel
- Works with OEM mid-mount foot controls
- Made in the U.S.A.



1610-0709 For 18-23 Softail models



34-TOOTH COMPENSATOR SPROCKET

- Engineered with an annular oil distribution system that channels lubricant directly to common wear points
- Delivers quieter operation and extended durability over stock
- Provides refined function with increased cam lobe geometry width and ramp angles and adding a circular oil skirt that channels primary lubricant into the cam lobe region

NOTE: Does not fit FLFB/FLFBS, FXBR/FXBRS or CV0 Softails with wide 240 rear tires.



PART #	DESCRIPTION	
1120-0458	For 17-24 Touring and 18-24 Softail	





NOTE: Models with dealer-installed cruise control may require different or additional lower switch housings. Upper and lower switch housings are not compatible with OEM housings.

PART #	DESCRIPTION
FOR 21-23 FLHT/FLHX/FLHR	
0610-2249	Chrome
0610-2250	Black

PART #	DESCRIPTION
FOR 21-23 FLTRX/FLTRK	
0610-2251	Chrome
0610-2252	Black



MECHANICAL CLUTCH LEVER ASSEMBLY

- Die-cast aluminum construction
- · Black or chrome finish to match OEM switch housings
- Sold each

PART #	DESCRIPTION
FOR 21-23 FLHT/FLHX/FLHTK/FLHR	
0612-0510	Chrome

PART #	DESCRIPTION
FOR 21-23 FLTRX/FLTRK	
0612-0512	Chrome
0612-0513	Black

POLISHED REPLACEMENT CLUTCH LEVER

- Top-quality levers resemble the late-style wide, flat design
- · Constructed of lightweight aluminum with a polished finish
- . Compatible with OEM lever perches
- Sold each







PART # DESCRIPTION

FOR 21-23 FLHT/FLHR/FLHX/FLTR/FLHTCUTG/FLRT/FLTRT MODELS 0610-2255

Chrome

DESCRIPTION PART # FOR 21-23 FLHT/FLHR/FLHX/FLTR/FLHTCUTG/FLRT/FLTRT MODELS (CONT) 0610-2256 **Black**



0610-2254



- Constructed of lightweight aluminum with chrome or matte black finish
- Compatible with OEM lever perches
- Sold in sets

PART #	DESCRIPTION	PART #	DESCRIPTION
FOR 21-23 FLHT/FLHR/FLHX/FLTR/FLHTCUTG/FLRT/FLTRT		FOR 21-23 FLHT/FLHR/FLHX/FLTR/FLHT	CUTG/FLRT/FLTRT (CONT)
0610-2253	Chrome	0610-2254	Matte black



CUSTOM LEVER SETS

- Die-cast levers
- Clean, custom styling
- · Wide blade fits hand perfectly

PART #	DESCRIPTION
FOR 21-23 FLHT/FLHR/FLHX/FLTRX/FLTRU/FLTRK, 21-23 FLHTCUTG/FLRT/FLTRT	
0610-2257	Chrome
0610-2258	Gloss black
FOR 17-20 FLHT/FLHR/FLHX/FLTRX/FLTRU/FLTRK, 19-20 FLHTCL	JTG/FLRT
0610-2261	Chrome
0610-2262	Gloss black
FOR 14-16 FLHT/FLHX/FLTRX/FLTRU AND 06-17 V-ROD MODELS OEM HYDRAULIC CLUTCH (EXCEPT H-D FL TRIKES)	W/
0610-2263	Chrome
0610-2264	Gloss black



FOR 08-13 FLHT/FLTR/FLHX/H-D FL TRIKE AND 08-16 FLHR (EXCEPT MODELS W/ HYDRAULIC CLUTCH) 0610-2265 Chrome 0610-2266 Gloss black FOR 15-23 SOFTAIL (EXCEPT MODELS W/ HYDRAULIC CLUTCH) 0610-2259 Chrome 0610-2260 Gloss black	PART #	DESCRIPTION
0610-2266 Gloss black FOR 15-23 SOFTAIL (EXCEPT MODELS W/ HYDRAULIC CLUTCH) 0610-2259 Chrome		
FOR 15-23 SOFTAIL (EXCEPT MODELS W/ HYDRAULIC CLUTCH) 0610-2259 Chrome	0610-2265	Chrome
0610-2259 Chrome	0610-2266	Gloss black
	FOR 15-23 SOFTAIL (EXCEPT MODELS W/ HYDRAULIC CLUTCH)	
0610-2260 Gloss black	0610-2259	Chrome
	0610-2260	Gloss black



WAVE® BRAKE ROTORS

- Made from 420 high-carbon stainless Tier-1 steel
- · Laser-cut, never stamped
- Each rotor is individually heat-treated and double-disc parallel ground to ensure perfect flatness
- WAVE® design allows for lower operating temperatures at extreme conditions
- WAVE® design is much lighter than a stock rotor

NOTE: For maximum braking performance and rotor longevity, Galfer recommends using Galfer brake pads with Galfer rotors. See page 1258 of the 2024 Parts Europe FatBook for Galfer brake pads.



PART #	DESCRIPTION	STYLE	
FOR ALL 00-17 BIG TWIN, 00-10 XL MODELS (EXCEPT V-ROD, 08-17 FLHT/FLHX/FLTR AND FL TRIKE)			
1710-4201	Front	292mm (11,5"), fixed	
1710-4202	Rear	292mm (11,5"), fixed	